

*Supplementary Material*

# Nanosilver–Silica Composite: Prolonged Antibacterial Effects and Bacterial Interaction Mechanisms for Wound Dressings

Dina A. Mosselhy<sup>1,2,\*</sup>, Henrika Granbohm<sup>1</sup>, Ulla Hynönen<sup>3</sup>, Yanling Ge<sup>1</sup>, Airi Palva<sup>3</sup>, Katrina Nordström<sup>4</sup> and Simo-Pekka Hannula<sup>1</sup>

<sup>1</sup> Department of Chemistry and Materials Science, School of Chemical Engineering, Aalto University, 02150 Espoo, Finland


<sup>2</sup> Microbiological Unit, Fish Diseases Department, Animal Health Research Institute, Dokki, 12618 Giza, Egypt

<sup>3</sup> Department of Veterinary Biosciences, Division of Veterinary Microbiology and Epidemiology, University of Helsinki, P.O. Box 66, 00014 Helsinki, Finland

<sup>4</sup> Department of Bioproducts and Biosystems, School of Chemical Engineering, Aalto University, 02150 Espoo, Finland


\* Correspondence: [dina.mosselhy@aalto.fi](mailto:dina.mosselhy@aalto.fi); Tel.: +358-50-408-3533

**X-ray diffraction (XRD) analyses of the nanosilver-silica ( $\text{Ag}-\text{SiO}_2$ ) composite and silica ( $\text{SiO}_2$ ) particles:**




**Figure S1.** XRD patterns of the  $\text{Ag}-\text{SiO}_2$  composite (heat-treated at 300 °C for 75 min) and  $\text{SiO}_2$  particles.

Size distribution of the Ag NPs of the  $\text{Ag}-\text{SiO}_2$  Composite



**Figure S2.** Size distribution histogram of the Ag NPs of the Ag–SiO<sub>2</sub> composite. The median size of the Ag NPs is 5 nm based on the analysis of 95 Ag NPs on multiple TEM images.

**High-resolution transmission electron microscope (HRTEM) image of the Ag–SiO<sub>2</sub> composite**



**Figure S3.** HRTEM image of the Ag–SiO<sub>2</sub> composite showing twinned and multi-grain Ag NPs.

**Table S1.** Prolonged antibacterial effects of Ag–SiO<sub>2</sub>-G.

Inhibitor in MHB	OD at 600 nm (average ± SD)					
	24 h		48 h		72 h	
	MRSA	<i>E. coli</i>	MRSA	<i>E. coli</i>	MRSA	<i>E. coli</i>
<b>None</b>	0.981 ± 0.001	0.756 ± 0.001	1.18 ± 0.002	0.822 ± 0.002	3	3
<b>Ag–SiO<sub>2</sub>-G<sup>1</sup></b>	0.053 ± 0.001	0.051 ± 0.001	0.256 ± 0.001	0.182	1.604 ± 0.013	0.913 ± 0.002
<b>CSD<sup>2</sup></b>	0.688 ± 0.002	0.496 ± 0.001	0.837 ± 0.002	0.33 ± 0.002	1.588 ± 0.016	0.957 ± 0.003
<b>G<sup>3</sup></b>	0.938 ± 0.002	0.629 ± 0.002	1.282 ± 0.007	0.518 ± 0.002	3	3

<sup>1</sup>Ag–SiO<sub>2</sub> composite-impregnated gauze. <sup>2</sup>Commercial Ag-containing dressing. <sup>3</sup>Pristine gauze.