

**Table S1 The specific primers for qRT-PCR**

Gene symbol	Forward primer sequence (5'–3')	Reverse primer sequence (5'–3')	Melting temperature(°C)	Amplicon length (bp)
<i>CsAAAT1-1</i>	GCAGACCATACCATACCAGAG	ATGTTTCGTCGGCGTTTC	57.2/58.1	119
<i>CsAAAT1-3</i>	CACAATCAAAGGCATTCTGG	TTCTTCAGCAACAACAGTGG	59.1/57.4	130
<i>CsAAAT1-9</i>	CCTCCTCAAAGACATTAGCG	AAAGACTTCACCCTCCCGA	57.6/59.6	168
<i>CsAAAT2-1</i>	AACAGTTCTTGCTCGTCCA	ACCTCCCAACCTTTCTCTG	56.9/56.7	132
<i>CsAAAT2-3</i>	TTCTGCTCCCAAGACCA	ACCTCCCAACCTTTCTCTG	56.0/56.7	103
<i>CsAAAT2-6</i>	TCTCATACACACACACACG	AGCCCTTTGTTCCCTTG	56.4/56.1	107
<i>CsGAPDH</i>	TTGTCATCGTTGAGGGTCT	CAGTGGAACGCGGAAAGC	61.6/61.7	206



