Supplementary Material

Phytogenic Generation of NiO Nanoparticles Using Stevia Leaf Extract and Evaluation of Their In-Vitro Antioxidant and Antimicrobial Properties

Saiganesh Srihasam ^{1,+}, Krishnan Thyagarajan ^{2,+}, Mallikarjuna Korivi ^{3,*}, Veeranjaneya Reddy Lebaka ^{4,5,*} and Siva Pratap Reddy Mallem ^{6,*}

- ¹ Department of Physics, Jawaharlal Nehru Technological University, Anantapur, Anantapuramu 515 002, India; srihasamsaiganesh@gmail.com
- ² Department of Physics, Jawaharlal Nehru Technological University, Pulivendula 516 390, India; ktrjntu@gmail.com
- ³ Exercise and Metabolism Research Center, College of Physical Education and Health Sciences, Zhejiang Normal University, Jinhua 321004, Zhejiang, China
- ⁴ Department of Food Science and Technology, Yeungnam University, Gyeongsan Gyeongbuk 38541, Korea
- ⁵ Department of Microbiology, Yogi Vemana University, Kadapa, Andhra Pradesh-516003, India
- ⁶ School of Electronics Engineering, Kyungpook National University, Daegu 41566, Korea
- * Correspondence: mallik.k5@gmail.com (M.K.); lvereddy@yahoo.com (V.R.L.); dr.mspreddy@gmail.com_ (S.P.R.M.)
- * These authors contributed equally to this work.




Figure S1. Schematic representation of NiO NPs using Stevia leaf extract.




Figure S2. DPPH reduction pattern of NiO-NPs at different concnetrations.