
Supplementary Material

Water quality threats, perceptions of climate change and behavioral responses among farmers in the Ethiopian Rift Valley

Tewodros R. Godebo^{a*}, Marc A. Jeuland^b, Christopher J. Paul^c, Dagnachew L. Belachew^d and Peter G. McCornick^e

^aDepartment of Environmental Health Sciences, School of Public Health and Tropical Medicine, Tulane University, New Orleans, LA 70112 USA. Email: tgodebo@tulane.edu

^bSanford School of Public Policy, Duke University, Box 90239, Durham, NC 27708 USA. Email: marc.jeuland@duke.edu

^c Department of Public Administration, North Carolina Central University, 1801 Fayetteville St, Durham, NC 27707, USA Email: cpaul5@ncsu.edu

^d School of Earth Sciences, Addis Ababa University (AAU), P.O.Box 1176, Addis Ababa, Ethiopia. Email: dagnachew1@gmail.com

^e Daugherty Water for Food Global Institute (DWFI), University of Nebraska, Lincoln, NE, USA. Email: pmccornick@nebraska.edu

Table of contents

Figure S1. Guidelines for saline-sodic water quality suitability for irrigation, presented in terms of reduced infiltration.

Figure S2. Relative importance of factors determining a bad crop year

Figure S3. Farmers' perception on barriers to adaptation

Table S1. Regression of adaptation behaviors on farmer characteristics




Figure S1. Guidelines for saline-sodic water quality suitability for irrigation, presented in terms of reduced infiltration.




Figure S2. Relative importance of factors determining a bad crop year.




Figure S3. Farmers' perception on barriers to adaptation.