

Supplementary Materials

Preparation of a Mulberry-Like MnO Specimen and Its Lithium Property

Yuan-Xiang Fu ^{1,2,*}, Hong-Shen Huang ¹, Wu-Jie Ge ¹, Wei Qiu ¹, Xian-Yinan Pei ^{3,4,*}

¹ Guizhou Provincial Key Laboratory of Energy Chemistry, Guizhou Institute of Technology, School of Chemical Engineering, Guiyang 550003, China;

20140481@git.edu.cn (H.-S.H.); 20170816@git.edu.cn (W.-J.G.)

20150622@git.edu.cn (W.Q.)

² Guangdong Engineering Technology Research Centre for Advanced Thermal Control Material and System Integration (ATCMSI), Guangzhou 510275, China

³ Institute of Materials Research, Tsinghua Shenzhen International Graduate School, Tsinghua University, Shenzhen 518055, China

⁴ Shenzhen Dynanonic & Shenzhen Innovazone Technology Co., Ltd., Shenzhen 518055, China

*Correspondence : fuyx8@git.edu.cn/fuyuanxiang1980@163.com,(Y.-X.F.);
peixyn@gmail.com (X.-Y.P.)




Figure S1. SEM image of MnO-500 particles.




Figure S2. SEM image of MnO-600 particles.




Figure S3. XRD patterns of MnO samples with 500°C, 600°C and 700°C calcination temperatures (denoted as MnO-500, MnO-600 and MnO-700, respectively).




Figure S4. Cycling performances of MnO-500, MnO-600 and MnO-700 samples at 200 mA g⁻¹ and the corresponding Coulombic efficiency of the MnO-700.