Supporting Information of article

Glycerol Oxidation over Supported Gold Catalysts: The Combined Effect of Au Particle Size and Basicity of Support

Ekaterina Pakrieva ^{1,2}, Ekaterina Kolobova ¹, Dmitrii German ¹, Marta Stucchi ³, Alberto Villa ³, Laura Prati ³, Sónia A.C. Carabineiro ⁴, Nina Bogdanchikova ⁴, Vicente Cortés Corberán ⁵ and Alexey Pestryakov ^{1,*}

- ¹ Research School of Chemistry & Applied Biomedical Sciences, National Research Tomsk Polytechnic University, Lenin Av. 30, 634050 Tomsk, Russia; epakrieva@mail.ru (E.P.),ekaterina_kolobova@mail.ru (E.K.), germandmitry93@gmail.com (D.G.), pestryakov2005@yandex.ru (A.P.)
- ² Instituto de Catálisis y Petroleoquímica, Consejo Superior de Investigaciones Científicas, Marie Curie 2, 28049 Madrid, Spain; vcortes@icp.csic.es
- ³ Dipartimento di Chimica, Università degli Studi di Milano, via Golgi 19, 20133 Milano, Italy; marta.stucchi@unimi.it (M.S.), Alberto.Villa@unimi.it (A.V.); laura.prati@unimi.it (L.P.)
- ⁴ LAQV-REQUIMTE, Department of Chemistry, NOVA School of Science and Technology, Universidade NOVA de Lisboa, 2829-516 Caparica, Portugal, sonia.carabineiro@fct.unl.pt
- ⁵ Universidad Nacional Autónoma de México, Centro de Nanociencias y Nanotecnología, P. O. box 14, 22800 Ensenada, México; nina@cnyn.unam.mx (N.B.)
- * Correspondence: pestryakov2005@yandex.ru (A.P.)

















Figure 1. XRD patterns for different catalysts and their corresponding supports: (a) – (e) from [38], (f) from [37], (g) reprinted from Ref. [42], Copyright (2020), with permission from Elsevier.



(a)

















(**d**)

(e)



Figure 2. TEM images and particle size distributions of gold supported catalysts: (a) – (e) from [38], (f) from [37], (g) reprinted from Ref. [42], Copyright (2020), with permission from Elsevier.

Au/TiO₂



Figure S3. XPS results from different catalysts: (a) – (e) from [38], (f) from [37], (g) reprinted from Ref. [42], Copyright (2020), with permission from Elsevier.