

Enhanced Photocatalytic Activity of WS₂/TiO₂ Nanofibers for Degradation of Phenol under Visible Light Irradiation

Engy A. Nada ¹, Heba H. El-Maghrabi ², Patrice Raynaud ³, Hager R. Ali ⁴,
Saad Abd El-Wahab ¹, Dina Y. Sabry ¹, Yasser M. Moustafa ⁴, and Amr A. Nada ^{4,*}

¹ Chemistry Department, Faculty of Science, Ain shams University, Cairo 11566, Egypt; engyahmedna-da@gmail.com (E.A.N.); saadabdelwahab@sci.asu.edu.eg (S.A.E.-W.); d.y_sabry@yahoo.com (D.Y.S)

² Dept. of Refining, Egyptian Petroleum Research Institute, Cairo 11727, Egypt; hebachem@yahoo.com (H.H.E.)

³ Laboratoire Plasma et Conversion d'Energie (LAPLACE), Université de Toulouse, CNRS, INPT, UPS, 31062 Toulouse, France; raynaud@laplace.univ-tlse.fr

⁴ Dept. of Analysis and Evaluation, Egyptian Petroleum Research Institute, Cairo 11727, Egypt; d_hager80@yahoo.com (H.R.A.); ymoustafa12@yahoo.com (Y.M.M.).

* Correspondence: hebachem@yahoo.com (H.H.E.-M.); amr.nada@epri.sci.eg or chem_amr@yahoo.com (A.A.N.)




Figure S1: XRD of TW40 nanofibers before and after photocatalytic reaction..




Figure S2: SEM of TW40 nanofibers after photocatalytic reaction.

