

checkCIF/PLATON report

You have not supplied any structure factors. As a result the full set of tests cannot be run.

THIS REPORT IS FOR GUIDANCE ONLY. IF USED AS PART OF A REVIEW PROCEDURE FOR PUBLICATION, IT SHOULD NOT REPLACE THE EXPERTISE OF AN EXPERIENCED CRYSTALLOGRAPHIC REFEREE.

No syntax errors found. CIF dictionary Interpreting this report

Datablock: 151201mcwkDy2

Bond precision: C-C = 0.0063 A

Wavelength=0.71075

Cell: a=13.9870(7) b=15.1052(9) c=14.8741(7)
 alpha=90 beta=107.6590(13) gamma=90
Temperature: 163 K

	Calculated	Reported
Volume	2994.5(3)	2994.5(3)
Space group	P 21/n	P 1 21/n 1
Hall group	-P 2yn	-P 2yn
Moiety formula	C42 H40 B4 Cl2 Dy2 N24 O4, 2(C H2 Cl2)	C44 H44 B4 Cl6 Dy2 N24 O4
Sum formula	C44 H44 B4 Cl6 Dy2 N24 O4	C44 H44 B4 Cl6 Dy2 N24 O4
Mr	1553.97	1553.95
Dx,g cm-3	1.724	1.723
Z	2	2
Mu (mm-1)	2.807	2.810
F000	1524.0	1524.0
F000'	1525.36	
h,k,lmax	18,19,19	18,19,19
Nref	6845	6808
Tmin,Tmax	0.609,0.755	0.246,0.755
Tmin'	0.183	

Correction method= # Reported T Limits: Tmin=0.246 Tmax=0.755

AbsCorr = MULTI-SCAN

Data completeness= 0.995

Theta(max)= 27.441

R(reflections)= 0.0388(5671)

wR2(reflections)= 0.0860(6808)

S = 1.048

Npar= 379

The following ALERTS were generated. Each ALERT has the format

test-name_ALERT_alert-type_alert-level.

Click on the hyperlinks for more details of the test.



Alert level C

PLAT369_ALERT_2_C Long C(sp2)-C(sp2) Bond C1 - C2 .. 1.54 Ang.



Alert level G

CHEMS02_ALERT_1_G Please check that you have entered the correct
_publ_requested_category classification of your compound;
FI or CI or EI for inorganic; FM or CM or EM for metal-organic;
FO or CO or EO for organic.
From the CIF: _publ_requested_category CHOOSE FI FM FO CI CM CO or
From the CIF: _chemical_formula_sum:C44 H44 B4 Cl6 Dy2 N24 O4
PLAT042_ALERT_1_G Calc. and Reported MoietyFormula Strings Differ Please Check
PLAT083_ALERT_2_G SHELXL Second Parameter in WGHT Unusually Large 5.86 Why ?
PLAT333_ALERT_2_G Check Large Av C6-Ring C-C Dist. C1 -C3_a 1.43 Ang.
PLAT882_ALERT_1_G Missing datum for _diffn_reflns_av_unetI/netI . Please Check

-
- 0 **ALERT level A** = Most likely a serious problem - resolve or explain
0 **ALERT level B** = A potentially serious problem, consider carefully
1 **ALERT level C** = Check. Ensure it is not caused by an omission or oversight
5 **ALERT level G** = General information/check it is not something unexpected
- 3 ALERT type 1 CIF construction/syntax error, inconsistent or missing data
3 ALERT type 2 Indicator that the structure model may be wrong or deficient
0 ALERT type 3 Indicator that the structure quality may be low
0 ALERT type 4 Improvement, methodology, query or suggestion
0 ALERT type 5 Informative message, check
-

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

Publication of your CIF in IUCr journals

A basic structural check has been run on your CIF. These basic checks will be run on all CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E* or *IUCrData*, you should make sure that full publication checks are run on the final version of your CIF prior to submission.

Publication of your CIF in other journals

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.

