

checkCIF/PLATON report

Structure factors have been supplied for datablock(s) ZnB2SO44

THIS REPORT IS FOR GUIDANCE ONLY. IF USED AS PART OF A REVIEW PROCEDURE FOR PUBLICATION, IT SHOULD NOT REPLACE THE EXPERTISE OF AN EXPERIENCED CRYSTALLOGRAPHIC REFEREE.

No syntax errors found. CIF dictionary Interpreting this report

Datablock: ZnB2SO44

Bond precision: O- B = 0.0010 A Wavelength=0.71073

Cell: a=7.8338(4) b=8.0967(4) c=9.0399(4)
 alpha=90 beta=111.260(2) gamma=90

Temperature: 183 K

	Calculated	Reported
Volume	534.36(5)	534.36(5)
Space group	P 21/n	P 21/n
Hall group	-P 2yn	-P 2yn
Moiety formula	B2 O16 S4 Zn	?
Sum formula	B2 O16 S4 Zn	B2 O16 S4 Zn
Mr	471.25	471.23
Dx,g cm-3	2.929	2.929
Z	2	2
Mu (mm-1)	3.189	3.189
F000	464.0	464.0
F000'	465.87	
h,k,lmax	14,14,16	14,14,16
Nref	3203	3202
Tmin,Tmax	0.330,0.704	0.686,0.748
Tmin'	0.195	

Correction method= # Reported T Limits: Tmin=0.686 Tmax=0.748
AbsCorr = MULTI-SCAN

Data completeness= 1.000 Theta(max)= 39.475

R(reflections)= 0.0168(3045) wR2(reflections)= 0.0468(3202)

S = 1.110 Npar= 107

The following ALERTS were generated. Each ALERT has the format
test-name_ALERT_alert-type_alert-level.
Click on the hyperlinks for more details of the test.

Alert level B

PLAT934_ALERT_3_B Number of (Iobs-Icalc)/Sigma(W) > 10 Outliers .. 2 Check

Alert level G

PLAT004_ALERT_5_G Polymeric Structure Found with Maximum Dimension 3 Info
PLAT395_ALERT_2_G Deviating X-O-Y Angle From 120 for O212 135.9 Degree
PLAT794_ALERT_5_G Tentative Bond Valency for Zn1 (II) . 2.25 Info
PLAT802_ALERT_4_G CIF Input Record(s) with more than 80 Characters 1 Info
PLAT883_ALERT_1_G No Info/Value for _atom_sites_solution_primary . Please Do !
PLAT912_ALERT_4_G Missing # of FCF Reflections Above STh/L= 0.600 2 Note

0 **ALERT level A** = Most likely a serious problem - resolve or explain
1 **ALERT level B** = A potentially serious problem, consider carefully
0 **ALERT level C** = Check. Ensure it is not caused by an omission or oversight
6 **ALERT level G** = General information/check it is not something unexpected

1 ALERT type 1 CIF construction/syntax error, inconsistent or missing data
1 ALERT type 2 Indicator that the structure model may be wrong or deficient
1 ALERT type 3 Indicator that the structure quality may be low
2 ALERT type 4 Improvement, methodology, query or suggestion
2 ALERT type 5 Informative message, check

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

Publication of your CIF in IUCr journals

A basic structural check has been run on your CIF. These basic checks will be run on all CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E* or *IUCrData*, you should make sure that full publication checks are run on the final version of your CIF prior to submission.

Publication of your CIF in other journals

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.

