

Aurisin A Complexed with 2,6-di-O-methyl- β -cyclodextrin Enhances Aqueous Solubility, Thermal Stability, and Antiproliferative Activity against Lung Cancer Cells

Thanapon Charoenwongpaiboon ¹, Amy Oo ², Sutita Nasoontorn ³, Thanyada Rungrotmongkol ^{2,4}, Somdej Kanokmedhakul ⁵ and Panupong Mahalapbutr ^{3,*}

¹ Department of Chemistry, Faculty of Science, Silpakorn University, Nakhon Pathom 73000, Thailand

² Center of Excellence in Structural and Computational Biology, Department of Biochemistry, Chulalongkorn University, Bangkok 10330, Thailand

³ Department of Biochemistry, Center for Translational Medicine, Faculty of Medicine, Khon Kaen University, Khon Kaen 40002, Thailand

⁴ Ph.D. Program in Bioinformatics and Computational Biology, Graduate School, Chulalongkorn University, Bangkok 10330, Thailand

⁵ Natural Products Research Unit, Department of Chemistry and Center for Innovation in Chemistry, Faculty of Science, Khon Kaen University, Khon Kaen 40002, Thailand

* Correspondence: panupma@kku.ac.th




Figure S1. Van't Hoff plots of AA/βCDs inclusion complexes.