



Correction

## Correction: Zhang et al. Evaluation of the Radiometric Calibration of ZY1-02E Thermal Infrared Data. *Remote Sens.* 2023, 15, 3905

Honggeng Zhang <sup>1,2</sup>, Hongzhao Tang <sup>2,\*</sup>, Xining Liu <sup>3</sup>, Xianhui Dou <sup>2</sup>, Yonggang Qian <sup>4</sup>, Wei Chen <sup>1</sup> and Kun Li <sup>4</sup>

- College of Geoscience and Surveying Engineering, China University of Mining and Technology, Beijing 100083, China; 1710270116@student.cumtb.edu.cn (H.Z.); chenw@cumtb.edu.cn (W.C.)
- <sup>2</sup> Land Satellite Remote Sensing Application Center, Ministry of Natural Resources, Beijing 100094, China; douxh@lasac.cn
- <sup>3</sup> Sanya Institute of South China Sea Geology, Guangzhou Marine Geological Survey, Sanya 572025, China; liuxining@mail.cgs.gov.cn
- <sup>4</sup> Key Laboratory of Quantitative Remote Sensing Information Technology, Aerospace Information Research Institute, Chinese Academy of Sciences, Beijing 100094, China; qianyg@aircas.ac.cn (Y.Q.); likun@aircas.ac.cn (K.L.)
- \* Correspondence: tanghz@pku.edu.cn; Tel.: +86-10-68412293

## **Modifying Author Information**

In the original publication [1], we removed the symbol "†" and the sentence "† These authors contributed equally to this work and should be considered co-first authors." from the affiliation part. The authors state that the scientific conclusions are unaffected. This correction was approved by the Academic Editor. The original publication has also been updated.

## Reference

1. Zhang, H.; Tang, H.; Liu, X.; Dou, X.; Qian, Y.; Chen, W.; Li, K. Evaluation of the Radiometric Calibration of ZY1-02E Thermal Infrared Data. *Remote Sens.* **2023**, *15*, 3905. [CrossRef]

**Disclaimer/Publisher's Note:** The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.



Citation: Zhang, H.; Tang, H.; Liu, X.; Dou, X.; Qian, Y.; Chen, W.; Li, K. Correction: Zhang et al. Evaluation of the Radiometric Calibration of ZY1-02E Thermal Infrared Data.

Remote Sens. 2023, 15, 3905. Remote Sens. 2023, 15, 4348. https://doi.org/10.3390/rs15174348

Received: 22 August 2023 Accepted: 27 August 2023 Published: 4 September 2023



Copyright: © 2023 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (https://creativecommons.org/licenses/by/4.0/).