

checkCIF/PLATON report

You have not supplied any structure factors. As a result the full set of tests cannot be run.

THIS REPORT IS FOR GUIDANCE ONLY. IF USED AS PART OF A REVIEW PROCEDURE FOR PUBLICATION, IT SHOULD NOT REPLACE THE EXPERTISE OF AN EXPERIENCED CRYSTALLOGRAPHIC REFEREE.

No syntax errors found. CIF dictionary Interpreting this report

Datablock: 3

Bond precision:	C-C = 0.0163 A	Wavelength=0.71075
Cell:	a=9.8123(3)	b=18.7073(6) c=19.0731(5)
	alpha=90	beta=91.8175(8) gamma=90
Temperature:	173 K	
	Calculated	Reported
Volume	3499.33(18)	3499.34(18)
Space group	P 21/c	P 1 21/c 1
Hall group	-P 2ybc	-P 2ybc
Moiety formula	C29 H49 Ir2 O P2, C F3 O3 S	C30 H51 F3 Ir2 O4 P2 S
Sum formula	C30 H49 F3 Ir2 O4 P2 S	C30 H51 F3 Ir2 O4 P2 S
Mr	1009.13	1011.17
Dx,g cm-3	1.916	1.919
Z	4	4
Mu (mm-1)	7.797	7.818
F000	1952.0	1960.0
F000'	1943.13	
h,k,lmax	12,24,24	12,24,24
Nref	8008	7925
Tmin,Tmax	0.255,0.458	0.101,0.458
Tmin'	0.092	

Correction method= # Reported T Limits: Tmin=0.101 Tmax=0.458
AbsCorr = MULTI-SCAN

Data completeness= 0.990 Theta(max)= 27.460

R(reflections)= 0.0536(6039) wR2(reflections)= wR= 0.0860(6082)

S = 1.003 Npar= 428

The following ALERTS were generated. Each ALERT has the format

test-name_ALERT_alert-type_alert-level.

Click on the hyperlinks for more details of the test.

Alert level C

PLAT041_ALERT_1_C	Calc. and Reported SumFormula	Strings Differ	Please Check
PLAT043_ALERT_1_C	Calculated and Reported Mol. Weight Differ by ..	2.04	Check
PLAT068_ALERT_1_C	Reported F000 Differs from Calcd (or Missing)...		Please Check
PLAT094_ALERT_2_C	Ratio of Maximum / Minimum Residual Density	2.21	Report
PLAT220_ALERT_2_C	Non-Solvent Resd 1 C Ueq(max)/Ueq(min) Range	3.2	Ratio
PLAT234_ALERT_4_C	Large Hirshfeld Difference C15 --C20	0.16	Ang.
PLAT342_ALERT_3_C	Low Bond Precision on C-C Bonds	0.0163	Ang.

Alert level G

FORMU01_ALERT_2_G There is a discrepancy between the atom counts in the
_chemical_formula_sum and the formula from the _atom_site* data.
Atom count from _chemical_formula_sum: C30 H51 F3 Ir2 O4 P2 S1
Atom count from the _atom_site data: C30 H49 F3 Ir2 O4 P2 S1

CELLZ01_ALERT_1_G Difference between formula and atom_site contents detected.

CELLZ01_ALERT_1_G WARNING: H atoms missing from atom site list. Is this intentional?
From the CIF: _cell_formula_units_Z 4
From the CIF: _chemical_formula_sum C30 H51 F3 Ir2 O4 P2 S
TEST: Compare cell contents of formula and atom_site data

atom	Z*formula	cif sites	diff
C	120.00	120.00	0.00
H	204.00	196.00	8.00
F	12.00	12.00	0.00
Ir	8.00	8.00	0.00
O	16.00	16.00	0.00
P	8.00	8.00	0.00
S	4.00	4.00	0.00

PLAT005_ALERT_5_G No Embedded Refinement Details Found in the CIF Please Do !

PLAT042_ALERT_1_G Calc. and Reported MoietyFormula Strings Differ Please Check

PLAT066_ALERT_1_G Predicted and Reported Tmin&Tmax Range Identical ? Check

PLAT244_ALERT_4_G Low 'Solvent' Ueq as Compared to Neighbors of C30 Check

PLAT398_ALERT_2_G Deviating C-O-C Angle From 120 for O1 109.3 Degree

PLAT793_ALERT_4_G Model has Chirality at C27 (Centro SPGR) S Verify

PLAT882_ALERT_1_G No Datum for _diffrn_reflns_av_unetI/netI Please Do !

PLAT883_ALERT_1_G No Info/Value for _atom_sites_solution_primary . Please Do !

PLAT963_ALERT_2_G Both SHELXL WEIGHT Parameters Values Zero Please Check

PLAT983_ALERT_1_G The Ir-f"= 7.9900 Deviates from IT-Value = 7.9887 Check

- 0 **ALERT level A** = Most likely a serious problem - resolve or explain
0 **ALERT level B** = A potentially serious problem, consider carefully
7 **ALERT level C** = Check. Ensure it is not caused by an omission or oversight
13 **ALERT level G** = General information/check it is not something unexpected

- 10 ALERT type 1 CIF construction/syntax error, inconsistent or missing data
5 ALERT type 2 Indicator that the structure model may be wrong or deficient
1 ALERT type 3 Indicator that the structure quality may be low
3 ALERT type 4 Improvement, methodology, query or suggestion
1 ALERT type 5 Informative message, check
-

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

Publication of your CIF in IUCr journals

A basic structural check has been run on your CIF. These basic checks will be run on all CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E* or *IUCrData*, you should make sure that full publication checks are run on the final version of your CIF prior to submission.

Publication of your CIF in other journals

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.

