CEPS. An open-access MATLAB graphical user interface (GUI) for the analysis of Complexity and Entropy in Physiological Signals

David Mayor, Deepak Panday, Harikala Kandel, Tony Steffert and Duncan Banks

Supplementary material

SM1. A brief review of studies comparing nonlinear measures of complexity or entropy with traditional linear measures

Rather than trying to review all studies on each nonlinear measure that we considered using in CEPS, studies were located in PubMed using the name of each measure (e.g. 'Sample entropy') together with the word 'better' or 'worse'. This reduced the number of studies to something more manageable. The Abstracts – but not the studies themselves – were then examined for comparisons between complexity/entropy and linear or traditional measures, and counts were taken of when the former or the latter were found more useful by the authors of those studies. In many studies, this was not possible, usually because the focus of the study was not on the particular comparison we were interested in (the words 'better' or 'worse' being applied to other comparisons).

The results of this review are shown in tabular form below (Tables S1 and S2). The first column indicates the acronym for the measure in question, the second column the number of studies including the word 'better' (followed by the number including the word 'worse' in parentheses). The third column shows the type of data being investigated, the fourth the first author of the study and year of publication, in date order. In the fifth column, 'y' indicates that nonlinear measures were found in some sense 'better' than the linear or traditional measures with which they were compared (shown in the final column), 'n' that they were 'worse', and 'd' that the measures appeared to quantify different underlying dynamics and so were not directly comparable.

Table S1. Review results – complexity measures.

Measure	N	System	Study	Nonlinear	Comparator
				better	
HFD	9 (1)	iv ultrasound	Santos Filho <i>et al.</i> 2008 [154]	у	Correlation
		Intracranial	Jouny & Bergey 2012 [155]	у	Band power
		Retina	Aliahmad et al. 2014 [156]	у	'Other'
		EEG	Kawe et al. 2019 [157]	у	Alpha asymmetry
KFD	1 (1)	[n/a]			
Allan Factor	1 (0)	HRV	Pawlak-Buś <i>et al.</i> 2005 [158]	у	Standard method
\mathbf{D}_2	30 (1)	HRV	Skinner <i>et al.</i> 1993 [159]	У	Standard deviation
		EEG	Pritchard et al. 1994 [160]	y	Standard linear

		Myoelectric	Nieminen & Takala 1996 [161]	y	Random stochastic
		EEG	Stam et al. 1996 [162]	$y + Pwr^1$	Power/reactivity
		EEG (sleep stage)	Fell <i>et al.</i> 1996 [163]	y / n	Spectral measures
		EEG	Grözinger et al. 2001 [164]	n	Spectral powers
		ECG, EEG	Balli & Palaniappan 2010 [165]	n	Linear AR ² model
		Voice	Gao & Hu 2012 [166]	y	Traditional linear
		EEG	Eagleman et al. 2018 [167]	y	Traditional spectral
H	30 (0)	fMRI	Maxim et al. 2005 [168]	y	AR model (order 1)
		HRV	Yum et al. 2008 [169]	y	Spectral indices
		HRV	Yeh et al. 2010 [170]	n	Empirical mode decomposition;
		ECG, EEG	Balli & Palaniappan 2010 [165]	n	Linear AR model
DFA	44 (4)	HRV	Mäkikallio <i>et al.</i> 1998 [171]	y	Conventional HRV measures
		HRV	Hotta et al. 2005 [172]	y	Traditional linear
		fMRI	Lee et al. 2008 [173]	y	Deconvolution
		HRV	Heitmann et al. 2011 [174]	y	Traditional linear
		HRV	Jiang & Wu 2011 [175]	y	Spectral indices
		HRV (sleep stage)	Tseng et al. 2013 [176]	n	Spectral power ratio
		HRV	Téllez et al. 2014 [177]	n	Discrete wavelet transform
		Respiration	Mumtaz et al. 2015 [178]	y	Logistical regression
		EEG	Castiglioni et al. 2019 [179]	y	Traditional indices
		HRV	Tsai et a l. 2019 [180]	y	Traditional parameters
LLE	54 (2)	EEG (sleep stage)	Fell <i>et al</i> . 1996 [163]	y / n	Spectral measures
		EEG	Grözinger et al. 2001 [164]	n	Spectral powers
		Respiration	Yeragani <i>et al</i> . 2002 [181]	y	Traditional time domain
		EEG	Sackellares et al. 2006 [182]	y	Naïve prediction schemes
		EEG	Khoshnoud <i>et al.</i> 2018 [183]	y	Band power features
RQA	33 (0)	HRV	Javorka <i>et al.</i> 2008 [184]	d	Linear parameters
		HRV	Mohebbi et al. 2011 [185]	y	Other existing approaches
		Posturography	Ferrufino et al. 2011 [186]	y	Classical statistics
		Respiration	Terrill <i>et al.</i> 2012 [187]	y	Time-series & spectral anal.

		Emotional valence	Lichtwarck-A et al. 2012 [188]	y	Valence
		Surface EMG	Ito & Hotta 2012 [189]	y	Traditional frequency analysis
		HRV	Frondelius <i>et al.</i> 2015 [190]	d	Linear (time and freq. domain)
PP	24 (1)	HRV	Heitmann et al. 2011 [174]	y	Linear (time and freq. domain)
		EEG	Brignol <i>et al.</i> 2013 [191]	y	Spectral band power
		HRV	Shi <i>et al.</i> 2018 [192]	y	Frequency domain
		HRV	Farah <i>et al.</i> 2018 [193]	n	Frequency domain
		HRV	Byun <i>et al</i> . 2019 [194]	y	Linear indices
LZC	18 (0)	EEG	Zhang et al. 2001 [195]	y	Median frequency
		EEG	Huang et al. 2003 [196]	y	Median frequency, Spectral edge

^{1.} Measure combined with Power better than Power alone; 2. AR: Autoregressive.

Table S2. Review results – entropy measures.

Measure	N	System	Study	Nonlinear	Comparison
				better	
SE	69 (1)	EEG bicoherence	Li et al. 2011 [197]	у	Traditional FFT bicoherence
		Image denoising	Fathi & Naghsh-Nilchi 2012 [198]	у	Standard denoising
		Temperature	Papaioannou et al. 2013 [199]	у	Sequential organ failure
		Gene expression	Wang et al. 2014 [200]	d	Differential Coefficient of Variation
		Image features	Yang et al. 2014 [201]	у	SMACC
		HIV-1 identification	Wu et al. 2015 [202]	У	prior viral diversity markers
		Peanut allergens	Johnson <i>et al.</i> 2016 [203]	у	Standard search algorithms
		Brain mapping	Delic et al. 2016 [204]	у	Fractional anisotropy
		Water contamination	Khosravi et al. 2018 [205]	у	Weights-of-Evidence
		Sedimentation	Zhu & Peng 2019 [206]	у	Deterministic models
		MRI (DTI)	Liang et al. 2019 [207]	у	Traditional methods
RE	9 (1)	Mechanomyography	Torres et al. 2008 [208]	у	Other (linear) parameters
		EEG	Choi 2015 [209]	у	[Unclear from Abstract]
M-E	1 (0)	[n/a]			
TE	6 (0)	PET	Gao et al. 2013 [210]	у	Traditional methods
		Temperature	Papaioannou 2013 [199]	у	Sequential organ failure
		MRI	Zhang et al. 2015 [211]	y	Discrete wavelet transform

		EEG	Lazar et al. 2018 [212]	y	Bayes, Normal and Vis shrink
KSE	4(0)	[n/a]			
PE	29 (0)	EEG	Silva <i>et al.</i> 2011 [213]	y / n	Spectral params / electromyograph
		Accelerometer data	Ihlen et al. 2016 [214]	у	35 conventional gait features
		STABO	Aydın et al. 2019 [215]	y + SVM	Spectral params + naive Bayes
CE/CCE	10(0)	Cardiac CT	Zhuang et al. 2015 [216]	у	Conventional schemes
ApEn	100 (2)	EEG	Bruhn et al. 2000 [217]	у	Median frequency
		Respiration	Yeragani <i>et al.</i> 2002 [181]	у	CV of tidal volume
		EEG	Bruhn 2003 [218]	y (nonsig)	Bispectral index, SEF95
		HRV	Gonçalves et al. 2007 [219]	d	Linear spectral indices
		ECG, EEG	Balli & Palaniappan 2010 [165]	n	Linear AR model
		Mechanomyography	Sarlabous <i>et al.</i> 2010 [220]	y	RMS amplitude
		EEG	López-Cuevas et al. 2013 [221]	y + ANN	Existing algorithms
		EEG	Hsu 2015 [222]	y	Conventional measures
		HRV	Choi & Hoh 2015 [223]	y	Conventional parameters
		Centre of pressure	Williams et al. 2016 [224]	y	RMS
		HRV	Kabbach et al. 2017 [225]	d	Linear measures
		Water quality	Huang et al. 2017 [226]	y	AR model, sequential probabilit
		EEG	Khoshnoud et al. 2018 [183]	y	Band power features
		Motion analysis	Zia et al. 2018 [227]	y	Prior state-of-the-art methods
		Muscle fatigue	Du et al. 2018 [228]	y	Power & frequency measures
		EEG	Chow et al. 2019 [229]	y	EEG Theta/beta ratio
		fMRI	Nan <i>et al</i> . 2019 [230]	y	Regional homogeneity
		fMRI	Zhang et al. 2020 [231]	y	Functional connectivity
		EEG	Saeedi et al. 2020 [232]	y	Frequency-based features
SampEn	120 (4)	EEG	Ke et al. 2014 [233]	y	EEG power ratio
		HRV	Gonçalves et al. 2007 [219]	d	Linear spectral indices
		Base lung sound	Albuerne-S et al. 2008 [234]	y	Spectral percentiles
		EMG	Zhou & Zhang 2014 [235]	y	Conventional methods
		HRV	Choi & Hoh 2015 [223]	y	Conventional methods
		Physical activity	Aktaruzzaman et al. 2015 [236]	y	AR coefficients
		Denoising	Shen <i>et al.</i> 2016 [237]	y	Traditional methods
		Local field potential	Zare et al. 2020 [238]	n	LFP power
		EEG	Saeedi <i>et al.</i> 2020 [232]	y	Frequency-based features

	CosEn	0 (0)	[n/a]			
	QSE	0 (0)	[n/a]			
	MSE	43 (4)	Pulse wave velocity	Wu et al. 2011 [239]	y	Pulse wave velocity
			MEG	Chu et al. 2015 [240]	y	Rel power in some bands
			Postural sway	Zhou et al. 2017 [241]	y	Traditional sway metrics
			HRV	Tsai et al. 2019 [180]	y	Traditional HRV parameters
			HRV	Lin <i>et al.</i> 2016 [242]	y	SDNN, pNN20 (HRV parameters)
	FE	23 (0)	EEG	Lazar <i>et al</i> . 2016 [243]	y	Traditional complex wavelet
	DistEn	7 (0)	[n/a]			
	DE	3 (0)	[n/a]			
	SlopeEn	0 (0)	[n/a]			
	BE	0 (0)	[n/a]			
	PhEn	1(0)	[n/a]			
	DnEn	1(0)	[n/a]			
C	ompressionEn	2 (0)	HRV	Heitmann et al. 2011 [174]	у	Time and frequency domain
	SpEn	37 (5)	EEG	Grözinger et al. 2001 [164]	n	Spectral power
			EEG (sleep stage)	Fell <i>et al.</i> 1996 [163]	y / n	Spectral measures
			EEG	Martorano <i>et al.</i> 2006 [244]	у	Heart rate, mean arterial pressure
			EEG	Kim et al. 2012 [245]	n	Bispectral index
			EEG	Tiefenthaler et al. 2018 [246]	y	Bispectral index
	DiffEn	7 (0)	Heart motion	Punithakumar et al. 2010, 2013	у	Other recent methods
				[247, 248]		

^{+:} Combination of nonlinear and another method better or worse than comparator; ANN: Artificial neural networks; DTI: diffusion tensor imaging; iv: intravenous; LFP: Local field potential; SMACC: sequential maximum angle convex cone; STABO: single trial auditory brain oscillations; SVM: support vector machine.

In total, without deduplication, 716 studies were found for these measures in which the word 'better' occurred, and 27 containing the word 'worse' (suggesting that researchers much prefer to make positive rather than negative claims about their findings).

Of these studies (deduplicated), 83 (around 11%) found that nonlinear measures were more useful than linear or conventional measures in terms of their study objectives, and only 10 (around 1.3%) that they were less useful. Five studies mentioned, explicitly or implicitly, that the nonlinear and other measures used appeared to quantify different underlying dynamics so were not directly comparable.

Many studies could not be categorised in this way, as they used methods such as support vector machine classification or AdaBoost to assess the usefulness of *combinations* of measures, or compared nonlinear measures amongst themselves.

Because of the growing popularity of these combination methods, it was expected that there might be fewer studies comparing nonlinear and linear methods in recent years, but this was not found to be the case (Figure S1).




Figure S1. Incidence of studies comparing nonlinear and linear/conventional measures, over time.

SM2. Names of researchers who have contributed most papers on each complexity and entropy measure

Table C1. Numbers of researchers who have authored papers on complexity measures, with names of up to six authors who have written the most papers on each measure (more or less than six if numbers tied) and how many they have written, together with their institutional affiliations. Mean and standard deviation of the number of papers per author for each measure are also shown.

Measure	Authors	1st mention	Institution ^b	Mean (SD)
(N authors ^a)				
HFD	Tarmo Lipping (7)	2004	Tampere U of	1.28 (0.75)
(425)			Technology	
	Aleksandar Kalauzi (6) Sladjana Spasić (5)	2005	U of Belgrade	
	Maie Bachmann, Hiie Hinrikus,	2005	Tallinn U of	
	Jaanus Lass (all 5)	2011	Technology	
KFD	Hojjat Adeli (4)	2010	Amirkabir U of	1.05 (0.27)
(110)	Amir Adeli (3) Mehran Ahmadlou (3)	2010 2010	Technology, Tehran	
	Menran Annadiou (3)	2010		
AF	Susan Barman (4)	2004	Michigan State U	1.27 (0.68)
(64)	Gerard Gebber (4) Paul Fadel (3)	2004 2004		
	rudi ruder (0)	2001	Boston U	
	Malvin Teich (3)	1996		
\mathbf{D}_2	Jack J Jiang (31)	2003	U of Wisconsin	1.40 (1.29)
(2,140)	Yu Zhang (23)	2003		
	James E Skinner (18)	1991	Baylor College of Medicine ^c	
	Cornelis J Stam (16)	1994	VU Medical Centre, Amsterdam	
	Joachim Röschke (12)	1991	U of Mainz	
H	U Rajendra Acharya (9)	2005	Singapore U of	1.27 (0.75)
(1,410)	Edward T Bullmore (9)	2001	Social Sciences U of Cambridge	
	John Suckling (9)	2001	o of Cambridge	
	Hans J Herrmann (8)	2011		

			Universidade Federal do Ceará	
			rederal do Ceara	
DFA	Chung-Kang Peng (19)	1995	U of Harvard	1.33 (1.07)
(3,500)	H Eugene Stanley (19)	1995	Boston U	
	Ary L Goldberger (18)	1995	Beth Israel	
			Hospital, Boston	
	Shlomo Havlin (15)	1995	Boston U	
	Heikki Huikuri (13)	1999	U of Oulu	
TTE	Ni -1 C((25)	2002	II - (NI-l I	1 26 (1 14)
LLE (1.470)	Nick Stergiou (25)	2003	U of Nebraska	1.36 (1.14)
(1,470)	Vikram Yeragani (12)	2001	Wayne State U	
	U Rajendra Acharya (9)	2005	Singapore U of Social Sciences	
	Thomas Similowski (9)	2006	Sorbonne	
	Thomas Similowski (2)	2000	Universités	
	Shane R Wurdeman (9)	2013	U of Nebraska	
	Shahe K Wurdeman (2)	2015	O OI INEDIASKA	
RQA	Alessandro Giuliani (25)	1998	National Institute	1.47 (1.56)
(1,200)			of Health, Rome	
	Michael A Riley (20)	1999	U of Cincinnati	
	Charles L Webber Jr (16)	1997	Loyola U	
	Joseph P Zbilut (16)	1998	Rush U	
DD.	A 1 17 (40)	2007	T	1.05 (1.00)
PP	Andreas Voss (19)	2007	Ernst-Abbe-	1.37 (1.30)
(1,290)			Hochschule Jena	
	Marimuthu Palaniswami (16)	2001	U of Melbourne	
	Luiz Vanderlei (16)	2010	UNESP, São Paulo	
	Ahsan Khandoker (15)	2008	U of Melbourne	
	Heiiki Huikuri (12)	1996	U of Oulu	
	Chandan Karmakar (11)	2008	U of Melbourne	
	· /-			
LZC	Roberto Hornero (25)	2005	Universidad de	2.33 (3.09)
(720)	Daniel Abásolo (17)	2006	Valladolid (all)	

2005

a. Numbers are approximate, because of spelling, forename variations and differences in punctuation; b. Where authors are affiliated to more than one institution, only one of these is shown (selected according to the author's presumed country of origin); c. Then Vicor Technologies, Inc., Boca Raton, FL.

Deduplicating names, a total of approximately 10,200 individuals have authored papers on these complexity measures, with most authors writing on DFA and D₂, fewest writing on the two measures of fractal dimension and the Allan factor. Although fewer papers were published on LZC than several other measures, on average more papers were published on this topic by single authors than on any other topic, and fewest by single authors on Katz's fractal dimension.

Table C2. Numbers of researchers who have authored papers on Symbolic Dynamics, with names of up to six authors who have written the most papers on each measure (more or less than six if numbers tied) and how many they have written, together with their institutional affiliations. Mean and standard deviation of the number of papers per author for each measure are also shown.

Measure (N authors)	Authors	1st mention	Institution	Mean (SD)
SymDyn	Andreas Voss (55)	1995	U of Applied	1.63 (2.50)
(895)	Mathias Baumert (23)	2002	Sciences,	
	Jürgen Kurths (17)	1995	Jena	
	Niels Wessel (17)	1995	Universität	
			Potsdam	
			Humboldt-	
			Universität	
			zu Berlin	

Table C3. Numbers of researchers who have authored papers on entropies, with names of up to six authors who have written the most papers on each measure (more or less than six if numbers tied) and how many they have written, together with their institutional affiliations. Mean and standard deviation of the number of papers per author for each measure are also shown.

Measure (N authors ^a)	Authors	1st mention	Institution ^b	Mean (SD)
SE	Shubin Liu (18)	2007	U of North Carolina	1.17 (0.79)

(3,700)	Ki H Chon (15)	2009	U of Connecticut	
(5), 55)	Yi Zhang (11)	2009	Hebei U of Science and	
	- 6()		Technology	
	Jürgen Bajorath (11)	2000	Rheinische Friedrich-	
	, , , ,		Wilhelms-Universität	
			Bonn	
	David McManus (11)	2012	U of Massachusetts	
	Alberto Porta (11)	2001	U of Milan	
AE & EoE	Chang Francis Hsu (3)	2017	National Chiao Tung U	
(3)	Long Hsu (3), Sien Chi (3)		(Hsinchu)	
T-E	Ahsan Khandoker (10)	2010	U of Melbourne	
(24)	Herbert Jelinek (8)		Charles Sturt U	
	Toshio Moritani (6)	1997	Kyoto U	
	Eiichi Oida (5)			
RE	Shubin Liu (6)	2016	Hunan Normal U	1.23 (0.63)
(430)	Chunying Rong (4)	2017		
	David Cornforth (4)	2013	U of Newcastle	
	Michael Hughes (4)	2009	Washington U	
	Jon Marsh (4)	2009		
	Kirk Wallace (4)	2009		
	Samuel Wickline (4)	2009		
	John McCarthy (4)	2010		
	Herbert Jelinek (4)	2013	Charles Sturt U	
М-Е	Jianhua Zhang (2)	2015	East China U of Science	1.01 (0.12)
(73)	Jiannua Zhang (2)	2015	and Technology	1.01 (0.12)
(73)			and reciniology	
TE	Ervin Lenzi (6)	2001	U Estadual de Ponta	1.18 (0.62)
(290)	(-)		Grossa	, , , , , , , ,
, ,	Sumiyoshi Abe (5)	2002	U of Tsukuba	
	YuDong Zhang (5)	2008	Southeast U	
KSE	Jay Robert Dorfman (4)	1995	U of Maryland	1.18 (0.47)
(330)	Henk van Beijeren (4)	2001	Utrecht U	

PE	Xiaoli Li (20)	2007	Beijing Normal U	1.40 (1.26)
(810)	James Sleigh (13)	2008	Waikato Hospital	
	Denis Jordan (10)	2008	Technical U Munich	
	Zhenhu Liang (10)	2010	Yanshan U	
CE/CCE	Alberto Porta (38)	1998	U of Milan	1.46 (2.14)
(540)	Nicola Montano (17)			
	Luca Faes (16)	2010	U of Trento	
	Vlasta Bari (11)	2011	Politecnico di Milano	
	Eleonora Tobaldini (10)	2007	U of Milan	
	` '			
ApEn	Johannes Veldhuis (170)	1994	U of Virginia	1.70 (3.67)
(3,500)	Steven Pincus (74)	1991	Yale U	,
, ,	Ferdinand Roelfsma (60)	1996	Leiden U	
	Ali Iranmanesh (40)	1996	Salem Veterans Affairs	
			Medical Center	
			1110011001	
SampEn	Roberto Hornero (23)	2006	U of Valladolid	1.55 (1.55)
(3,310)	` '			,
(, ,	José Joaquín Rieta (21)	2007	U Politécnica de	
	, , ,		Valencia	
	Raúl Alcaraz (20)	2007	U of Castilla -	
	()		La Mancha	
	Pascal Madeleine (19)	2009	Aalborg U	
	Xin Li (17)	2007	Yanshan U	
	Chengyu Liu (16)	2013	Shandong U	
	Jiann-Shing Shieh (14)	2014	Yuan Ze U	
	David Cuesta-Frau (13)	2007	U Politècnica de	
	David Caesta 11aa (10)	2007	València	
			v aleticia	
CosEn	All authors 1 paper only	2011	n/a	1.00 (1.00)
(47)	riii addicio i paper offiy	2011	1η α	1.00 (1.00)
QSE	Nina Burtchen (2)	2017	U of Freiburg	1.29 (0.47)
(14)	William Fifer (2)	2017	Columbia U	1.27 (0.17)
(11)	Maristella Lucchini (2)		Politecnico di Milano	
	ivialistella Laccilli (2)		i officerited ar ivillatio	

	Maria Signorini (2)			
fSampEn (9)	Raimon Jané Abel Torres Leonardo Sarlabous Luis Estrada	2016 2016 2016 2016	Universitat Politècnica de Catalunya	4.27 (2.57)
MSE (1,368)	Chung-Kang Peng (30) Madalena Costa (24) Ary Goldberger (22) Men-Tzung Lo (23)	2002 2002 2002 2011	Harvard U Beth Israel Deaconess Medical Center, Boston Taipei Veterans General Hospital	1.63 (1.84)
FE (441)	Chengyu Liu (11) U Rajendra Acharya (5) Alberto Fernández (5) Jianfeng Hu (5) Peng Li (5)	20132016201320172013	Southeast U Singapore U of Social Sciences U Complutense de Madrid Jiangxi U of Technology Shandong U	1.26 (0.81)
DE (34)	Javier Escudero (4) Hamed Azami (3)	2016	Edinburgh U	1.21 (0.64)
SlopeEn (0)	David Cuestra-Frau (0)	[2019]	U Politècnica de València	n/a
BE (5)	George Manis (1) Roberto Sassi (1) David Cuestra-Frau (1)	2017 2017 2019	U of IoanninaU degli Studi di Milano Universitat Politècnica de València	1.00 (0.00)

PhEn (2)	Ashish Rohila (1) Ambalika Sharma (1)	2019	Indian Institute of Technology	1.00 (0.00)
DisteEn ^c (28)	Peng Li (10) Chandan Karmakar (8) Marimuthu Palaniswami (7)	2013 2008 2001	Shandong U U of Melbourne	1.29 (0.78)
DnEn (109)	Huijie Yang (8)	2004	U of Shanghai for Science and Technology	1.33 (1.03)
	Paolo Grigolini (7) Changgui Gu (3)	2002 2013	U of North Texas U of Shanghai for Science and Technology	
	Nicola Scafetta (3)	2002	Duke U	
SpEn (1,118)	Hornero Roberto (17) Jesús Poza (13) James Sleigh (11) Alberto Fernandez (10) Javier Escudero (8)	2006 2006 2001 2007 2007	U of Valladolid Waikato Hospital U Complutense de Madrid Edinburgh U	1.33 (1.06)
DiffEn (208)	5 authors from 2 research groups were mentioned 5 times each: Kumaradevan Punithakumar, Ismail Ben Ayed, Ali Islam	2009 2009	GE Healthcare, London, ON	1.38 (0.89)
	NA Kampanis PG Katonis	2009 2009	Technological and Educational Institute, Crete	

a. Numbers are approximate, because of spelling, forename variations and differences in punctuation;

b. Where authors are affiliated to more than one institution, only one of these is shown (selected according to the author's presumed country of origin); c. Quite a number of the 'Distribution entropy' studies listed in PubMed refer to methods other than those of Li *et al.*

Deduplicating names, a total of approximately 12,400 individuals have authored papers on these entropy measures, with most authors writing on SE and ApEn, fewest writing on new measures such as BE and PhEn. On average, more papers were published on ApEn by single authors than on any other entropy measure, and fewest by single authors on CosEn, BE and PhEn.

In total, around 20,100 individuals authored the papers on complexity or entropy measures that were located using PubMed on 6 August 2020.

SM3. Software packages for physiological data analysis, with primary references, showing operating system and platform used, which are GUIs, the main data types and formats for which the software can be used, complexity and entropy measures implemented, and numbers of Google Scholar and SCOPUS citations of the software. Citation numbers are approximate, and grouped as follows: <10 *; 10-100 **; 100-500 ****; 500-2,500 *****; 2,500-5,000 ******. Free or open-source software is indicated by '[F]' in the GUI column (or by '[f]' if supported only in a subscription version of the software), and if batch processing is known to be supported, this is indicated by '[B]' in the 'Format' column (or by '[b]' if supported only in a subscription version). Information on pre-processing methods available was also gathered, but is not included here.

Note that it was not possible to locate all relevant details for every package. This Table is based in part on the useful summary by the creators of PyBioS [24].

Name	Platform	OS	GUI	Main purpose	Format	Complexity	Entropy	GoogleScholar	SCOPUS
Acq-Knowledge [249]			yes	?	product-specific			***	*
aHRV (Nevrokard) [25]			yes	baroreflex sensitivity		CZF Fractal variance	no	**	*
AnyWave [32]	MATLAB (& C)	Windows, Linux, MacOS	yes [F]	Electrophys- iological signals	.trc, .cnt, .vhdr, .meg4, .bdf, .eeg	no	no	**	**
ARTiiFACT [250]	MATLAB	Windows	yes [F]	ECG	ECG, IBI [b]	no	no	***	***
Biopeaks [251]	Python		yes [F]	ECG, PPG, respiration	EDF, .txt, .csv, .tsv [b]	no	no	*	
Biopsychology Nonlinear Analysis Toolbox [5]	MATLAB		yes [F]	EEG, MEG	ASCII	D2, H, LLE, time-delayed MI		*	*
BioSig [252]	C/C++, MATLAB (or Octave)		no [F]	EEG, ECoG, ECG, EOG, EMG, Resp, etc.		no	no	*****	***

BioSPPy [253]	Python		no [F]	BVP, ECG, EEG, EDA, EMG, Resp, SCG		no	no	***	
Brainstorm [19]	MATLAB		yes [F]	EEG, MEG	various [B]			****	****
CardioSeries [61]	LabView	Windows	yes [F]	ECG	Txt	no	no	***	*
Chaos Data Analyzer [29]	PowerBASIC		no	nonspecific	ASCII [B}	D2, LLE, PP; Hausdorff dimension	no	*	*
Complexity [28]	MATLAB		[F]	fMRI		no	ApEn, Cross- ApEn, SampEn		
EasieRR [56]	MATLAB	Windows	yes [F]	ECG	ECG (txt, mat)	PP		*	*
ECG signal acquisition system [6]	MATLAB		yes	data acquisition & analysis		no	no	**	**
ECGLab [57]	MATLAB		no	HRV	ASCII or ECG	PP	no	***	**
EEGFrame [20]	Java		yes	EEG	txt, EDF	FD & HFD, AF, H, D2, DFA, LLE, RPA, PP, LZC; Central Tendency Measure (CTM), Sequential Trend Analysis, Spatial Filling Index	CarnapEntropy 1D, CCE (Shannon), MaxApEn, RE, MaxSampEn, Mutual dimension	***	*
EEGLab [17]	MATLAB		Yes [F]	EEG	various [B]	no	short-term Rényi entropy [toolbox plug-in]	*	*
ELAN [18]	MATLAB (& C)	Windows, Linux, MacOS	yes [F]	EEG, MEG, ECoG, LFP	[B]	no	no	***	**

EZ Entropy [9]	MATLAB	Windows, Linux, MacOS	yes [F]	ASCII, .mat, EDF, GDF	ASCII [B]	no	ApEn, SampEn, FE; CE; PE; DistEn	*	**
FieldTrip [254]	MATLAB		no [F]	MEG, EEG	various [B]	no	transfer entropy	*****	****
FracLab [255]	MATLAB		yes [F]	Fractal analysis		fractal and multifractal analysis: dimensions, Holder exponents, multifractal spectra	no	****	*
gHRV [7]	Python	Windows, Linux, MacOS	[F]	HRV	txt, hrm, sdf, ste	FD, PP	ApEn	***	*
gVARVI [256]	Python	Windows, Linux, MacOS	yes	HRV		no	no	**	*
hrv [58]	Python		yes [F]	HRV	RRi	PP	no	*	*
HRV Toolkit (PhysioNet) [257]	С	Windows, Linux, MacOS	no [F]	HRV	txt, wfdb [B]	0	0	***	*
HRVAnalysis [15]	MATLAB	Windows	yes [F]	HRV	edf, ishne, binary, txt, mat [B]	HFD, KFD, H, DFA, 1/f slope, LLE, PP, LZC	SE, CE, CCE, normalised CCE, ApEn, SampEn	*****	**
HRVFrame [14]	Java	Windows, Linux, MacOS	yes [F]	HRV	Txt [B]	FD & HFD, AF, H, D2, DFA, LLE, RPA, PP, LZC; Central Tendency Measure (CTM), Sequential Trend Analysis, Spatial Filling Index	Carnap Entropy 1D,* CCE, fApEn, RE, SampEn	**	*

HRVAS [21]	MATLAB		yes [F]	HRV	ibi, txt	DFA, PP	SampEn	***	*
HRVTool [47]	MATLAB	Windows, Linux, MacOS	yes [F]	HRV	ECG, IBI; many formats (e.g. EDF, ISHNE, WAV, HRM) [B]	D2, DFA, PP	ApEn	**	*
Information Breakdown ToolBox [258]	MATLAB (& C)	Windows, Linux, MacOS	[F]	EEG, local field potentials (LFP)		no	noise/response entropy; mutual information	***	***
Kaplan's software for HRV [52]	MATLAB		no	HRV		DFA	ApEn	**	
KARDIA [26]	MATLAB	Windows, Linux, MacOS	yes [F]	HRV	IBI [B]	DFA	no	**	**
Kubios HRV [13]	MATLAB	Windows, Linux	yes [f]	HRV	IBI, ECG (txt, acq, edf, gdf, dat, hrm, sdf, ste, mat) [b]	D2, RQA, PP	ApEn, SampEn	*****	****
LabVIEW [4]			yes	signal acquisition & processing		no	no		
MATLAB-based GUI [8]	MATLAB		yes	. 0		LLE	SE ('entropy')	*	*
Matrix of Lags (MoL) [34]				EEG, ECG		FD, DFA, LZC	SE, TE, SampEn	*	*
MATS [31]	MATLAB		yes [F]	any scalar time series; EEG	ASCII, .xls, .mat, .edf [B]	D2, Correlation sum, DFA, LZC	ApEn	**	*

MULTISAB [33]	Java		yes	ECG, EEG, EMG,	.an n, .csv, .txt, .edf/.edf+c [B]	as for HRVFrame, plus synchronisation likelihood	as for HRVFrame, plus alphabet entropy *	**	*
NeuroKit2 [259]	Python		no [F]	ECG, EDA, EMG, EOG, PPG (and eventually EEG)				**	
Physiolyze (PyHRV) [43]	Python		yes (web) [F]	HRV	RRi, ECG, BVP	FD, D2, H, DFA, LLE, RQA, PP	ApEn, SampEn, SVD (singular value decomposition) En	**	*
PhysioNet Cardiovascular Signal Toolbox [51]	MATLAB	Windows, Linux, MacOS	no [F]	HRV	RRi, ECG (txt, wfdb, mat) [B]	DFA	ApEn, SampEn	***	**
PhysioScripts [260]	R	Windows, Linux, MacOS	yes [F]	ECG, RRi, Resp	.txt, .csv [B]	no	no	**	**
POLYAN [12]	MATLAB	Windows	yes	heart period, aBP, lung volume, O2 sat., LVV, muscle sympathetic nerve activity		no	no	**	**
PyBioS [24]	Python	Windows, Linux, MacOS	yes [F]	cardiovascular (or e.g. Resp, Stride, EEG)	ASCII, .xls or .xlsx [B]	DFA	SampEn, FE, PE, DE, DistEn, PhEn	*	*
PyEntropy [261, 262]	Python			analysis of neural data		no	maximum entropy, noise entropy, response entropy	**	**

PyHRV [27]	Python	Windows, Linux, MacOS	no [F]	HRV	ECG [B]	DFA, PP	SampEn	**	
RHRV [22, 23]	R	Windows, Linux	yes [F]	HRV	ascii, edf+ [B]	generalised D2, Information dimension, DFA, LLE, RQA, PP	ApEn, SampEn	*	*
RR-APET [10]	Python	Windows, Linux, MacOS	yes [F]	HRV	txt, mat, h5, wfdb [B]	DFA, RQA, PP	no	**	*
SinusCor [64]	MATLAB		yes [F]	HRV	RRi, ECG (.txt, .hrm, .sdf, .bin, .acq, .abf)	PP	no	***	**
Software tool for HRV [59]	MATLAB		yes [F]	HRV	ECG, RRi (binary, text or system-specific)	PP (for T-wave alternans, TWA)			
SPINE-HRV [263]				HRV	RRi	n	n	**	*
STAToolkit [87]	MATLAB (& C)	Windows, Linux, MacOS	no [F]	spike train analysis	txt & other	no	classical & other entropy estimators	**	
TISEAN [30]			no [F]			D2, LLE, RQA, PP		*****	****
UW DigiScope [11]	MATLAB	Windows, Linux, MacOS	yes	signal processing	ECG, EEG, EMG	no	no	*	*
ViewHRV [50]	Python		web GUI [F]	HRV		DFA, PP	no	*	*
WinEEG [16]			GUI	EEG	ASCII, EDF [B]	no	no	****	*