

Supporting Information

Contents		Page
Figure S1.	The ¹ H-NMR spectrum (500 MHz, CD ₃ OD) of (4→2)- <i>abeo</i> -cleroda-2,13(<i>E</i>)-dien-2,14-dioic acid (1)	S2
Figure S2.	The ¹³ C-NMR spectrum (125 MHz, CD ₃ OD) of (4→2)- <i>abeo</i> -cleroda-2,13(<i>E</i>)-dien-2,14-dioic acid (1)	S3
Figure S3.	The ¹ H-NMR spectrum (500 MHz, CDCl ₃) of (4→2)- <i>abeo</i> -2,13-diformyl-cleroda-2,13 <i>E</i> -dien-14-oic acid (2)	S4
Figure S4.	The ¹³ C-NMR spectrum (125 MHz, CDCl ₃) of (4→2)- <i>abeo</i> -2,13-diformyl-cleroda-2,13 <i>E</i> -dien-14-oic acid (2)	S5
Figure S5.	The ¹ H-NMR spectrum (500 MHz, DMSO) of 16(<i>R&S</i>)-methoxycleroda-4(18),13-dien-15,16-olide (3)	S6
Figure S6.	The ¹³ C-NMR spectrum (125 MHz, DMSO) of 16(<i>R&S</i>)-methoxycleroda-4(18),13-dien-15,16-olide (3)	S7


Figure S1. The ^1H -NMR spectrum (500 MHz, CD_3OD) of (4 $\rightarrow$ 2)-*abeo*-cleroda-2,13(*E*)-dien-2,14-dioic acid (**1**).


Figure S2. The ^{13}C -NMR spectrum (125 MHz, CD_3OD) of (4 $\rightarrow$ 2)-*abeo*-cleroda-2,13*E*-dien-2,14-dioic acid (**1**).


Figure S3. The ^1H -NMR spectrum (500 MHz, CDCl_3) of (4 $\rightarrow$ 2)-abeo-2,13-diformyl-cleroda-2,13*E*-dien-14-oic acid (2).


Figure S4. The ^{13}C -NMR spectrum (125 MHz, CDCl_3) of (4 $\rightarrow$ 2)-abeo-2,13-diformyl-cleroda-2,13E-dien-14-oic acid (2).


Figure S5. The ^1H -NMR spectrum (500 MHz, DMSO) of 16(*R*&*S*)-methoxycylcroda-4(18),13-dien-15,16-olide (**3**).

Figure S6. The ^{13}C -NMR spectrum (125 MHz, DMSO) of 16(*R*&*S*)-methoxycyclo-4(18),13-dien-15,16-olide (3).