Supplementary Materials: Naphthalenones and Depsidones from a Sponge-Derived Strain of the Fungus *Corynespora cassiicola*

Dong-Lin Zhao, Chang-Lun Shao, Chao-Yi Wang, Mei Wang, Lu-Jia Yang and Chang-Yun Wang

List of Supporting Information

Figure S1. 1H-NMR (500 MHz, acetone-d6) spectrum of compound 1. Figure S2. Partial ¹H-NMR (500 MHz, acetone-d₆) spectrum of compound 1. Figure S3. ¹³C-NMR (125 MHz, acetone-d₆) spectrum of compound 1. Figure S4. HMQC (acetone-*d*₆) spectrum of compound 1. Figure S5. COSY (acetone-*d*₆) spectrum of compound 1. Figure S6. HMBC (acetone-d₆) spectrum of compound 1. Figure S7. HRESIMS spectrum of compound 1. Figure S8. ¹H-NMR (500 MHz, DMSO-d₆) spectrum of compound 2. Figure S9. Partial ¹H-NMR (500 MHz, DMSO-d₆) spectrum of compound 2. Figure S10. ¹³C-NMR (125 MHz, DMSO-d₆) spectrum of compound 2. Figure S11. HMQC (DMSO-d6) spectrum of compound 2. Figure S12. COSY (DMSO-d₆) spectrum of compound 2. Figure S13. HMBC (DMSO-d₆) spectrum of compound 2. Figure S14. HRESIMS spectrum of compound 2. Figure S15. 1H-NMR (500 MHz, CDCl3) spectrum of compound 3. Figure S16. ¹³C-NMR (125 MHz, CDCl₃) spectrum of compound 3. Figure S17. HMQC (CDCl₃) spectrum of compound 3. Figure S18. HMBC (CDCl₃) spectrum of compound 3. Figure S19. ESIMS spectrum of compound 3.

Figure S20. HRESIMS spectrum of compound 3.



Figure S1. ¹H-NMR (500 MHz, acetone-d₆) spectrum of compound 1.



Figure S3. ¹³C-NMR (125 MHz, acetone-d₆) spectrum of compound 1.



Figure S5. COSY (acetone-*d*₆) spectrum of compound 1.







Figure S7. HRESIMS spectrum of compound 1.





Figure S9. Partial ¹H-NMR (500 MHz, DMSO-d₆) spectrum of compound 2.





S6 of S11





Figure S13. HMBC (DMSO-d₆) spectrum of compound 2.









Figure S17. HMQC (CDCl₃) spectrum of compound 3.







Figure S19. ESIMS spectrum of compound 3.



Figure S20. HRESIMS spectrum of compound 3.