

Monomyristin and Monopalmitin Derivatives: Synthesis and Evaluation as Potential Antibacterial and Antifungal Agents

Jumina ^{1,*}, Asma Nurmala ¹, Anggit Fitria ¹, Deni Pranowo ¹, Eti Nurwening Sholikhah ², Yehezkiel Steven Kurniawan ¹ and Bambang Kuswandi ³

¹ Department of Chemistry, Faculty of Mathematics and Natural Sciences, Universitas Gadjah Mada, Sekip Utara, Yogyakarta 55281, Indonesia

² Department of Pharmacology and Therapy, Faculty of Medicine, Universitas Gadjah Mada, Sekip Utara, Yogyakarta 55281, Indonesia

³ Faculty of Pharmacy, University of Jember, Jember 68121, Indonesia

* Correspondence: jumina@ugm.ac.id; Tel.: +62 274545188

Received: 8 November 2018; Accepted: date; Published: date




Figure S1. ¹H-NMR spectra of 1-monomyristin.




Figure S2. ^{13}C -NMR spectra of 1-monomyristin.




Figure S3. ¹H-NMR spectra of 2-monomyristin.




Figure S4. ^{13}C -NMR spectra of 2-monomyristin.




Figure S5. ^1H -NMR spectra of 2-monopalmitin.




Figure S6. ^{13}C -NMR spectra of 2-monopalmitin.