

Anti-*Helicobacter*, Antitubercular and Cytotoxic Activities of Scalaranes from the Red Sea Sponge *Hyrtios erectus*

Abdulrahman M. Alahdal ¹, Hani Z. Asfour ², Safwat A. Ahmed ³, Ahmed O. Noor ¹, Ahmed M. Al-Abd ⁴, Mahmoud A. Elfaky ⁵ and Sameh S. Elhady ^{5,*}

Additional Experimental Detail.

- 1) **Figure S1.** ESIMS spectrum of compound **14**
- 2) **Figure S2.** ¹H-NMR spectrum of compound **14** (CDCl_3)
- 3) **Figure S3.** ¹³C-NMR spectrum of compound **14** (CDCl_3)
- 4) **Figure S4.** HSQC spectrum of compound **14** (CDCl_3)
- 5) **Figure S5.** HMBC spectrum of compound **14** (CDCl_3)
- 6) **Figure S6.** NOESY spectrum of compound **14** (CDCl_3)




Figure S1. ESIMS spectrum of compound **14**




Figure S2. ¹H-NMR spectrum of compound **14** (CDCl₃)




Figure S3. ¹³C-NMR spectrum of compound **14** (CDCl₃)




Figure S4. HSQC spectrum of compound **14** (CDCl₃)




Figure S5. HMBC spectrum of compound **14** (CDCl₃)




Figure S6. NOESY spectrum of compound **14** (CDCl₃)