

Table S1. Sequences of the primers used in qRT-PCR assay

Primer	Sequence
<i>crtM</i> -F	CAATGTTTGAAACGGACGCTG
<i>crtM</i> -R	CGATTCACCAAGTCTTCTTGCG
<i>rsbV</i> -F	TATGGATTCGACAGGTTTAGGT
<i>rsbV</i> -R	ACCGATACGATCTGACACAC
<i>sigB</i> -F	TCTGATCGCGAACGAGAAATC
<i>sigB</i> -R	ATTGCCGTTCTCTGAAGTCGT
<i>fabH</i> -F	TAAAAGCAATCGCTGACGCTG
<i>fabH</i> -R	CAACTTTGCCCGTCCCTAAAC
<i>lpd</i> -F	TGCAGCTGGTGATTGTATTGG
<i>lpd</i> -R	TACTGGGATTGGGTCCCT
<i>fakA</i> -F	GCAAGTGAACAAGCAGCGAG
<i>fakA</i> -R	TTGCGTCCACATCACATTGG
<i>fapR</i> -F	AAAAGTGAATTGCGCGTGG
<i>fapR</i> -R	TCGTGCTTCTGCTCTTACCG
16SrRNA-F	CTGGAACTGAGACACGGTCC
16SrRNA-R	GACCTTCATCACTCACGCGG