

Description of a Naphthoquinonic Crystal Produced by the fungus *Scytalidium cuboideum*

Sarath M. Vega Gutierrez*, Kenya K. Hazell, John Simonsen and Seri C. Robinson


Wood Science & Engineering Oregon State University; hazellk@oregonstate.edu (K.K.H.);

John.simonsen@oregonstate.edu (J.S.); seri.robinson@oregonstate.edu (S.C.R.)

* Correspondence: Sarath.vega@oregonstate.edu; Tel.: +xx-xxx-xxx-xxxx


Received: date; Accepted: date; Published: date

Supplementary Materials:




S1. ¹H (CDCl₃) spectrum of the new compound 'Dramada'.

Supplementary Materials




S2. ¹³C (CDCl₃) spectrum of the new compound 'Dramada'.

Supplementary Materials




S3. Hetero-nuclear single quantum coherence (HSQC) (CDCl₃) spectrum of the new compound 'Dramada'.

Supplementary Materials



S4. Hetero-nuclear multiple bond coherence (HMBC) (CDCl₃) spectrum of the new compound 'Dramada'.

Supplementary Materials



S5. ^{1,1} Adequate (CDCl₃) spectrum of the new compound 'Dramada'.

Supplementary Materials



S6. NOESY (CDCl₃) spectrum of the new compound 'Dramada'.