

Supplementary Materials

New Anti-inflammatory Aporphine and Lignan Derivatives from the Root Wood of *Hernandia nymphaeifolia*

Chuan-Yen Wei^{1,†}, Shih-Wei Wang^{2,†}, Jin-Wang Ye³, Tsong-Long Hwang⁴, Ming-Jen Cheng⁵, Ping-Jyun Sung⁶, Tsung-Hsien Chang⁷ and Jih-Jung Chen^{8,9,*}

¹ Department of General Surgery, Taitung MacKay Memorial Hospital, Taitung City 950, Taiwan; lpsop@gmail.com

² Department of Medicine, Mackay Medical College, New Taipei City 252, Taiwan; shihwei@mmc.edu.tw

³ Graduate Institute of Pharmaceutical Technology, Tajen University, Pingtung 907, Taiwan; jjc8506674@gmail.com

⁴ Graduate Institute of Natural Products, School of Traditional Chinese Medicine, College of Medicine, Chang Gung University, Taoyuan 333, Taiwan; E-Mail: htl@mail.cgu.edu.tw

⁵ Bioresource Collection and Research Center (BCRC), Food Industry Research and Development Institute (FIRDI), Hsinchu 300, Taiwan; cmj@firdi.org.tw

⁶ National Museum of Marine Biology and Aquarium, Pingtung 944, Taiwan; pjsung@nmmab.gov.tw

⁷ Department of Medical Education and Research, Kaohsiung Veterans General Hospital, Kaohsiung 813, Taiwan; changth@vghts.gov.tw

⁸ Faculty of Pharmacy, School of Pharmaceutical Sciences, National Yang-Ming University, Taipei 112, Taiwan

⁹ Department of Medical Research, China Medical University Hospital, China Medical University, Taichung 404, Taiwan

* Correspondence: chenjj@ym.edu.tw (J.-J.C.); Tel.: +886-2-2826-7195

† Authors have contributed equally in this manuscript.

Contents

Figure S1. ESI-MS spectrum of 1	S3
Figure S2. HR-ESI-MS spectrum of 1	S3
Figure S3. ^1H -NMR spectrum (CDCl_3 , 500 MHz) of 1	S4
Figure S4. ^{13}C -NMR spectrum (CDCl_3 , 125 MHz) of 1	S4
Figure S5. ^1H - ^1H COSY spectrum of 1	S5
Figure S6. NOESY spectrum of 1	S5
Figure S7. HMBC spectrum of 1	S6
Figure S8. HSQC spectrum of 1	S6
Figure S9. ESI-MS spectrum of 2	S7
Figure S10. HR-ESI-MS spectrum of 2	S7
Figure S11. ^1H -NMR spectrum (CDCl_3 , 500 MHz) of 2	S8
Figure S12. ^{13}C -NMR spectrum (CDCl_3 , 125 MHz) of 2	S8
Figure S13. ^1H - ^1H COSY spectrum of 2	S9
Figure S14. NOESY spectrum of 2	S9
Figure S15. HMBC spectrum of 2	S10
Figure S16. HSQC spectrum of 2	S10




Figure S1. ESI-MS spectrum of **1**.




Figure S2. HR-ESI-MS spectrum of **1**.




Figure S3. ^1H -NMR spectrum (CDCl_3 , 500 MHz) of **1**.




Figure S4. ^{13}C -NMR spectrum (CDCl_3 , 125 MHz) of **1**.




Figure S5. ^1H - ^1H COSY spectrum of **1**.




Figure S6. NOESY spectrum of **1**.




Figure S7. HMBC spectrum of **1**.




Figure S8. HSQC spectrum of **1**.




Figure S9. ESI-MS spectrum of 2.




Figure S10. HR-ESI-MS spectrum of 2.




Figure S11. ^1H -NMR spectrum (CDCl_3 , 500 MHz) of **2**.




Figure S12. ^{13}C -NMR spectrum (CDCl_3 , 125 MHz) of **2**.




Figure S13. ^1H - ^1H COSY spectrum of **2**.




Figure S14. NOESY spectrum of **2**.




Figure S15. HMBC spectrum of 2.




Figure S16. HSQC spectrum of 2.