A H₂O₂-Responsive Boron Dipyrromethene-Based Photosensitizer for Imaging-Guided Photodynamic Therapy

Zhi-Wei Wang ⁺, Dan Su ⁺, Xiao-Qiang Li, Jing-Jing Cao, De-Chao Yang and Jian-Yong Liu ^{*}

Table of Contents

Figure S1. ¹H NMR spectrum of compound 4 in CDCl₃
Figure S2. ¹³C NMR spectrum of compound 4 in CDCl₃
Figure S3. HRMS of compound 4
Figure S4. ¹H NMR spectrum of compound 5 in CDCl₃
Figure S5. ¹³C NMR spectrum of compound 5 in CDCl₃
Figure S6. HRMS of compound 5
Figure S7. ¹H NMR spectrum of compound 6 in CDCl₃
Figure S8. ¹³C NMR spectrum of compound 6 in MeOD
Figure S9. HRMS of compound 6
Figure S10. ¹H NMR spectrum of compound 7 in CDCl₃
Figure S11. ¹³C NMR spectrum of compound 7 in CDCl₃



Figure S1. ¹H NMR spectrum of compound 4 in CDCl₃



Figure S2. ¹³C NMR spectrum of compound 4 in CDCl₃



Figure S3. HRMS of compound 4



Figure S4. ¹H NMR spectrum of compound 5 in CDCl₃



Figure S5. $^{\rm 13}C$ NMR spectrum of compound 5 in CDCl3



Figure S6. HRMS of compound 5



Figure S7. ¹H NMR spectrum of compound 6 in CDCl₃



Figure S8. ¹³C NMR spectrum of compound 6 in MeOD



Figure S9. HRMS of compound 6







Figure S11. ¹³C NMR spectrum of compound 7 in CDCl₃



Figure S12. HRMS of compound 7