Supporting information

Two new terpene glycosides from Sanguisorba officinalis and their anti-inflammatory effects

Dale Guo¹, Jinfeng Chen¹, Lu Tan¹, Mengying Jin¹, Feng Ju¹, Zhixing Cao¹, Fang Deng¹, Lina Wang^{1, 2, *}, Yucheng Gu³, Yun Deng^{1, *}

1. The Ministry of Education Key Laboratory of Standardization of Chinese Herbal Medicine,

State Key Laboratory, Breeding Base of Systematic Research Development and Utilization of

Chinese Medicine Resources, School of Pharmacy, Chengdu University of Traditional Chinese

Medicine, Chengdu 611137, P R China

- 2. School of Nursing, Sichuan Tianyi College, Mianzhu 618200, P R China
- 3. Syngenta Jealott's Hill International Research Centre, Berkshire RG42 6EY, UK


*Corresponding author. Tel/Fax: +86 028 61800232.

E-mail address: wanglina1871@163.com (Lina Wang)


dengyun@cdutcm.edu.cn (Yun Deng)

Tables of Contents


- S1. HRESIMS spectrum of 1
- S2. ¹H NMR spectrum (400 MHz, CD₃OD) of 1
- S3. ¹³C NMR spectrum (100 MHz, CD₃OD) of **1**
- S4. ¹H-¹H COSY spectrum (CD₃OD) of 1
- S5. HSQC spectrum (CD₃OD) of 1
- S6. HMBC spectrum (CD₃OD) of 1
- S7. NOESY spectrum (CD₃OD) of 1
- S8. HRESIMS spectrum of 2
- S9. ¹H NMR spectrum (400 MHz, CD₃OD) of 2
- S10. ¹³C NMR spectrum (100 MHz, CD₃OD) of 2
- S11.¹H-¹H COSY spectrum (CD₃OD) of **2**
- S12. HMQC spectrum (CD₃OD) of 2
- S13. HMBC spectrum (CD₃OD) of 2
- S14. NOESY spectrum (CD₃OD) of 2
- S15. The HPLC profiles of stand monosaccharides and compounds **1-2** after acid hydrolysis.
- S16. The HPLC profiles of the derivatives of stand monosaccharides and compounds **1-2** after acid hydrolysis.
- S17. RAW264.7 cell viability assay of compounds 1-4.
- S18. Effect of dexamethasone (DXMS) and compounds **1-4** on the macrophage's distribution of zebrafish.




S1. HRESIMS spectrum of 1




S2. 1H NMR spectrum (400 MHz, CD₃OD) of 1




S3. ^{13}C NMR spectrum (100 MHz, CD₃OD) of **1**




S4. $^{1}\text{H-}^{1}\text{H COSY}$ spectrum (CD₃OD) of 1




S5. HSQC spectrum (CD₃OD) of 1




S6. HMBC spectrum (CD $_3$ OD) of 1




S7. NOESY spectrum (CD₃OD) of 1




S8. HRESIMS spectrum of 2




S9. ¹H NMR spectrum (400 MHz, CD₃OD) of 2




S10. ¹³C NMR spectrum (100 MHz, CD₃OD) of 2




S11. $^{1}\text{H}-^{1}\text{H}$ COSY spectrum (CD3OD) of $\boldsymbol{2}$




S12. HMQC spectrum (CD $_3$ OD) of $\boldsymbol{2}$




S13. HMBC spectrum (CD $_3$ OD) of $\boldsymbol{2}$




S14. NOESY spectrum (CD $_3$ OD) of $\boldsymbol{2}$




S15. The HPLC profiles of stand monosaccharides and compounds **1-2** after acid hydrolysis.





S16. The HPLC profiles of the derivatives of stand monosaccharides and compounds **1-2** after acid hydrolysis.



S17. RAW264.7 cell viability assay of compounds 1-4







S18. Effect of dexamethasone and compounds **1-4** on the macrophage's distribution of zebrafish.