



Article


Standardized Saponin Extract from Baiye No.1 Tea (*Camellia sinensis*) Flowers Induced S Phase Cell Cycle Arrest and Apoptosis via AKT-MDM2-p53 Signaling Pathway in Ovarian Cancer Cells


Youying Tu¹, Lianfu Chen ^{1,2}, Ning Ren ^{1,2}, Bo Li ¹, Yuanyuan Wu ¹, Gary O. Rankin ³, Yon Rojanasakul ⁴, Yaomin Wang ^{5,*} and Yi Charlie Chen ^{2,*}

- ¹ Department of Tea Science, Zhejiang University, Hangzhou 310058, Zhejiang, China; youytu@zju.edu.cn (Y.T.); c.lianfu@foxmail.com (L.C.); ningren@zju.edu.cn (N.R.); drlib@zju.edu.cn (B.L.); yywu@zju.edu.cn (Y.W.)
- ² College of Health, Science, Technology and Mathematics, Alderson Broaddus University, Philippi, WV 26416, USA
- Department of Biomedical Sciences, Joan C. Edwards School of Medicine, Marshall University, Huntington, WV 25755, USA; rankin@marshall.edu
- Department of Pharmaceutical Sciences and WVU Cancer Institute, West Virginia University, Morgantown, WV 26506, USA; yrojan@hsc.wvu.edu
- Key Laboratory of Horticulture Plant Biology, Ministry of Education, College of Horticulture & Forestry Sciences, Huazhong Agricultural University, Wuhan 430070, Hubei, China
- * Correspondence: wangym@mail.hzau.edu.cn (Y.W.); chenyc@ab.edu (Y.C.C.)


Academic Editors: Marialuigia Fantacuzzi and Marialuigia Fantacuzzi Received: 22 June 2020; Accepted: 29 July 2020; Published: date

Original images for Figure 2 — D








Original images for Figure 3-C





Original images for Figure 5 — B














Original images for Figure 5 — D





Original images for Figure 6 — B



Original images for Figure 7 — A

