

Antiproliferative and Antimigration Activities of Beauvericin Isolated from *Isaria* sp. on Pancreatic Cancer Cells

Hiroaki Yahagi, Tadahiro Yahagi, Megumi Furukawa and Keiichi Matsuzaki *

School of Pharmacy, Nihon University, 7-7-1 Narashinodai, Funabashi, Chiba 274-8555, Japan;
phhi17001@g.nihon-u.ac.jp (H.Y.); yahagi.tadahiro@nihon-u.ac.jp (T.Y.); manyu0907@hotmail.com (M.F.)
* Correspondence: matsuzaki.keiichi@nihon-u.ac.jp; Tel.: +81-47-465-5356

Content

Figure S1. ^1H -NMR spectrum of **1** in CD_3OD

.....S1

Figure S2. ^{13}C -NMR spectrum of **1** in CD_3OD

.....S2

Figure S3. COSY spectrum of **1** in CD_3OD

.....S3

Figure S4. HMQC spectrum of **1** in CD_3OD

.....S4

Figure S5. HMBC spectrum of **1** in CD_3OD

.....S5

Figure S6. NOE spectra of **1** in CD_3OD (1)

.....S6

Figure S7. NOESY spectrum of **1** in CD_3OD (2)

.....S7




Figure S1. ^1H -NMR spectrum of **1** in CD_3OD




Figure S2. ^{13}C -NMR spectrum of **1** in CD_3OD




Figure S3. COSY spectrum of **1** in CD_3OD




Figure S4. HMQC spectrum of **1** in CD_3OD




Figure S5. HMBC spectrum of **1** in CD_3OD




Figure S6. NOE spectra of 1 in CD_3OD




Figure S7. NOESY spectrum of **1** in CD_3OD