

Supporting Information

Identification of Novel Thiazolo[5,4-b]Pyridine Derivatives as Potent Phosphoinositide 3-Kinase Inhibitors

Liang Xia^{1,2}, Yan Zhang^{1,2}, Jingbo Zhang^{1,2}, Songwen Lin^{1,2}, Kehui Zhang^{1,2}, Hua Tian^{1,2}, Yi Dong^{1,2,*} and Heng Xu^{1,2,*}

¹ State Key Laboratory of Bioactive Substance and Function of Natural Medicines, Institute of Materia Medica, Chinese Academy of Medical Sciences and Peking Union Medical College, Beijing 100050, China.


² Beijing Key Laboratory of Active Substances Discovery and Druggability Evaluation, Institute of Materia Medica, Chinese Academy of Medical Sciences and Peking Union Medical College, Beijing 100050, China


E-mail: dongyi@imm.ac.cn; xuheng@imm.ac.cn

Table of content


<i>¹H NMR, ¹³C NMR, HPLC spectrum of 2,4-difluoro-N-(2-methoxy-5-(7-morpholinothiazolo[5,4-b]pyridin-2-yl)pyridin-3-yl)benzenesulfonamide (19a)</i>	S1-S3
<i>¹H NMR, ¹³C NMR, HPLC spectrum of 2-chloro-4-fluoro-N-(2-methoxy-5-(7-morpholinothiazolo[5,4-b]pyridin-2-yl)pyridin-3-yl)benzenesulfonamide (19b)</i>	S4- S6
<i>¹H NMR, ¹³C NMR, HPLC spectrum of (5-chloro-N-(2-methoxy-5-(7-morpholinothiazolo[5,4-b]pyridin-2-yl)pyridin-3-yl)thiophene-2-sulfonamide (19c)</i>	S7-S9
<i>¹H NMR, ¹³C NMR, HPLC spectrum of 4-(2-(6-methoxypyridin-3-yl)thiazolo[5,4-b]pyridin-7-yl)Morpholine (19d)</i>	S10-S12
<i>¹H NMR, ¹³C NMR, HPLC spectrum of 2,4-difluoro-N-(2-methoxy-5-(7-morpholinothiazolo[5,4-b]pyridin-2-yl)phenyl)benzenesulfonamide (19e)</i>	S13-S15
<i>¹H NMR, ¹³C NMR, HPLC spectrum of 2,4-difluoro-N-(5-(7-morpholinothiazolo[5,4-b]pyridin-2-yl)pyridin-3-yl)benzenesulfonamide (19f)</i>	S16-S18

¹H NMR spectrum of **19a**







HPLC spectrum of **19a**




Signal 2: DAD1 B, Sig=254,4 Ref=360,100


Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	4.444	M4	0.0692	1616.07092	388.99686	96.0060
2	4.872	M4	0.0801	43.03851	8.95479	2.5568
3	5.652	M4	0.0630	24.19288	6.39731	1.4372



^{13}C NMR spectrum of **19b**




HPLC spectrum of **19b**




Signal 2: DAD1 B, Sig=254,4 Ref=360,100

Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	5.162	MM	0.0821	2497.72070	506.81339	97.9826
2	5.661	MM	0.0516	25.83528	8.34479	1.0135
3	6.085	MM	0.0622	25.59011	6.85190	1.0039


¹H NMR spectrum of 19c



¹³C NMR spectrum of **19c**




HPLC spectrum of **19c**




Signal 2: DAD1 B, Sig=254, 4 Ref=360, 100

Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	4.560	MM	0.0651	71.25484	18.23404	2.3183
2	5.117	MM	0.0810	2966.49585	610.17664	96.5165
3	5.670	MM	0.0655	35.81426	9.11627	1.1652

¹H NMR spectrum of **19d**



^{13}C NMR spectrum of **19d**





HPLC spectrum of **19d**




Signal 2: DAD1 B, Sig=254,4 Ref=360,100


Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	4.728	MM	0.0910	2387.46973	437.42035	99.2766
2	5.664	MM	0.0545	17.39607	5.31610	0.7234



¹³C NMR spectrum of **19e**




HPLC spectrum of **19e**




Signal 2: DAD1 B, Sig=254,4 Ref=360,100

Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	4.728	MM	0.0910	2387.46973	437.42035	99.2766
2	5.664	MM	0.0545	17.39607	5.31610	0.7234


¹H NMR spectrum of **19f**



^{13}C NMR spectrum of **19f**



HPLC spectrum of **19f**



Signal 2: DAD1 B, Sig=254,4 Ref=360,100

Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	4.444	MM	0.0684	1583.05725	385.95856	96.7965
2	4.866	MM	0.0591	20.51789	5.78970	1.2546
3	5.652	MM	0.0668	25.28674	6.31196	1.5462
4	6.099	MM	0.1068	6.58733	1.02797	0.4028