Development of Coumarin-based Hydroxamates as Histone Deacetylase Inhibitors with Antitumor Activities

Na Zhao ^{1,2}, Feifei Yang ^{2,*}, Lina Han ², Yuhua Qu ², Di Ge ² and Hua Zhang ^{2,*}

- ¹ School of Chemistry and Chemical Engineering, University of Jinan, Jinan 250022, China; zhaona3702@163.com
- ² School of Biological Science and Technology, University of Jinan, Jinan 250022, China; hanln95@163.com (L.H.); 17854175513@163.com (Y.Q.); gedi_blue@126.com (D.G.)
- * Correspondence: bio_yangff@ujn.edu.cn (F.Y.); bio_zhangh@ujn.edu.cn (H.Z.); Tel.: 86-0531-89736199 (H.Z.).

Table of contents

Spectra of ¹H and ¹³C NMR and HR MS and HPLC of target compounds.

Spectra of ¹H and ¹³C NMR and HR MS and HPLC of target compound 13a......S3-4 Spectra of ¹H and ¹³C NMR and HR MS and HPLC of target compound **13b**......S5-6 Spectra of ¹H and ¹³C NMR and HR MS and HPLC of target compound 13c.......S7-8 Spectra of ¹H and ¹³C NMR and HR MS and HPLC of target compound **13d**.....S9-10 Spectra of ¹H and ¹³C NMR and HR MS and HPLC of target compound **13e**....S11-12 Spectra of ¹H and ¹³C NMR and HR MS and HPLC of target compound **13f**....S13-14 Spectra of ¹H and ¹³C NMR and HR MS and HPLC of target compound 13g....S15-16 Spectra of ¹H and ¹³C NMR and HR MS and HPLC of target compound **14a**....S17-18 Spectra of ¹H and ¹³C NMR and HR MS and HPLC of target compound 14b....S19-20 Spectra of ¹H and ¹³C NMR and HR MS and HPLC of target compound **14c**....S21-22 Spectra of ¹H and ¹³C NMR and HR MS and HPLC of target compound 14d....S23-24 Spectra of ¹H and ¹³C NMR and HR MS and HPLC of target compound 14e....S25-26 Spectra of ¹H and ¹³C NMR and HR MS and HPLC of target compound **14f**S27-28 Spectra of ¹H and ¹³C NMR and HR MS and HPLC of target compound **14g**....S29-30 Spectra of ¹H and ¹³C NMR and HR MS and HPLC of target compound **14h**....S31-32 Spectra of ¹H and ¹³C NMR and HR MS and HPLC of target compound 14i....S33-34 Spectra of ¹H and ¹³C NMR and HR MS and HPLC of target compound 14j....S35-36 Spectra of ¹H and ¹³C NMR and HR MS and HPLC of target compound 14k....S37-38 Spectra of ¹H and ¹³C NMR and HR MS and HPLC of target compound 141.....S39-40 Spectra of ¹H and ¹³C NMR and HR MS and HPLC of target compound 14m...S41-42 Spectra of ¹H and ¹³C NMR and HR MS and HPLC of target compound 14n....S43-44 Spectra of ¹H and ¹³C NMR and HR MS and HPLC of target compound 140.....S45-46 Spectra of ¹H and ¹³C NMR and HR MS and HPLC of target compound 14p.....S47-48 Spectra of ¹H and ¹³C NMR and HR MS and HPLC of target compound **14q**.....S49-50 Spectra of ¹H and ¹³C NMR and HR MS and HPLC of target compound **14r**....S51-52 Spectra of ¹H and ¹³C NMR and HR MS and HPLC of target compound 14s....S53-54



Fig.2. The ¹³C NMR spectrum for **13a**







Totals: 1.15945e4 623.46407

0.2563 1.14258e4

2

6.633 BB

Fig.4. The HPLC for 13a

594.21375 98.5453

Compound 13b



Fig.6. The ¹³C NMR spectrum for **13b**



Fig.7. The HR MS spectrum for 13b



Peak	RetTime	Туре	Width	Area	Height	Area
#	[min]		[min]	[mAU*s]	[mAU]	%
1	2.193	PP	0.1643	88.16940	8.94623	0.3733
2	6.152	MM	0.2746	216.98256	13.16806	0.9188
3	7.665	BV R	0.5935	2.33110e4	492.40826	98.7079

Fig.8. The HPLC for 13b

Compound 13c



Fig.10. The ¹³C NMR spectrum for **13c**







Signal 2: DAD1 E, Sig=280,4 Ref=off

Peak	RetTime	Туре	Width	Area	Height	Area
ŧ	[min]		[min]	[mAU*s]	[mAU]	÷
1	1.132	MM	0.0714	121.85931	28.45122	1.2666
2	1.910	MM	0.0939	130.94739	23.25252	1.3611
3	3.339	MM	0.1100	52.66855	7.98057	0.5474
4	4.724	BV R	0.3368	9180.92676	356.14371	95.4288
5	8.571	MM	0.2899	134.30647	7.72207	1.3960

Fig.12. The HPLC for **13c**

Compound 13d



Fig.14. The ¹³C NMR spectrum for **13d**









Peak	RetTime	Туре	Width	Area	Height	Area	
ŧ	[min]		[min]	[mAU*s]	[mAU]	÷	
1	1.156	MM	0.1993	340.40472	28.46984	1.6364	
2	5.657	BV R	0.2278	2.04612e4	1199.98840	98.3636	

Fig.16. The HPLC for 13d

Compound 13e



Fig.18. The ¹³C NMR spectrum for **13e**



Fig. 19. The HR MS spectrum for 13e



Signal 2: DAD1 E, Sig=280,4 Ref=off

Peak	RetTime	Туре	Width	Area	Height	Area
ŧ	[min]		[min]	[mAU*s]	[mAU]	8
1	2.187	MM	0.1267	977.23322	128.55794	2.1349
2	5.978	MM	0.1327	367.35809	46.14465	0.8025
3	8.193	MM	0.2768	4.44295e4	2675.22461	97.0625

Fig. 20. The HPLC for 13e



Fig.22. The ¹³C NMR spectrum for **13f**







Signal 2: DAD1 E, Sig=280,4 Ref=off

Peak	RetTime	Туре	Width	Area	Height	Area
#	[min]		[min]	[mAU*s]	[mAU]	8
1	7.239	MM	0.2857	2.10012e4	1225.19482	98.4514
2	10.507	MM	0.2509	330.33191	21.94214	1.5486

Fig.24. The HPLC for 13f



Fig.26. The ¹³C NMR spectrum for **13g**



Fig.27. The HR MS spectrum for ${\bf 13g}$



Signal 2: DAD1 E, Sig=280,4 Ref=off

Peak	RetTime	Туре	Width	Area	Height	Area
ŧ	[min]		[min]	[mAU*s]	[mAU]	8
1	2.749	MM	0.1407	491.15182	58.19069	1.0605
2	6.709	MM	0.1244	847.25092	113.49999	1.8295
3	8.778	VBAR	0.1980	4.49731e4	3217.69141	97.1100

Fig.28. The HPLC for 13g



Fig.30. The ¹³C NMR spectrum for 14a







Fig.32. The HPLC for 14a



Fig.34. The ¹³C NMR spectrum for **14b**







Реак	Retiime	туре	width	Area	Height	Area
#	[min]		[min]	[mAU*s]	[mAU]	%
1	2.143	MM	0.3079	158.07550	8.55581	0.8008
2	6.575	BB	0.1929	75.35004	6.61317	0.3817
3	8.400	BV R	0.6631	1.95053e4	375.55200	98.8174

Fig.36. The HPLC for 14b

Compound 14c



Fig.38. The $^{\rm 13}C$ NMR spectrum for 14c



Fig.39. The HR MS spectrum for 14c



Fig.40. The HPLC for 14c

Compound 14d



Fig.42. The ¹³C NMR spectrum for **14d**



Fig.43. The HR MS spectrum for 14d



Fig.44. The HPLC for 14d



Fig.46. The ¹³C NMR spectrum for **14e**



Fig.47. The HR MS spectrum for 14e



reak	Rettime	туре	width	Area	Height	Area
ŧ	[min]		[min]	[mAU*s]	[mAU]	융
1	2.155	MM	0.1627	78.28598	8.02054	0.5954
2	6.018	MM	0.1583	284.66229	29.97689	2.1650
3	6.985	MM	0.1244	40.67971	5.44973	0.3094
4	8.515	PM	0.8068	1.27450e4	263.29767	96.9303

Fig.48. The HPLC for 14e



Fig.50. The ¹³C NMR spectrum for **14f**







Peak	RetTime	Туре	Width	Area	Height	Area
ŧ	[min]		[min]	[mAU*s]	[mAU]	8
1	2.155	MM	0.0723	36.61839	8.44448	0.3839
2	6.075	MM	0.1088	65.98235	10.10817	0.6918
3	7.029	MM	0.1636	74.90263	7.62938	0.7853
4	8.209	MM	0.3125	101.76469	3.98740	1.0669
5	8.510	MM	0.6232	9258.90918	247.60678	97.0721

Fig.52. The HPLC for 14f

Compound 14g



Fig.54. The $^{\rm 13}C$ NMR spectrum for 14g







Peak	RetTime	Туре	Width	Area	Height	Area
ŧ	[min]		[min]	[mAU*s]	[mAU]	ę
1	2.030	MM	0.1405	60.32434	7.15807	0.6283
2	6.009	BB	0.1112	37.94304	5.31988	0.3952
3	6.976	BB	0.1332	28.83160	3.19867	0.3003
4	8.446	MM	0.7006	9473.48340	225.37888	98.6761

Fig.56. The HPLC for 14g



Fig.58. The ¹³C NMR spectrum for **14h**



Fig.59. The HR MS spectrum for 14h



Peak	RetTime	Туре	Width	Area	Height	Area
ŧ	[min]		[min]	[mAU*s]	[mAU]	8
1	2.177	MM	0.1941	58.25046	5.00076	0.6937
2	7.890	MM	0.2956	97.38831	5.49125	1.1598
3	9.287	MM	0.8066	8241.28516	170.29294	98.1465

Fig.60. The HPLC for 14h



Fig.62. The ¹³C NMR spectrum for **14i**







Peak	RetTime	Туре	Width	Area	Height	Area
ŧ	[min]		[min]	[mAU*s]	[mAU]	÷
1	2.164	VV	0.0991	48.78223	6.85082	0.4072
2	6.966	MM	0.1576	74.46319	7.87577	0.6216
3	9.096	MM	0.6594	1.18568e4	299.69501	98.9712

Fig.64. The HPLC for 14i



Fig.66. The ¹³C NMR spectrum for **14**j







Peak	RetTime	Туре	Width	Area	Height	Area
ŧ	[min]		[min]	[mAU*s]	[mAU]	8
1	1,221	MM	0.1631	105.68490	10.79665	1.1535
2	4.087	MM	0.1118	156.44432	23.31689	1.7075
3	6.715	BB	0.3149	8900.29883	372.27359	97.1391

Fig.68. The HPLC for 14j

Compound 14k



Fig.70. The ¹³C NMR spectrum for 14k







Fig.72. The HPLC for 14k

Compound 141



Fig.74. The ¹³C NMR spectrum for 141







Fig.76. The HPLC for 14l



Fig.78. The ¹³C NMR spectrum for **14m**







1	2.005	MM	0.1450	153.74632	17.67453	0.6937
2	5.665	MM	0.1508	300.42178	33.20177	1.3555
3	8.157	MM	0.3941	2.17085e4	918.03033	97.9508

Fig.80. The HPLC for 14m



Fig.82. The ¹³C NMR spectrum for **14n**



Fig.83. The HR MS spectrum for 14n



Peak #	RetTime [min]	Туре	Width [min]	Area [mAU*s]	Height [mAU]	Area %
	2,155	 VB R	0.1577	108,43851	9,32556	 0.8112
2	5.885	BB	0.1502	166.50893	15.15794	1.2457
3	7.569	BB	0.6883	1.30919e4	256.98825	97.9431

Fig.84. The HPLC for 14n



Fig.86. The ¹³C NMR spectrum for 140



Fig.87. The HR MS spectrum for 140



Fig.88. The HPLC for 140



Fig.90. The ¹³C NMR spectrum for **14p**



Fig.91. The HR MS spectrum for 14p



Fig.92. The HPLC for 14p

1.2525

15.69951

0.2642 248.85106

4 10.895 MM

Compound 14q



Fig.94. The $^{\rm 13}\rm C$ NMR spectrum for 14q



Fig.95. The HR MS spectrum for 14q



Fig.96. The HPLC for 14q

Compound 14r



Fig.98. The ¹³C NMR spectrum for **14r**



Fig.99. The HR MS spectrum for **14r**



Peak #	RetTime [min]	Туре	Width [min]	Area [mAU*s]	Height [mAU]	Area %	
1	3.155	 BB	0.4410	649.53705	23.31925	1.2362	
2	7.354	BB	0.1664	602.76434	48.70610	1.1472	
3	9.009	BBA	0.3956	5.12910e4	1619.24182	97.6166	

Fig.100. The HPLC for 14r

Compound 14s



Fig.102. The ${\rm ^{13}C}$ NMR spectrum for ${\bf 14s}$







Peak	RetTime	Туре	Width	Area	Height	Area
ŧ	[min]		[min]	[mAU*s]	[mAU]	8
1	1.495	MM	0.1655	296.08493	29.81826	1.4137
2	5.630	BB	0.1024	242.80492	35.22078	1.1593
3	7.566	VV R	0.1862	2.04054e4	1482.34363	97.4270

Fig.104. The HPLC for 14s