

Supplementary Material

Insecticidal and biting deterrent activities of *Magnolia grandiflora* essential oils and selected pure compounds against *Aedes aegypti*

Abbas Ali^{1,*}, Nurhayat Tabanca^{1,2}, Betul Demirci³, Vijayasankar Raman¹, Jane M. Budel⁴, K. Husnu Can Baser⁵ and Ikhlas A. Khan¹

¹National Center for Natural Products Research, The University of Mississippi, University, MS 38677, USA; aali@olemiss.edu (A.A.); vraman@olemiss.edu (V.R.); ikh@olemiss.edu (I.A.K.)

²United States Department of Agriculture, Agricultural Research Service (USDA-ARS), Subtropical Horticulture Research Station (SHRS), Miami, Florida 33158, USA; Nurhayat.Tabanca@usda.gov (N.T.)

³Department of Pharmacognosy, Faculty of Pharmacy, Anadolu University, 26470 Eskisehir, Turkey; betuldemirci@gmail.com (B.D.)

⁴Departamento de Ciências Farmacêuticas, Universidade Estadual de Ponta Grossa (UEPG), Ponta Grossa, PR 84030-900, Brazil; anemanfron@hotmail.com (J.M.B.)

⁵Department of Pharmacognosy, Faculty of Pharmacy, Near East University, 99138, Nicosia, Northern Cyprus; khcbaser@gmail.com (K.H.C.B.)

*Corresponding Author:


Abbas Ali: National Center for Natural Products Research, The University of Mississippi, University, MS, 38677 USA

Email: Abbas Ali: aali@olemiss.edu; dr_aliabbas@hotmail.com

Abundance


T C :BE579C.D\data.ms

Leaf




T in e→

Abundance




Time→

Abundance



Time→

Abundance



Time→

Abundance

Time→




Figure S1. The total ion current (TIC) chromatogram of essential oils of the leaves, flowers, immature fruits, mature fruits and seeds of *Magnolia grandiflora*