

Porphyrin *N*-Pincer Pd(II)-Complexes in Water: A Base-Free and Nature-Inspired Protocol for the Oxidative Self-Coupling of Potassium Aryltrifluoroborates in Open-Air

Sana Siva Prasad¹, Bandameeda Ramesh Naidu¹, Marlia M. Hanafiah^{2,3}, Jangam Lakshmid devi¹, Ravi Kumar Marella⁴, Sivarama Krishna Lakkaboyana⁵ and Katta Venkateswarlu^{1,*}

¹ Laboratory for Synthetic & Natural Products Chemistry, Department of Chemistry, Yogi Vemana University, Kadapa 516005, India; sana.chemist009@gmail.com (S.S.P.); brameshnaidu94@gmail.com (B.R.N.); devi703244@gmail.com (J.L.)

² Department of Chemistry, Faculty of Science and Technology, Universiti Kebangsaan Malaysia, Bangi 43600, Selangor, Malaysia; mhmarlia@ukm.edu.my

³ Centre for Tropical Climate Change System, Institute of Climate Change, Universiti Kebangsaan Malaysia, Bangi 43600, Selangor, Malaysia


⁴ Department of Mechanical Engineering, PACE Institute of Technology & Sciences, Ongole 523272, India; ravikumar.marella@pace.ac.in

⁵ Department of Chemical Technology, Chulalongkorn University, Pathumwam, Bangkok, Thailand; svurams@gmail.com


* Correspondence: kvenkat@yogivemanauniversity.ac.in; Tel.: +91-7989951388

Copies of ^1H & ^{13}C NMR Spectra of symmetrical biaryls:


^1H NMR spectrum of **6a**:




^{13}C NMR spectrum of **6a**:




^1H NMR spectrum of **6e**:




^{13}C NMR spectrum of **6e**:




^1H NMR spectrum of **6f**:




^{13}C NMR spectrum of **6f**:




^1H NMR spectrum of **6h**:




^{13}C NMR spectrum of **6h**:




^1H NMR spectrum of **6m**:




^{13}C NMR spectrum of **6m**:




^1H NMR spectrum of **6q**:



^{13}C NMR spectrum of **6q**:



^1H NMR spectrum of **6u**:



^{13}C NMR spectrum of **6u**:

