

Synthesis of New Triazolopyrazine Antimalarial Compounds

Daniel J. G. Johnson ¹, Ian D. Jenkins ¹, Cohan Huxley ¹, Mark J. Coster ¹, Kah Yean Lum ^{1,2},

Jonathan M. White ³, Vicky M. Avery ^{1,4}, and Rohan A. Davis ^{1,2,*}

¹Griffith Institute for Drug Discovery, School of Environment and Science, Griffith University, Brisbane, QLD 4111, Australia; d.johnson@griffithuni.edu.au (D. J. G. J.); i.jenkins@griffith.edu.au (I.D.J.); c.huxley@griffithuni.edu.au (C.H.); m.coster@griffith.edu.au (M.J.C.); k.lum@griffith.edu.au (K.Y.L.); v.avery@griffith.edu.au (V.M.A.)

²NatureBank, Griffith University, Brisbane, QLD 4111, Australia

³School of Chemistry and Bio21 Institute, The University of Melbourne, Melbourne, VIC 3010, Australia; whitejm@unimelb.edu.au (J.M.W.)

⁴Discovery Biology, Griffith University, Brisbane, QLD 4111, Australia

*Correspondence: r.davis@griffith.edu.au; Tel: +61-7-3735-6043

Contents

- S1: NMR data of compound **2** in DMSO-*d*₆
- S2: ¹H NMR spectrum of compound **2** in DMSO-*d*₆
- S3: ¹³C NMR spectrum of compound **2** in DMSO-*d*₆
- S4: COSY spectrum of compound **2** in DMSO-*d*₆
- S5: HSQC spectrum of compound **2** in DMSO-*d*₆
- S6: HMBC spectrum of compound **2** in DMSO-*d*₆
- S7: ROESY spectrum of compound **2** in DMSO-*d*₆
- S8: HRMS of compound **2**
- S9: NMR data of compound **3** in DMSO-*d*₆
- S10: ¹H NMR spectrum of compound **3** in DMSO-*d*₆
- S11: ¹³C NMR spectrum of compound **3** in DMSO-*d*₆
- S12: COSY spectrum of compound **3** in DMSO-*d*₆
- S13: HSQC spectrum of compound **3** in DMSO-*d*₆
- S14: HMBC spectrum of compound **3** in DMSO-*d*₆
- S15: ROESY spectrum of compound **3** in DMSO-*d*₆
- S16: HRMS of compound **3**
- S17: NMR data of compound **4** in DMSO-*d*₆
- S18: ¹H NMR spectrum of compound **4** in DMSO-*d*₆
- S19: ¹³C NMR spectrum of compound **4** in DMSO-*d*₆
- S20: COSY spectrum of compound **4** in DMSO-*d*₆
- S21: HSQC spectrum of compound **4** in DMSO-*d*₆
- S22: HMBC spectrum of compound **4** in DMSO-*d*₆
- S23: HRMS of compound **4**
- S24: NMR data of compound **5** in DMSO-*d*₆
- S25: ¹H NMR spectrum of compound **5** DMSO-*d*₆
- S26: ¹³C NMR spectrum of compound **5** in DMSO-*d*₆
- S27: COSY spectrum of compound **5** in DMSO-*d*₆
- S28: HSQC spectrum of compound **5** in DMSO-*d*₆
- S29: HMBC spectrum of compound **5** in DMSO-*d*₆
- S30: ROESY spectrum of compound **5** in DMSO-*d*₆
- S31: HRMS of compound **5**
- S32: NMR data of compound **6** in DMSO-*d*₆
- S33: ¹H NMR spectrum of compound **6** in DMSO-*d*₆
- S34: ¹³C NMR spectrum of compound **6** in DMSO-*d*₆
- S35: COSY spectrum of compound **6** in DMSO-*d*₆
- S36: HSQC spectrum of compound **6** in DMSO-*d*₆
- S37: HMBC spectrum of compound **6** in DMSO-*d*₆

- S38: HRMS of compound **6**
S39: NMR data of compound **8** in DMSO-*d*₆
S40: ¹H NMR spectrum of compound **8** in DMSO-*d*₆
S41: ¹³C NMR spectrum of compound **8** in DMSO-*d*₆
S42: COSY spectrum of compound **8** in DMSO-*d*₆
S43: HSQC spectrum of compound **8** in DMSO-*d*₆
S44: HMBC spectrum of compound **8** in DMSO-*d*₆
S45: HRMS of compound **8**
S46: NMR data of compound **10** in DMSO-*d*₆
S47: ¹H NMR spectrum of compound **10** in DMSO-*d*₆
S48: ¹³C NMR spectrum of compound **10** in DMSO-*d*₆
S49: COSY spectrum of compound **10** in DMSO-*d*₆
S50: HSQC spectrum of compound **10** in DMSO-*d*₆
S51: HMBC spectrum of compound **10** in DMSO-*d*₆
S52: HRMS of compound **10**
S53: NMR data of compound **11** in DMSO-*d*₆
S54: ¹H NMR spectrum of compound **11** in DMSO-*d*₆
S55: ¹³C NMR spectrum of compound **11** in DMSO-*d*₆
S56: COSY spectrum of compound **11** in DMSO-*d*₆
S57: HSQC spectrum of compound **11** in DMSO-*d*₆
S58: HMBC spectrum of compound **11** in DMSO-*d*₆
S59: HRMS of compound **11**
S60: NMR data of compound **12** in DMSO-*d*₆
S61: ¹H NMR spectrum of compound **12** in DMSO-*d*₆
S62: ¹³C NMR spectrum of compound **12** in DMSO-*d*₆
S63: COSY spectrum of compound **12** in DMSO-*d*₆
S64: HSQC spectrum of compound **12** in DMSO-*d*₆
S65: HMBC spectrum of compound **12** in DMSO-*d*₆
S66: ROESY spectrum of compound **12** in DMSO-*d*₆
S67: HRMS of compound **12**
S68: NMR data for compound **13** in DMSO-*d*₆
S69: ¹H NMR spectrum of compound **13** in DMSO-*d*₆
S70: ¹³C NMR spectrum of compound **13** in DMSO-*d*₆
S71: COSY spectrum of compound **13** in DMSO-*d*₆
S72: HSQC spectrum of compound **13** in DMSO-*d*₆
S73: HMBC spectrum of compound **13** in DMSO-*d*₆
S74: ROESY spectrum of compound **13** in DMSO-*d*₆
S75: HRMS of compound **13**


- S76: NMR data of compound **14** in DMSO-*d*₆
- S77: ¹H NMR Spectrum of compound **14** in DMSO-*d*₆
- S78: ¹³C NMR spectrum of compound **14** in DMSO-*d*₆
- S79: COSY spectrum of compound **14** in DMSO-*d*₆
- S80: HSQC spectrum of compound **14** in DMSO-*d*₆
- S81: HMBC spectrum of compound **14** in DMSO-*d*₆
- S82: HRMS of compound **14**
- S83: NMR data of compound **15** in DMSO-*d*₆
- S84: ¹H NMR spectrum of compound **15** in DMSO-*d*₆
- S85: ¹³C NMR spectrum of compound **15** in DMSO-*d*₆
- S86: COSY spectrum of compound **15** in DMSO-*d*₆
- S87: HSQC spectrum of compound **15** in DMSO-*d*₆
- S88: HMBC spectrum of compound **15** in DMSO-*d*₆
- S89: HRMS of compound **15**
- S90: NMR data of compound **16** in DMSO-*d*₆
- S91: ¹H NMR Spectrum of compound **16** in DMSO-*d*₆
- S92: ¹³C NMR spectrum of compound **16** in DMSO-*d*₆
- S93: COSY spectrum of compound **16** in DMSO-*d*₆
- S94: HSQC spectrum of compound **16** in DMSO-*d*₆
- S95: HMBC spectrum of compound **16** in DMSO-*d*₆
- S96: HRMS of compound **16**
- S97: NMR data of compound **17** in DMSO-*d*₆
- S98: ¹H NMR Spectrum of compound **17** in DMSO-*d*₆
- S99: ¹³C NMR spectrum of compound **17** in DMSO-*d*₆
- S100: COSY spectrum of compound **17** in DMSO-*d*₆
- S101: HSQC spectrum of compound **17** in DMSO-*d*₆
- S102: HMBC spectrum of compound **17** in DMSO-*d*₆
- S103: HRMS of compound **17**
- S104: NMR data of compound **18** in DMSO-*d*₆
- S105: ¹H NMR spectrum of compound **18** in DMSO-*d*₆
- S106: ¹³C NMR spectrum of compound **18** in DMSO-*d*₆
- S107: COSY spectrum of compound **18** in DMSO-*d*₆
- S108: HSQC spectrum of compound **18** in DMSO-*d*₆
- S109: HMBC spectrum of compound **18** in DMSO-*d*₆
- S110: HRMS of compound **18**

S1: NMR data of compound **2** in DMSO-*d*₆^a


| Pos. | δ_{H} , mult. (<i>J</i> in Hz), int. | δ_{C} , mult. (<i>J</i> in Hz) | COSY | HMBC | ROESY |
|------|---|---|------|------------|------------|
| 3 | | 145.5, s | | | |
| 5 | | 143.8, s | | | |
| 6 | 7.60, s, 1H | 108.8, s | | 5, 8 | 21 |
| 8 | 9.04, s, 1H | 135.0, s | | 6, 9 | |
| 9 | | 147.4, s | | | |
| 10 | | 124.7, s | | | |
| 11 | 7.77, m, 1H | 132.6, s | 12 | 3, 13, 15 | 12 |
| 12 | 7.30, m, 1H | 117.6, s | 11 | 10, 14 | 11 |
| 13 | | 152.0, t (3.2) | | | |
| 14 | 7.30, m, 1H | 117.6, s | 15 | 10, 12 | 15 |
| 15 | 7.77, m, 1H | 132.6, s | 14 | 3, 11, 13 | 14 |
| 17 | 7.36, t (73.7), 1H | 116.2, t (258.8) | | 13 | |
| 21 | 4.50, t (6.5), 2H | 71.2, s | | 5, 23 | 6, 22 |
| 22 | 2.90, t (6.5), 2H | 33.8, s | | 24, 28 | 21, 24, 28 |
| 23 | | 137.3, s | | | |
| 24 | 6.91, m, 1H | 128.3, s | 25 | 22, 26, 28 | 22, 25 |
| 25 | 7.18, m, 1H | 128.6, s | 24 | 23, 27 | 24 |
| 26 | 7.16, m, 1H | 126.3, s | | 24, 28 | |
| 27 | 7.18, m, 1H | 128.6, s | 28 | 23, 25 | 28 |
| 28 | 6.91, m, 1H | 128.3, s | 27 | 22, 24, 26 | 22, 27 |

^a Recorded at 500 MHz (¹H NMR) and 125 MHz (¹³C NMR) at 25 °C.


S2: ¹H NMR spectrum of compound **2** in DMSO-*d*₆




S3: ^{13}C NMR spectrum of compound **2** in $\text{DMSO}-d_6$




S4: COSY spectrum of compound **2** in $\text{DMSO}-d_6$




S5: HSQC spectrum of compound **2** in DMSO-*d*₆



S6: HMBC spectrum of compound **2** in DMSO-*d*₆



S7: ROESY spectrum of compound **2** in DMSO-*d*₆



S8: HRMS of compound **2**


Griffith
UNIVERSITY
High Resolution Mass Spectrum

Analysis Info

Analysis Name D:\Data\KahYean\20200904\RAD815000001.d
Method DirectInfusion_2018_pos.m
Sample Name RAD815
Comment

Acquisition Date 9/18/2020 11:07:52 AM
Instrument maXis II ETD 1823391.22321

+MS, 0.4-0.4min #21-22




S9: NMR data of compound **3** in DMSO-*d*₆^a


| Pos. | δ_{H} , mult. (<i>J</i> in Hz), int. | δ_{C} , mult. (<i>J</i> in Hz) | COSY | HMBC | ROESY |
|------|---|---|------|-----------|-------|
| 3 | | 145.7, s | | | |
| 5 | | 142.6, s | | | |
| 6 | 7.69, s, 1H | 109.7, s | | 5, 8 | 21 |
| 8 | 9.15, s, 1H | 136.8, s | | | |
| 9 | | 147.4, s | | | |
| 10 | | 124.4, s | | | |
| 11 | 7.79, m, 1H | 132.4, s | 12 | 3, 13, 15 | 12 |
| 12 | 7.29, m, 1H | 117.7, s | 11 | 10, 14 | 11 |
| 13 | | 152.0, t (3.2) | | | |
| 14 | 7.29, m, 1H | 117.7, s | 15 | 10, 12 | 15 |
| 15 | 7.79, m, 1H | 132.4, s | 14 | 3, 11, 13 | 14 |
| 17 | 7.35, t (73.8), 1H | 116.1, t (258.8) | | 13 | |
| 21 | 5.05, q (8.5), 2H | 66.1, q (36.2) | | 5, 22 | 6 |
| 22 | | 122.6, q (277.2) | | | |

^a Recorded at 500 MHz (¹H NMR) and 125 MHz (¹³C NMR) at 25 °C.


S10: ¹H NMR spectrum of compound **3** in DMSO-*d*₆




S11: ^{13}C NMR spectrum of compound **3** in $\text{DMSO}-d_6$




S12: COSY spectrum of compound **3** in $\text{DMSO}-d_6$




S13: HSQC spectrum of compound **3** in DMSO-*d*₆



S14: HMBC spectrum of compound **3** in DMSO-*d*₆



S15: ROESY spectrum of compound 3 in DMSO-*d*₆



S16: HRMS of compound 3


Griffith
UNIVERSITY
High Resolution Mass Spectrum

Analysis Info

Analysis Name: D:\Data\KahYean\20200508\RAD863000002.d
Method: DirectInfusion_2018_pos.m
Sample Name: RAD863
Comment:

Acquisition Date: 5/12/2020 12:03:48 PM
Instrument: maXis II ETD 1823391.22321

+MS, 0.1min #8




S17: NMR data of compound **4** in DMSO-*d*₆^a


| Pos | δ_{H} , mult. (<i>J</i> in Hz), int. | δ_{C} , mult. (<i>J</i> in Hz) | COSY | HMBC |
|-------|---|---|------|-----------|
| 3 | | 148.6, s | | |
| 5 | 7.43, d (5.8), 1H | 103.9, s | 6 | 6, 9 |
| 6 | 6.92, d (5.8), 1H | 118.7, s | 5 | 5, 8 |
| 8 | | 153.0, s | | |
| 9 | | 145.3, s | | |
| 10 | | 122.6, s | | |
| 11 | 7.91, m, 1H | 130.4, s | 12 | 3, 13, 15 |
| 12 | 7.42, m, 1H | 119.2, s | 11 | 10, 14 |
| 13 | | 152.5, t (3.3) | | |
| 14 | 7.42, m, 1H | 119.2, s | 15 | 10, 12 |
| 15 | 7.91, m, 1H | 130.4, s | 14 | 3, 11, 13 |
| 17 | 7.40, t (73.6), 1H | 116.1, t (258.7) | | 13 |
| 20-OH | 11.48, br s, 1H | | | |

^a Recorded at 500 MHz (¹H NMR) and 125 MHz (¹³C NMR) at 25 °C.


S18: ¹H NMR spectrum of compound **4** in DMSO-*d*₆




S19: ^{13}C NMR spectrum of compound **4** in $\text{DMSO}-d_6$




S20: COSY spectrum of compound **4** in $\text{DMSO}-d_6$



S21: HSQC spectrum of compound **4** in DMSO-*d*₆



S22: HMBC spectrum of compound **4** in DMSO-*d*₆



S23: HRMS of compound 4




High Resolution Mass Spectrum

Analysis Info

Analysis Name D:\Data\KahYean\20200508\RAD862000002.d
Method DirectInfusion_2018_pos.m Acquisition Date 5/12/2020 11:36:43 AM
Sample Name RAD862 Instrument maXis II ETD 1823391.22321
Comment

+MS, 0.1-0.1min #7-8




S24: NMR data of compound **5** in DMSO-*d*₆^a


| Pos. | δ_{H} , mult. (<i>J</i> in Hz), int. | δ_{C} , mult. (<i>J</i> in Hz) | COSY | HMBC | ROESY |
|------|---|---|------|----------------|----------------|
| 3 | | 145.6, s | | | |
| 5 | | 143.9, s | | | |
| 6 | 7.59, s, 1H | 109.1, s | | 5, 8 | 21 |
| 8 | 9.01, s, 1H | 134.7, s | | 6, 9 | |
| 9 | | 147.5, s | | | |
| 10 | | 124.8, s | | | |
| 11 | 7.81, m, 1H | 132.8, s | 12 | 3, 13, 15 | 12 |
| 12 | 7.31, m, 1H | 117.6, s | 11 | 10, 14 | 11 |
| 13 | | 151.9, t (3.3) | | | |
| 14 | 7.31, m, 1H | 117.6, s | 15 | 10, 12 | 15 |
| 15 | 7.81, m, 1H | 132.8, s | 14 | 3, 11, 13 | 14 |
| 17 | 7.36, t (73.6), 1H | 116.1, t, (258.5) | | 13 | |
| 21 | 4.33, m, 2H | 69.4, s | 22 | 5, 22 | 6, 22 |
| 22 | 0.91, m, 2H | 16.5, s | 21 | 21, 24, 25, 26 | 21, 24, 25, 26 |
| 24 | 0.07, s, 3H | -1.7, s | | 22, 25, 26 | 22 |
| 25 | 0.07, s, 3H | -1.7, s | | 22, 24, 26 | 22 |
| 26 | 0.07, s, 3H | -1.7, s | | 22, 24, 25 | 22 |

^a Recorded at 500 MHz (¹H NMR) and 125 MHz (¹³C NMR) at 25 °C.


S25: ¹H NMR spectrum of compound **5** DMSO-*d*₆




S26: ^{13}C NMR spectrum of compound **5** in $\text{DMSO}-d_6$




S27: COSY spectrum of compound **5** in $\text{DMSO}-d_6$




S28: HSQC spectrum of compound **5** in DMSO-*d*₆



S29: HMBC spectrum of compound **5** in DMSO-*d*₆



S30: ROESY spectrum of compound 5 in DMSO-*d*₆




S31: HRMS of compound 5



Analysis Info

| | | | |
|---------------|---|------------------|----------------------------|
| Analysis Name | D:\Data\KahYean\20200508\RAD860000001.d | Acquisition Date | 5/12/2020 12:13:02 PM |
| Method | DirectInfusion_2018_pos.m | Instrument | maXis II ETD 1823391.22321 |
| Sample Name | RAD860 | Comment | |

+MS, 0.1-0.1min #5-6




S32: NMR data of compound **6** in DMSO-*d*₆^a


| Pos. | δ_{H} , mult. (J in Hz), int. | δ_{C} , mult. (J in Hz) | COSY | HMBC |
|------|---|---------------------------------------|------|----------------|
| 3 | | 147.2, s | | |
| 5 | 8.17, d (4.9), 1H | 111.9, s | 6 | 6, 9 |
| 6 | 7.47, d (4.9), 1H | 127.6, s | 5 | 5, 8 |
| 8 | | 153.3, s | | |
| 9 | | 139.9, s | | |
| 10 | | 122.7, s | | |
| 11 | 7.98, m, 1H | 130.2, s | 12 | 3, 13, 15 |
| 12 | 7.43, m, 1H | 119.2, s | 11 | 10, 14 |
| 13 | | 152.4, t (3.3) | | |
| 14 | 7.43, m, 1H | 119.2, s | 15 | 10, 12 |
| 15 | 7.98, m, 1H | 130.2, s | 14 | 3, 11, 13 |
| 17 | 7.41, t (73.7), 1H | 116.1, t (258.4) | | 13 |
| 21 | 4.65, m, 2H | 65.2, s | 22 | 22, 8 |
| 22 | 1.24, m, 2H | 16.8, s | 21 | 21, 24, 25, 26 |
| 24 | 0.11, s, 3H | -1.3, s | | 22, 25, 26 |
| 25 | 0.11, s, 3H | -1.3, s | | 22, 24, 26 |
| 26 | 0.11, s, 3H | -1.3, s | | 22, 24, 25 |

^a Recorded at 500 MHz (¹H NMR) and 125 MHz (¹³C NMR) at 25 °C.


S33: ^1H NMR spectrum of compound **6** in $\text{DMSO}-d_6$




S34: ^{13}C NMR spectrum of compound **6** in $\text{DMSO}-d_6$




S35: COSY spectrum of compound **6** in $\text{DMSO}-d_6$



S36: HSQC spectrum of compound **6** in DMSO-*d*₆



S37: HMBC spectrum of compound **6** in DMSO-*d*₆



S38: HRMS of compound 6




High Resolution Mass Spectrum

Analysis Info

Analysis Name D:\Data\KahYean\20200508\RAD861000002.d
Method DirectInfusion_2018_pos.m
Sample Name RAD861
Comment
Acquisition Date 5/12/2020 12:26:20 PM
Instrument maXis II ETD 1823391.22321

+MS, 0.7-0.7min #38-39




S39: NMR data of compound **8** in DMSO-*d*₆^a


| Position | δ_H , mult. (<i>J</i> in Hz) | δ_C | COSY | HMBC |
|----------|--------------------------------------|------------|------|------------|
| 3 | | 147.2 | | |
| 5 | | 119.8 | | |
| 6 | 7.92, s, 1H | 128.5 | | 5, 8 |
| 8 | | 151.5 | | |
| 9 | | 146.7 | | |
| 10 | | 126.3 | | |
| 11 | 7.74, m, 1H | 133.1 | 12 | 3, 13, 15 |
| 12 | 7.63, m, 1H | 127.9 | 11 | 10, 14 |
| 13 | | 135.4 | | |
| 14 | 7.63, m, 1H | 127.9 | 15 | 10, 12 |
| 15 | 7.74, m, 1H | 133.1 | 14 | 3, 11, 13 |
| 18 | 2.86, s, 3H | 20.2 | | 5, 6, 8, 9 |

^a Recorded at 500 MHz (¹H NMR) and 125 MHz (¹³C NMR) at 25 °C.


S40: ¹H NMR spectrum of compound **8** in DMSO-*d*₆




S41: ^{13}C NMR spectrum of compound **8** in $\text{DMSO}-d_6$




S42: COSY spectrum of compound **8** in $\text{DMSO}-d_6$



S43: HSQC spectrum of compound **8** in DMSO-*d*₆



S44: HMBC spectrum of compound **8** in DMSO-*d*₆



S45: HRMS of compound 8




High Resolution Mass Spectrum

Analysis Info

Analysis Name D:\Data\KahYear\20200508\RAD857000003.d
Method DirectInfusion_2018_pos.m Acquisition Date 5/12/2020 11:00:21 AM
Sample Name RAD857 Instrument maXis II ETD 1823391.22321
Comment

+MS, 0.1min #6




S46: NMR data of compound **10** in DMSO-*d*₆^a


| Position | δ_{H} , mult. (<i>J</i> in Hz) | δ_{C} | COSY | HMBC |
|----------|---|---------------------|------|------------|
| 3 | | 146.76# | | |
| 5 | | 119.8 | | |
| 6 | 7.96, s, 1H | 128.7 | | 5, 8 |
| 8 | | 151.5 | | |
| 9 | | 146.83# | | |
| 10 | | 132.0 | | |
| 11 | 7.93, m, 1H | 132.2 | 12 | 3, 13, 15 |
| 12 | 8.04, m, 1H | 131.6 | 11 | 10, 14, 16 |
| 13 | | 113.0 | | |
| 14 | 8.04, m, 1H | 131.6 | 15 | 10, 12, 16 |
| 15 | 7.93, m, 1H | 132.2 | 14 | 3, 11, 13 |
| 16 | | 118.4 | | |
| 19 | 2.87, s, 3H | 20.2 | | 5, 6, 8, 9 |

^a Recorded at 500 MHz (¹H NMR) and 125 MHz (¹³C NMR) at 25 °C. # Interchangeable signals.


S47: ¹H NMR spectrum of compound **10** in DMSO-*d*₆




S48: ^{13}C NMR spectrum of compound **10** in $\text{DMSO}-d_6$




S49: COSY spectrum of compound **10** in $\text{DMSO}-d_6$



S50: HSQC spectrum of compound **10** in $\text{DMSO}-d_6$



S51: HMBC spectrum of compound **10** in $\text{DMSO}-d_6$



S52: HRMS of compound 10




High Resolution Mass Spectrum

Analysis Info

Analysis Name D:\Data\KahYean\20200508\RAD858000001.d
Method DirectInfusion_2018_pos.m
Sample Name RAD858
Comment

Acquisition Date 5/12/2020 11:09:33 AM
Instrument maXis II ETD 1823391.22321

+MS, 0.1-0.1min #5-6




S53: NMR data of compound **11** in DMSO-*d*₆^a


| Pos | δ_H , mult. (J in Hz), int. | δ_C , mult. (J in Hz) | COSY | HMBC |
|-----|------------------------------------|------------------------------|------|------------|
| 3 | | 147.4, s | | |
| 5 | | 119.8, s | | |
| 6 | 7.91, s, 1H | 128.5, s | | 5, 8 |
| 8 | | 151.5, s | | |
| 9 | | 146.7, s | | |
| 10 | | 124.0, s | | |
| 11 | 7.77, m, 1H | 133.3, s | 12 | 3, 13, 15 |
| 12 | 7.34, m, 1H | 117.5, s | 11 | 10, 14 |
| 13 | | 152.5, t (3.3) | | |
| 14 | 7.34, m, 1H | 117.5, s | 15 | 10, 12 |
| 15 | 7.77, m, 1H | 133.3, s | 14 | 3, 11, 13 |
| 17 | 7.40, t (73.7), 1H | 116.2, t (258.5) | | 13 |
| 21 | 2.86, s, 3H | 20.2, s | | 5, 6, 8, 9 |

^a Recorded at 500 MHz (¹H NMR) and 125 MHz (¹³C NMR) at 25 °C.


S54: ^1H NMR spectrum of compound **11** in $\text{DMSO}-d_6$




S55: ^{13}C NMR spectrum of compound **11** in DMSO-d_6




S56: COSY spectrum of compound **11** in DMSO-d_6



S57: HSQC spectrum of compound **11** in DMSO-*d*₆



S58: HMBC spectrum of compound **11** in DMSO-*d*₆



S59: HRMS of compound 11




High Resolution Mass Spectrum

Analysis Info

Analysis Name D:\Data\KahYean\20200508\RAD859000001.d
Method DirectInfusion_2018_pos.m
Sample Name RAD859
Comment

Acquisition Date 5/12/2020 11:16:52 AM
Instrument maxis II ETD 1823391.22321

+MS, 0.1min #4




S60: NMR data of compound **12** in DMSO-*d*₆^a


| Pos. | δ_{H} , mult. (<i>J</i> in Hz), int. | δ_{C} , mult. (<i>J</i> in Hz) | COSY | HMBC | ROESY |
|------|---|---|------|-----------|-------|
| 3 | | 146.8, s | | | |
| 5 | | 141.6, s | | | |
| 6 | 7.52, s, 1H | 108.9, s | | 5, 8 | 21 |
| 8 | | 145.1, s | | | |
| 9 | | 146.4, s | | | |
| 10 | | 124.4, s | | | |
| 11 | 7.76, m, 1H | 132.4, s | 12 | 3, 13, 15 | 12 |
| 12 | 7.28, m, 1H | 117.7, s | 11 | 10, 14 | 11 |
| 13 | | 152.0, t (3.2) | | | |
| 14 | 7.28, m, 1H | 117.7, s | 15 | 10, 12 | 15 |
| 15 | 7.76, m, 1H | 132.4, s | 14 | 3, 11, 13 | 14 |
| 17 | 7.35, t (73.7), 1H | 116.1, t (258.5) | | 13 | |
| 21 | 4.96, q (8.5), 2H | 66.0, q (35.8) | | 5, 22 | 6 |
| 22 | | 122.5, q (277.3) | | | |
| 26 | 2.78, s | 19.8, s | | 8, 9 | |

^a Recorded at 500 MHz (¹H NMR) and 125 MHz (¹³C NMR) at 25 °C.


S61: ¹H NMR spectrum of compound **12** in DMSO-*d*₆




S62: ^{13}C NMR spectrum of compound **12** in $\text{DMSO}-d_6$




S63: COSY spectrum of compound **12** in $\text{DMSO}-d_6$




S64: HSQC spectrum of compound **12** in $\text{DMSO}-d_6$



S65: HMBC spectrum of compound **12** in $\text{DMSO}-d_6$



S66: ROESY spectrum of compound **12** in DMSO-*d*₆



S67: HRMS of compound **12**




High Resolution Mass Spectrum

Analysis Info

Analysis Name: D:\Data\KahYean\20200904\RAD866000001.d
 Method: DirectInfusion_2018_pos.m
 Sample Name: RAD866
 Comment:

Acquisition Date: 9/4/2020 11:41:46 AM
 Instrument: maXis II ETD 1823391.22321

+MS, 0.3min #18




S68: NMR data for compound **13** in DMSO-*d*₆^a


| Pos. | δ_{H} , mult. (J in Hz), int. | δ_{C} , mult. (J in Hz) | COSY | HMBC | ROESY |
|------|---|---------------------------------------|--------|----------------|--------|
| 3 | | 146.3, s | | | |
| 5 | | 142.8, s | | | |
| 6 | 7.39, s, 1H | 107.9, s | | 5, 8 | |
| 8 | | 143.2, s | | | |
| 9 | | 146.8, s | | | |
| 10 | | 124.8, s | | | |
| 11 | 7.74, m, 1H | 132.6, s | 12 | 3, 13, 15 | 12 |
| 12 | 7.29, m, 1H | 117.6, s | 11 | 10, 14 | 11 |
| 13 | | 152.0, t (3.2) | | | |
| 14 | 7.29, m, 1H | 117.6, s | 15 | 10, 12 | 15 |
| 15 | 7.74, m, 1H | 132.6, s | 14 | 3, 11, 13 | 14 |
| 17 | 7.36, t (73.7), 1H | 116.2, t (258.2) | | 13 | |
| 21 | 4.42, t (6.5), 2H | 71.0, s | 22 | 5, 22, 23 | 6, 22 |
| 22 | 2.86, t (6.5), 2H | 33.9, s | 21 | 21, 23, 24, 28 | 24, 28 |
| 23 | | 137.4, s | | | |
| 24 | 6.90, m, 1H | 128.7, s | 25 | 22, 26, 28 | 25 |
| 25 | 7.17, m, 1H | 128.2, s | 24, 26 | 23, 27 | 24, 26 |
| 26 | 7.16, m, 1H | 126.4, s | 25, 27 | 24, 28 | 25, 27 |
| 27 | 7.17, m, 1H | 128.2, s | 26, 28 | 23, 25 | 26, 28 |
| 28 | 6.90, m, 1H | 128.7, s | 27 | 22, 24, 26 | 27 |
| 29 | 2.72, s, 3H | 19.7, s | | 6, 8, 9 | |

^a Recorded at 500 MHz (¹H NMR) and 125 MHz (¹³C NMR) at 25 °C.


S69: ^1H NMR spectrum of compound **13** in $\text{DMSO}-d_6$




S70: ^{13}C NMR spectrum of compound **13** in $\text{DMSO}-d_6$




S71: COSY spectrum of compound **13** in $\text{DMSO}-d_6$




S72: HSQC spectrum of compound **13** in DMSO-*d*₆



S73: HMBC spectrum of compound **13** in DMSO-*d*₆



S74: ROESY spectrum of compound **13** in DMSO-*d*₆



S75: HRMS of compound **13**


Griffith
UNIVERSITY
High Resolution Mass Spectrum

Analysis Info

Analysis Name: D:\Data\KahYear\20200904\RAD865000002.d
 Method: DirectInfusion_2018_pos.m
 Sample Name: RAD865
 Comment:

Acquisition Date: 9/4/2020 11:35:55 AM
 Instrument: maXis II ETD 1823391.22321

+MS, 0.2-0.3min #10-16




S76: NMR data of compound **14** in DMSO-*d*₆^a


| Position | δ_{H} , mult. (<i>J</i> in Hz), int. | δ_{C} , mult. (<i>J</i> in Hz) | COSY | HMBC |
|----------|---|---|------|-----------|
| 3 | | 147.5, s | | |
| 5 | | 126.3, s | | |
| 6 | 8.30, s, 1H | 127.8, s | | 5, 8 |
| 8 | | 137.4, q (37.9) | | |
| 9 | | 143.4, s | | |
| 10 | | 125.6, s | | |
| 11 | 7.75, m, 1H | 133.2, s | 12 | 3, 13, 15 |
| 12 | 7.67, m, 1H | 128.0, s | 11 | 10, 14 |
| 13 | | 135.8, s | | |
| 14 | 7.67, m, 1H | 128.0, s | 15 | 10, 12 |
| 15 | 7.75, m, 1H | 133.2, s | 14 | 3, 11, 13 |
| 18 | | 119.9, q (275.1) | | |

^a Recorded at 500 MHz (¹H NMR) and 125 MHz (¹³C NMR) at 25 °C.


S77: ¹H NMR Spectrum of compound **14** in DMSO-*d*₆




S78: ^{13}C NMR spectrum of compound **14** in $\text{DMSO}-d_6$




S79: COSY spectrum of compound **14** in $\text{DMSO}-d_6$



S80: HSQC spectrum of compound **14** in DMSO-*d*₆



S81: HMBC spectrum of compound **14** in DMSO-*d*₆



S82: HRMS of compound 14




High Resolution Mass Spectrum

Analysis Info

Analysis Name D:\Data\KahYean\20200904\RAD864000002.d
Method DirectInfusion_2018_pos.m
Sample Name RAD864
Comment

Acquisition Date 9/4/2020 10:42:02 AM
Instrument maXis II ETD 1823391.22321

+MS, 0.2-0.3min #9-15




| Meas. m/z | # | Ion Formula | m/z | err [ppm] | mSigma | # mSigma | Score | rdb | e^- Conf | N-Rule |
|-------------|---|----------------|----------|-----------|--------|----------|--------|-----|------------|--------|
| 332.9915 | 1 | C12H6Cl2F3N4 | 332.9916 | 0.5 | 9.6 | 1 | 100.00 | 9.5 | even | ok |
| 354.9734 | 1 | C12H8Cl2N4NaO2 | 332.9917 | 0.6 | 11.5 | 1 | 100.00 | 9.5 | even | ok |

S83: NMR data of compound **15** in DMSO-*d*₆^a


| Pos | δ_{H} , mult. (<i>J</i> in Hz), int. | δ_{C} , mult. (<i>J</i> in Hz) | COSY | HMBC |
|-----|---|---|------|-----------|
| 3 | | 147.1, s | | |
| 5 | | 124.2, s | | |
| 6 | 8.17, s, 1H | 127.6, s | | 5, 8 |
| 8 | | 144.9, t (31.3) | | |
| 9 | | 143.9, s | | |
| 10 | | 126.0, s | | |
| 11 | 7.75, m, 1H | 133.2, s | 12 | 3, 13, 15 |
| 12 | 7.65, m, 1H | 127.9, s | 11 | 10, 14 |
| 13 | | 135.7, s | | |
| 14 | 7.65, m, 1H | 127.9, s | 15 | 10, 12 |
| 15 | 7.75, m, 1H | 133.2, s | 14 | 3, 11, 13 |
| 18 | | 119.9, t (240.2) | | |
| 19 | 2.25, t, (19.3), 3H | 22.8, s | | 8, 19 |

^a Recorded at 500 MHz (¹H NMR) and 125 MHz (¹³C NMR) at 25 °C.


S84: ¹H NMR spectrum of compound **15** in DMSO-*d*₆




S85: ^{13}C NMR spectrum of compound **15** in $\text{DMSO}-d_6$




S86: COSY spectrum of compound **15** in $\text{DMSO}-d_6$



S87: HSQC spectrum of compound **15** in DMSO-*d*₆



S88: HMBC spectrum of compound **15** in DMSO-*d*₆




S89: HRMS of compound 15

High Resolution Mass Spectrum

Analysis Info

Analysis Name D:\Data\KahYean\20200904\RAD867000001.d
Method DirectInfusion_2018_pos.m
Sample Name RAD867
Comment

Acquisition Date 9/4/2020 11:49:35 AM
Instrument maXis II ETD 1823391.22321


+MS, 0.2min #13

S90: NMR data of compound **16** in DMSO-*d*₆^a


| Pos. | δ_{H} , mult. (<i>J</i> in Hz), int | δ_{C} , mult. (<i>J</i> in Hz) | COSY | HMBC |
|------|--|---|------|------------|
| 3 | | 146.4, s | | |
| 5 | 8.74, d (4.8), 1H | 119.5, s | 6 | 3, 6, 9 |
| 6 | 8.04, d (4.8), 1H | 128.5, s | 5 | 5, 8 |
| 8 | | 146.4, t (30.9) | | |
| 9 | | 142.6, s | | |
| 10 | | 124.4, s | | |
| 11 | 7.98, m, 1H | 130.3, s | 12 | 3, 13, 15 |
| 12 | 7.73, m, 1H | 129.5, s | 11 | 10, 13, 14 |
| 13 | | 135.6, s | | |
| 14 | 7.73, m, 1H | 129.5, s | 15 | 10, 12, 13 |
| 15 | 7.98, m, 1H | 130.3, s | 14 | 3, 11, 13 |
| 17 | | 120.0, t (239.7) | | |
| 18 | 2.25, t (19.2), 3H | 22.7, t (25.6) | | 8, 17 |

^a Recorded at 500 MHz (¹H NMR) and 125 MHz (¹³C NMR) at 25 °C.


S91: ¹H NMR Spectrum of compound **16** in DMSO-*d*₆




S92: ^{13}C NMR spectrum of compound **16** in $\text{DMSO}-d_6$




S93: COSY spectrum of compound **16** in $\text{DMSO}-d_6$



S94: HSQC spectrum of compound **16** in DMSO-*d*₆



S95: HMBC spectrum of compound **16** in DMSO-*d*₆



S96: HRMS of compound 16

 **Griffith**
UNIVERSITY
High Resolution Mass Spectrum


Analysis Info

Analysis Name D:\Data\KahYean\20200904\RAD868000002.d
Method DirectInfusion_2018_pos.m
Sample Name RAD868
Comment

Acquisition Date 9/4/2020 12:05:33 PM

Instrument maXis II ETD 1823391.22321

+MS, 0.3-0.3min #18-19




S97: NMR data of compound **17** in DMSO-*d*₆^a


| Pos. | δ_H , mult. (J in Hz), int. | δ_C , mult. (J in Hz) | COSY | HMBC |
|------|------------------------------------|------------------------------|--------|------------|
| 3 | | 147.1, s | | |
| 5 | | 120.1, s | | |
| 6 | 7.99, s, 1H | 128.5, s | | 5, 8, 9 |
| 8 | | 156.3, s | | |
| 9 | | 145.9, s | | |
| 10 | | 126.3, s | | |
| 11 | 7.74, m, 1H | 133.2, s | 12 | 3, 13, 15 |
| 12 | 7.62, m, 1H | 127.8, s | 11 | 10, 14 |
| 13 | | 135.4, s | | |
| 14 | 7.62, m, 1H | 127.8, s | 15 | 10, 12 |
| 15 | 7.74, m, 1H | 133.2, s | 14 | 3, 11, 13 |
| 18 | 3.75, m, 1H | 38.5, s | 19, 23 | 8, 20, 24 |
| 19 | 2.00, 2.14, m, 2H | 26.7, d (9.6) | 18, 20 | 18, 20, 21 |
| 20 | 2.08, 2.17, m, 2H | 32.6, dd (23.8, 23.8) | 19 | 18, 19, 21 |
| 21 | | 123.9, dd (239.3, 241.6) | | |
| 22 | 2.08, 2.17, m, 2H | 32.6, dd (23.8, 23.8) | 23 | 18, 21, 23 |
| 23 | 2.00, 2.14, m, 2H | 26.7, d (9.6) | 18, 22 | 18, 21, 22 |

^a Recorded at 500 MHz (¹H NMR) and 125 MHz (¹³C NMR) at 25 °C.


S98: ^1H NMR Spectrum of compound **17** in $\text{DMSO}-d_6$




S99: ^{13}C NMR spectrum of compound **17** in $\text{DMSO}-d_6$




S100: COSY spectrum of compound **17** in $\text{DMSO}-d_6$



S101: HSQC spectrum of compound **17** in $\text{DMSO}-d_6$



S102: HMBC spectrum of compound **17** in $\text{DMSO}-d_6$



S103: HRMS of compound 17

**Griffith
UNIVERSITY**
High Resolution Mass Spectrum


Analysis Info

Analysis Name D:\Data\KahYean\20200904\RAD869000001.d
Method DirectInfusion_2018_pos.m
Sample Name RAD869
Comment

Acquisition Date 9/4/2020 12:15:43 PM

Instrument maXis II ETD 1823391.22321

+MS, 0.5-0.5min #26-27




S104: NMR data of compound **18** in DMSO-*d*₆^a


| Pos. | δ_H , mult. (<i>J</i> in Hz), int. | δ_C , mult. (<i>J</i> in Hz) | COSY | HMBC |
|------|--|--------------------------------------|--------|----------------|
| 3 | | 146.4, s | | |
| 5 | 8.49, d (4.9), 1H | 115.6, s | 6 | 21 |
| 6 | 7.90, d (4.9), 1H | 129.6, s | 5 | 5, 8 |
| 8 | | 157.6, s | | |
| 9 | | 144.7, s | | |
| 10 | | 124.7, s | | |
| 11 | 7.97, m, 1H | 130.0, s | 12 | 3, 13, 15 |
| 12 | 7.71, m, 1H | 129.4, s | 11 | 10, 14 |
| 13 | | 135.3, s | | |
| 14 | 7.71, m, 1H | 129.4, s | 15 | 10, 12 |
| 15 | 7.97, m, 1H | 130.0, s | 14 | 3, 11, 13 |
| 17 | 3.75, m, 1H | 38.9, s | 18, 22 | 8, 18 |
| 18 | 2.03, 2.15, m, 2H | 26.7, d (9.7) | 17 | 17, 19, 20, 23 |
| 19 | 2.06, 2.17, m, 2H | 32.6, dd (24.5, 23.1) | | 17, 18, 20, 21 |
| 20 | | 123.9, dd (239.5, 241.6) | | |
| 21 | 2.06, 2.17, m, 2H | 32.6, dd (24.5, 23.1) | | 17, 19, 20, 22 |
| 22 | 2.03, 2.15, m, 2H | 26.7, d (9.7) | 17 | 17, 18, 20, 21 |

^a Recorded at 500 MHz (¹H NMR) and 125 MHz (¹³C NMR) at 25 °C.


S105: ¹H NMR spectrum of compound **18** in DMSO-*d*₆




S106: ^{13}C NMR spectrum of compound **18** in $\text{DMSO}-d_6$




S107: COSY spectrum of compound **18** in $\text{DMSO}-d_6$



S108: HSQC spectrum of compound **18** in $\text{DMSO}-d_6$



S109: HMBC spectrum of compound **18** in $\text{DMSO}-d_6$



S110: HRMS of compound 18



High Resolution Mass Spectrum

Analysis Info

Analysis Name D:\Data\KahYear\20200904\RAD870000001.d
Method DirectInfusion_2018_pos.m
Sample Name RAD870
Comment
Acquisition Date 9/4/2020 12:22:44 PM
Instrument maXis II ETD 1823391.22321

+MS, 0.2-0.2min #13-14

