

Supporting Information

Facial Synthesis and Bioevaluation of Well-Defined OEGylated Betulinic Acid-Cyclodextrin Conjugates for Inhibition of Influenza Entry

Yingying Chen,^{1,†} Xinchen Wang,^{1,†} Xinyuan Ma,¹ Shuobin Liang,¹ Qianqian Gao,¹ Elena V. Tretyakova,³ Yongmin Zhang,⁴ Demin Zhou,^{1,2} Sulong Xiao^{1,*}

¹State Key Laboratory of Natural and Biomimetic Drugs, School of Pharmaceutical Sciences, Peking University, Beijing 100191, China

²Institute of Chemical Biology, Shenzhen Bay Laboratories, Shenzhen 518132, China

³Ufa Institute of Chemistry of the Ufa Federal Research Centre of the Russian Academy of Sciences, 71 Prospect Oktyabrya, 450054, Ufa, Russian Federation

⁴Sorbonne Université, CNRS, Institut Parisien de Chimie Moléculaire, UMR 8232, 4 place Jussieu, 75005 Paris, France

- | | |
|--|----|
| 1. Figure S1. Cytotoxicity of multivalent BA-CD conjugates to MDCK cells | S4 |
| 2. Figure S2. Binding sensorgrams for conjugates 81 and 83 interaction with influenza HA protein. | S4 |
| 3. Selected NMR, HRMS and HRMS or MALDI-TOF MS spectra | S5 |

Spectra	Page
¹ H NMR of compound 34	S5
¹³ C NMR of compound 34	S5
HRMS of compound 34	S6
¹ H NMR of compound 35	S6
¹³ C NMR of compound 35	S7
HRMS of compound 35	S7
¹ H NMR of compound 36	S8
¹³ C NMR of compound 36	S8

HRMS of compound 36	S9
¹ H NMR of compound 37	S9
¹³ C NMR of compound 37	S10
HRMS of compound 37	S10
¹ H NMR of compound 38	S11
¹³ C NMR of compound 38	S11
HRMS of compound 38	S12
¹ H NMR of compound 51	S12
¹³ C NMR of compound 51	S13

MALDI-TOF of compound 51	S13
¹ H NMR of compound 52	S14
¹³ C NMR of compound 52	S14
MALDI-TOF of compound 52	S15
¹ H NMR of compound 53	S15
¹³ C NMR of compound 53	S16
MALDI-TOF of compound 53	S16
¹ H NMR of compound 54	S17
¹³ C NMR of compound 54	S17
MALDI-TOF of compound 54	S18
¹ H NMR of compound 55	S18
¹³ C NMR of compound 55	S19
MALDI-TOF of compound 55	S19
¹ H NMR of compound 56	S20
¹³ C NMR of compound 56	S20
MALDI-TOF of compound 56	S21
¹ H NMR of compound 57	S21
¹³ C NMR of compound 57	S22
MALDI-TOF of compound 57	S22
¹ H NMR of compound 58	S23
¹³ C NMR of compound 58	S23
MALDI-TOF of compound 58	S24
¹ H NMR of compound 59	S24
¹³ C NMR of compound 59	S25
MALDI-TOF of compound 59	S25
¹ H NMR of compound 60	S26
¹³ C NMR of compound 60	S26
MALDI-TOF of compound 60	S27

¹ H NMR of compound 61	S27
¹³ C NMR of compound 61	S28
MALDI-TOF of compound 61	S28
¹ H NMR of compound 62	S29
¹³ C NMR of compound 62	S29
MALDI-TOF of compound 62	S30
¹ H NMR of compound 63	S30
¹³ C NMR of compound 63	S45
MALDI-TOF of compound 63	S31
¹ H NMR of compound 64	S32
¹³ C NMR of compound 64	S32
MALDI-TOF of compound 64	S33
¹ H NMR of compound 65	S33
¹³ C NMR of compound 65	S34
MALDI-TOF of compound 65	S34
¹ H NMR of compound 66	S35
¹³ C NMR of compound 66	S35
MALDI-TOF of compound 66	S36
¹ H NMR of compound 67	S36
¹³ C NMR of compound 67	S37
MALDI-TOF of compound 67	S37
¹ H NMR of compound 68	S38
¹³ C NMR of compound 68	S38
MALDI-TOF of compound 68	S39
¹ H NMR of compound 69	S39
¹³ C NMR of compound 69	S40
MALDI-TOF of compound 69	S40
¹ H NMR of compound 70	S41

¹³ C NMR of compound 70	S41
MALDI-TOF of compound 70	S42
¹ H NMR of compound 71	S42
¹³ C NMR of compound 71	S43
MALDI-TOF of compound 71	S43
¹ H NMR of compound 72	S44
¹³ C NMR of compound 72	S44
MALDI-TOF of compound 72	S59
¹ H NMR of compound 73	S45
¹³ C NMR of compound 73	S46
MALDI-TOF of compound 73	S46
¹ H NMR of compound 74	S47
¹³ C NMR of compound 74	S47
MALDI-TOF of compound 74	S48
¹ H NMR of compound 75	S48
¹³ C NMR of compound 75	S49
MALDI-TOF of compound 75	S49
¹ H NMR of compound 76	S50
¹³ C NMR of compound 76	S50
MALDI-TOF of compound 76	S51
¹ H NMR of compound 77	S51
¹³ C NMR of compound 77	S52
MALDI-TOF of compound 77	S52
¹ H NMR of compound 78	S53
¹³ C NMR of compound 78	S53
MALDI-TOF of compound 78	S54

¹ H NMR of compound 79	S54
¹³ C NMR of compound 79	S55
MALDI-TOF of compound 79	S55
¹ H NMR of compound 80	S56
¹³ C NMR of compound 80	S56
MALDI-TOF of compound 80	S57
¹ H NMR of compound 81	S57
¹³ C NMR of compound 81	S58
MALDI-TOF of compound 81	S58
¹ H NMR of compound 82	S59
¹³ C NMR of compound 82	S59
MALDI-TOF of compound 82	S60
¹ H NMR of compound 83	S60
¹³ C NMR of compound 83	S61
MALDI-TOF of compound 83	S61
¹ H NMR of compound 84	S62
¹³ C NMR of compound 84	S62
MALDI-TOF of compound 84	S63
¹ H NMR of compound 85	S63
¹³ C NMR of compound 85	S64
MALDI-TOF of compound 85	S64
¹ H NMR of compound 86	S65
¹³ C NMR of compound 86	S65
MALDI-TOF of compound 86	S66

1. Figure S1.




Figure S1. Cytotoxicity of multivalent BA-CD conjugates to MDCK cells. The cell viability of MDCK cells was analyzed at 36 h of incubation in the presence of BA (**31**) and its CD conjugates **51-86** at concentration of 100 μM . The CellTiter-Glo Luminescent cell viability assay kit was used. 1% DMSO acted as negative control. Error bars indicate the mean \pm SD of three independent experiments.

2. Figure S2.






Figure S2. Binding sensorgrams for conjugates **81** and **83** interaction with influenza HA protein. The HA protein was immobilized on a CM5 sensor chip by the standard amine-coupling procedure. Different concentrations of conjugates **81** and **83** were flowed over the chip surface for a contact time of 60 s and a dissociation time of 180 s, respectively. K_D values were labeled in the graphs.

3. Selected NMR, HRMS and MALDI-TOF spectra

¹H NMR of compound 34




¹³C NMR of compound 34




HRMS of compound 34


CYY-3-39 #519 RT: 5.09 AV: 1 NL: 7.58E9
T: FTMS + p ESI Full ms [150.0000-2000.0000]




¹H NMR of compound 35




¹³C NMR of compound 35




HRMS of compound 35



¹H NMR of compound 36



¹³C NMR of compound 36




HRMS of compound 36


Peking University Mass Spectrometry Sample Analysis Report

Analysis Info


Analysis Name	FTMS-19080136_Pos_20190826_000003.d	Acquisition Date	8/26/2019 1:25:39 PM
Sample	CYY-1-96	Instrument	Bruker Solarix XR FTMS
Comment		Operator	Peking University



¹H NMR of compound 37



¹³C NMR of compound 37




HRMS of compound 37

Peking University Mass Spectrometry Sample Analysis Report


Analysis Info

Analysis Name: FTMS-18100355_Pos_20181103_000003.d
 Sample: CYY2-92
 Comment:


Acquisition Date: 11/3/2018 8:10:39 PM
 Instrument Operator: Bruker Solarix XR FTMS
 Peking University



¹H NMR of compound 38



¹³C NMR of compound 38




HRMS of compound **38**

Peking University Mass Spectrometry Sample Analysis Report


Analysis Info

Analysis Name: FTMS-18100355_Pos_20181103_000010.d
 Sample: CYY2-114
 Comment:


Acquisition Date: 11/3/2018 8:23:56 PM
 Instrument Operator: Bruker Solarix XR FTMS
 Peking University



¹H NMR of compound **51**






¹³C NMR of compound **51**



MALDI-TOF of compound **51**


TOF/TOF™ Reflector Spec #1 MC[BP = 4611.5, 249]






MALDI-TOF of compound 52


TOF/TOF™ Reflector Spec #1 MC[BP = 5376.6, 214]



¹H NMR of compound 53




¹³C NMR of compound 53




MALDI-TOF of compound 53


TOF/TOF™ Reflector Spec #1 MC=>SM11[BP = 4612.3, 17]




¹H NMR of compound **54**




¹³C NMR of compound **54**




MALDI-TOF of compound **54**




¹H NMR of compound **55**





¹³C NMR of compound 55




MALDI-TOF of compound 55







MALDI-TOF of compound **56**




¹H NMR of compound **57**




¹³C NMR of compound **57**




MALDI-TOF of compound **57**




¹H NMR of compound 58




¹³C NMR of compound 58




MALDI-TOF of compound **58**






¹H NMR of compound **59**






MALDI-TOF of compound 59







MALDI-TOF of compound **60**




¹H NMR of compound **61**





¹³C NMR of compound 61




MALDI-TOF of compound 61




¹H NMR of compound 62




MALDI-TOF of compound 62




¹H NMR of compound 63




¹³C NMR of compound 63




MALDI-TOF of compound 63




¹H NMR of compound 64




¹³C NMR of compound 64




MALDI-TOF of compound **64**




¹H NMR of compound **65**







MALDI-TOF of compound 65




¹H NMR of compound **66**




¹³C NMR of compound **66**




HRMS of compound 66




¹H NMR of compound 67




¹³C NMR of compound 67




HRMS of compound 67




¹H NMR of compound **68**




¹³C NMR of compound **68**




HRMS of compound 69



¹H NMR of compound 69




¹³C NMR of compound 69




MALDI-TOF of compound 69


TOF/TOF™ Reflector Spec #1 MC[BP = 4108.1, 108]



¹H NMR of compound **70**




¹³C NMR of compound **70**




MALDI-TOF of compound **70**


TOF/TOF™ Reflector Spec #1 MC[BP = 1081.9, 307]



¹H NMR of compound **71**




¹³C NMR of compound 71




MALDI-TOF of compound 71


TOF/TOF™ Reflector Spec #1 MC[BP = 1081.9, 216]




¹H NMR of compound 72




¹³C NMR of compound 72




MALDI-TOF of compound 72




¹H NMR of compound 73







MALDI-TOF of compound 73




¹H NMR of compound **74**




¹³C NMR of compound **74**




MALDI-TOF of compound 74




¹H NMR of compound 75




¹³C NMR of compound 75




MALDI-TOF of compound 75




¹H NMR of compound 76




¹³C NMR of compound 76




MALDI-TOF of compound 76




¹H NMR of compound 77




¹³C NMR of compound 77




MALDI-TOF of compound 77




¹H NMR of compound **78**




¹³C NMR of compound **78**




MALDI-TOF of compound 78




¹H NMR of compound 79




¹³C NMR of compound 79




MALDI-TOF of compound 79




¹H NMR of compound **80**




¹³C NMR of compound **80**




MALDI-TOF of compound **80**




¹H NMR of compound **81**





¹³C NMR of compound 81




MALDI-TOF of compound 81




¹H NMR of compound **82**




MALDI-TOF of compound **82**




¹H NMR of compound **83**




¹³C NMR of compound **83**




MALDI-TOF of compound **83**




¹H NMR of compound **84**




¹³C NMR of compound **84**




HRMS of compound 84




¹H NMR of compound 85





¹³C NMR of compound **85**



HRMS of compound **85**



¹H NMR of compound **86**



HRMS of compound **86**

