

Supplementary Material

Microwave-Assisted Extraction of Anticancer Flavonoid, 2',4'-Dihydroxy-6'-Methoxy-3',5'-Dimethyl Chalcone (DMC), Rich Extract from *Syzygium Nervosum* Fruits

Vachira Choommongkol¹, **Khanittha Punturee**², **Piyatida Klumphu**¹, **Parintip Rattanaburi**³, **Puttinan Meepowpan**^{4,5} and **Panawan Suttiarporn**^{6,*}

¹ Department of Chemistry Faculty of Science, Maejo University, Chiang Mai 50290, Thailand; vachira@mju.ac.th and piyatida_kp@mju.ac.th

² Cancer Research Unit of Associated Medical Sciences (AMS-CRU), Faculty of Associated Medical Sciences, Chiang Mai University, Chiang Mai 50200, Thailand; khanittha.taneyhill@cmu.ac.th

³ Department of General Science, Faculty of Education, Nakhon Si Thammarat Rajabhat University, Nakhon Si Thammarat 80280, Thailand; parintip_rat@nstru.ac.th

⁴ Department of Chemistry, Faculty of Science, and Graduate School, Chiang Mai University, Chiang Mai 50200, Thailand p.meepowpan@cmu.ac.th

⁵ Center of Excellence in Materials Science and Technology, Faculty of Science, Chiang Mai University, Chiang Mai 50200, Thailand; p.meepowpan@cmu.ac.th

⁶ Faculty of Science, Energy and Environment, King Mongkut's University of Technology North Bangkok, Rayong campus 21120, Thailand; panawan.s@sciee.kmutnb.ac.th*

*Corresponding author: panawan.s@sciee.kmutnb.ac.th




Figure S1. (A) ^1H -NMR and (B) ^{13}C -NMR spectrum of DMC




Figure S2. HPLC Chromatogram of (A) DMC-rich extract and (B) standard of DMC