

Supplementary information

Application of Rhamnolipids as Dispersing Agents for the Fabrication of Composite MnO₂-Carbon Nanotube Electrodes for Supercapacitors

Wenjuan Yang, Wenyu Liang and Igor Zhitomirsky *

Department of Materials Science and Engineering, McMaster University, Hamilton, ON L8S4L7, Canada; yangw48@mcmaster.ca (W.Y.); liangw26@mcmaster.ca (W.L.)

* Correspondence: zhitom@mcmaster.ca

Citation: Yang, W.; Liang, W.; Zhitomirsky, I. Application of Rhamnolipids as Dispersing Agents for the Fabrication of Composite MnO₂-Carbon Nanotube Electrodes for Supercapacitors. *Molecules* **2022**, *27*, 1659. <https://doi.org/10.3390/molecules27051659>

Academic Editor: Tao Wang

Received: 26 January 2022

Accepted: 1 March 2022

Published: 3 March 2022

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2022 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).




Figure S1. Current (*i*) versus scan rate (*v*) dependence in a logarithmic scale used for the calculation of parameter *b* for electrodes from the equation $i = av^b$.