

SUPPLEMENTARY MATERIAL

Isochlorogenic Acid Glucosides from the Arabian Medicinal Plant *Artemisia sieberi* and Their Antimicrobial Activities

Khlood Jamal^a, Areej M. Al-Taweel,^b Sarah I. Bukhari,^c Nadine M.S Moubayed,^d Jawaher Al-Qahtani,^b Orazio Tagliabatella-Scafati^c and Shagufta Perveen^{f,*}

^a*Department of Pharmacognosy, College of Clinical Pharmacy, Baha University. P. O. Box 26553, Taif, 8287, Kingdom of Saudi Arabia*

^b*Department of Pharmacognosy, College of Pharmacy, King Saud University. P. O. Box 22452, Riyadh 11495, Kingdom of Saudi Arabia*

^c*Department of Pharmaceutics, College of Pharmacy, King Saud University. P. O. Box 22452, Riyadh 11495, Kingdom of Saudi Arabia*

^d*Department of Botany and Microbiology, College of Science, King Saud University, Riyadh 11495, Kingdom of Saudi Arabia*

^e*Department of Pharmacy, School of Medicine and Surgery, University of Naples Federico II, Via Montesano 49, 80131 Naples, Italy*

^f*Department of Chemistry, School of Computer, Mathematical and Natural Sciences, Morgan State University, Baltimore, MD 21251, USA*




Figure S1. ¹H NMR spectrum of compound **1** in CD₃OD




Figure S2. COSY NMR spectrum of compound **1** in CD₃OD




Figure S3. HSQC NMR spectrum of compound **1** in CD₃OD




Figure S4. HMBC NMR spectrum of compound **1** in CD₃OD




Figure S5. ^1H NMR spectrum of compound **2** in DMSO-d_6




Figure S6. ^1H NMR spectrum of compound **3** in CD_3OD