

Supplementary Information

Antimicrobial and Antibiofilm Photodynamic Action of Photosensitizing Nanoassemblies Based on Sulfobutylether- β -Cyclodextrrin

Domenico Franco ^{1,†}, Roberto Zagami ^{1,2,†}, Laura Maria De Plano ^{1,*}, Nina Burduja ^{1,2}, Salvatore Pietro Paolo Guglielmino ¹, Luigi Monsù Scolaro ¹ and Antonino Mazzaglia ^{2,*}

¹ Department of Chemical, Biological, Pharmaceutical and Environmental Sciences, University of Messina, V.le F. Stagno d'Alcontres 31, 98166 Messina, Italy; dfranco@unime.it (D.F.); roberto.zagami@unime.it (R.Z.); nina.burduja@studenti.unime.it (N.B.); sguglielm@unime.it (S.P.P.G.); luigi.monsuscolaro@unime.it (L.M.S.)

² National Council of Research, Institute for the Study of Nanostructured Materials (CNR-ISMN), URT of Messina c/o Department of Chemical, Biological, Pharmaceutical and Environmental Sciences of the University of Messina, V.le F. Stagno d'Alcontres 31, 98166 Messina, Italy

* Correspondence: ldeplano@unime.it (L.M.D.P.); antonino.mazzaglia@cnr.it (A.M.)

† These authors contributed equally to this work.




Figure S1. Stability studies by UV/Vis of (CAPTISOL®/TMPyP)_{50_1} in ultrapure water (A) and 0.9 wt % NaCl aqueous solution (B) at T= 37 °C. [TMPyP] = 3 μ M, path length 1 cm.




Figure S2. Stability studies by UV/Vis of (CAPTISOL®/TMPyP)_{50_1} in ultrapure water (A), 0.9 wt % NaCl aqueous solution (B) and PBS 10 mM, pH 7.4 (C) at T= 4 °C. [TMPyP] = 3 μ M, path length 1 cm.