

**Design, synthesis and biological activity of novel methoxy and hydroxy substituted  
*N*-benzimidazole derived carboxamides**

Anja Beč<sup>1</sup>, Katarina Zlatić<sup>2</sup>, Mihailo Banjanac<sup>3</sup>, Vedrana Radovanović<sup>3</sup>, Kristina Starčević<sup>4</sup>,  
Marijeta Kralj<sup>2</sup> and Marijana Hranjec<sup>1\*</sup>

<sup>1</sup> Department of Organic Chemistry, Faculty of Chemical Engineering and Technology,  
University of Zagreb, Marulićev trg 19, HR-10000 Zagreb, Croatia

<sup>2</sup> Division of Molecular Medicine, Ruđer Bošković Institute, Bijenička cesta 54, HR-10000  
Zagreb, Croatia


<sup>3</sup> Pharmacology *in vitro*, Selvita Ltd. Prilaz baruna Filipovića 29, 10000 Zagreb, Croatia

<sup>4</sup> Department of Chemistry and Biochemistry, Faculty of Veterinary Medicine, University of  
Zagreb, Heinzelova 55, HR-10000 Zagreb, Croatia


**Content of SI**

- 1. Figures S1-S62:** NMR spectra of prepared compounds
- 2. Figures S63:** Reaction scheme for the preparation of compounds **1–6**


**Figure S1.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 600 MHz) of *(E)-2-(benzo[d]thiazol-2-yl)-3-phenylacrylonitrile* 17




**Figure S2.**  $^{13}\text{C}$  NMR spectrum (DMSO- $d_6$ , 151 MHz) of *(E)-2-(benzo[d]thiazol-2-yl)-3-phenylacrylonitrile* 17




**Figure S3.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 300 MHz) of (*E*)-2-(benzo[d]thiazol-2-yl)-3-(2-methoxyphenyl)acrylonitrile **18**




**Figure S4.**  $^{13}\text{C}$  NMR spectrum (DMSO- $d_6$ , 151 MHz) of (*E*)-2-(benzo[d]thiazol-2-yl)-3-(2-methoxyphenyl)acrylonitrile **18**




**Figure S5.**  $^1\text{H}$  NMR spectrum (DMSO-*d*<sub>6</sub>, 300 MHz) of *(E)-2-(benzo[d]thiazol-2-yl)-3-(2,4-dimethoxyphenyl)acrylonitrile* 19




**Figure S6.**  $^{13}\text{C}$  NMR spectrum (DMSO- $d_6$ , 151 MHz) of **(E)-2-(benzo[d]thiazol-2-yl)-3-(2,4-dimethoxyphenyl)acrylonitrile** 19



**Figure S7.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 600 MHz) of *(E)-2-(benzo[d]thiazol-2-yl)-3-(3,4,5-trimethoxyphenyl)acrylonitrile* **20**




**Figure S8.**  $^{13}\text{C}$  NMR spectrum (DMSO- $d_6$ , 151 MHz) of *(E)-2-(benzo[d]thiazol-2-yl)-3-(3,4,5-trimethoxyphenyl)acrylonitrile* **20**




**Figure S9.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 300 MHz) of (*E*)-2-(benzo[d]thiazol-2-yl)-3-(4-hydroxyphenyl)acrylonitrile

21




**Figure S10.**  $^{13}\text{C}$  NMR spectrum (DMSO- $d_6$ , 151 MHz) of (*E*)-2-(benzo[d]thiazol-2-yl)-3-(4-hydroxyphenyl)acrylonitrile

21




**Figure S11.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 400 MHz) of (*E*)-2-(benzo[d]thiazol-2-yl)-3-(3,4-dihydroxyphenyl)acrylonitrile

22




**Figure S12.**  $^{13}\text{C}$  NMR spectrum (DMSO- $d_6$ , 151 MHz) of (*E*)-2-(benzo[d]thiazol-2-yl)-3-(3,4-dihydroxyphenyl)acrylonitrile


22




**Figure S13.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 300 MHz) of *(E)-2-(benzo[d]thiazol-2-yl)-3-(3,4,5-trihydroxyphenyl)acrylonitrile* 23




**Figure S14.**  $^{13}\text{C}$  NMR spectrum (DMSO- $d_6$ , 151 MHz) of *(E)-2-(benzo[d]thiazol-2-yl)-3-(3,4,5-trihydroxyphenyl)acrylonitrile* 23




**Figure S15.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 600 MHz) of (*E*)-2-(1*H*-benzo[*d*]imidazol-2-yl)-3-(4-hydroxyphenyl)acrylonitrile 24




**Figure S16.**  $^{13}\text{C}$  NMR spectrum (DMSO- $d_6$ , 151 MHz) of (*E*)-2-(1*H*-benzo[*d*]imidazol-2-yl)-3-(4-hydroxyphenyl)acrylonitrile 24




**Figure S17.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 600 MHz) of (*E*)-2-(1*H*-benzo[*d*]imidazol-2-yl)-3-(3,4-dihydroxyphenyl)acrylonitrile 25




**Figure S18.**  $^{13}\text{C}$  NMR spectrum (DMSO- $d_6$ , 151 MHz) of (*E*)-2-(1*H*-benzo[*d*]imidazol-2-yl)-3-(3,4-dihydroxyphenyl)acrylonitrile 25



**Figure S19.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 600 MHz) of (*E*)-2-(1*H*-benzo[*d*]imidazol-2-yl)-3-(3,4,5-trihydroxyphenyl)acrylonitrile **26**




**Figure S20.**  $^{13}\text{C}$  NMR spectrum (DMSO- $d_6$ , 151 MHz) of (*E*)-2-(1*H*-benzo[*d*]imidazol-2-yl)-3-(3,4,5-trihydroxyphenyl)acrylonitrile **26**




**Figure S21.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 600 MHz) of (*E*)-2-(1-cyano-2-(4-hydroxyphenyl)vinyl)-1*H*-benzo[d]imidazole-5(6)-carbonitrile

27




**Figure S22.**  $^{13}\text{C}$  NMR spectrum (DMSO- $d_6$ , 151 MHz) of (*E*)-2-(1-cyano-2-(4-hydroxyphenyl)vinyl)-1*H*-benzo[d]imidazole-5(6)-carbonitrile

27




**Figure S23.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 600 MHz) of (*E*)-2-(1-cyano-2-(3,4-dihydroxyphenyl)vinyl)-1*H*-benzo[d]imidazole-5(6)-carbonitrile

28




**Figure S24.**  $^{13}\text{C}$  NMR spectrum (DMSO- $d_6$ , 151 MHz) of (*E*)-2-(1-cyano-2-(3,4-dihydroxyphenyl)vinyl)-1*H*-benzo[d]imidazole-5(6)-carbonitrile


28




**Figure S25.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 600 MHz) of *(E)-2-(1-cyano-2-(3,4,5-trihydroxyphenyl)vinyl)-1H-benzo[d]imidazole-5(6)-carbonitrile* 29




**Figure S26.**  $^{13}\text{C}$  NMR spectrum (DMSO- $d_6$ , 151 MHz) of *(E)-2-(1-cyano-2-(3,4,5-trihydroxyphenyl)vinyl)-1H-benzo[d]imidazole-5(6)-carbonitrile* 29



**Figure S27.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 600 MHz) of *(E)-3-(4-hydroxyphenyl)-2-(1-isobutyl-1H-benzo[d]imidazol-2-yl)acrylonitrile* **30**




**Figure S28.**  $^{13}\text{C}$  NMR spectrum (DMSO- $d_6$ , 151 MHz) of *(E)-3-(4-hydroxyphenyl)-2-(1-isobutyl-1H-benzo[d]imidazol-2-yl)acrylonitrile* **30**




**Figure S29.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 600  $\text{MHz}$ ) of *isobutyl-1H-benzo[d]imidazol-2-yl)acrylonitrile*

31




**Figure S30.**  $^{13}\text{C}$  NMR spectrum (DMSO-*d*<sub>6</sub>, 151 *isobutyl-1H-benzo[d]imidazol-2-yl)acrylonitrile*


31




**Figure S31.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 600 MHz) of (*E*)-2-(1-isobutyl-1*H*-benzo[d]imidazol-2-yl)-3-(3,4,5-trihydroxyphenyl)acrylonitrile 32




**Figure S32.**  $^{13}\text{C}$  NMR spectrum (DMSO- $d_6$ , 151 MHz) of (*E*)-2-(1-isobutyl-1*H*-benzo[d]imidazol-2-yl)-3-(3,4,5-trihydroxyphenyl)acrylonitrile 32




**Figure S33.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 600 MHz) of *(E)-2-(1-cyano-2-(4-hydroxyphenyl)vinyl)-1-isobutyl-1H-benzo[d]imidazole-6-carbonitrile* 33




**Figure S34.**  $^{13}\text{C}$  NMR spectrum (DMSO- $d_6$ , 151 MHz) of *(E)-2-(1-cyano-2-(4-hydroxyphenyl)vinyl)-1-isobutyl-1H-benzo[d]imidazole-6-carbonitrile* 33




**Figure S35.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 600 MHz) of (*E*)-2-(1-cyano-2-(3,4-dihydroxyphenyl)vinyl)-1-isobutyl-1*H*-benzo[d]imidazole-6-carbonitrile 34




**Figure S36.**  $^{13}\text{C}$  NMR spectrum (DMSO- $d_6$ , 151 MHz) of (*E*)-2-(1-cyano-2-(3,4-dihydroxyphenyl)vinyl)-1-isobutyl-1*H*-benzo[d]imidazole-6-carbonitrile 34




**Figure S37.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 600 MHz) of *(E)-2-(1-cyano-2-(3,4,5-trihydroxyphenyl)vinyl)-1-isobutyl-1H-benzo[d]imidazole-6-carbonitrile* 35




**Figure S38.**  $^{13}\text{C}$  NMR spectrum (DMSO- $d_6$ , 151 MHz) of *(E)-2-(1-cyano-2-(3,4,5-trihydroxyphenyl)vinyl)-1-isobutyl-1H-benzo[d]imidazole-6-carbonitrile* 35



**Figure S39.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 600 MHz) of (*E*)-3-(4-hydroxyphenyl)-2-(1-methyl-1*H*-benzo[d]imidazol-2-yl)acrylonitrile **36**




**Figure S40.**  $^{13}\text{C}$  NMR spectrum (DMSO- $d_6$ , 151 MHz) of (*E*)-3-(4-hydroxyphenyl)-2-(1-methyl-1*H*-benzo[d]imidazol-2-yl)acrylonitrile **36**




**Figure S41.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 600 MHz) of (*E*)-3-(3,4-dihydroxyphenyl)-2-(1-methyl-1*H*-benzo[d]imidazol-2-yl)acrylonitrile

37




**Figure S42.**  $^{13}\text{C}$  NMR spectrum (DMSO- $d_6$ , 151 MHz) of (*E*)-3-(3,4-dihydroxyphenyl)-2-(1-methyl-1*H*-benzo[d]imidazol-2-yl)acrylonitrile


37




**Figure S43.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 600 MHz) of *(E)-2-(1-methyl-1*H*-benzo[d]imidazol-2-yl)-3-(3,4,5-trihydroxyphenyl)acrylonitrile* **38**




**Figure S44.**  $^{13}\text{C}$  NMR spectrum (DMSO- $d_6$ , 151 MHz) of *(E)-2-(1-methyl-1*H*-benzo[d]imidazol-2-yl)-3-(3,4,5-trihydroxyphenyl)acrylonitrile* **38**




**Figure S45.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 600 MHz) of *(E)-2-(1-cyano-2-(4-hydroxyphenyl)vinyl)-1-methyl-1H-benzo[d]imidazole-6-carbonitrile* 39




**Figure S46.**  $^{13}\text{C}$  NMR spectrum (DMSO- $d_6$ , 151 MHz) of *(E)-2-(1-cyano-2-(4-hydroxyphenyl)vinyl)-1-methyl-1H-benzo[d]imidazole-6-carbonitrile* 39




**Figure S47.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 600 MHz) of (*E*)-2-(1-cyano-2-(3,4-dihydroxyphenyl)vinyl)-1-methyl-1*H*-benzo[d]imidazole-6-carbonitrile **40**




**Figure S48.**  $^{13}\text{C}$  NMR spectrum (DMSO- $d_6$ , 151 MHz) of (*E*)-2-(1-cyano-2-(3,4-dihydroxyphenyl)vinyl)-1-methyl-1*H*-benzo[d]imidazole-6-carbonitrile **40**



**Figure S49.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 600 MHz) of *(E)-2-(1-cyano-2-(3,4,5-trihydroxyphenyl)vinyl)-1-methyl-1H-benzo[d]imidazole-6-carbonitrile* 41




**Figure S50.**  $^{13}\text{C}$  NMR spectrum (DMSO- $d_6$ , 151 MHz) of *(E)-2-(1-cyano-2-(3,4,5-trihydroxyphenyl)vinyl)-1-methyl-1H-benzo[d]imidazole-6-carbonitrile* 41




**Figure S51.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 600 MHz) of *(E)-3-(4-hydroxyphenyl)-2-(1-phenyl-1H-benzo[d]imidazol-2-yl)acrylonitrile*

42




**Figure S52.**  $^{13}\text{C}$  NMR spectrum (DMSO- $d_6$ , 151 MHz) of *(E)-3-(4-hydroxyphenyl)-2-(1-phenyl-1H-benzo[d]imidazol-2-yl)acrylonitrile*


42




**Figure S53.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 600 MHz) of (*E*)-3-(3,4-dihydroxyphenyl)-2-(1-phenyl-1*H*-benzo[d]imidazol-2-yl)acrylonitrile **43**




**Figure S54.**  $^{13}\text{C}$  NMR spectrum (DMSO- $d_6$ , 151 MHz) of (*E*)-3-(3,4-dihydroxyphenyl)-2-(1-phenyl-1*H*-benzo[d]imidazol-2-yl)acrylonitrile **43**




**Figure S55.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 600 MHz) of *(E)-2-(1-phenyl-1*H*-benzo[d]imidazol-2-yl)-3-(3,4,5-trihydroxyphenyl)acrylonitrile* 44




**Figure S56.**  $^{13}\text{C}$  NMR spectrum (DMSO- $d_6$ , 151 MHz) of *(E)-2-(1-phenyl-1*H*-benzo[d]imidazol-2-yl)-3-(3,4,5-trihydroxyphenyl)acrylonitrile* 44




**Figure S57.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 600 MHz) of *(E)-2-(1-cyano-2-(4-hydroxyphenyl)vinyl)-1-phenyl-1H-benzo[d]imidazole-6-carbonitrile* 45




**Figure S58.**  $^{13}\text{C}$  NMR spectrum (DMSO- $d_6$ , 151 MHz) of *(E)-2-(1-cyano-2-(4-hydroxyphenyl)vinyl)-1-phenyl-1H-benzo[d]imidazole-6-carbonitrile* 45




**Figure S59.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 600 MHz) of *(E)-2-(1-cyano-2-(3,4-dihydroxyphenyl)vinyl)-1-phenyl-1H-benzodimidazole-6-carbonitrile* 46




**Figure S60.**  $^{13}\text{C}$  NMR spectrum (DMSO-*d*<sub>6</sub>, 151 MHz) of *(E)*-2-(1-cyano-2-(3,4-dihydroxyphenyl)vinyl)-1-phenyl-1*H*-benzo[d]imidazole-6-carbonitrile 46



**Figure S61.**  $^1\text{H}$  NMR spectrum (DMSO- $d_6$ , 600 MHz) of *(E)-2-(1-cyano-2-(3,4,5-trihydroxyphenyl)vinyl)-1-phenyl-1H-benzo[d]imidazole-6-carbonitrile* 47



**Figure S62.**  $^{13}\text{C}$  NMR spectrum (DMSO- $d_6$ , 151 MHz) of *(E)-2-(1-cyano-2-(3,4,5-trihydroxyphenyl)vinyl)-1-phenyl-1H-benzo[d]imidazole-6-carbonitrile* 47



**Figure S63.** Reaction scheme for preparing the compounds **1-6** which synthesis has been already published.

