

## Supporting Information

**Tables S1 to S12:** Fe–Fe distances (Å), total energies ( $E$ , in hartree), relative energies ( $E$ ), zero-point energies (PE), enthalpies ( $H$ ), free energies ( $G$ , in kcal/mol) and numbers of imaginary frequencies (Nimag) for  $(C_4H_6)_2Fe_2(CO)_n$  ( $n = 2, 1$ ) structures at M06-L, BP86 and B3LYP.

**Tables S13 to S21:** Atomic coordinates of the optimized structures for the  $(C_4H_6)_2Fe_2(CO)_2$  complexes.

**Tables S22 to S27:** Atomic coordinates of the optimized structures for the  $(C_4H_6)_2Fe_2(CO)_2$  complexes.

**Tables S28 to S36:** Harmonic vibrational frequencies (in  $\text{cm}^{-1}$ ) and infrared intensities (in parentheses in km/mol) for the  $(C_4H_6)_2Fe_2(CO)_2$  complexes.

**Tables S37 to S42:** Harmonic vibrational frequencies (in  $\text{cm}^{-1}$ ) and infrared intensities (in parentheses in km/mol) for the mononuclear  $C_4H_6Fe_2(CO)$  complexes.

**Table S1.** Fe–Fe distances (Å), total energies ( $E$ , in hartree), relative electronic energies ( $\Delta E$ ), zero-point energies (ZPE), enthalpies ( $\Delta H$ ), free energies ( $\Delta G$ , in kcal/mol), numbers of imaginary frequencies (Nimag) and spin expectation values  $\langle S^2 \rangle$  for the quintet  $(C_4H_6)_2Fe_2(CO)_2$  structures at M06-L level.

		<b>2Q-1(<math>C_s</math>)</b>	<b>2Q-2(<math>C_1</math>)</b>	<b>2Q-3(<math>C_{2h}</math>)</b>
M06-L	Fe–Fe	2.361	2.311	2.342
	$E$	-3066.14608	-3066.14371	-3066.13340
	$\Delta E$	0.0	1.5	8.0
	ZPE	0.0	1.9	7.5
	$\Delta H$	0.0	2.0	8.1
	$\Delta G$	0.0	1.0	6.1
	Nimag	none	none	none
	$\langle S^2 \rangle$	6.30	6.31	6.63

**Table S2.** Fe–Fe distances ( $\text{\AA}$ ), total energies ( $E$ , in hartree), relative electronic energies ( $\Delta E$ ), zero-point energies ( $ZPE$ ), enthalpies ( $\Delta H$ ), free energies ( $\Delta G$ , in kcal/mol), numbers of imaginary frequencies (Nimag) and spin expectation values  $\langle S^2 \rangle$  for the quintet  $(\text{C}_4\text{H}_6)_2\text{Fe}_2(\text{CO})_2$  structures at BP86 and B3LYP levels.

		<b>2Q-1(<math>C_2</math>)</b>	<b>2Q-2(<math>C_1</math>)</b>	<b>2Q-3(<math>C_2</math>)</b>
BP86	Fe–Fe	2.361	2.252	2.366
	$E$	−3066.72937	−3066.72243	−3066.71305
	$\Delta E$	0.0	4.4	10.2
	$ZPE$	0.0	4.2	9.0
	$\Delta H$	0.0	4.6	9.3
	$\Delta G$	0.0	2.5	6.2
	Nimag	none	none	1(39i)
	$\langle S^2 \rangle$	6.10	6.09	6.20
B3LYP	Fe–Fe	2.408	2.395	2.446
	$E$	−3066.30315	−3066.31045	−3066.29342
	$\Delta E$	0.0	−4.6	6.1
	$ZPE$	0.0	−4.7	5.1
	$\Delta H$	0.0	−4.4	5.3
	$\Delta G$	0.0	−6.2	3.9
	Nimag	none	none	1(2i)
	$\langle S^2 \rangle$	6.26	6.30	6.65

**Table S3.** Fe–Fe distances ( $\text{\AA}$ ), total energies ( $E$ , in hartree), relative electronic energies ( $\Delta E$ ), zero-point energies ( $ZPE$ ), enthalpies ( $\Delta H$ ), free energies ( $\Delta G$ , in kcal/mol), numbers of imaginary frequencies (Nimag) and spin expectation values  $\langle S^2 \rangle$  for the triplet  $(\text{C}_4\text{H}_6)_2\text{Fe}_2(\text{CO})_2$  structures at M06-L level.

		<b>2T-1(<math>C_2</math>)</b>	<b>2T-2(<math>C_1</math>)</b>	<b>2T-3(<math>C_2</math>)</b>
M06-L	Fe–Fe	2.209	2.433	2.295
	$E$	−3066.13525	−3066.13271	−3066.1265
	$\Delta E$	6.8	8.4	12.3
	$ZPE$	7.5	9.9	13.7
	$\Delta H$	7.4	9.1	13.3
	$\Delta G$	7.9	10.9	14.3
	Nimag	none	none	none
	$\langle S^2 \rangle$	2.20	2.12	2.21

**Table S4.** Fe–Fe distances (Å), total energies ( $E$ , in hartree), relative electronic energies ( $\Delta E$ ), zero-point energies ( $ZPE$ ), enthalpies ( $\Delta H$ ), free energies ( $\Delta G$ , in kcal/mol), numbers of imaginary frequencies (Nimag) and spin expectation values  $\langle S^2 \rangle$  for the triplet  $(C_4H_6)_2Fe_2(CO)_2$  structures at BP86 and B3LYP levels.

		2T-1( $C_2$ )	2T-2( $C_1$ )	2T-3( $C_2$ )
BP86	Fe–Fe	2.197	2.441	2.267
	$E$	−3066.73798	−3066.72155	−3066.73667
	$\Delta E$	−5.4	4.9	−4.6
	$ZPE$	−5.4	5.2	−3.5
	$\Delta H$	−5.3	4.7	−3.7
	$\Delta G$	−5.3	5.5	−3.3
	Nimag	none	none	none
	$\langle S^2 \rangle$	2.06	2.05	2.07
B3LYP	Fe–Fe	2.211	2.539	2.381
	$E$	−3066.28605	−3066.28786	−3066.28491
	$\Delta E$	10.7	9.6	11.4
	$ZPE$	11.3	10.2	12.5
	$\Delta H$	11.2	9.6	12.3
	$\Delta G$	11.3	10.6	12.6
	Nimag	none	none	none
	$\langle S^2 \rangle$	2.21	2.15	2.19

**Table S5.** Fe–Fe distances (Å), total energies ( $E$ , in hartree), relative electronic energies ( $\Delta E$ ), zero-point energies ( $ZPE$ ), enthalpies ( $\Delta H$ ), free energies ( $\Delta G$ , in kcal/mol) and numbers of imaginary frequencies (Nimag) for the singlet  $(C_4H_6)_2Fe_2(CO)_2$  structures at M06-L level.

		2S-1 ( $C_1$ )	2S-2 ( $C_{2h}$ )	2S-3 ( $C_2$ )
M06-L	Fe–Fe	2.344	2.327	2.325
	$E$	−3066.11570	−3066.10797	−3066.09822
	$\Delta E$	19.1	23.9	30.0
	$ZPE$	21.2	24.8	31.5
	$\Delta H$	20.1	24.5	31.1
	$\Delta G$	23.6	26.1	32.9
	Nimag	none	none	none

**Table S6.** Fe–Fe distances ( $\text{\AA}$ ), total energies ( $E$ , in hartree), relative energies ( $\Delta E$ , in kcal/mol), relative electronic energies ( $\Delta E$ ), zero-point energies ( $ZPE$ ), enthalpies ( $\Delta H$ ), free energies ( $\Delta G$ , in kcal/mol) and numbers of imaginary frequencies (Nimag) for the singlet ( $\text{C}_4\text{H}_6)_2\text{Fe}_2(\text{CO})_2$  structures at BP86 and B3LYP levels.

		<b>2S-1 (<math>C_1</math>)</b>	<b>2S-2 (<math>C_{2h}</math>)</b>	<b>2S-3 (<math>C_2</math>)</b>
BP86	Fe–Fe	2.348	2.332	2.096
$E$		−3066.71463	−3066.72813	−3066.71301
$\Delta E$		9.3	0.8	10.3
$ZPE$		10.3	0.7	11.3
$\Delta H$		9.4	0.7	11.1
$\Delta G$		12.3	1.3	12.1
Nimag		none	none	none
B3LYP	Fe–Fe	2.384	2.376	2.096
$E$		−3066.25777	−3066.24558	−3066.24029
$\Delta E$		28.5	36.1	39.4
$ZPE$		30.1	36.5	40.7
$\Delta H$		29.1	36.3	39.9
$\Delta G$		32.2	37.6	42.7
Nimag		none	none	1(117i)

**Table 7.** Fe–Fe distances ( $\text{\AA}$ ), total energies ( $E$ , in hartree), relative electronic energies ( $\Delta E$ ), zero-point energies ( $ZPE$ ), enthalpies ( $\Delta H$ ), free energies ( $\Delta G$ , in kcal/mol), numbers of imaginary frequencies (Nimag) and spin expectation values  $\langle S^2 \rangle$  for the quintet ( $\text{C}_4\text{H}_6)_2\text{Fe}_2(\text{CO})$  structures at M06-L level.

		<b>1Q-1 (<math>C_1</math>)</b>	<b>1Q-2 (<math>C_1</math>)</b>
M06-L	Fe–Fe	2.290	2.283
$E$		−2952.77563	−2952.75505
$\Delta E$		0.0	12.9
$ZPE$		0.0	12.3
$\Delta H$		0.0	12.6
$\Delta G$		0.0	11.7
Nimag		none	none
$\langle S^2 \rangle$		6.32	6.40

**Table S8.** Fe–Fe distances ( $\text{\AA}$ ), total energies ( $E$ , in hartree), relative electronic energies ( $\Delta E$ ), zero-point energies ( $ZPE$ ), enthalpies ( $\Delta H$ ), free energies ( $\Delta G$ , in kcal/mol), numbers of imaginary frequencies (Nimag) and spin expectation values  $\langle S^2 \rangle$  for the quintet ( $\text{C}_4\text{H}_6)_2\text{Fe}_2(\text{CO})$  structures at BP86 and B3LYP levels.

		<b>1Q-1 (<math>C_1</math>)</b>	<b>1Q-2 (<math>C_1</math>)</b>	
BP86	Fe–Fe	2.252	2.262	
	$E$	−2953.34767	−2953.32122	
	$\Delta E$	0.0	16.6	
	$ZPE$	0.0	15.8	
	$\Delta H$	0.0	16.1	
	$\Delta G$	0.0	15.0	
	Nimag	none	none	
	$\langle S^2 \rangle$	6.11	6.13	
	<hr/>			
	B3LYP	Fe–Fe	2.452	2.333
	$E$	−2952.92654	−2952.91399	
	$\Delta E$	0.0	7.9	
	$ZPE$	0.0	7.2	
	$\Delta H$	0.0	7.4	
	$\Delta G$	0.0	8.1	
	Nimag	none	none	
	$\langle S^2 \rangle$	6.17	6.58	

**Table S9.** Fe–Fe distances ( $\text{\AA}$ ), total energies ( $E$ , in hartree), relative electronic energies ( $\Delta E$ ), zero-point energies ( $ZPE$ ), enthalpies ( $\Delta H$ ), free energies ( $\Delta G$ , in kcal/mol), numbers of imaginary frequencies (Nimag) and spin expectation values  $\langle S^2 \rangle$  for the triplet ( $\text{C}_4\text{H}_6)_2\text{Fe}_2(\text{CO})$  structures at M06-L method.

		<b>1T-1 (<math>C_s</math>)</b>	<b>1T-2 (<math>C_s</math>)</b>
M06-L	Fe–Fe	2.291	2.200
	$E$	−2952.75716	−2952.73705
	$\Delta E$	11.6	24.2
	$ZPE$	11.1	24.3
	$\Delta H$	11.3	24.1
	$\Delta G$	10.1	24.9
	Nimag	none	none
	$\langle S^2 \rangle$	2.82	2.22
	<hr/>		

**Table S10.** Fe–Fe distances ( $\text{\AA}$ ), total energies ( $E$ , in hartree), relative electronic energies ( $\Delta E$ ), zero-point energies ( $ZPE$ ), enthalpies ( $\Delta H$ ), free energies ( $\Delta G$ , in kcal/mol), numbers of imaginary frequencies (Nimag) and spin expectation values  $\langle S^2 \rangle$  for the triplet ( $\text{C}_4\text{H}_6)_2\text{Fe}_2(\text{CO})$  structures at BP86 and B3LYP levels.

		1T-1 ( $C_s$ )	1T-2 ( $C_s$ )
BP86	Fe–Fe	2.183	2.108
	$E$	-2953.33791	-2953.32369
	$\Delta E$	6.1	15.0
	$ZPE$	5.9	14.8
	$\Delta H$	5.9	15.0
	$\Delta G$	6.0	14.0
	Nimag	none	none
	$\langle S^2 \rangle$	2.27	2.08
B3LYP	Fe–Fe	2.652	2.366
	$E$	-2952.89218	-2952.86955
	$\Delta E$	21.6	35.8
	$ZPE$	21.6	35.4
	$\Delta H$	21.5	34.6
	$\Delta G$	23.0	37.8
	Nimag	none	2(71i,50i)
	$\langle S^2 \rangle$	2.98	2.65

**Table S11.** Fe–Fe distances ( $\text{\AA}$ ), total energies ( $E$ , in hartree), relative electronic energies ( $\Delta E$ ), zero-point energies ( $ZPE$ ), enthalpies ( $\Delta H$ ), free energies ( $\Delta G$ , in kcal/mol) and numbers of imaginary frequencies (Nimag) for the singlet ( $\text{C}_4\text{H}_6)_2\text{Fe}_2(\text{CO})$  structures at M06-L method.

		1S-1 ( $C_s$ )	1S-2 ( $C_s$ )
M06-L	Fe–Fe	2.051	2.039
	$E$	-2952.70120	-2952.70002
	$\Delta E$	46.7	47.4
	$ZPE$	46.8	47.7
	$\Delta H$	46.5	47.8
	$\Delta G$	47.9	48.3
	Nimag	none	none

**Table S12.** Fe–Fe distances ( $\text{\AA}$ ), total energies ( $E$ , in hartree), relative electronic energies ( $\Delta E$ ), zero-point energies ( $ZPE$ ), enthalpies ( $\Delta H$ ), free energies ( $\Delta G$ , in kcal/mol) and numbers of imaginary frequencies (Nimag) for the singlet ( $\text{C}_4\text{H}_6$ )<sub>2</sub>Fe<sub>2</sub>(CO) structures at BP86 and B3LYP levels.

		<b>1S-1 (Cs)</b>	<b>1S-2 (Cs)</b>
BP86	Fe–Fe	2.051	2.041
	$E$	−2953.31292	−2953.30477
	$\Delta E$	21.8	26.9
	$ZPE$	21.7	26.8
	$\Delta H$	21.4	26.9
	$\Delta G$	23.2	27.4
	Nimag	none	none
B3LYP	Fe–Fe	2.183	2.018
	$E$	−2952.84167	−2952.83950
	$\Delta E$	53.3	54.6
	$ZPE$	54.0	55.4
	$\Delta H$	55.1	53.6
	$\Delta G$	58.2	56.6
	Nimag	none	none

**Table S13.** Optimized coordinates of the **2S-1** for the (C<sub>4</sub>H<sub>6</sub>)<sub>2</sub>Fe<sub>2</sub>(CO)<sub>2</sub> structure.

	BP86			M06-L			B3LYP		
	x	y	z	x	y	z	x	y	z
6	0.146085	-0.912287	1.152355	0.194413	-0.960504	1.123960	0.165894	-0.900835	1.161071
26	0.970274	0.146277	-0.177438	0.969586	0.158282	-0.169709	0.987098	0.160209	-0.186109
26	-1.316665	0.021927	0.339053	-1.307940	0.020931	0.367141	-1.326757	0.011864	0.367928
6	1.836811	-1.064240	-1.564235	1.824245	-1.025410	-1.571367	1.917073	-1.071180	-1.542769
6	-0.387504	1.759696	1.133925	-0.369107	1.731211	1.111894	-0.519062	1.812232	1.108149
6	2.441458	-1.240902	-0.270654	2.433193	-1.211024	-0.298515	2.515314	-1.191772	-0.256092
6	-1.630206	2.069615	0.451282	-1.634999	2.032141	0.483078	-1.742138	2.045071	0.373045
6	2.903803	-0.062443	0.411408	2.883025	-0.047631	0.392538	2.929354	-0.005427	0.418452
6	-1.771066	1.639646	-0.896045	-1.802601	1.605731	-0.847291	-1.825783	1.560142	-0.946768
6	2.752372	1.182705	-0.290282	2.720240	1.187392	-0.300961	2.745419	1.234007	-0.261946
6	-0.680192	0.799436	-1.400620	-0.703297	0.818761	-1.380089	-0.696333	0.766770	-1.415133
6	-2.267739	-1.281208	-0.354014	-2.281951	-1.271515	-0.356425	-2.261748	-1.347300	-0.333628
8	-2.912284	-2.166639	-0.797967	-2.919745	-2.123953	-0.834194	-2.862186	-2.230126	-0.789308
1	2.324567	-0.447789	-2.333632	2.288900	-0.382518	-2.320348	2.356441	-0.430356	-2.307144
1	1.247551	-1.902110	-1.962521	1.261768	-1.861368	-1.985158	1.395196	-1.944282	-1.934194
1	2.363826	-2.186839	0.280974	2.355526	-2.152463	0.241748	2.456834	-2.121459	0.308153
1	3.175614	-0.116125	1.473823	3.159548	-0.111052	1.443123	3.182449	-0.053408	1.476838
1	3.057493	1.267301	-1.343250	3.023462	1.269557	-1.346225	3.035449	1.339030	-1.307726
1	2.887724	2.109742	0.286806	2.856533	2.107359	0.268888	2.858118	2.148743	0.322411
8	0.328607	-1.614404	2.113773	0.394887	-1.685317	2.047489	0.387269	-1.591876	2.101833
1	-2.483779	2.508009	0.987597	-2.465765	2.463290	1.039656	-2.627203	2.458409	0.858472
1	0.571920	2.055685	0.653816	0.546205	2.077713	0.605087	0.428671	2.142290	0.663578
1	-0.354268	1.859983	2.226608	-0.299624	1.851586	2.191330	-0.541410	1.973722	2.186111
1	-2.695340	1.805077	-1.462679	-2.738133	1.745284	-1.382117	-2.745370	1.650001	-1.522026
1	0.371712	1.297402	-1.420386	0.305785	1.347004	-1.412695	0.309652	1.301797	-1.448799
1	-0.854349	0.284607	-2.354318	-0.877121	0.305316	-2.323803	-0.846281	0.227380	-2.349442

**Table S14.** Optimized coordinates of the 2S-2 for the (C<sub>4</sub>H<sub>6</sub>)<sub>2</sub>Fe<sub>2</sub>(CO)<sub>2</sub> structure.

	BP86			M06-L			B3LYP		
	x	y	z	x	y	z	x	y	z
6	1.427083	-0.187073	0.000000	1.429430	-0.211861	0.000000	1.402234	-0.246996	0.000000
26	0.070913	1.164052	0.000000	0.069164	1.161336	0.000000	0.095277	1.184294	0.000000
26	-0.070913	-1.164052	0.000000	-0.069164	-1.161336	0.000000	-0.095277	-1.184294	0.000000
6	0.514597	2.443934	1.511494	0.515673	2.434300	1.488879	0.509576	2.496928	1.509088
6	-0.514597	-2.443934	1.511494	-0.515673	-2.434300	1.488879	-0.509576	-2.496928	1.509088
6	-0.514597	3.046036	0.718342	-0.515673	3.018690	0.711688	-0.509576	3.072882	0.715195
6	0.514597	-3.046036	0.718342	0.515673	-3.018690	0.711688	0.509576	-3.072882	0.715195
6	-0.514597	3.046036	-0.718342	-0.515673	3.018690	-0.711688	-0.509576	3.072882	-0.715195
6	0.514597	-3.046036	-0.718342	0.515673	-3.018690	-0.711688	0.509576	-3.072882	-0.715195
6	0.514597	2.443934	-1.511494	0.515673	2.434300	-1.488879	0.509576	2.496928	-1.509088
6	-0.514597	-2.443934	-1.511494	-0.515673	-2.434300	-1.488879	-0.509576	-2.496928	-1.509088
6	-1.427083	0.187073	0.000000	-1.429430	0.211861	0.000000	-1.402234	0.246996	0.000000
8	-2.634840	0.128687	0.000000	-2.619686	0.088070	0.000000	-2.582094	0.056407	0.000000
1	1.581523	2.524093	1.239262	1.566634	2.511100	1.188853	1.565600	2.556190	1.225338
1	0.332166	2.305753	2.582914	0.364884	2.314425	2.556556	0.335107	2.377462	2.575234
1	-1.487971	3.227156	1.195249	-1.480455	3.185872	1.187447	-1.475884	3.254561	1.186390
1	-1.487971	3.227156	-1.195249	-1.480455	3.185872	-1.187447	-1.475884	3.254561	-1.186390
1	1.581523	2.524093	-1.239262	1.566634	2.511100	-1.188853	1.565600	2.556190	-1.225338
1	0.332166	2.305753	-2.582914	0.364884	2.314425	-2.556556	0.335107	2.377462	-2.575234
8	2.634840	-0.128687	0.000000	2.619686	-0.088070	0.000000	2.582094	-0.056407	0.000000
1	1.487971	-3.227156	1.195249	1.480455	-3.185872	1.187447	1.475884	-3.254561	1.186390
1	-1.581523	-2.524093	1.239262	-1.566634	-2.511100	1.188853	-1.565600	-2.556190	1.225338
1	-0.332166	-2.305753	2.582914	-0.364884	-2.314425	2.556556	-0.335107	-2.377462	2.575234
1	1.487971	-3.227156	-1.195249	1.480455	-3.185872	-1.187447	1.475884	-3.254561	-1.186390
1	-1.581523	-2.524093	-1.239262	-1.566634	-2.511100	-1.188853	-1.565600	-2.556190	-1.225338
1	-0.332166	-2.305753	-2.582914	-0.364884	-2.314425	-2.556556	-0.335107	-2.377462	-2.575234

**Table S15.** Optimized coordinates of the **2S-3** for the (C<sub>4</sub>H<sub>6</sub>)<sub>2</sub>Fe<sub>2</sub>(CO)<sub>2</sub> structure.

BP86			M06-L			B3LYP			
x	y	z	x	y	z	x	y	z	
6	-0.464340	1.633969	1.375043	-0.539491	1.522887	1.397434	-0.463870	1.979480	1.366955
26	-0.183640	1.154028	-0.259835	-0.211170	1.143210	-0.261881	-0.088259	1.044431	-0.067233
26	0.183640	-1.154028	-0.259835	0.211170	-1.143210	-0.261881	0.088259	-1.044431	-0.067233
6	1.735872	1.954375	0.057524	1.689438	1.937559	0.098655	1.779576	1.950569	0.045297
6	-2.209303	1.067163	-0.420614	-2.214180	0.994350	-0.493877	-2.057430	1.083444	-0.726490
6	1.636904	1.310775	-1.204138	1.592801	1.363258	-1.181796	1.527869	1.410639	-1.236672
6	-1.735872	0.129649	-1.395082	-1.689438	0.055642	-1.422510	-1.527869	0.021662	-1.509061
6	1.735872	-0.129649	-1.395082	1.689438	-0.055642	-1.422510	1.527869	-0.021662	-1.509061
6	-1.636904	-1.310775	-1.204138	-1.592801	-1.363258	-1.181796	-1.527869	-1.410639	-1.236672
6	2.209303	-1.067163	-0.420614	2.214180	-0.994350	-0.493877	2.057430	-1.083444	-0.726490
6	-1.735872	-1.954375	0.057524	-1.689438	-1.937559	0.098655	-1.779576	-1.950569	0.045297
6	0.464340	-1.633969	1.375043	0.539491	-1.522887	1.397434	0.463870	-1.979480	1.366955
8	0.639480	-1.886564	2.517609	0.734702	-1.672689	2.541262	0.680201	-2.551089	2.359364
1	2.220929	1.462776	0.909107	2.161910	1.397675	0.917284	2.341347	1.387967	0.790709
1	1.751148	3.051941	0.086869	1.712970	3.020837	0.190847	1.824311	3.031041	0.159403
1	1.457491	1.923258	-2.103795	1.386752	2.006557	-2.040918	1.312054	2.073137	-2.074723
1	1.591028	-0.479525	-2.429445	1.512139	-0.376331	-2.450581	1.196308	-0.287423	-2.513306
1	2.769404	-0.697734	0.447585	2.799412	-0.625881	0.346809	2.733192	-0.864585	0.099188
1	2.529666	-2.062041	-0.771875	2.540669	-1.965924	-0.872069	2.239112	-2.032895	-1.228304
8	-0.639480	1.886564	2.517609	-0.734702	1.672689	2.541262	-0.680201	2.551089	2.359364
1	-1.591028	0.479525	-2.429445	-1.512139	0.376331	-2.450581	-1.196308	0.287423	-2.513306
1	-2.769404	0.697734	0.447585	-2.799412	0.625881	0.346809	-2.733192	0.864585	0.099188
1	-2.529666	2.062041	-0.771875	-2.540669	1.965924	-0.872069	-2.239112	2.032895	-1.228304
1	-1.457491	-1.923258	-2.103795	-1.386752	-2.006557	-2.040918	-1.312054	-2.073137	-2.074723
1	-2.220929	-1.462776	0.909107	-2.161910	-1.397675	0.917284	-2.341347	-1.387967	0.790709
1	-1.751148	-3.051941	0.086869	-1.712970	-3.020837	0.190847	-1.824311	-3.031041	0.159403

**Table S16.** Optimized coordinates of the **2T-1** for the (**C<sub>4</sub>H<sub>6</sub>**)<sub>2</sub>Fe<sub>2</sub>(CO)<sub>2</sub> structure.

BP86			M06-L			B3LYP			
x	y	z	x	y	z	x	y	z	
6	-1.532530	0.232732	-0.333106	-1.566563	0.271587	-0.309605	-1.575827	0.276692	-0.307316
26	0.054510	1.097000	0.063052	0.043402	1.103555	0.031913	0.044753	1.104753	0.031938
26	-0.054510	-1.097000	0.063052	-0.043402	-1.103555	0.031913	-0.044753	-1.104753	0.031938
6	-0.054510	2.657874	-1.307364	-0.043402	2.703265	-1.266571	-0.044753	2.737327	-1.283904
6	0.054510	-2.657874	-1.307364	0.043402	-2.703265	-1.266571	0.044753	-2.737327	-1.283904
6	1.117286	2.798083	-0.498570	1.155584	2.751905	-0.510631	1.138786	2.805366	-0.503762
6	-1.117286	-2.798083	-0.498570	-1.155584	-2.751905	-0.510631	-1.138786	-2.805366	-0.503762
6	1.047303	2.686508	0.934437	1.130325	2.595418	0.905806	1.103724	2.650831	0.915870
6	-1.047303	-2.686508	0.934437	-1.130325	-2.595418	0.905806	-1.103724	-2.650831	0.915870
6	-0.192672	2.438126	1.610926	-0.094678	2.396843	1.602904	-0.117784	2.435013	1.614438
6	0.192672	-2.438126	1.610926	0.094678	-2.396843	1.602904	0.117784	-2.435013	1.614438
6	1.532530	-0.232732	-0.333106	1.566563	-0.271587	-0.309605	1.575827	-0.276692	-0.307316
8	2.683560	-0.176363	-0.644723	2.714089	-0.158328	-0.559257	2.718069	-0.215556	-0.570210
1	-1.010929	3.116989	-1.019134	-0.950927	3.193009	-0.911630	-0.971317	3.205977	-0.952121
1	0.072679	2.506947	-2.385871	0.024014	2.609572	-2.346327	0.051271	2.637055	-2.362842
1	2.109240	2.716196	-0.961836	2.114101	2.624932	-1.009609	2.108370	2.711106	-0.991814
1	1.993398	2.523579	1.469115	2.072981	2.358053	1.396254	2.050063	2.452708	1.419136
1	-1.122062	2.944762	1.312623	-0.986824	2.968499	1.343231	-1.025275	2.980263	1.352854
1	-0.154493	2.141915	2.665599	-0.051288	2.081312	2.640987	-0.064922	2.120296	2.654133
8	-2.683560	0.176363	-0.644723	-2.714089	0.158328	-0.559257	-2.718069	0.215556	-0.570210
1	-2.109240	-2.716196	-0.961836	-2.114101	-2.624932	-1.009609	-2.108370	-2.711106	-0.991814
1	1.010929	-3.116989	-1.019134	0.950927	-3.193009	-0.911630	0.971317	-3.205977	-0.952121
1	-0.072679	-2.506947	-2.385871	-0.024014	-2.609572	-2.346327	-0.051271	-2.637055	-2.362842
1	-1.993398	-2.523579	1.469115	-2.072981	-2.358053	1.396254	-2.050063	-2.452708	1.419136
1	1.122062	-2.944762	1.312623	0.986824	-2.968499	1.343231	1.025275	-2.980263	1.352854
1	0.154493	-2.141915	2.665599	0.051288	-2.081312	2.640987	0.064922	-2.120296	2.654133

**Table S17.** Optimized coordinates of *the 2T-2* for the (C<sub>4</sub>H<sub>6</sub>)<sub>2</sub>Fe<sub>2</sub>(CO)<sub>2</sub> structure.

BP86			M06-L			B3LYP			
x	y	z	x	y	z	x	y	z	
6	-0.599237	1.601457	-0.503953	-0.550413	1.582553	-0.531461	-0.674801	1.640143	-0.675361
26	1.157987	-0.256783	0.133700	1.153486	-0.229479	0.111173	1.189142	-0.310341	0.160978
26	-1.238460	-0.030082	-0.270483	-1.238516	-0.037406	-0.292165	-1.284518	0.015385	-0.311135
6	2.068824	1.038684	1.438105	2.042226	1.072111	1.393615	2.106712	0.783159	1.671248
6	-0.087153	-1.480965	-1.259671	-0.123257	-1.543275	-1.232867	-0.127697	-1.373401	-1.403167
6	2.381776	1.369843	0.074664	2.411929	1.335722	0.046425	2.354041	1.364945	0.400250
6	-1.254639	-2.071664	-0.626612	-1.305257	-2.066534	-0.591200	-1.278453	-2.010667	-0.795263
6	2.889544	0.333811	-0.780405	2.914047	0.255877	-0.739701	2.872243	0.554487	-0.655448
6	-1.404138	-1.811979	0.772757	-1.443916	-1.774958	0.788481	-1.405814	-1.871231	0.602371
6	3.084949	-0.959053	-0.186337	3.038678	-1.001830	-0.088581	3.148375	-0.812766	-0.383763
6	-0.334543	-1.049207	1.412751	-0.358405	-1.047403	1.414128	-0.299267	-1.235764	1.321984
6	-2.850837	0.596022	0.138647	-2.830749	0.648561	0.142549	-2.828502	0.627578	0.363905
8	-3.917733	1.025580	0.404175	-3.864604	1.108612	0.431154	-3.827160	1.027792	0.806941
1	2.763209	0.444148	2.049241	2.685319	0.478416	2.044273	2.811273	0.081761	2.118274
1	1.460896	1.753611	2.007131	1.443687	1.820730	1.908711	1.513113	1.349881	2.385735
1	2.046356	2.315360	-0.369411	2.104334	2.254805	-0.447823	1.952051	2.346424	0.154587
1	2.945985	0.494923	-1.865505	3.004197	0.362886	-1.818925	2.857929	0.937748	-1.675479
1	3.561474	-1.056461	0.799364	3.463414	-1.064452	0.913742	3.634378	-1.115144	0.543546
1	3.261922	-1.814061	-0.853474	3.212332	-1.885602	-0.700682	3.342385	-1.474074	-1.227810
8	-0.339544	2.750649	-0.632617	-0.250438	2.712231	-0.640302	-0.348605	2.734485	-0.917325
1	-2.051030	-2.564681	-1.197577	-2.110303	-2.542159	-1.145089	-2.086975	-2.436067	-1.388223
1	0.915902	-1.794268	-0.802748	0.844727	-1.868224	-0.767706	0.869217	-1.723919	-1.024094
1	-0.002750	-1.535361	-2.353449	-0.044669	-1.635679	-2.314369	-0.082226	-1.329875	-2.491307
1	-2.312354	-2.109829	1.309971	-2.357132	-2.023665	1.322164	-2.305164	-2.211651	1.112716
1	0.693609	-1.561134	1.333115	0.630336	-1.584933	1.342129	0.654810	-1.829163	1.223291
1	-0.499970	-0.725274	2.447557	-0.514406	-0.704798	2.434236	-0.475896	-1.024172	2.375367

**Table S18.** Optimized coordinates of the **2T-3** for the (C<sub>4</sub>H<sub>6</sub>)<sub>2</sub>Fe<sub>2</sub>(CO)<sub>2</sub> structure.

BP86			M06-L			B3LYP			
x	y	z	x	y	z	x	y	z	
6	-0.477645	1.830691	1.351326	-0.572487	1.769241	1.378280	-0.594674	1.885707	1.359460
26	-0.191090	1.117079	-0.208547	-0.211025	1.128074	-0.206321	-0.191127	1.174822	-0.188373
26	0.191090	-1.117079	-0.208547	0.211025	-1.128074	-0.206321	0.191127	-1.174822	-0.188373
6	1.690745	2.051263	0.021778	1.592560	2.192761	0.020260	1.644351	2.261850	-0.014960
6	-2.213921	0.983799	-0.441294	-2.181985	0.773768	-0.480524	-2.175609	0.775894	-0.441311
6	1.561273	1.388095	-1.228328	1.470030	1.567369	-1.234044	1.520584	1.581354	-1.239379
6	-1.690745	0.055295	-1.401126	-1.592560	-0.137680	-1.408724	-1.644351	-0.149027	-1.394127
6	1.690745	-0.055295	-1.401126	1.592560	0.137680	-1.408724	1.644351	0.149027	-1.394127
6	-1.561273	-1.388095	-1.228328	-1.470030	-1.567369	-1.234044	-1.520584	-1.581354	-1.239379
6	2.213921	-0.983799	-0.441294	2.181985	-0.773768	-0.480524	2.175609	-0.775894	-0.441311
6	-1.690745	-2.051263	0.021778	-1.592560	-2.192761	0.020260	-1.644351	-2.261850	-0.014960
6	0.477645	-1.830691	1.351326	0.572487	-1.769241	1.378280	0.594674	-1.885707	1.359460
8	0.636678	-2.227008	2.454608	0.763401	-2.116353	2.480099	0.834856	-2.291307	2.427264
1	2.214146	1.579030	0.862205	2.138856	1.712756	0.830686	2.176868	1.822222	0.826318
1	1.674787	3.147129	0.039652	1.537256	3.275249	0.079122	1.581737	3.347101	-0.008769
1	1.339687	1.981155	-2.129407	1.197198	2.160236	-2.108019	1.259604	2.152307	-2.133227
1	1.529206	-0.419618	-2.427585	1.407576	-0.223582	-2.421819	1.478942	-0.218855	-2.408409
1	2.760470	-0.610577	0.433990	2.738828	-0.376247	0.366136	2.726221	-0.397225	0.417616
1	2.557858	-1.962436	-0.807633	2.578558	-1.711633	-0.874026	2.562338	-1.721590	-0.832048
8	-0.636678	2.227008	2.454608	-0.763401	2.116353	2.480099	-0.834856	2.291307	2.427264
1	-1.529206	0.419618	-2.427585	-1.407576	0.223582	-2.421819	-1.478942	0.218855	-2.408409
1	-2.760470	0.610577	0.433990	-2.738828	0.376247	0.366136	-2.726221	0.397225	0.417616
1	-2.557858	1.962436	-0.807633	-2.578558	1.711633	-0.874026	-2.562338	1.721590	-0.832048
1	-1.339687	-1.981155	-2.129407	-1.197198	-2.160236	-2.108019	-1.259604	-2.152307	-2.133227
1	-2.214146	-1.579030	0.862205	-2.138856	-1.712756	0.830686	-2.176868	-1.822222	0.826318
1	-1.674787	-3.147129	0.039652	-1.537256	-3.275249	0.079122	-1.581737	-3.347101	-0.008769

**Table S19.** Optimized coordinates of the **2Q-1** for the (C<sub>4</sub>H<sub>6</sub>)<sub>2</sub>Fe<sub>2</sub>(CO)<sub>2</sub> structure.

	BP86			M06-L			B3LYP		
	x	y	z	x	y	z	x	y	z
6	0.927514	2.443709	0.000000	0.969542	2.480912	0.000000	1.093909	2.450950	0.000000
26	0.751554	0.656958	0.000000	0.730559	0.676868	0.000000	0.714777	0.676932	0.000000
26	-0.875025	-1.054748	0.000000	-0.858740	-1.068579	0.000000	-0.905538	-1.104784	0.000000
6	1.111990	0.571809	2.054017	1.089764	0.532124	2.049515	1.072044	0.559213	2.080910
6	1.111990	0.571809	-2.054017	1.089764	0.532124	-2.049515	1.072044	0.559213	-2.080910
6	1.111990	-0.789820	1.612206	1.089764	-0.806487	1.578430	1.072044	-0.787341	1.638643
6	1.111990	-0.789820	-1.612206	1.089764	-0.806487	-1.578430	1.072044	-0.787341	-1.638643
6	0.031671	-1.781772	1.727004	0.029650	-1.799278	1.709340	0.000948	-1.781017	1.759861
6	0.031671	-1.781772	-1.727004	0.029650	-1.799278	-1.709340	0.000948	-1.781017	-1.759861
6	-1.325405	-1.505611	2.031111	-1.315555	-1.516781	2.015950	-1.348572	-1.541793	2.071954
6	-1.325405	-1.505611	-2.031111	-1.315555	-1.516781	-2.015950	-1.348572	-1.541793	-2.071954
6	-1.157674	0.904778	0.000000	-1.141074	0.998297	0.000000	-1.107321	1.078828	0.000000
8	-2.081786	1.662971	0.000000	-2.104877	1.679195	0.000000	-2.081061	1.737363	0.000000
1	0.270335	0.960643	2.640732	0.253868	0.893467	2.646443	0.234913	0.944706	2.659476
1	2.080596	1.033566	2.286878	2.047524	0.988048	2.290702	2.031856	1.017616	2.313738
1	2.090974	-1.228324	1.362420	2.057377	-1.228885	1.300554	2.042600	-1.221797	1.389507
1	0.328923	-2.830645	1.570511	0.324153	-2.837847	1.552017	0.312004	-2.818056	1.610864
1	-1.625658	-0.554408	2.489194	-1.593789	-0.561200	2.460771	-1.673752	-0.590268	2.490710
1	-2.007627	-2.348969	2.195485	-1.991685	-2.342654	2.218030	-2.002275	-2.390989	2.258656
8	0.975930	3.618609	0.000000	1.035320	3.642360	0.000000	1.280062	3.596925	0.000000
1	2.090974	-1.228324	-1.362420	2.057377	-1.228885	-1.300554	2.042600	-1.221797	-1.389507
1	0.270335	0.960643	-2.640732	0.253868	0.893467	-2.646443	0.234913	0.944706	-2.659476
1	2.080596	1.033566	-2.286878	2.047524	0.988048	-2.290702	2.031856	1.017616	-2.313738
1	0.328923	-2.830645	-1.570511	0.324153	-2.837847	-1.552017	0.312004	-2.818056	-1.610864
1	-1.625658	-0.554408	-2.489194	-1.593789	-0.561200	-2.460771	-1.673752	-0.590268	-2.490710
1	-2.007627	-2.348969	-2.195485	-1.991685	-2.342654	-2.218030	-2.002275	-2.390989	-2.258656

**Table S20.** Optimized coordinates of the **2Q-2** for the (C<sub>4</sub>H<sub>6</sub>)<sub>2</sub>Fe<sub>2</sub>(CO)<sub>2</sub> structure.

BP86			M06-L			B3LYP		
x	y	z	x	y	z	x	y	z
6-0.509992	1.765465	0.716504	0.187015	-1.144790	1.352222	0.297025	-0.333727	1.774708
26 0.910209	-0.249450	-0.399944	-0.910989	-0.043881	-0.501912	-0.997804	-0.077277	-0.415118
26-1.189280	0.194466	0.283175	1.225541	-0.048471	0.379836	1.272609	0.051928	0.336306
6 2.537790	-1.624648	0.144594	-2.366172	1.559781	-0.764089	-2.572007	1.307558	-1.076202
6-2.443336	0.942970	-1.244308	2.445376	-1.549165	-0.446271	2.255194	-1.838538	0.176052
6 2.870953	-0.344067	0.634252	-2.770778	0.756968	0.305367	-2.977502	0.765931	0.149608
6-2.816164	-0.392132	-0.892801	2.971424	-0.262770	-0.727719	2.846355	-0.879386	-0.689112
6 2.780748	0.884037	-0.119886	-2.832073	-0.675816	0.264989	-2.975577	-0.633536	0.488278
6-1.837880	-1.430179	-0.905455	2.119801	0.705758	-1.309397	2.037781	-0.133760	-1.583551
6 2.331047	0.978975	-1.458423	-2.517609	-1.441460	-0.864384	-2.552128	-1.667100	-0.349761
6-0.514192	-1.278084	-1.555142	0.791406	0.330045	-1.806614	0.627388	-0.480500	-1.826114
6-0.875229	-0.713768	1.779118	0.869643	1.524972	1.173091	1.282117	1.857547	0.394016
8-0.693236	-1.277642	2.802006	0.600114	2.536626	1.695003	1.313570	3.020130	0.457707
1 2.674561	-1.888924	-0.915748	-2.537102	1.251176	-1.798177	-2.672647	0.746660	-2.009269
1 2.489690	-2.470534	0.838627	-2.211357	2.623028	-0.614242	-2.501349	2.386109	-1.188855
1 2.966058	-0.227210	1.723378	-2.787349	1.207115	1.297504	-3.097906	1.452311	0.988931
1 2.815110	1.810992	0.469248	-2.911565	-1.184070	1.224054	-3.097203	-0.862256	1.547487
1 2.527382	0.177995	-2.190321	-2.704369	-1.061129	-1.872772	-2.625357	-1.593150	-1.438309
1 2.152747	1.970198	-1.889448	-2.478181	-2.522410	-0.776424	-2.471292	-2.677356	0.042708
8-0.082199	2.826791	1.018822	-0.379279	-1.888352	2.066818	-0.266196	-0.589793	2.769350
1-3.763100	-0.578709	-0.367373	3.912374	0.064301	-0.288744	3.861028	-0.527029	-0.500533
1-1.744564	1.124424	-2.071496	1.785932	-2.033319	-1.165399	1.465379	-2.495549	-0.182477
1-3.151521	1.757138	-1.051124	3.026294	-2.231798	0.167476	2.856579	-2.246012	0.986245
1-2.104360	-2.402279	-0.470371	2.462548	1.733586	-1.399054	2.488715	0.694579	-2.128096
1-0.536290	-0.716924	-2.508521	0.784396	-0.599818	-2.393266	0.449050	-1.552497	-1.979245
1-0.008866	-2.251189	-1.688194	0.325168	1.147138	-2.364734	0.209192	0.103612	-2.653477

**Table S21.** Optimized coordinates of the **2Q-3** for the (C<sub>4</sub>H<sub>6</sub>)<sub>2</sub>Fe<sub>2</sub>(CO)<sub>2</sub> structure.

	BP86			M06-L			B3LYP		
	x	y	z	x	y	z	x	y	z
6	1.589380	0.134182	0.000000	1.632640	0.031623	0.000000	-0.609296	1.567446	0.000000
26	0.116867	1.177401	0.000000	0.190186	1.155555	0.000000	-1.216701	-0.125259	0.000000
26	-0.116867	-1.177401	0.000000	-0.190186	-1.155555	0.000000	1.216701	0.125259	0.000000
6	0.556980	2.640843	1.510206	0.558393	2.654742	1.497218	-2.814025	-0.168544	1.508392
6	-0.556980	-2.640843	1.510206	-0.558393	-2.654742	1.497218	2.814025	0.168544	1.508392
6	-0.556980	3.045683	0.722736	-0.558393	3.004002	0.716435	-2.814025	-1.336862	0.719214
6	0.556980	-3.045683	0.722736	0.558393	-3.004002	0.716435	2.814025	1.336862	0.719214
6	-0.556980	3.045683	-0.722736	-0.558393	3.004002	-0.716435	-2.814025	-1.336862	-0.719214
6	0.556980	-3.045683	-0.722736	0.558393	-3.004002	-0.716435	2.814025	1.336862	-0.719214
6	0.556980	2.640843	-1.510206	0.558393	2.654742	-1.497218	-2.814025	-0.168544	-1.508392
6	-0.556980	-2.640843	-1.510206	-0.558393	-2.654742	-1.497218	2.814025	0.168544	-1.508392
6	-1.589380	-0.134182	0.000000	-1.632640	-0.031623	0.000000	0.609296	-1.567446	0.000000
8	-2.726662	0.230462	0.000000	-2.721248	0.430903	0.000000	0.505465	-2.739154	0.000000
1	1.588746	2.864950	1.205663	1.571149	2.880564	1.161364	-3.328822	0.737434	1.190914
1	0.415345	2.496489	2.587117	0.444807	2.546674	2.570381	-2.657016	-0.258664	2.580325
1	-1.540722	3.120665	1.207188	-1.536237	3.033390	1.194634	-2.579641	-2.286897	1.200629
1	-1.540722	3.120665	-1.207188	-1.536237	3.033390	-1.194634	-2.579641	-2.286897	-1.200629
1	1.588746	2.864950	-1.205663	1.571149	2.880564	-1.161364	-3.328822	0.737434	-1.190914
1	0.415345	2.496489	-2.587117	0.444807	2.546674	-2.570381	-2.657016	-0.258664	-2.580325
8	2.726662	-0.230462	0.000000	2.721248	-0.430903	0.000000	-0.505465	2.739154	0.000000
1	1.540722	-3.120665	1.207188	1.536237	-3.033390	1.194634	2.579641	2.286897	1.200629
1	-1.588746	-2.864950	1.205663	-1.571149	-2.880564	1.161364	3.328822	0.737434	1.190914
1	-0.415345	-2.496489	2.587117	-0.444807	-2.546674	2.570381	2.657016	0.258664	2.580325
1	1.540722	-3.120665	-1.207188	1.536237	-3.033390	-1.194634	2.579641	2.286897	-1.200629
1	-1.588746	-2.864950	-1.205663	-1.571149	-2.880564	-1.161364	3.328822	-0.737434	-1.190914
1	-0.415345	-2.496489	-2.587117	-0.444807	-2.546674	-2.570381	2.657016	0.258664	-2.580325

**Table S22.** Optimized coordinates of *the 1S-1* for the (C<sub>4</sub>H<sub>6</sub>)<sub>2</sub>Fe<sub>2</sub>(CO) structure.

	BP86			M06-L			B3LYP		
	x	y	z	x	y	z	x	y	z
26	0.060254	-1.136619	0.000000	0.086626	-1.131791	0.000000	0.297122	-1.194098	0.000000
26	0.148943	0.912043	0.000000	0.137737	0.918822	0.000000	-0.014046	0.966581	0.000000
6	-0.123607	-1.675925	1.886907	-0.145954	-1.651615	1.878517	-0.203415	-1.791936	1.851133
6	-0.123607	-1.675925	-1.886907	-0.145954	-1.651615	-1.878517	-0.203415	-1.791936	-1.851133
6	-1.283933	-0.896718	1.498596	-1.278971	-0.882162	1.455182	-1.237796	-0.900855	1.485341
6	-1.283933	-0.896718	-1.498596	-1.278971	-0.882162	-1.455182	-1.237796	-0.900855	-1.485341
6	-1.283933	0.582607	1.531984	-1.278971	0.585366	1.494311	-1.237796	0.552351	1.616288
6	-1.283933	0.582607	-1.531984	-1.278971	0.585366	-1.494311	-1.237796	0.552351	-1.616288
6	-0.149352	1.345443	1.966603	-0.153912	1.321705	1.959091	-0.090939	1.295147	2.023958
6	-0.149352	1.345443	-1.966603	-0.153912	1.321705	-1.959091	-0.090939	1.295147	-2.023958
6	1.908727	1.040966	0.000000	1.907284	1.021422	0.000000	1.716858	1.236122	0.000000
8	3.085173	1.161130	0.000000	3.074160	1.107822	0.000000	2.870771	1.430901	0.000000
1	0.668615	-1.255890	2.525180	0.626830	-1.216585	2.516495	0.626806	-1.441989	2.471571
1	-0.257776	-2.764521	1.987184	-0.278702	-2.727095	2.000574	-0.419397	-2.858581	1.922060
1	-2.250795	-1.397619	1.349479	-2.230955	-1.378559	1.269916	-2.181646	-1.342054	1.163174
1	-2.237505	1.093992	1.343648	-2.220998	1.096004	1.302383	-2.198676	1.054953	1.499083
1	0.617010	0.911802	2.621205	0.588509	0.864218	2.611374	0.702194	0.828300	2.604775
1	-0.281028	2.431860	2.087658	-0.273045	2.395282	2.109365	-0.223249	2.356875	2.239919
1	-2.250795	-1.397619	-1.349479	-2.230955	-1.378559	-1.269916	-2.181646	-1.342054	-1.163174
1	0.668615	-1.255890	-2.525180	0.626830	-1.216585	-2.516495	0.626806	-1.441989	-2.471571
1	-0.257776	-2.764521	-1.987184	-0.278702	-2.727095	-2.000574	-0.419397	-2.858581	-1.922060
1	-2.237505	1.093992	-1.343648	-2.220998	1.096004	-1.302383	-2.198676	1.054953	-1.499083
1	0.617010	0.911802	-2.621205	0.588509	0.864218	-2.611374	0.702194	0.828300	-2.604775
1	-0.281028	2.431860	-2.087658	-0.273045	2.395282	-2.109365	-0.223249	2.356875	-2.239919

**Table S23.** Optimized coordinates of the **1S-2** for the (C<sub>4</sub>H<sub>6</sub>)<sub>2</sub>Fe<sub>2</sub>(CO) structure.

	BP86			M06-L			B3LYP		
	x	y	z	x	y	z	x	y	z
6	1.736214	0.264574	0.000000	1.768010	0.297832	0.000000	1.782582	0.270266	0.000000
26	0.361602	-1.041742	0.000000	0.400677	-1.045188	0.000000	0.389662	-1.026983	0.000000
26	-0.012587	0.964780	0.000000	0.010952	0.956365	0.000000	0.027219	0.958386	0.000000
6	-0.769549	-1.777509	1.537016	-0.780802	-1.705110	1.513699	-0.786200	-1.757164	1.547499
6	-0.309900	2.264334	1.516084	-0.355279	2.231138	1.498200	-0.364056	2.253287	1.513048
6	-0.309900	-2.865188	0.722127	-0.355279	-2.800371	0.715813	-0.364056	-2.825155	0.717943
6	-1.505406	2.180302	0.721146	-1.532195	2.064858	0.714455	-1.533786	2.111172	0.714915
6	-0.309900	-2.865188	-0.722127	-0.355279	-2.800371	-0.715813	-0.364056	-2.825155	-0.717943
6	-1.505406	2.180302	-0.721146	-1.532195	2.064858	-0.714455	-1.533786	2.111172	-0.714915
6	-0.769549	-1.777509	-1.537016	-0.780802	-1.705110	-1.513699	-0.786200	-1.757164	-1.547499
6	-0.309900	2.264334	-1.516084	-0.355279	2.231138	-1.498200	-0.364056	2.253287	-1.513048
1	-1.721949	-1.262567	1.330980	-1.701543	-1.161238	1.285122	-1.690310	-1.184422	1.337396
1	-0.492999	-1.799064	2.598578	-0.532862	-1.730169	2.571902	-0.516210	-1.806419	2.600561
1	0.379780	-3.586320	1.186474	0.298853	-3.538723	1.179945	0.300508	-3.564929	1.169136
1	0.379780	-3.586320	-1.186474	0.298853	-3.538723	-1.179945	0.300508	-3.564929	-1.169136
1	-1.721949	-1.262567	-1.330980	-1.701543	-1.161238	-1.285122	-1.690310	-1.184422	-1.337396
1	-0.492999	-1.799064	-2.598578	-0.532862	-1.730169	-2.571902	-0.516210	-1.806419	-2.600561
8	2.937339	0.316986	0.000000	2.956677	0.338860	0.000000	2.965742	0.315662	0.000000
1	-2.412327	1.781180	1.198435	-2.398174	1.601713	1.187634	-2.418036	1.678740	1.185840
1	0.503601	2.966011	1.265617	0.402434	2.973986	1.231825	0.418984	2.973885	1.259626
1	-0.382769	2.027970	2.583899	-0.409278	2.017109	2.561400	-0.436512	2.028621	2.574498
1	-2.412327	1.781180	-1.198435	-2.398174	1.601713	-1.187634	-2.418036	1.678740	-1.185840
1	0.503601	2.966011	-1.265617	0.402434	2.973986	-1.231825	0.418984	2.973885	-1.259626
1	-0.382769	2.027970	-2.583899	-0.409278	2.017109	-2.561400	-0.436512	2.028621	-2.574498

**Table S24.** Optimized coordinates of the **1T-1** for the (C<sub>4</sub>H<sub>6</sub>)<sub>2</sub>Fe<sub>2</sub>(CO) structure.

	BP86			M06-L			B3LYP		
	x	y	z	x	y	z	x	y	z
26	0.554208	-1.069875	0.000000	0.500516	-1.119495	0.000000	0.194603	-1.663022	0.000000
26	-0.461257	0.862924	0.000000	-0.497999	0.942955	0.000000	-0.000524	0.981425	0.000000
6	0.961821	-1.416288	1.968003	0.930174	-1.460584	1.981989	0.327343	-2.046017	1.994087
6	0.961821	-1.416288	-1.968003	0.930174	-1.460584	-1.981989	0.327343	-2.046017	-1.994087
6	-0.457993	-1.427943	1.762816	-0.477058	-1.392886	1.792072	-0.801027	-1.200955	1.806275
6	-0.457993	-1.427943	-1.762816	-0.477058	-1.392886	-1.792072	-0.801027	-1.200955	-1.806275
6	-1.260937	-0.203250	1.682692	-1.223220	-0.151225	1.681576	-0.799630	0.248881	1.851213
6	-1.260937	-0.203250	-1.682692	-1.223220	-0.151225	-1.681576	-0.799630	0.248881	-1.851213
6	-0.768873	1.107106	1.999248	-0.705730	1.141026	1.998632	0.327343	1.074585	2.068416
6	-0.768873	1.107106	-1.999248	-0.705730	1.141026	-1.998632	0.327343	1.074585	-2.068416
6	0.837629	2.012709	0.000000	0.917356	1.950681	0.000000	0.392684	2.692385	0.000000
8	1.804537	2.697671	0.000000	1.947608	2.512031	0.000000	0.666235	3.828100	0.000000
1	1.461110	-0.537277	2.398745	1.468888	-0.583953	2.346267	1.255735	-1.635227	2.394020
1	1.469526	-2.375200	2.145526	1.380933	-2.418071	2.230452	0.159878	-3.101774	2.207368
1	-0.995076	-2.387551	1.721130	-1.052268	-2.318801	1.753558	-1.788007	-1.663500	1.736841
1	-2.339678	-0.341388	1.516773	-2.297377	-0.264017	1.528882	-1.787156	0.719949	1.867854
1	0.131128	1.232568	2.613983	0.206611	1.223776	2.588281	1.289943	0.623184	2.312571
1	-1.510523	1.912654	2.121549	-1.427008	1.937931	2.190935	0.179418	2.069621	2.480472
1	-0.995076	-2.387551	-1.721130	-1.052268	-2.318801	-1.753558	-1.788007	-1.663500	-1.736841
1	1.461110	-0.537277	-2.398745	1.468888	-0.583953	-2.346267	1.255735	-1.635227	-2.394020
1	1.469526	-2.375200	-2.145526	1.380933	-2.418071	-2.230452	0.159878	-3.101774	-2.207368
1	-2.339678	-0.341388	-1.516773	-2.297377	-0.264017	-1.528882	-1.787156	0.719949	-1.867854
1	0.131128	1.232568	-2.613983	0.206611	1.223776	-2.588281	1.289943	0.623184	-2.312571
1	-1.510523	1.912654	-2.121549	-1.427008	1.937931	-2.190935	0.179418	2.069621	-2.480472

**Table S25.** Optimized coordinates of the **1T-2** for the (C<sub>4</sub>H<sub>6</sub>)<sub>2</sub>Fe<sub>2</sub>(CO) structure.

	BP86			M06-L			B3LYP		
	x	y	z	x	y	z	x	y	z
6	1.677541	0.374385	0.000000	1.616583	0.459115	0.000000	1.485334	0.367425	0.000000
26	0.372196	-1.153710	0.000000	0.697856	-1.356084	0.000000	0.449309	-1.279677	0.000000
26	-0.038679	0.913366	0.000000	-0.195759	0.654408	0.000000	-0.252520	0.979594	0.000000
6	-0.901432	-1.776470	1.513629	-0.834434	-1.287985	1.400538	-0.911254	-2.074669	1.513146
6	-0.090638	2.301463	1.489876	-0.055447	2.132409	1.374537	0.069277	2.454876	1.439704
6	-0.508515	-2.906284	0.717289	-0.746077	-2.555089	0.716698	-0.395625	-3.122779	0.714076
6	-1.306986	2.354270	0.719377	-1.320372	2.156667	0.712281	-1.125754	2.716347	0.711209
6	-0.508515	-2.906284	-0.717289	-0.746077	-2.555089	-0.716698	-0.395625	-3.122779	-0.714076
6	-1.306986	2.354270	-0.719377	-1.320372	2.156667	-0.712281	-1.125754	2.716347	-0.711209
6	-0.901432	-1.776470	-1.513629	-0.834434	-1.287985	-1.400538	-0.911254	-2.074669	-1.513146
6	-0.090638	2.301463	-1.489876	-0.055447	2.132409	-1.374537	0.069277	2.454876	-1.439704
1	-1.817077	-1.210937	1.284900	-1.629931	-0.583765	1.095046	-1.812753	-1.534753	1.224595
1	-0.643225	-1.800041	2.580236	-0.682445	-1.280883	2.478402	-0.709555	-2.096099	2.582095
1	0.092432	-3.694221	1.197269	-0.575026	-3.481520	1.263698	0.241772	-3.867545	1.195231
1	0.092432	-3.694221	-1.197269	-0.575026	-3.481520	-1.263698	0.241772	-3.867545	-1.195231
1	-1.817077	-1.210937	-1.284900	-1.629931	-0.583765	-1.095046	-1.812753	-1.534753	-1.224595
1	-0.643225	-1.800041	-2.580236	-0.682445	-1.280883	-2.478402	-0.709555	-2.096099	-2.582095
8	2.876420	0.450214	0.000000	2.700966	0.944050	0.000000	2.635877	0.661146	0.000000
1	-2.254774	2.088228	1.210794	-2.248348	1.945003	1.243714	-2.091313	2.670383	1.219556
1	0.773553	2.939023	1.253559	0.742379	2.814341	1.078631	1.019212	2.903922	1.154237
1	-0.179507	2.040532	2.552029	-0.049523	1.879060	2.434135	-0.024996	2.235656	2.502741
1	-2.254774	2.088228	-1.210794	-2.248348	1.945003	-1.243714	-2.091313	2.670383	-1.219556
1	0.773553	2.939023	-1.253559	0.742379	2.814341	-1.078631	1.019212	2.903922	-1.154237
1	-0.179507	2.040532	-2.552029	-0.049523	1.879060	-2.434135	-0.024996	2.235656	-2.502741

**Table S26.** Optimized coordinates of the **1Q-1** for the (C<sub>4</sub>H<sub>6</sub>)<sub>2</sub>Fe<sub>2</sub>(CO) structure.

	BP86			M06-L			B3LYP		
	x	y	z	x	y	z	x	y	z
26	-0.988254	0.677132	-0.528294	-0.964984	0.722555	-0.561272	0.451174	-1.339987	0.000000
26	0.728197	-0.412610	0.438943	0.714403	-0.434050	0.443952	-0.450390	0.940111	0.000000
6	-2.397026	-0.824681	-0.889216	-2.464015	-0.691679	-0.819204	0.891383	-1.530680	2.075440
6	0.011295	2.414722	-0.907388	0.208430	2.342019	-0.921199	0.891383	-1.530680	-2.075440
6	-2.357986	-0.410463	0.478464	-2.378000	-0.208253	0.512747	-0.494599	-1.319194	1.900337
6	0.367131	2.114158	0.453841	0.546321	2.007429	0.432497	-0.494599	-1.319194	-1.900337
6	-1.280024	-0.777444	1.402839	-1.296344	-0.585742	1.414063	-1.177977	-0.044170	1.780187
6	1.551731	1.415667	0.938015	1.707137	1.290735	0.902070	-1.177977	-0.044170	-1.780187
6	-0.394884	-1.901473	1.231116	-0.525653	-1.782901	1.298738	-0.607421	1.242168	2.019737
6	2.464079	0.726309	0.089231	2.535559	0.539365	0.041724	-0.607421	1.242168	-2.019737
6	1.328914	-1.515496	-0.770595	1.181221	-1.619411	-0.761250	0.878964	2.065546	0.000000
8	1.706977	-2.232761	-1.634204	1.447643	-2.370659	-1.622219	1.814581	2.769736	0.000000
1	-1.845108	-1.712316	-1.225822	-1.964813	-1.621193	-1.097044	1.546277	-0.706572	2.356357
1	-3.277372	-0.562858	-1.490101	-3.343473	-0.446430	-1.409301	1.242737	-2.527886	2.333757
1	-3.158262	0.240390	0.866128	-3.122860	0.499006	0.880958	-1.138657	-2.204986	1.878356
1	-1.299637	-0.275030	2.380787	-1.254800	-0.037374	2.355447	-2.261449	-0.116400	1.664153
1	-0.689502	-2.708845	0.548324	-0.892008	-2.584066	0.658866	0.333766	1.321903	2.562008
1	0.163611	-2.244081	2.117434	0.007265	-2.128329	2.187171	-1.296402	2.068006	2.208535
1	-0.248815	2.576553	1.242968	-0.038425	2.492034	1.218710	-1.138657	-2.204986	-1.878356
1	0.756533	2.272312	-1.703080	0.955032	2.171412	-1.697506	1.546277	-0.706572	-2.356357
1	-0.702637	3.234398	-1.077210	-0.412778	3.226117	-1.071494	1.242737	-2.527886	-2.333757
1	1.729852	1.434513	2.024067	1.901597	1.301911	1.974813	-2.261449	-0.116400	-1.664153
1	2.542509	0.977884	-0.975568	2.583636	0.772137	-1.020414	0.333766	1.321903	-2.562008
1	3.375126	0.303812	0.530993	3.427649	0.069545	0.446756	-1.296402	2.068006	-2.208535

**Table S27.** Optimized coordinates of the **1Q-2** for the  $(\text{C}_4\text{H}_6)_2\text{Fe}_2(\text{CO})$  structure.

	BP86			M06-L			B3LYP		
	x	y	z	x	y	z	x	y	z
6	-0.222024	1.684836	0.002670	-0.225342	1.700372	-0.025294	-0.265970	1.713621	0.017347
26	1.303635	0.442165	0.102459	1.329594	0.462065	0.117527	1.340393	0.464660	0.121223
26	-0.903788	-0.030344	-0.035745	-0.896428	-0.028864	-0.007909	-0.934838	-0.007732	-0.087516
6	3.045926	-0.341054	1.000802	3.162591	-0.267670	0.855143	3.008097	-0.475505	1.092418
6	-1.879517	-0.625255	1.700055	-2.047485	-0.441259	1.668151	-1.848690	-0.772989	1.721224
6	3.076968	-0.499220	-0.417327	3.010070	-0.534532	-0.526895	3.144540	-0.477694	-0.316784
6	-2.308488	-1.429284	0.595296	-2.340772	-1.358334	0.626653	-2.282332	-1.496135	0.586622
6	1.960780	-1.052168	-1.153512	1.844951	-1.187710	-1.050822	2.111612	-0.929380	-1.209791
6	-2.723113	-0.858798	-0.663731	-2.627432	-0.935485	-0.710303	-2.798760	-0.882112	-0.604976
6	0.779986	-1.603986	-0.515940	0.785519	-1.657251	-0.211105	0.869842	-1.515908	-0.778161
6	-2.746258	0.545718	-0.904995	-2.639909	0.424541	-1.092511	-2.936464	0.511137	-0.781515
1	2.563648	-1.091683	1.645935	2.784032	-0.971091	1.599064	2.444911	-1.254188	1.609727
1	3.843056	0.238178	1.481876	4.009740	0.329062	1.180165	3.774625	0.012615	1.690164
1	3.846920	0.031574	-0.996652	3.682629	-0.057005	-1.238995	3.971851	0.077959	-0.761847
1	1.954987	-0.915137	-2.244510	1.697897	-1.180038	-2.129329	2.229215	-0.686158	-2.266984
1	0.905367	-2.215274	0.391448	1.032426	-2.106552	0.753763	0.883050	-2.205457	0.069233
1	0.038788	-2.021487	-1.217005	-0.022365	-2.178532	-0.729728	0.209172	-1.842765	-1.584707
8	-0.357983	2.880367	-0.022217	-0.414829	2.876098	-0.069664	-0.389313	2.891200	0.019513
1	-2.085409	-2.505918	0.602170	-2.099513	-2.411371	0.768923	-2.022007	-2.552915	0.513302
1	-2.387258	0.315747	1.958219	-2.579209	0.507938	1.748685	-2.330586	0.156631	2.024580
1	-1.399928	-1.125313	2.550006	-1.678672	-0.829778	2.612855	-1.341296	-1.305707	2.521630
1	-2.771453	-1.543927	-1.523189	-2.578077	-1.699390	-1.486661	-2.876000	-1.523792	-1.484415
1	-3.069348	1.257039	-0.131633	-3.027150	1.193427	-0.422757	-3.196711	1.170320	0.046246
1	-2.877096	0.901165	-1.933385	-2.698581	0.675296	-2.146856	-3.187373	0.893513	-1.767736

**Table S28.** Harmonic vibrational frequencies (in  $\text{cm}^{-1}$ ) and infrared intensities (in parentheses, in  $\text{km/mol}$ ) for the structure **2S-1** of  $(\text{C}_4\text{H}_6)_2\text{Fe}_2(\text{CO})_2$  structure.

BP86	M06-L	B3LYP	BP86	M06-L	B3LYP	BP86	M06-L	B3LYP
63(0)	54(0)	58(0)	564(55)	581(21)	571(37)	1163(2)	1193(3)	1199(2)
71(0)	68(0)	64(1)	579(14)	592(55)	583(77)	1193(7)	1231(13)	1236(17)
91(1)	87(1)	88(1)	644(3)	672(7)	661(6)	1327(3)	1365(1)	1382(2)
117(1)	114(1)	118(1)	655(9)	683(5)	684(3)	1348(0)	1385(1)	1403(0)
132(1)	135(1)	122(1)	709(19)	731(5)	737(3)	1410(4)	1444(4)	1461(5)
150(1)	158(3)	148(0)	741(8)	752(7)	759(4)	1414(7)	1452(5)	1474(6)
158(2)	174(1)	156(2)	758(6)	773(9)	773(23)	1425(2)	1466(1)	1479(5)
198(1)	200(1)	191(1)	791(24)	817(20)	829(24)	1438(5)	1493(4)	1493(4)
216(2)	218(1)	213(2)	851(4)	868(5)	881(6)	1459(3)	1501(6)	1518(8)
262(1)	266(2)	257(1)	855(8)	879(3)	900(17)	1468(8)	1512(11)	1524(15)
324(4)	335(2)	326(1)	860(4)	886(2)	905(4)	1793(491)	1883(602)	1875(656)
345(1)	363(0)	346(1)	893(3)	898(9)	912(11)	1942(1037)	2035(1173)	2052(1213)
349(2)	376(6)	364(4)	902(17)	925(12)	939(6)	2392(2)	2624(0)	2597(2)
394(3)	418(2)	386(5)	913(6)	935(10)	958(6)	2913(7)	3008(2)	3055(1)
398(4)	424(2)	393(4)	925(1)	950(2)	960(4)	3036(17)	3089(36)	3117(10)
408(4)	431(15)	412(6)	934(5)	967(5)	975(3)	3039(12)	3100(28)	3125(9)
431(11)	455(20)	434(29)	939(3)	973(3)	985(2)	3093(2)	3157(6)	3166(2)
450(0)	467(6)	460(15)	1006(5)	1039(5)	1045(6)	3099(0)	3158(2)	3176(4)
456(2)	473(3)	471(1)	1028(5)	1059(6)	1066(1)	3102(4)	3163(12)	3178(0)
475(9)	486(6)	478(2)	1031(4)	1067(4)	1068(10)	3108(10)	3169(23)	3184(8)
484(5)	503(3)	484(8)	1043(4)	1078(7)	1078(6)	3117(5)	3180(42)	3190(5)
495(4)	513(17)	493(3)	1099(4)	1145(5)	1149(3)	3120(9)	3181(6)	3201(9)
531(20)	542(34)	523(19)	1150(5)	1173(1)	1164(3)	3126(8)	3192(17)	3203(8)
560(19)	562(63)	558(84)	1153(4)	1188(8)	1194(10)	3129(7)	3192(27)	3210(7)

**Table S29.** Harmonic vibrational frequencies (in  $\text{cm}^{-1}$ ) and infrared intensities (in parentheses, in  $\text{km/mol}$ ) for the structure **2S-2** of  $(\text{C}_4\text{H}_6)_2\text{Fe}_2(\text{CO})_2$  structure.

BP86	M06-L	B3LYP	BP86	M06-L	B3LYP	BP86	M06-L	B3LYP
38(0)	49(2)	43(0)	532(0)	543(0)	540(0)	1234(14)	1268(25)	1275(55)
44(2)	57(0)	51(3)	539(6)	545(13)	540(82)	1235(0)	1269(0)	1277(0)
50(0)	64(0)	59(0)	554(9)	571(16)	565(0)	1357(2)	1392(0)	1414(2)
79(2)	87(2)	92(1)	612(37)	610(58)	580(11)	1357(0)	1393(0)	1414(0)
93(2)	92(2)	103(2)	650(0)	678(0)	696(0)	1413(16)	1450(14)	1461(42)
101(0)	107(0)	105(0)	659(0)	684(0)	697(0)	1413(0)	1450(0)	1462(0)
114(0)	108(0)	114(0)	667(15)	700(13)	712(16)	1463(0)	1512(0)	1524(86)
186(6)	178(6)	174(10)	715(36)	729(31)	723(3)	1464(9)	1512(11)	1525(0)
200(0)	207(0)	183(0)	847(7)	866(3)	875(8)	1468(23)	1523(41)	1532(0)
241(0)	251(0)	234(0)	850(0)	868(0)	888(0)	1469(0)	1524(0)	1532(10)
245(3)	258(3)	235(10)	855(17)	873(31)	892(0)	1761(883)	1840(1043)	1811(1172)
286(0)	293(0)	294(0)	855(0)	876(0)	897(24)	1783(0)	1865(0)	1857(0)
361(35)	375(39)	359(0)	880(29)	903(43)	923(20)	3021(0)	3079(0)	3099(0)
380(0)	394(0)	372(47)	884(0)	907(0)	926(0)	3021(2)	3080(0)	3099(4)
385(4)	395(4)	382(5)	892(8)	924(5)	939(30)	3030(10)	3087(22)	3109(17)
397(0)	407(0)	401(0)	894(0)	925(0)	940(0)	3030(0)	3087(0)	3109(0)
397(1)	420(0)	402(4)	927(0)	954(0)	988(0)	3092(3)	3156(0)	3169(3)
404(0)	423(0)	405(2)	931(2)	958(2)	990(1)	3092(0)	3156(9)	3169(0)
412(2)	446(5)	417(0)	1023(17)	1060(25)	1062(19)	3105(0)	3170(55)	3183(18)
423(0)	452(0)	435(0)	1025(0)	1062(0)	1063(0)	3105(17)	3170(0)	3183(0)
447(0)	467(0)	439(0)	1041(0)	1076(9)	1082(0)	3150(8)	3223(0)	3227(10)
457(0)	474(0)	460(0)	1041(10)	1076(0)	1083(10)	3150(0)	3223(35)	3227(0)
484(2)	494(2)	501(5)	1165(0)	1205(0)	1212(0)	3152(2)	3224(8)	3229(3)
530(0)	542(0)	527(51)	1166(8)	1205(8)	1212(10)	3152(0)	3225(0)	3230(0)

**Table S30.** Harmonic vibrational frequencies (in  $\text{cm}^{-1}$ ) and infrared intensities (in parentheses, in  $\text{km/mol}$ ) for the structure **2S-3** of  $(\text{C}_4\text{H}_6)_2\text{Fe}_2(\text{CO})_2$  structure.

BP86	M06-L	B3LYP	BP86	M06-L	B3LYP	BP86	M06-L	B3LYP
45(6)	44(0)	-117(7)	549(0)	563(3)	560(12)	1225(7)	1256(15)	1269(16)
48(0)	51(4)	48(0)	562(1)	575(23)	571(26)	1232(1)	1265(2)	1274(3)
60(0)	80(0)	53(0)	591(26)	584(8)	578(1)	1348(1)	1382(2)	1406(1)
83(0)	83(8)	73(1)	602(4)	605(2)	584(26)	1349(1)	1384(1)	1407(3)
92(9)	94(0)	94(1)	706(3)	713(5)	703(18)	1409(2)	1444(3)	1442(11)
103(1)	101(1)	110(0)	734(0)	741(0)	721(0)	1414(6)	1449(5)	1444(10)
108(0)	112(0)	133(1)	753(2)	760(2)	752(13)	1461(8)	1501(13)	1511(32)
156(0)	158(0)	141(4)	754(13)	761(13)	759(0)	1464(1)	1507(0)	1513(2)
157(1)	159(1)	146(0)	831(8)	843(4)	862(7)	1484(22)	1529(39)	1530(17)
246(1)	264(1)	245(0)	844(2)	856(1)	863(0)	1492(7)	1540(4)	1530(1)
279(2)	290(2)	253(0)	864(7)	874(8)	879(9)	1925(424)	1998(472)	2005(1280)
295(1)	310(1)	304(0)	865(7)	881(2)	887(27)	1955(1040)	2039(1188)	2037(1211)
335(8)	340(9)	315(3)	869(2)	884(5)	920(0)	3021(11)	3088(47)	3131(0)
344(3)	347(2)	326(1)	889(3)	900(1)	920(2)	3022(0)	3089(0)	3131(4)
376(4)	393(5)	394(8)	903(0)	909(1)	950(9)	3044(3)	3115(6)	3139(4)
393(0)	407(0)	416(1)	909(10)	914(12)	953(1)	3045(4)	3115(9)	3139(3)
437(1)	451(1)	431(32)	919(2)	934(3)	971(0)	3064(6)	3128(25)	3159(0)
451(17)	466(13)	442(0)	931(0)	945(1)	987(4)	3064(6)	3128(14)	3163(2)
465(6)	472(13)	462(5)	1013(2)	1038(4)	1047(0)	3070(2)	3138(37)	3176(0)
474(1)	492(1)	483(10)	1015(2)	1041(3)	1048(1)	3071(12)	3139(4)	3178(16)
479(0)	505(1)	499(0)	1042(0)	1073(0)	1085(0)	3121(8)	3188(14)	3219(1)
516(9)	533(11)	515(1)	1043(7)	1074(5)	1086(6)	3122(5)	3188(14)	3220(4)
522(49)	540(50)	536(50)	1170(3)	1205(5)	1213(6)	3151(5)	3221(17)	3232(3)
545(0)	547(5)	559(54)	1174(0)	1210(0)	1218(1)	3152(2)	3221(3)	3233(1)

**Table S31.** Harmonic vibrational frequencies (in  $\text{cm}^{-1}$ ) and infrared intensities (in parentheses, in  $\text{km/mol}$ ) for the structure **2T-1** of  $(\text{C}_4\text{H}_6)_2\text{Fe}_2(\text{CO})_2$  structure.

BP86	M06-L	B3LYP	BP86	M06-L	B3LYP	BP86	M06-L	B3LYP
40(1)	37(1)	30(1)	518(3)	515(4)	516(32)	1218(13)	1252(17)	1254(24)
53(1)	56(1)	51(1)	531(14)	530(20)	560(192)	1220(0)	1254(0)	1255(0)
74(0)	67(0)	70(0)	584(5)	598(8)	608(6)	1355(0)	1389(0)	1407(0)
80(0)	86(0)	81(0)	594(1)	610(0)	618(6)	1355(1)	1389(0)	1407(0)
100(0)	102(1)	88(2)	654(5)	666(4)	702(1)	1420(10)	1457(12)	1470(0)
112(0)	123(0)	124(0)	672(1)	690(0)	707(79)	1421(0)	1457(0)	1473(41)
126(0)	126(0)	124(0)	687(4)	704(1)	716(1)	1462(6)	1506(1)	1517(12)
164(1)	155(1)	148(4)	692(1)	704(1)	722(139)	1463(10)	1506(12)	1517(6)
186(1)	187(0)	185(0)	841(13)	862(9)	875(6)	1468(10)	1515(11)	1524(5)
199(0)	199(0)	194(0)	847(2)	868(4)	881(2)	1468(1)	1517(0)	1524(11)
240(3)	245(3)	220(5)	855(9)	870(2)	888(11)	1842(1078)	1931(1315)	1936(1475)
267(0)	270(0)	271(0)	856(4)	870(9)	892(15)	1858(65)	1951(62)	1961(68)
330(9)	325(8)	274(0)	876(1)	894(7)	917(0)	3057(0)	3115(5)	3135(0)
351(0)	355(0)	355(1)	877(0)	896(0)	917(18)	3057(2)	3115(17)	3136(3)
375(5)	377(6)	363(8)	904(9)	930(15)	938(0)	3061(5)	3119(17)	3141(0)
376(8)	397(4)	369(0)	905(0)	931(0)	947(16)	3061(0)	3119(3)	3141(7)
385(2)	404(2)	397(33)	913(1)	940(1)	966(1)	3097(2)	3161(6)	3175(1)
396(0)	413(0)	398(1)	914(2)	941(1)	967(1)	3097(2)	3161(2)	3176(0)
413(13)	437(15)	445(0)	1029(15)	1063(22)	1065(0)	3114(0)	3176(0)	3190(0)
440(1)	465(2)	460(1)	1030(0)	1064(2)	1074(13)	3114(8)	3176(31)	3190(9)
447(3)	470(0)	462(1)	1036(11)	1070(8)	1074(0)	3153(0)	3223(3)	3230(7)
450(1)	476(0)	468(17)	1037(0)	1070(1)	1077(21)	3154(7)	3223(18)	3230(1)
461(1)	477(16)	473(4)	1164(0)	1201(0)	1203(0)	3155(2)	3225(4)	3233(1)
473(13)	480(2)	507(2)	1164(8)	1201(9)	1203(10)	3155(1)	3225(13)	3233(9)

**Table S32.** Harmonic vibrational frequencies (in  $\text{cm}^{-1}$ ) and infrared intensities (in parentheses, in  $\text{km/mol}$ ) for the structure **2T-2** of  $(\text{C}_4\text{H}_6)_2\text{Fe}_2(\text{CO})_2$  structure.

BP86	M06-L	B3LYP	BP86	M06-L	B3LYP	BP86	M06-L	B3LYP
30(0)	39(0)	29(0)	565(33)	560(52)	562(58)	1153(4)	1194(5)	1198(6)
51(1)	59(1)	46(1)	590(47)	598(62)	614(58)	1194(10)	1235(11)	1241(16)
73(1)	77(0)	84(0)	620(5)	641(6)	628(15)	1322(2)	1364(0)	1374(2)
98(2)	107(1)	95(2)	665(3)	683(3)	663(3)	1348(0)	1384(0)	1405(0)
106(2)	112(2)	108(1)	709(1)	736(8)	728(8)	1395(4)	1442(1)	1440(2)
133(2)	130(1)	123(2)	724(9)	739(1)	731(2)	1406(4)	1462(3)	1471(5)
150(2)	153(1)	142(1)	736(8)	755(6)	745(11)	1427(3)	1463(5)	1478(13)
183(0)	194(1)	179(0)	770(5)	781(4)	778(6)	1430(9)	1476(7)	1495(4)
219(1)	219(2)	202(1)	833(6)	853(6)	860(22)	1458(4)	1504(5)	1522(14)
233(1)	237(1)	224(1)	848(8)	871(4)	889(22)	1468(7)	1510(10)	1524(8)
301(1)	310(1)	290(2)	876(2)	892(6)	895(5)	1908(485)	1981(592)	1998(803)
315(2)	324(0)	307(0)	877(7)	898(6)	916(6)	1957(1296)	2043(1346)	2053(1246)
373(1)	386(1)	359(5)	906(10)	923(10)	925(9)	2515(6)	2744(8)	2737(13)
387(4)	398(2)	365(3)	920(1)	942(1)	952(2)	2561(3)	2802(2)	2773(5)
389(4)	412(2)	373(0)	926(3)	951(5)	967(10)	3046(8)	3106(30)	3129(5)
405(4)	427(3)	406(1)	933(4)	967(6)	974(2)	3048(12)	3110(20)	3134(6)
421(1)	444(12)	417(7)	986(8)	1019(15)	1007(21)	3098(2)	3162(6)	3172(4)
434(11)	447(1)	448(5)	1017(11)	1042(8)	1020(6)	3100(4)	3170(10)	3178(2)
449(4)	464(4)	453(1)	1025(2)	1058(3)	1048(6)	3113(1)	3177(1)	3180(1)
458(4)	487(5)	458(4)	1040(1)	1060(1)	1069(3)	3118(5)	3179(14)	3188(6)
480(16)	491(7)	479(6)	1044(8)	1069(4)	1074(2)	3121(4)	3186(24)	3198(2)
484(3)	499(1)	504(3)	1058(4)	1074(12)	1076(9)	3130(8)	3198(25)	3202(9)
499(5)	513(11)	508(12)	1097(5)	1148(5)	1143(4)	3134(6)	3198(17)	3214(7)
529(13)	536(10)	521(14)	1134(3)	1181(4)	1177(4)	3140(3)	3207(9)	3226(3)

**Table S33.** Harmonic vibrational frequencies (in  $\text{cm}^{-1}$ ) and infrared intensities (in parentheses, in  $\text{km/mol}$ ) for the structure **2T-3** of  $(\text{C}_4\text{H}_6)_2\text{Fe}_2(\text{CO})_2$  structure.

BP86	M06-L	B3LYP	BP86	M06-L	B3LYP	BP86	M06-L	B3LYP
35(0)	43(0)	39(0)	544(17)	552(3)	551(8)	1225(5)	1256(9)	1267(21)
52(0)	53(0)	49(0)	553(0)	568(20)	563(22)	1232(1)	1263(2)	1276(1)
62(0)	54(0)	51(0)	579(24)	577(0)	579(0)	1348(0)	1383(1)	1404(0)
80(0)	99(1)	85(9)	593(5)	601(5)	594(8)	1349(1)	1384(1)	1405(1)
101(2)	110(0)	96(0)	699(4)	702(5)	715(4)	1404(0)	1440(1)	1451(12)
122(0)	121(0)	105(0)	716(0)	712(1)	725(1)	1408(7)	1442(6)	1459(9)
122(6)	123(4)	110(0)	733(0)	746(5)	757(9)	1458(9)	1494(8)	1504(17)
143(1)	145(1)	141(1)	738(4)	747(0)	757(0)	1462(1)	1500(1)	1512(1)
158(4)	158(2)	148(1)	833(9)	856(4)	875(7)	1477(17)	1523(31)	1540(34)
250(1)	258(0)	216(0)	838(2)	858(1)	882(7)	1482(6)	1529(2)	1545(3)
269(1)	272(2)	268(5)	864(10)	881(6)	900(5)	1925(656)	2000(725)	1995(924)
282(1)	279(1)	271(0)	872(4)	885(9)	905(4)	1950(1043)	2032(1214)	2027(1268)
341(7)	343(2)	314(4)	882(4)	896(4)	925(0)	3045(8)	3098(38)	3102(10)
344(3)	344(7)	326(2)	899(0)	901(0)	926(10)	3045(0)	3098(0)	3102(0)
394(1)	396(1)	366(1)	900(2)	912(5)	938(1)	3061(0)	3128(3)	3140(1)
395(0)	397(3)	371(4)	902(8)	915(0)	946(1)	3062(3)	3128(10)	3140(4)
431(5)	443(16)	417(16)	914(3)	928(1)	948(1)	3073(3)	3132(15)	3151(2)
439(0)	451(0)	434(0)	923(0)	941(0)	960(0)	3073(5)	3132(13)	3151(3)
449(13)	466(9)	440(19)	1011(2)	1032(3)	1048(4)	3078(1)	3143(38)	3160(1)
475(0)	494(0)	478(0)	1012(2)	1034(2)	1049(1)	3079(12)	3144(5)	3161(15)
483(0)	514(1)	505(1)	1043(0)	1078(1)	1088(0)	3133(3)	3196(11)	3204(4)
509(6)	526(5)	518(9)	1046(6)	1078(2)	1089(3)	3133(3)	3196(8)	3204(5)
523(50)	534(43)	537(39)	1172(1)	1207(2)	1211(2)	3163(1)	3234(1)	3242(5)
544(0)	543(32)	543(50)	1174(0)	1212(1)	1217(1)	3163(3)	3234(18)	3243(1)

**Table S34.** Harmonic vibrational frequencies (in  $\text{cm}^{-1}$ ) and infrared intensities (in parentheses, in  $\text{km/mol}$ ) for the structure **2Q-1** of  $(\text{C}_4\text{H}_6)_2\text{Fe}_2(\text{CO})_2$  structure.

BP86	M06-L	B3LYP	BP86	M06-L	B3LYP	BP86	M06-L	B3LYP
50(0)	48(0)	51(0)	496(12)	508(3)	501(15)	1237(15)	1271(21)	1282(38)
75(0)	62(1)	64(1)	526(29)	521(14)	536(11)	1243(9)	1276(12)	1288(17)
76(1)	73(0)	79(0)	551(7)	563(7)	570(8)	1354(0)	1389(0)	1408(0)
87(0)	77(0)	89(0)	557(2)	568(2)	572(2)	1356(2)	1391(4)	1410(2)
122(0)	116(0)	109(0)	669(1)	680(1)	690(1)	1397(11)	1435(10)	1442(35)
127(1)	123(1)	122(1)	684(2)	695(3)	700(4)	1401(17)	1438(13)	1448(23)
150(0)	154(0)	153(0)	704(0)	709(0)	735(1)	1465(21)	1510(24)	1524(55)
157(0)	156(0)	158(0)	727(1)	732(2)	750(3)	1469(4)	1516(1)	1529(12)
211(0)	186(0)	176(3)	813(2)	821(0)	842(2)	1483(28)	1522(32)	1537(35)
247(0)	254(0)	228(2)	820(53)	829(62)	846(66)	1484(41)	1523(59)	1538(44)
250(0)	256(0)	257(0)	836(6)	853(7)	865(4)	1815(454)	1913(549)	1922(628)
268(0)	268(1)	261(2)	841(4)	856(3)	869(10)	1962(1045)	2047(1186)	2045(1188)
308(17)	296(13)	294(3)	865(1)	875(0)	904(8)	3055(1)	3117(24)	3134(1)
324(1)	322(2)	303(3)	875(17)	881(14)	918(4)	3057(2)	3118(15)	3136(1)
331(0)	333(5)	316(3)	891(0)	897(1)	925(0)	3059(5)	3122(1)	3137(5)
332(2)	341(1)	328(0)	893(1)	897(5)	932(1)	3059(4)	3122(2)	3138(6)
371(10)	388(7)	360(11)	903(0)	922(3)	945(1)	3064(0)	3124(4)	3141(0)
412(3)	415(6)	390(5)	906(2)	922(0)	950(3)	3064(4)	3124(18)	3141(5)
417(3)	420(0)	421(3)	1009(2)	1034(2)	1048(1)	3073(0)	3143(39)	3153(0)
423(1)	428(1)	425(1)	1009(1)	1034(3)	1048(3)	3075(16)	3143(1)	3155(16)
438(0)	452(6)	428(5)	1046(1)	1077(1)	1086(1)	3145(0)	3213(0)	3225(0)
466(16)	469(41)	469(25)	1052(8)	1083(7)	1092(12)	3146(6)	3213(19)	3225(7)
488(20)	484(25)	473(64)	1175(1)	1209(2)	1216(0)	3155(0)	3225(1)	3235(0)
496(5)	494(6)	489(3)	1179(6)	1214(7)	1222(6)	3156(7)	3225(23)	3235(6)

**Table S35.** Harmonic vibrational frequencies (in  $\text{cm}^{-1}$ ) and infrared intensities (in parentheses, in  $\text{km/mol}$ ) for the structure **2Q-2** of  $(\text{C}_4\text{H}_6)_2\text{Fe}_2(\text{CO})_2$  structure.

BP86	M06-L	B3LYP	BP86	M06-L	B3LYP	BP86	M06-L	B3LYP
20(0)	27(1)	21(0)	557(11)	533(35)	547(40)	1203(4)	1232(5)	1237(7)
53(1)	48(1)	42(0)	561(26)	572(18)	576(3)	1253(24)	1284(25)	1293(42)
68(0)	72(0)	73(1)	582(16)	578(25)	586(46)	1342(3)	1379(6)	1394(7)
80(0)	80(1)	76(1)	599(17)	635(4)	629(7)	1364(1)	1397(0)	1419(1)
83(1)	90(1)	79(0)	631(39)	648(37)	645(54)	1414(4)	1453(8)	1463(28)
88(0)	98(0)	103(1)	655(6)	690(1)	694(0)	1417(17)	1459(7)	1474(6)
102(1)	108(1)	111(0)	661(4)	702(9)	706(2)	1434(4)	1474(6)	1481(5)
111(1)	134(0)	117(0)	713(0)	726(3)	729(6)	1479(12)	1522(13)	1525(15)
119(0)	154(1)	147(1)	801(11)	812(19)	840(16)	1487(51)	1538(57)	1542(94)
193(0)	206(1)	177(0)	819(10)	815(10)	851(13)	1497(17)	1545(28)	1560(11)
243(3)	261(1)	212(2)	841(7)	858(5)	870(12)	1912(798)	1966(820)	1974(952)
258(1)	265(3)	230(3)	863(9)	871(10)	885(12)	1948(706)	2020(744)	2035(855)
280(0)	303(1)	283(0)	891(7)	912(7)	916(2)	2979(10)	3024(27)	3052(10)
317(4)	314(3)	305(2)	898(2)	926(1)	944(6)	3039(4)	3096(9)	3116(4)
350(1)	366(4)	343(5)	913(9)	935(11)	951(16)	3050(4)	3110(6)	3120(8)
371(3)	382(2)	354(1)	930(2)	964(12)	966(2)	3053(3)	3124(11)	3123(3)
385(4)	397(10)	382(5)	945(4)	965(1)	986(13)	3071(3)	3131(8)	3151(3)
397(3)	405(4)	391(1)	948(11)	976(6)	987(7)	3092(1)	3155(5)	3168(2)
411(8)	411(7)	408(9)	992(5)	1023(6)	1027(6)	3095(1)	3161(7)	3169(2)
423(2)	434(2)	413(2)	1032(3)	1062(4)	1065(2)	3107(3)	3175(10)	3184(3)
457(6)	464(3)	460(4)	1050(6)	1082(7)	1088(9)	3114(12)	3183(35)	3191(14)
487(1)	483(2)	490(8)	1075(3)	1103(3)	1111(3)	3157(3)	3226(10)	3236(2)
504(3)	496(4)	494(8)	1145(7)	1182(7)	1188(8)	3160(6)	3226(17)	3237(6)
514(7)	507(4)	509(2)	1188(7)	1225(8)	1233(8)	3164(2)	3234(7)	3238(1)

**Table S36.** Harmonic vibrational frequencies (in  $\text{cm}^{-1}$ ) and infrared intensities (in parentheses, in  $\text{km/mol}$ ) for the structure **2Q-3** of  $(\text{C}_4\text{H}_6)_2\text{Fe}_2(\text{CO})_2$  structure.

BP86	M06-L	B3LYP	BP86	M06-L	B3LYP	BP86	M06-L	B3LYP
-39(0)	24(1)	-2(1)	523(0)	508(0)	523(7)	1237(20)	1278(36)	1277(47)
1(2)	37(0)	21(0)	525(8)	508(8)	527(0)	1238(0)	1279(0)	1279(0)
46(0)	65(1)	42(15)	561(0)	570(0)	579(0)	1360(0)	1395(0)	1412(0)
53(10)	74(4)	50(1)	568(1)	574(4)	588(2)	1360(1)	1396(0)	1412(1)
83(1)	85(1)	87(1)	645(33)	653(47)	661(85)	1417(0)	1455(0)	1465(25)
95(0)	94(0)	95(0)	653(0)	660(0)	671(0)	1417(15)	1456(14)	1466(0)
95(0)	100(0)	96(0)	663(0)	686(0)	693(0)	1476(34)	1530(0)	1531(66)
131(3)	135(5)	118(7)	667(1)	689(0)	699(2)	1477(0)	1530(20)	1532(0)
152(0)	160(0)	138(0)	822(22)	820(9)	846(11)	1478(0)	1533(68)	1538(19)
186(0)	198(0)	150(0)	825(0)	823(0)	850(0)	1478(14)	1534(0)	1538(0)
208(21)	213(61)	211(30)	830(0)	825(0)	858(0)	1842(1002)	1911(1243)	1949(0)
249(39)	250(39)	229(0)	832(5)	827(16)	859(9)	1858(0)	1937(0)	1951(1295)
253(0)	268(0)	239(0)	873(4)	905(10)	913(2)	3067(0)	3125(18)	3149(0)
258(0)	273(0)	247(2)	874(0)	905(0)	915(0)	3067(0)	3125(0)	3149(0)
275(3)	280(4)	258(35)	894(3)	923(4)	922(2)	3067(5)	3127(0)	3150(4)
300(0)	312(0)	309(0)	895(0)	924(0)	923(0)	3068(0)	3127(2)	3151(0)
362(8)	377(2)	338(2)	924(0)	961(0)	970(0)	3091(0)	3161(0)	3167(0)
375(0)	396(0)	374(0)	925(2)	964(2)	972(2)	3091(2)	3161(6)	3167(2)
382(9)	398(18)	382(7)	1026(10)	1060(12)	1060(8)	3104(0)	3174(0)	3182(0)
422(0)	432(0)	434(0)	1027(0)	1061(0)	1060(0)	3104(9)	3174(27)	3182(8)
425(0)	438(13)	438(11)	1044(0)	1080(13)	1083(0)	3161(0)	3238(9)	3242(0)
430(9)	442(0)	449(0)	1044(14)	1080(0)	1083(20)	3161(8)	3239(0)	3242(6)
437(0)	445(0)	450(0)	1178(0)	1218(0)	1220(0)	3162(4)	3239(30)	3243(6)
460(19)	464(19)	479(27)	1179(8)	1219(11)	1220(10)	3162(0)	3239(0)	3243(0)

**Table S37.** Harmonic vibrational frequencies (in  $\text{cm}^{-1}$ ) and infrared intensities (in parentheses, in  $\text{km/mol}$ ) for the structure **1S-1** of  $(\text{C}_4\text{H}_6)_2\text{Fe}_2(\text{CO})$  structure.

BP86	M06-L	B3LYP	BP86	M06-L	B3LYP	BP86	M06-L	B3LYP
75(0)	66(0)	13(0)	601(5)	602(11)	607(3)	1200(1)	1234(3)	1268(11)
77(0)	70(0)	75(0)	627(0)	641(1)	663(1)	1327(1)	1364(0)	1395(2)
89(0)	76(0)	88(0)	681(1)	705(1)	732(2)	1328(0)	1365(0)	1398(0)
114(9)	103(9)	128(0)	697(0)	708(0)	733(1)	1365(3)	1411(5)	1427(26)
153(1)	158(1)	148(1)	723(5)	735(5)	766(10)	1370(3)	1416(3)	1443(13)
171(0)	159(1)	173(0)	811(6)	827(1)	835(16)	1427(10)	1470(18)	1509(49)
173(2)	171(2)	183(0)	817(16)	833(9)	836(3)	1428(12)	1471(13)	1517(4)
277(4)	286(5)	243(7)	829(2)	834(2)	861(1)	1451(11)	1492(11)	1520(1)
297(0)	316(1)	285(3)	847(29)	856(46)	877(33)	1453(4)	1495(2)	1527(36)
310(3)	328(2)	290(2)	852(3)	873(5)	887(2)	1933(901)	2011(1040)	1996(1046)
359(6)	372(6)	297(1)	861(16)	879(3)	895(45)	3022(2)	3088(14)	3095(0)
418(16)	435(1)	350(9)	862(1)	881(19)	925(7)	3023(4)	3089(12)	3095(3)
422(1)	439(41)	382(6)	877(4)	897(3)	946(4)	3042(4)	3108(20)	3122(9)
428(8)	450(0)	438(4)	896(2)	913(14)	961(2)	3043(5)	3109(18)	3123(8)
464(21)	472(25)	441(41)	899(1)	918(1)	975(0)	3078(1)	3140(27)	3151(0)
471(21)	483(24)	459(0)	994(1)	1021(1)	1043(1)	3078(11)	3141(1)	3154(3)
483(6)	500(3)	485(11)	997(2)	1023(2)	1046(2)	3097(2)	3162(47)	3167(0)
484(0)	506(16)	502(16)	1014(1)	1046(1)	1067(0)	3099(17)	3162(4)	3171(18)
494(0)	506(1)	519(14)	1020(12)	1052(13)	1073(15)	3111(0)	3185(0)	3192(0)
512(1)	515(9)	523(17)	1140(1)	1179(1)	1199(7)	3112(14)	3186(30)	3195(13)
532(28)	540(13)	549(24)	1145(4)	1185(7)	1206(9)	3131(4)	3199(5)	3207(2)
572(4)	589(4)	578(13)	1193(12)	1228(19)	1255(35)	3132(7)	3199(22)	3207(10)

**Table S38.** Harmonic vibrational frequencies (in  $\text{cm}^{-1}$ ) and infrared intensities (in parentheses, in  $\text{km/mol}$ ) for the structure **1S-2** of  $(\text{C}_4\text{H}_6)_2\text{Fe}_2(\text{CO})$  structure.

BP86	M06-L	B3LYP	BP86	M06-L	B3LYP	BP86	M06-L	B3LYP
54(0)	54(0)	59(0)	586(0)	606(0)	608(0)	1238(9)	1273(13)	1291(20)
70(1)	68(1)	69(1)	664(4)	686(2)	692(7)	1354(0)	1389(0)	1411(0)
81(0)	86(0)	83(0)	674(3)	691(3)	699(4)	1361(0)	1398(1)	1419(0)
87(0)	91(0)	88(0)	688(4)	717(2)	711(2)	1412(2)	1447(3)	1462(18)
112(1)	112(2)	119(2)	695(3)	718(2)	719(2)	1413(7)	1452(6)	1464(8)
143(1)	149(1)	150(1)	839(11)	863(1)	868(5)	1454(7)	1500(9)	1515(22)
197(1)	192(2)	178(4)	846(15)	871(3)	887(15)	1457(8)	1508(4)	1519(8)
228(0)	234(0)	231(1)	855(0)	875(15)	888(0)	1459(6)	1509(11)	1521(17)
245(0)	245(0)	248(1)	864(15)	884(22)	895(19)	1461(2)	1512(7)	1530(3)
295(3)	304(2)	300(6)	869(3)	892(13)	917(2)	1826(716)	1907(876)	1914(958)
362(9)	356(12)	318(7)	874(4)	895(0)	921(2)	3026(0)	3087(3)	3106(0)
387(9)	398(9)	363(9)	892(2)	919(1)	928(19)	3029(3)	3088(8)	3113(4)
392(4)	414(3)	384(12)	896(9)	923(10)	933(5)	3033(13)	3090(22)	3131(2)
415(3)	438(4)	417(1)	898(1)	929(0)	960(1)	3033(2)	3092(17)	3132(8)
423(1)	439(5)	418(4)	903(6)	931(6)	971(1)	3069(1)	3136(3)	3143(1)
427(0)	445(0)	424(1)	1015(19)	1050(28)	1054(17)	3078(2)	3138(5)	3154(2)
445(6)	465(0)	438(0)	1017(5)	1052(5)	1056(4)	3084(9)	3152(27)	3161(8)
452(1)	471(3)	451(0)	1038(3)	1073(2)	1079(3)	3092(11)	3153(28)	3170(10)
457(1)	488(1)	464(0)	1045(4)	1079(4)	1088(5)	3132(9)	3199(27)	3221(8)
474(8)	493(9)	476(16)	1158(5)	1199(5)	1203(6)	3133(5)	3200(11)	3222(7)
547(10)	543(13)	547(17)	1165(9)	1206(10)	1217(9)	3145(6)	3214(21)	3222(6)
555(5)	562(7)	582(6)	1225(6)	1263(11)	1270(19)	3147(1)	3216(3)	3224(1)

**Table S39.** Harmonic vibrational frequencies (in  $\text{cm}^{-1}$ ) and infrared intensities (in parentheses, in  $\text{km/mol}$ ) for the structure **1T-1** of  $(\text{C}_4\text{H}_6)_2\text{Fe}_2(\text{CO})$  structure.

BP86	M06-L	B3LYP	BP86	M06-L	B3LYP	BP86	M06-L	B3LYP
51(0)	23(1)	26(1)	584(14)	587(10)	563(1)	1215(2)	1254(4)	1270(1)
66(0)	34(0)	40(0)	665(0)	688(0)	657(4)	1337(0)	1375(0)	1396(2)
74(0)	70(0)	91(1)	678(2)	691(7)	681(7)	1338(0)	1376(3)	1397(0)
101(1)	101(0)	100(0)	698(0)	696(2)	735(11)	1389(6)	1428(11)	1446(23)
131(0)	108(0)	118(0)	735(7)	750(13)	760(2)	1395(4)	1433(5)	1453(7)
141(3)	141(3)	140(0)	811(7)	816(60)	829(1)	1450(31)	1488(42)	1509(42)
172(0)	155(1)	157(2)	823(1)	817(1)	850(6)	1451(20)	1494(9)	1512(23)
254(4)	225(3)	175(13)	824(11)	821(4)	852(71)	1451(5)	1495(26)	1530(31)
280(0)	280(0)	289(0)	830(54)	842(38)	861(3)	1456(9)	1501(26)	1541(17)
311(4)	300(4)	296(2)	849(0)	863(1)	892(5)	1929(857)	2006(924)	2006(1365)
355(3)	357(2)	324(5)	860(14)	878(5)	908(0)	3033(6)	3091(27)	3116(0)
372(0)	372(1)	344(4)	866(3)	881(2)	909(26)	3034(7)	3092(27)	3116(2)
388(2)	394(1)	369(4)	871(6)	888(10)	925(1)	3044(3)	3110(11)	3122(0)
413(0)	395(2)	400(0)	895(0)	916(10)	931(0)	3044(1)	3110(3)	3123(2)
437(5)	428(1)	413(6)	905(0)	927(1)	941(7)	3068(0)	3131(6)	3128(3)
445(3)	465(0)	431(3)	1001(5)	1029(5)	1051(4)	3068(4)	3132(0)	3128(9)
472(7)	490(5)	433(2)	1003(4)	1030(4)	1052(1)	3084(1)	3148(39)	3150(12)
474(0)	502(26)	476(0)	1027(1)	1061(1)	1074(1)	3085(14)	3148(2)	3150(0)
501(3)	518(2)	510(4)	1032(13)	1066(10)	1074(24)	3126(4)	3183(6)	3205(0)
518(17)	534(12)	539(34)	1156(1)	1194(13)	1195(17)	3127(8)	3185(29)	3206(4)
562(12)	556(13)	545(13)	1157(7)	1194(1)	1202(1)	3133(0)	3215(1)	3222(2)
562(6)	561(10)	556(19)	1207(20)	1246(34)	1264(42)	3133(7)	3215(19)	3222(6)

**Table S40.** Harmonic vibrational frequencies (in  $\text{cm}^{-1}$ ) and infrared intensities (in parentheses, in  $\text{km/mol}$ ) for the structure **1T-2** of  $(\text{C}_4\text{H}_6)_2\text{Fe}_2(\text{CO})$  structure.

BP86	M06-L	B3LYP	BP86	M06-L	B3LYP	BP86	M06-L	B3LYP
32(1)	59(1)	-71(0)	593(0)	666(1)	631(2)	1226(7)	1227(8)	1273(13)
64(0)	89(0)	-50(0)	668(2)	716(10)	668(5)	1352(0)	1361(1)	1406(0)
73(1)	111(0)	41(0)	669(0)	738(1)	689(0)	1358(0)	1384(0)	1410(0)
87(0)	121(2)	45(2)	682(1)	764(0)	733(0)	1418(4)	1437(3)	1472(13)
88(0)	127(2)	104(0)	686(2)	780(1)	734(14)	1420(8)	1460(1)	1480(6)
142(0)	174(0)	111(0)	831(14)	815(15)	826(14)	1453(7)	1463(7)	1520(5)
169(1)	181(1)	171(2)	839(12)	845(3)	829(29)	1457(4)	1468(5)	1523(14)
196(0)	237(12)	203(0)	850(4)	869(2)	878(0)	1457(2)	1498(5)	1526(20)
219(0)	281(3)	220(1)	869(2)	901(0)	898(7)	1465(4)	1506(5)	1528(7)
268(2)	309(10)	250(6)	874(4)	909(8)	905(7)	1835(681)	1901(736)	1874(777)
360(3)	350(35)	258(0)	880(3)	913(3)	912(3)	3044(3)	2968(0)	3137(5)
376(15)	370(0)	331(6)	902(1)	925(3)	928(4)	3046(7)	2981(9)	3137(3)
383(2)	431(5)	335(11)	903(7)	929(3)	947(3)	3052(3)	3099(38)	3138(4)
399(6)	433(11)	345(0)	907(3)	944(2)	959(0)	3054(6)	3104(27)	3139(0)
416(0)	450(20)	387(1)	907(2)	949(3)	960(1)	3064(2)	3135(8)	3144(4)
428(1)	470(0)	413(1)	1018(14)	1037(5)	1059(3)	3073(2)	3145(2)	3145(3)
439(15)	477(14)	431(5)	1020(7)	1040(12)	1066(9)	3079(15)	3151(37)	3161(10)
448(0)	484(0)	435(10)	1036(1)	1058(5)	1071(6)	3088(10)	3157(28)	3162(16)
459(1)	498(2)	450(80)	1039(7)	1068(8)	1079(13)	3134(11)	3172(46)	3223(6)
499(20)	499(24)	465(1)	1158(4)	1162(9)	1199(5)	3134(8)	3175(20)	3223(3)
556(8)	538(13)	514(16)	1160(8)	1189(5)	1208(14)	3141(5)	3191(12)	3228(3)
581(0)	625(1)	592(4)	1218(4)	1191(7)	1246(17)	3142(2)	3193(21)	3229(8)

**Table S41.** Harmonic vibrational frequencies (in  $\text{cm}^{-1}$ ) and infrared intensities (in parentheses, in  $\text{km/mol}$ ) for the structure **1Q-1** of  $(\text{C}_4\text{H}_6)_2\text{Fe}_2(\text{CO})$  structure.

BP86	M06-L	B3LYP	BP86	M06-L	B3LYP	BP86	M06-L	B3LYP
61(0)	56(0)	9(0)	581(9)	589(3)	583(13)	1226(9)	1258(11)	1274(9)
70(0)	70(0)	35(0)	664(3)	663(6)	702(0)	1340(1)	1376(2)	1397(1)
100(0)	107(0)	44(0)	691(1)	700(1)	711(1)	1345(0)	1382(1)	1397(0)
116(0)	119(0)	104(0)	701(2)	712(2)	714(24)	1388(15)	1424(14)	1445(40)
130(0)	137(1)	116(0)	719(13)	725(15)	758(20)	1403(8)	1441(7)	1454(18)
148(2)	149(2)	136(0)	807(16)	819(14)	826(0)	1444(11)	1485(22)	1506(50)
154(1)	170(1)	150(6)	824(16)	837(9)	832(92)	1452(18)	1491(11)	1513(1)
255(0)	265(0)	174(4)	833(29)	845(5)	846(12)	1461(25)	1498(27)	1522(37)
274(0)	280(0)	277(2)	834(11)	850(52)	860(19)	1477(17)	1521(21)	1532(68)
285(0)	289(1)	278(0)	857(13)	872(13)	888(1)	1925(870)	1998(957)	1994(1052)
321(2)	328(3)	312(7)	864(3)	877(1)	904(0)	3029(6)	3094(22)	3111(10)
329(3)	333(1)	334(1)	877(1)	892(1)	919(8)	3034(2)	3097(14)	3112(10)
368(2)	387(2)	356(0)	891(5)	905(7)	935(7)	3052(3)	3115(9)	3115(0)
394(3)	399(5)	376(1)	912(2)	925(5)	937(4)	3057(5)	3116(15)	3117(6)
433(4)	448(7)	403(1)	920(0)	938(1)	960(0)	3061(2)	3130(7)	3138(0)
448(3)	468(2)	438(0)	1005(3)	1029(4)	1049(5)	3068(5)	3132(17)	3138(3)
477(6)	495(2)	444(1)	1008(5)	1031(6)	1049(3)	3077(5)	3148(34)	3149(0)
485(13)	503(23)	489(45)	1036(2)	1066(2)	1074(0)	3085(9)	3149(7)	3150(13)
506(3)	525(3)	513(4)	1042(5)	1078(3)	1078(13)	3122(5)	3191(13)	3197(2)
524(12)	530(11)	544(9)	1162(8)	1197(10)	1200(16)	3124(4)	3192(11)	3199(11)
548(9)	540(12)	554(14)	1164(2)	1200(1)	1205(0)	3150(3)	3217(11)	3231(0)
556(6)	567(4)	566(11)	1212(15)	1245(20)	1264(56)	3155(2)	3228(9)	3231(2)

**Table S42.** Harmonic vibrational frequencies (in  $\text{cm}^{-1}$ ) and infrared intensities (in parentheses, in  $\text{km/mol}$ ) for the structure **1Q-2** of  $(\text{C}_4\text{H}_6)_2\text{Fe}_2(\text{CO})$  structure.

BP86	M06-L	B3LYP	BP86	M06-L	B3LYP	BP86	M06-L	B3LYP
35(0)	39(0)	33(0)	578(4)	593(6)	585(4)	1225(9)	1263(12)	1273(21)
66(1)	76(1)	54(2)	642(9)	651(18)	657(22)	1346(0)	1383(0)	1400(1)
86(0)	87(0)	76(0)	647(3)	658(1)	670(4)	1355(0)	1391(0)	1409(0)
112(1)	116(0)	99(1)	657(17)	684(3)	678(30)	1405(20)	1446(15)	1455(16)
118(0)	123(0)	109(1)	670(1)	689(3)	691(3)	1417(5)	1455(6)	1466(11)
128(0)	132(1)	117(1)	808(41)	820(53)	833(38)	1433(3)	1488(11)	1494(3)
201(0)	206(1)	187(1)	834(8)	841(7)	845(17)	1465(7)	1510(45)	1521(29)
212(2)	226(1)	198(0)	835(7)	848(4)	852(7)	1465(29)	1512(7)	1528(24)
245(1)	249(1)	238(3)	841(5)	857(9)	867(16)	1474(11)	1522(12)	1534(16)
262(0)	279(0)	251(0)	863(1)	871(3)	893(4)	1802(666)	1877(782)	1891(933)
315(3)	319(2)	273(2)	867(0)	881(3)	907(1)	3015(4)	3079(14)	3097(3)
346(2)	355(3)	307(2)	892(1)	916(2)	922(3)	3046(5)	3113(11)	3129(6)
363(8)	363(4)	319(8)	898(3)	924(4)	932(2)	3053(2)	3115(12)	3142(1)
369(2)	380(2)	347(6)	909(1)	929(2)	941(1)	3063(2)	3123(9)	3146(2)
398(3)	418(2)	381(4)	912(8)	942(12)	963(1)	3076(2)	3139(7)	3151(2)
412(1)	425(9)	401(22)	1004(5)	1039(6)	1039(4)	3077(3)	3149(10)	3155(2)
432(8)	439(10)	408(3)	1023(8)	1054(10)	1057(5)	3089(4)	3155(31)	3165(6)
440(9)	455(2)	433(4)	1038(6)	1071(5)	1079(11)	3091(13)	3163(6)	3172(10)
453(4)	469(5)	454(4)	1049(10)	1080(10)	1085(10)	3101(9)	3176(20)	3180(9)
467(14)	472(20)	458(10)	1155(6)	1197(5)	1197(12)	3146(4)	3220(12)	3227(8)
502(6)	494(7)	483(14)	1168(4)	1207(6)	1214(6)	3147(8)	3221(18)	3235(3)
569(7)	581(4)	580(8)	1209(25)	1246(31)	1254(18)	3158(4)	3230(12)	3240(5)