

The Connexin Mimetic Peptide Gap27 and Cx43-Knockdown Reveal Differential Roles for Connexin43 in Wound Closure Events in Skin Model Systems

Chrysovalantou Faniku ¹, Erin O'Shaughnessy ¹, Claire Lorraine ¹, Scott R. Johnstone ^{1,2,3}, Annette Graham ¹, Sebastian Greenhough ^{1,4} and Patricia E.M. Martin ^{1,*}

¹ Department of Life Sciences, School of Health and Life Sciences, Glasgow Caledonian University, Glasgow G4 0BA, UK; Chrysovalantou.Faniku@gcu.ac.uk (C.F.); Erin.OShaughnessy@gcu.ac.uk (E.O.); clairolorraine@hotmail.co.uk (C.L.); srj6n@eservices.virginia.edu (S.R.J.); ann.graham@gcu.ac.uk (A.G.); S.Greenhough@beatson.gla.ac.uk (S.G.)

² Robert M. Berne Cardiovascular Research Center, University of Virginia School of Medicine, P.O. Box 801394, Charlottesville, VA 22908, USA

³ Institute of Cardiovascular and Medical Sciences, College of Medical, Veterinary and Life Sciences, University of Glasgow, Glasgow G12 8TT, UK

⁴ Current Address: Cancer Research UK Beatson Institute, Garscube Estate, Switchback Road, Bearsden, Glasgow G61 1BD, UK

* Correspondence: patricia.martin@gcu.ac.uk; Tel.: +44-141-331-3726

Table S1. qRT-PCR primers.

Gene ID	Forward	Reverse	Probe
Cx43	5'ACTGGCGACAGAA ACAATTCTTC 3'	5'TTCTGCACTGTAATTA GCCCA GTT 3'	5'56- FAMCGCAATTACAACAAGCAAG CAAGTGAGC 36-TAMsp 3'
GAPDH	5'CACATGGCCTCCAA GGAGTAA 3'	5'TGAGGGTCTCTCTCTTC CTCTTGT 3'	5'56- FAMCTGGACCACCAGCCCCAGC AAG 36-TAMsp 3'
Ki67	5' TGTCGTCGT TTG TTTGCCTAT 3'	5'CTCATCCATTCATTCGT GTTTACC 3'	5'56- FAMAGTTGTTCTGCCACCGTGC CCTG 36-TAMsp 3'
TGFb1	5'CACTCCCACTCCCT CTCTC 3'	5'GTCCCCTGTGCCTGA TG 3'	5'56- FAMTCTCTGCCTCCTGCCTGT CTGC 36-TAMsp 3'