International Journal of
Molecular Sciences

MDPI

Communication

Novel Heme Oxygenase-1 (HO-1) Inducers Based on Dimethyl Fumarate Structure

Valeria Sorrenti [1], Luca Vanella [1], Chiara Bianca Maria Platania [2], Khaled Greish [3], Claudio Bucolo [2], Valeria Pittalà [1,*], Loredana Salerno [1]

[1] Department of Drug Sciences, University of Catania, V.le A. Doria 6, 95125 Catania, Italy; vpittala@unict.it (V.P.); sorrenti@unict.it (V.S.); lvanella@unict.it (L.V.); l.salerno@unict.it (L.S.)
[2] Department of Biomedical and Biotechnological Sciences, Section of Pharmacology, School of Medicine, University of Catania, Via Santa Sofia 97, 95123, Catania, Italy; chiara.platania@unict.it (CBMP); claudio.bucolo@unict.it (C.B.)
[3] Department of Molecular Medicine, College of Medicine and Medical Sciences, Princess Al-Jawhara Centre for Molecular Medicine, Arabian Gulf University, Manama 329, Bahrain; khaledfg@agu.edu.bh (K.G.)
[+] Correspondence: vpittala@unict.it; Tel.: +39-095-738-4269

Received: date; Accepted: date; Published: date

Table of contents

^{1}H NMR of compound **1b** (Fig. S1).	S2
^{13}C NMR of compound **1b** (Fig. S2).	S2
^{1}H NMR of compound **1c** (Fig. S3).	S3
^{13}C NMR of compound **1c** (Fig. S4).	S3
^{1}H NMR of compound **1m** (Fig. S5).	S4
^{13}C NMR of compound **1m** (Fig. S6).	S4
^{1}H NMR of compound **1n** (Fig. S5).	S5
^{13}C NMR of compound **1n** (Fig. S5).	S5




Figure S1. [1]H NMR of compound **1b**.




Figure S2. [13]C NMR of compound **1b**.




Figure S3. [1]H NMR of compound **1c**.




Figure S4. [13]C NMR of compound **1c**.




Figure S5. [1]H NMR of compound **1m**.




Figure S6. [13]C NMR of compound **1m**.




Figure S7. [1]H NMR of compound **1n**.




Figure S8. [13]C NMR of compound **1n**.