

Table S1. Participant characteristics¹ with a confirmed COVID-19 PCR test (PCR-M1 to PCR-M12) or with viral symptoms suggestive of COVID-19 (Viral-M1 to Viral-M13) without PCR testing.

Mothers	Confirmed RNA-SARS-CoV-2/PCR	Symptoms of viral infection	Time from infection to collection (mo)	Infant gender	Lactation time (months)	Maternal age
PCR-M1	+COVID19-PCR	Fever, fatigue, cough	4.1	Female	5	36
PCR-M2	+COVID-19-PCR	NA	1.8	Female	6	26
PCR-M3	+COVID-19-PCR	NA	1.7	Female	6	26
PCR-M4	+COVID-19-PCR	NA	0.9	Male	5	33
PCR-M5	+COVID-19-PCR	NA	0.5	Male	8	37
PCR-M6	+COVID-19-PCR	Loss of smell/taste, fever, headache	0.5	Male	10	37
PCR-M7	+ COVID-19-PCR	NA	1.3	Male	6	33
PCR-M8	+COVID-19-PCR	NA	3.7	Female	6	26
PCR-M9	+COVID-19-PCR	Fever, fatigue, cough	1.3	Female	4	30
PCR-M10	+COVID-19-PCR	headache, cough, fatigue, fever, loss of taste/smell	0.6	Female	10	27
PCR-M11	+COVID-19-PCR	headache, loss of smell, fever	0.8	Male	4	33
PCR-M12	+COVID-19-PCR	headache, loss of smell, fever	1	Male	4	32
Viral-M1	Absence of PCR-testing	Fever, chills, cough, body aches, nasal congestion	2.9	Female	6	32

Viral-M2	Absence of PCR-testing	Fever, fatigue, and cough	1.7	Female	4	30
Viral-M3	Absence of PCR-testing	Fever and cough	3.8	Female	5	29
Viral-M4	Absence of PCR-testing	Extreme fatigue, fever, nasal congestion, cough	3.3	Female	5	40
Viral-M5	Absence of PCR-testing	Fever, cough, some nasal congestion, headache	NA	Female	5	30
Viral-M6	Absence of PCR-testing	Body aches and respiratory infection	NA	Male	NA	NA
Viral-M7	Absence of PCR-testing	Cough lasted 4+ weeks, fever, body aches	3.4	Male	5	33
Viral-M8	Absence of PCR-testing	Severe respiratory infection, cough for 6 weeks, low fever	2.3	Male	5	32
Viral-M9	Absence of PCR-testing	Sneezing, headache, fever, vomit, runny nose	3.9	Female	5.5	23
Viral-M10	Absence of PCR-testing	Fever	3.3	Male	9	40
Viral-M11	Absence of PCR-testing	Nasal congestion	3.2	Male	8	33
Viral-M12	Absence of PCR-testing	Nasal congestion and fever	2.6	Female	8	34
Viral-M13	Absence of PCR-testing	fever, headache, nasal congestion, loss of smell/taste	2.8	Female	4	30

¹ Women did not have medical history, medication, and systematic diseases