



Article

Extraction and concentration of waste *Pueraria lobata* stems with antioxidants and anti-melanogenesis activity as a novel skin whitening agent for natural cosmetic prototypes

Dan Gao ¹, Chong-Woon Cho ², Jin-Hyeok Kim ², Cheong-Taek Kim ³, Won-Seok Jeong ³, Ye Wang ¹, Xiwen Li ^{1,*} and Jong-Seong Kang ^{2,*}

¹ Institute of Chinese Materia Medica, China Academy of Chinese Medical Sciences, Beijing 100700, China

² College of Pharmacy, Chungnam National University, Daejeon 34134, Korea; chongw113@naver.com

³ RNS Inc., Daejeon 34134, Korea

* Correspondence: xwli@icmm.ac.cn (X.W.L.); kangjss@cnu.ac.kr (J.S.K.); Tel.: +86-10-8408-4107(X.W.L.); +82-42-821-5928 (J.S.K.)

Table S1. Skin irritation determination criteria.

Mean score	Criteria
0.00–0.87	No/slight irritation
0.00–0.87	Mild irritation
2.43 ~ 3.44	Moderate irritation
>3.45	Severe irritation



Normal Control Purified Unpurified

Figure S1. Visual evaluation of each sample in B16F10 cells.




Figure S2. The original gel picture of this experiment.