

Article

Alzheimer's Amyloid- β impairs mitophagy and growth of brain organoids which could be rescued by dietary flavonoid galangin

Ru Zhang¹, Juan Lu¹, Gang Pei^{1,2,3}, Shichao Huang^{1,*}

¹ State Key Laboratory of Cell Biology, Shanghai Institute of Biochemistry and Cell Biology, Center for Excellence in Molecular Cell Science, Chinese Academy of Sciences, Shanghai 200031, China

² Shanghai Key Laboratory of Signaling and Disease Research, Laboratory of Receptor-Based Biomedicine, The Collaborative Innovation Center for Brain Science, School of Life Sciences and Technology, Tongji University, Shanghai 200070, China

³ Institute for Stem Cell and Regeneration, Chinese Academy of Sciences, Beijing 100045, China

* Correspondence: huangshichao@sibcb.ac.cn (S.H.)




Figure S1. (A) Immunofluorescence staining of A β and Nestin on A β -treated NPCs. Scale bar, 20 μ m. (B) Images and quantifications of MitoTracker staining on A β -treated NPCs. Scale bar, 10 μ m. (C) Mitophagy staining of mitophagy induction (FCCP). Scale bar, 50 μ m. * $p < 0.05$, *** $p < 0.001$