



Correction

Correction: Narayanaswamy et al. Synthesis of Graphene Oxide-Fe₃O₄ Based Nanocomposites Using the Mechanochemical Method and In Vitro Magnetic Hyperthermia. *Int. J. Mol. Sci.* 2019, 20, 3368

Venkatesha Narayanaswamy ¹, Ihab M. Obaidat ^{1,*}, Aleksandr S. Kamzin ², Sachin Latiyan ³, Shilpee Jain ³, Hemant Kumar ⁴, Chandan Srivastava ⁴, Sulaiman Alaabed ⁵ and Bashir Issa ⁶

¹ Department of Physics, United Arab Emirates University, Al-Ain 15551, United Arab Emirates; venkateshnrn@gmail.com

² Ioffe Physical Technical Institute, St. Petersburg 194021, Russia; askam@mail.ioffe.ru

³ Center for Biosystems Science and Engineering, Indian Institute of Science, Bangalore 560012, India; sachinlatiyans@gmail.com (S.L.); shilpeejain@iisc.ac.in (S.J.)

⁴ Materials Engineering, Indian Institute of Science, Bangalore 560012, India; hemant.msme95@gmail.com (H.K.); csrivastava@iisc.ac.in (C.S.)

⁵ Department of Geology, United Arab Emirates University, Al-Ain 15551, United Arab Emirates; s.alaabed@uaeu.ac.ae

⁶ Department of Medical Diagnostic Imaging, College of Health Sciences, University of Sharjah, Sharjah P.O. Box 27272, United Arab Emirates; bissha@sharjah.ac.ae

* Correspondence: iobaidat@uaeu.ac.ae; Tel.: +00971(3)-7136321; Fax: +00971(3)-7136944



Received: 23 June 2025

Accepted: 8 July 2025

Published: 28 July 2025

Citation: Narayanaswamy, V.; Obaidat, I.M.; Kamzin, A.S.; Latiyan, S.; Jain, S.; Kumar, H.; Srivastava, C.; Alaabed, S.; Issa, B. Correction: Narayanaswamy et al. Synthesis of Graphene Oxide-Fe₃O₄ Based Nanocomposites Using the Mechanochemical Method and In Vitro Magnetic Hyperthermia. *Int. J. Mol. Sci.* 2019, 20, 3368. *Int. J. Mol. Sci.* 2025, 26, 7278. <https://doi.org/10.3390/ijms26157278>

Copyright: © 2025 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

In the original publication [1], minor mistakes were present in Figure 2 and Table 1. The plots for both the 35 and 40 h milling times are identical. This error occurred during data transfer from the text file to the original software. Instead of copying the data from the 35 h text file (to plot the Raman spectroscopy for the 35 h milling time), the data was copied from the 40 h text file. Hence, the data for the 40 h milling time was copied twice, and this resulted in identical curves for the results at 35 h and 40 h. We did not notice this because the difference in the data for each sample is minimal. Using the original data for the 35 h milling time, we replotted the curve and corrected Figure 2.

The corrected Figure 2 and Table 1 appear below. The authors state that the scientific conclusions are unaffected. This correction was approved by the Academic Editor. The original publication has also been updated.




Figure 2. Raman spectra obtained from pure GO and GO-Fe nanocomposite with composition 50:50 milled for 25, 35, 40, and 45 h.

Table 1. Intensity ratio of defect and graphitic peaks of graphene oxide.

Sample Composition	I _D /I _G
GO	0.96
25 h	1.10
35 h	1.29
40 h	1.37
45 h	1.40

I_D/I_G = D intensity/G intensity ratio

Reference

1. Narayanaswamy, V.; Obaidat, I.M.; Kamzin, A.S.; Latiyan, S.; Jain, S.; Kumar, H.; Srivastava, C.; Alaabed, S.; Issa, B. Synthesis of Graphene Oxide-Fe₃O₄ Based Nanocomposites Using the Mechanochemical Method and In Vitro Magnetic Hyperthermia. *Int. J. Mol. Sci.* **2019**, *20*, 3368. [[CrossRef](#)] [[PubMed](#)]

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.