

Supplementary information

***N*-Vinylation of Imidazole and Benzimidazole with a Paramagnetic Vinyl Bromide**

Györgyi Úr¹, Gergely Gulyás Fekete², Kálmán Hideg¹ and Tamás Kálai^{1,3,*}

¹Institute of Organic and Medicinal Chemistry, Medical School, University of Pécs, Szigeti st. 12., H-7624 Pécs, Hungary; gyorgyi.ur@aok.pte.hu (U. Gy.); kálmán.hideg@aok.pte.hu (K. H.); tamas.kalai@aok.pte.hu (T. K.)

²Institute of Pharmacognosy, University of Pécs, Rákus st. 2, H-7624 Pécs, Hungary; gergely.gulyas@aok.pte.hu (G. G. F.)

³Szent ágóthai Research Center, Ifjúság st. 20, H-7624 Pécs, Hungary

Content

¹ H-NMR and ¹³ C-NMR spectra of compound 3a	1
¹ H-NMR and ¹³ C-NMR spectra of compound 3b	2
¹ H-NMR and ¹³ C-NMR spectra of NH reduced form of compound 5	3
¹ H-NMR and ¹³ C-NMR spectra of compound 6	4
¹ H-NMR and ¹³ C-NMR spectra of compound 7	5









