

Supplementary Materials:

(±) 2-(2-fluoro-[1,1'-biphenyl]-4-yl)-N-(1-phenylpropan-2-yl)propanamide

Stanimir Manolov, Iliyan Ivanov, Dimitar Bojilov

Table of Contents:

Figure S1. ¹ H-NMR spectrum of compound 3	page 2
Figure S1a. ¹ H-NMR spectrum of compound 3	page 3
Figure S1b. ¹ H-NMR spectrum of compound 3	page 4
Figure S2. ¹³ C-NMR spectrum of compound 3	page 5
Figure S3. UV spectrum of compound 3	page 6
Figure S4. ESI-HRMS of compound 3	page 7
Figure S5. IR spectrum of compound 3	page 8
Figure S6. HPLC chromatogram of compound 3	page 9




Figure S1. ¹H-NMR spectrum of compound **3**.




Figure S1a. Part of ^1H -NMR spectrum of compound **3**.




Figure S1b. Part of ^1H -NMR spectrum of compound **3**.




Figure S2. ^{13}C -NMR spectrum of compound **3**.




Figure S3. UV spectrum of compound 3.




Figure S4. ESI-HRMS of compound **3**.




Figure S5. IR spectrum of compound **3**.




Figure S6. HPLC chromatogram of compound **3**.

Chromatographic conditions: Column Kromasil, Mobile phase $\text{CH}_3\text{CN}:\text{H}_2\text{O}:\text{Et}_3\text{N} = 78:20:2$ v/v.)