

Supplementary Material:

Benzo[1,2-*d*:4,5-*d'*]bis([1,2,3]thiadiazole)-4-carbonitrile

Timofey N. Chmovzh ^{1,2*}, Timofey A. Kudryashev ^{1,3}, Karim S. Gaisin^{1,3} and Oleg A. Rakitin ¹

¹ N. D. Zelinsky Institute of Organic Chemistry Russian Academy of Sciences, 47 Leninsky Prospekt, Moscow, 119991, Russia; orakitin@ioc.ac.ru

² Nanotechnology Education and Research Center, South Ural State University, 76 Lenina Avenue, Chelyabinsk, 454080, Russia; chmovzhtn@susu.ru

³ Department of Chemistry, Moscow State University, 119899 Moscow, Russia

* Correspondence: tim1661@yandex.ru; Tel.: +7-499-1355327

Figure S1. ¹H NMR spectrum of benzo[1,2-*d*:4,5-*d'*]bis([1,2,3]thiadiazole)-4-carbonitrile **1**.




Figure S2. ^{13}C NMR spectrum of spectrum of benzo[1,2-d:4,5-d']bis([1,2,3]thiadiazole)-4-carbonitrile **1**.




Figure S3. IR spectrum of benzo[1,2-d:4,5-d']bis([1,2,3]thiadiazole)-4-carbonitrile **1**.

