

				Referen
				Location on I
				Range (La)
				Range (Lo)
				Depth intc
				Assembla
				Samples nu
				Size fract
				Sub-environ
Order	Superfamily	Family		<i>Genus</i>
Lituolida	Lituoloidea	Lituolidae		<i>Ammobaculites</i>
				<i>Ammomarginulina</i>
				<i>Ammotium</i>
	Verneuilinoidea	Prolixoplectidae		<i>Eggerelloides</i>
		Verneuilinidae		<i>Gaudryina</i>
	Trochamminoidea	Trochamminidae		<i>Trochammina</i>
				<i>Portatrocchammina</i>
				<i>Rotaliammina</i>
Textulariida	Textularioidea	Textulariidae		<i>Sahulia</i>
				<i>Textularia</i>

			<i>Siphonotextularia</i>
			<i>Bigenerina</i>
	Olgidae		<i>Olgita</i>
	Eggerelloidea	Valvulinidae	<i>Clavulina</i>
	Hormosinoidea	Reophacidae	<i>Reophax</i>
Miliolida	Cornuspiroidea	Cornuspiridae	<i>Cornuspira</i>
	Milioloidea	Cribrolinoididae	<i>Adelosina</i>
		Hauerinidae	<i>Flintinoides</i>
			<i>Hauerina</i>
			<i>Sigmoihauerina</i>
			<i>Spirosigmoilina</i>
			<i>Cycloforina</i>
			<i>Miliolinella</i>
			<i>Cribromiliolinella</i>
			<i>Miliolina</i>
			<i>Lachlanella</i>

Pseudolachlanella

Massilina

Pseudomassilina

Pseudotriloculina

Sinuloculina

Ptychomiliola

Pseudopyrgo

Pyrgo

Pyrgoella

Proemassilina

Quinqueloculina

Parrina
Affinetrina

Triloculina

Triloculinella

Biloculinella

Varidentella

Mesosigmoilina

Sigmoilina

Sigmoilopsis

Sigmoilinella

Siphonaperta

Articulina

Ishamella

Steigerina

Sigmamiliolinella

Spiroloculinidae

Spiroloculina

Miliolacea	Riveroinidae	<i>Pseudohauerinella</i>	
Nubecularioidea	Fischerinidae	<i>Vertebralina</i>	
		<i>Wiesnerella</i>	
	Ophthalmodiidae	<i>Ophthalmodium</i>	
		<i>Edentostomina</i>	
		<i>Spirophthalmodium</i>	
	Nubeculariidae	<i>Nodophthalmodium</i>	
		<i>Nubecularia</i>	
		<i>Nodobacularia</i>	
Soritoidea	Peneroplidae	<i>Peneroplis</i>	
		<i>Coscinospira</i>	
		<i>Spirolina</i>	
		<i>Dendritina</i>	
	Soritidae	<i>Sorites</i>	
	Miliamminidae	<i>Miliammina</i>	
Squamulinoidea	Squamulinidae	<i>Squamulina</i>	
Spirillinida	Spirillinidae	<i>Spirillina</i>	
	Patellinidae	<i>Patellina</i>	
Lagenida	Nodosarioidea	Lagenidae	<i>Lagena</i>
			<i>Procerolagena</i>
			<i>Hyalinonetria</i>

		Nodosariidae	<i>Reussoolina</i> <i>Pyramidulina</i> <i>Dentalina</i> <i>Nodosaria</i> <i>Laevidentalina</i>
Vaginulinida		Vaginulinidae	<i>Lenticulina</i>
Robertinida	Robertinoidea	Robertinidae	<i>Pseudobulimina</i>
Rotaliida	Buliminoidea	Buliminidae	<i>Bulimina</i>
		Reussellidae	<i>Reussella</i>
			<i>Fijiella</i>
		Trimosinidae	<i>Quirimbatina</i> <i>Trimosina</i>
		Bolivinitidae	<i>Parabrizalina</i> <i>Sagrinella</i> <i>Neocassidulina</i> <i>Euloxostomum</i> <i>Loxostomina</i>
			<i>Pseudobrizalina</i> <i>Bolinellina</i>
			<i>Siphogenerinoididae</i> <i>Rectobolivina</i>
			<i>Tortoplectellidae</i> <i>Tortoplectella</i>
			<i>Trichohyalidae</i> <i>Anomalinidae</i>
Fursenkoinoidea		Fursenkoinidae	<i>Riminopsis</i> <i>Fursenkoina</i>
	Turrilinoidea	Turrilinidae	<i>Floresina</i>
		Stainforthiidae	<i>Hopkinsina</i>
			<i>Stainforthia</i>
Bolivinoidea		Bolivinidae	<i>Bolivina</i>
	Discorboidea	Rosalinidae	<i>Rosalina</i>
			<i>Neoconorbina</i>

		<i>Gavelinopsis</i>
	Eponididae	<i>Eponides</i>
		<i>Poroeponides</i>
	Cancrisidae	<i>Cancris</i>
		<i>Valvulineria</i>
	Discorbidae	<i>Discorbis</i>
	Heleninidae	<i>Helenina</i>
Discorbinelloidea	Discorbinellidae	<i>Discorbinella</i>
		<i>Hanzawaia</i>
	Pseudoparrellidae	<i>Facetocochlea</i>
Planorbulinoidea	Cibicididae	<i>Cibicides</i>
		<i>Cibicidoides</i>
		<i>Heterolepa</i>
		<i>Lobatula</i>
	Planorbulinidae	<i>Planorbulina</i>
	Cymbaloporidae	<i>Planorbulinella</i>
		<i>Millettiana</i>
		<i>Cymbaloporella</i>
		<i>Cymbaloporella</i>
Nonionoidea	Nonionidae	<i>Pseudononion</i>
		<i>Nonion</i>
		<i>Nonionella</i>
Glabratelloidea	Glabratellidae	<i>Pileolina</i>
Rotalioidea	Elphidiidae	<i>Protelphidium</i>
		<i>Elphidium</i>

			<i>Cribroelphidium</i>
			<i>Porosononion</i>
	Elphidiellidae		<i>Elphidiella</i>
	Haynesinidae		<i>Haynesina</i>
	Ammoniidae		<i>Ammonia</i>
			<i>Challengerella</i>
			<i>Asterorotalia</i>
			<i>Rotalidium</i>
			<i>Rotalinoides</i>
			<i>Pseudorotalia</i>
	Notorotaliidae		<i>Cristatavultus</i>
	Acervulinoidea	Acervulinidae	<i>Acervulina</i>
	Asterigerinoidea	Amphisteginidae	<i>Amphistegina</i>
		Epistomariidae	<i>Monspeliensina</i>
		Asterigerinatidae	<i>Eoeponidella</i>
	Nummulitoidea	Nummulitidae	<i>Heterostegina</i>
			<i>Operculina</i>
	Murrayinellidae	Murrayinellidae	<i>Murrayinella</i>
Polymorphinida	Polymorphinoidea	Glandulinidae	<i>Glandulina</i>

		<i>Globulotuba</i>
	Polymorphinidae	<i>Polymorphina</i>
		<i>Guttulina</i>
		<i>Globulina</i>
		<i>Sigmomorphina</i>
	Ellipsolagenidae	<i>Oolina</i>
		<i>Buchnerina</i>
		<i>Fissurina</i>

ice	[39]
Figure 1	1
it. N)	29°02'-29°24'
ng. E)	48°10'-48°28'
erval	n.a.
ages	total
umber	15
tion	n.a.
iments	nc
Species	
<i>Ammobaculites agglutinans</i> (d'Orbigny, 1846)	
<i>Ammobaculites persicus</i> (Lutze, 1974)	
<i>Ammobaculites cf. crassus</i> (Warren, 1957)	
<i>Ammobaculites</i> sp.	
<i>Ammomarginulina</i> sp.	
<i>Ammotium morenoi</i> (Acosta, 1940)	
<i>Eggerelloides cf. advenus</i> (Cushman, 1922)	
<i>Eggerelloides scaber</i> (Williamson, 1858)	
<i>Gaudryina</i> sp.	
<i>Trochammina squamata</i> (Jones and Parker, 1960)	
<i>Portatrocchammina cf. pacifica</i> (Cushman, 1925)	
<i>Rotaliammina mayori</i> (Cushman, 1924)	
<i>Sahulia barkeri</i> (Hofker, 1978)	
<i>Sahulia conica</i> (d'Orbigny, 1839)	X
<i>Sahulia kerimbaensis</i> (Said, 1949)	
<i>Textularia aura</i> (Lalicker & McCullough, 1940)	
<i>Textularia bocki</i> (Höglund, 1947)	X
<i>Textularia cf. canaensis</i> (Bermudez, 1949)	
<i>Textularia candeiana</i> (d'Orbigny, 1839)	
<i>Textularia cushmani</i> (Said, 1949)	
<i>Textularia foliacea</i> (Heron-Allen & Earland, 1915)	X
<i>Textularia gramen</i> (d'Orbigny, 1846)	
<i>Textularia lata</i> (Germeraad, 1946)	X
<i>Textularia lateralis</i> (Lalicker, 1935)	

Mina Al-Ahmadi and South of Failaka Island

<i>Textularia mariae</i> (d'Orbigny, 1846)	
<i>Textularia occidentalis</i> (Cushman, 1922)	
<i>Textularia porrecta</i> (Brady 1884)	
<i>Textularia pseudogramen</i> (Chapman & Parr, 1937)	X
<i>Textularia sagittula</i> (Defrance, 1824)	
<i>Textularia semialata</i> (Cushman, 1913)	X
<i>Textularia truncata</i> (Höglund, 1947)	X
<i>Textularia aff. lateralis</i> (Lalicker, 1935)	
<i>Textularia</i> sp.	X
<i>Siphonotextularia affinis</i> (Fornasini, 1883)	X
<i>Spirotextrularia ornatissima</i> (Said, 1950)	
<i>Siphonotextularia</i> sp.	
<i>Bigenerina</i> sp.	
<i>Olgita pacifica</i> (Cushman, 1924)	
<i>Clavulina angularis</i> (d'Orbigny, 1826)	
<i>Reophax calcareus</i> (Cushman, 1947)	
<i>Cornuspira planorbis</i> (Schultze, 1853)	X
<i>Adelosina bicornis</i> (Walker & Jacob, 1798)	
<i>Adelosina dagornae</i> (Levi et al., 1990)	
<i>Adelosina elegans</i> var. <i>angulata</i> (Wiesner, 1923)	
<i>Adelosina honghensis</i> (Lak, 1982)	
<i>Adelosina intricata</i> (Terquem, 1878)	
<i>Adelosina longirostra</i> (d'Orbigny, 1826)	
<i>Adelosina mediterranensis</i> (Le Calvez & Le Calvez, 1958)	
<i>Adelosina partschii</i> (d'Orbigny, 1846)	
<i>Adelosina pulchella</i> (d'Orbigny, 1826)	
<i>Adelosina</i> spp.	
<i>Flintinoides labiosa</i> (d'Orbigny, 1839)	
<i>Hauerina compressa</i> (d'Orbigny, 1846)	
<i>Hauerina</i> sp.	
<i>Sigmoihauerina bradyi</i> (Cushman, 1917)	
<i>Spirosigmoilina</i> sp.	
<i>Cycloforina contorta</i> (d'Orbigny, 1846)	
<i>Cycloforina gracilissima</i> (Bogdanowich, 1950)	
<i>Cycloforina granulocostata</i> (Germeraad, 1946)	
<i>Cycloforina macerata</i> (Cushman and Todd, 1944)	
<i>Cycloforina quinquecarinata</i> (Collins, 1958)	
<i>Cycloforina sidebottomi</i> (Rasheed, 1971)	
<i>Cycloforina stomata</i> (Luczkowska, 1974)	
<i>Miliolinella chukchiensis</i> (Loeblich & Tappan, 1953)	X
<i>Miliolinella circularis</i> (Bornemann, 1855)	
<i>Miliolinella oceanica</i> (Cushman, 1932)	
<i>Miliolinella semicostata</i> (Terquem, 1878)	
<i>Miliolinella semicostata</i> (Wiesner, 1923)	
<i>Miliolinella subrotunda</i> (Montagu, 1803)	
<i>Miliolinella cf. californica</i> (Rhumbler, 1936)	
<i>Miliolinella</i> spp.	
<i>Cribromiliolinella milletti</i> (Cushman, 1954)	
<i>Miliolina peregrina</i> var. <i>striata</i> (Wiesner, 1912)	
<i>Miliolina</i> sp.	
<i>Lachlanella cooki</i> (Vella, 1957)	

<i>Lachlanella incisa</i> (Cushman and Todd 1932)	
<i>Pseudolachlanella eburnea</i> (d'Orbigny, 1839)	
<i>Massilina laevigata</i> (Cushman & Todd, 1944)	
<i>Massilina secans</i> (d'Orbigny, 1826)	
<i>Massilina secans</i> subsp. <i>tropicalis</i> (Collins, 1958)	
<i>Massilina</i> sp.	
<i>Pseudomassilina robusta</i> (Lacroix, 1938)	
<i>Pseudomassilina</i> cf. <i>P. australis</i> (Cushman, 1932)	
<i>Pseudomassilina</i> sp.	
<i>Pseudotriloculina consobrina</i> (d'Orbigny, 1846)	
<i>Pseudotriloculina lecalvezae</i> (Kaasschieter, 1961)	
<i>Pseudotriloculina rotunda</i> (d'Orbigny in Schlumberger, 1893)	
<i>Pseudotriloculina sidebottomi</i> (Martinotti, 1921)	
<i>Pseudotriloculina</i> cf. <i>P. subgranulata</i> (Cushman, 1918)	
<i>Pseudotriloculina</i> sp.	
<i>Sinuloculina</i> cf. <i>reversa</i> (d'Orbigny, 1852)	
<i>Ptychomiliola arabiensis</i> (Shublak, 1977)	
<i>Ptychomiliola</i> sp.	
<i>Pseudopyrgo milletti</i> (Cushman, 1917)	
<i>Pyrgo oblonga</i> (d'Orbigny, 1839)	
<i>Pyrgo</i> sp.	
<i>Pyrgoella sphaera</i> (d'Orbigny, 1839)	
<i>Proemassilina rugosa</i> (Sidebottom, 1904)	
<i>Proemassilina arenaria</i> (Brady, 1884)	X
<i>Quinqueloculina agglutinans</i> (d'Orbigny, 1839)	
<i>Quinqueloculina akneriana</i> (d'Orbigny, 1846)	
<i>Quinqueloculina aspera</i> (d'Orbigny, 1826)	
<i>Quinqueloculina bicarinata</i> (d'Orbigny in Terquem, 1878)	
<i>Quinqueloculina berthelotiana</i> (d'Orbigny, 1839)	
<i>Quinqueloculina bosciana</i> (d'Orbigny, 1839)	
<i>Quinqueloculina boueana</i> (d'Orbigny, 1846)	
<i>Quinqueloculina bubyanensis</i> (Shublak, 1977)	
<i>Quinqueloculina buchiana</i> (d'Orbigny, 1846)	
<i>Quinqueloculina carinatastriata</i> (Wiesner, 1923)	
<i>Quinqueloculina catalinensis</i> (Natland, 1938)	
<i>Quinqueloculina costata</i> (d'Orbigny in Terquem, 1878)	
<i>Quinqueloculina corrugata</i> (Collins, 1958)	
<i>Quinqueloculina crassicarinata</i> (Collins, 1958)	X
<i>Quinqueloculina cuvieriana</i> (d'Orbigny, 1839)	
<i>Quinqueloculina goesi</i> (Todd & Brönnimann, 1957)	
<i>Quinqueloculina haidingerii</i> (d'Orbigny, 1846)	
<i>Quinqueloculina hauerina</i> (d'Orbigny, 1846)	
<i>Quinqueloculina homoplanciana</i> (Haake, 1975)	
<i>Quinqueloculina implexa</i> (Terquem & Terquem, 1886)	
<i>Quinqueloculina irregularis</i> (d'Orbigny in Terquem, 1878)	
<i>Quinqueloculina lamarckiana</i> (d'Orbigny, 1839)	
<i>Quinqueloculina laticollis</i> (Le Calvez & Le Calvez, 1958)	
<i>Quinqueloculina latidentella</i> (Loeblich & Tappan, 1994)	
<i>Quinqueloculina mosharrafai</i> (Said, 1949)	
<i>Quinqueloculina multimarginata</i> (Said, 1949)	X
<i>Quinqueloculina neosigmoilinoidea</i> (Kennett, 1966)	X

<i>Quinqueloculina parakneriana</i> (Luczkowska, 1974)	
<i>Quinqueloculina parkeri</i> (Brady, 1881)	
<i>Quinqueloculina parvaggliuta</i> (Vella, 1957)	
<i>Quinqueloculina peregrina</i> (d'Orbigny, 1846)	
<i>Quinqueloculina poeyana</i> (d'Orbigny, 1839)	
<i>Quinqueloculina polygona</i> (d'Orbigny, 1839)	
<i>Quinqueloculina pseudobuchiana</i> (Łuczkowska, 1974)	
<i>Quinqueloculina quinquecarinata</i> (Collins, 1958)	
<i>Quinqueloculina rebecca</i> (Vella, 1957)	
<i>Quinqueloculina schlumbergeri</i> (Wiesner, 1923)	
<i>Quinqueloculina seminula</i> (Linnaeus, 1758)	
<i>Quinqueloculina subcarinata</i> (d'Orbigny in Terquem, 1878)	
<i>Quinqueloculina subcuneata</i> (Cushman, 1921)	
<i>Quinqueloculina subpolygona</i> (Parr, 1945)	
<i>Quinqueloculina tropicalis</i> (Cushman, 1924)	
<i>Quinqueloculina tubus</i> (Todd, 1957)	
<i>Quinqueloculina variolata</i> (d'Orbigny in Terquem, 1878)	
<i>Quinqueloculina venusta</i> (Karrer, 1868)	
<i>Quinqueloculina vulgaris</i> (d'Orbigny, 1826)	
<i>Quinqueloculina</i> aff. <i>rugosa</i> (d'Orbigny, 1852)	
<i>Quinqueloculina</i> cf. <i>Q. crenulata</i> (Cushman, 1932)	
<i>Quinqueloculina</i> cf. <i>Q. exmouhensis</i> (Parker, 2009)	
<i>Quinqueloculina</i> cf. <i>Q. impressa</i> (Reuss, 1851)	
<i>Quinqueloculina</i> cf. <i>Q. inaequalis</i> (Cushman, 1921)	
<i>Quinqueloculina</i> cf. <i>Q. latidentella</i> (Loeblich & Tappan, 1994)	
<i>Quinqueloculina</i> cf. <i>Q. multimarginata</i> (Said, 1949)	
<i>Quinqueloculina</i> cf. <i>Q. neostriatula</i> (Thalmann, 1950)	
<i>Quinqueloculina</i> cf. <i>Q. oblonga</i> (Montagu, 1803)	
<i>Quinqueloculina</i> cf. <i>Q. peregrina</i> (d'Orbigny, 1846)	
<i>Quinqueloculina</i> cf. <i>Q. philippinensis</i> (Cushman, 1921)	
<i>Quinqueloculina</i> spp.	X
<i>Parrina bradyi</i> (Millett, 1898)	
<i>Affinetrina gualtieriana</i> (d'Orbigny 1839)	
<i>Affinetrina planciana</i> (d'Orbigny, 1839)	
<i>Affinetrina quadrilateralis</i> (d'Orbigny, 1839)	
<i>Affinetrina ucrainica</i> (Serova, 1952)	
<i>Triloculina angularis</i> (d'Orbigny, 1850)	
<i>Triloculina arabica</i> (Shublak, 1977)	
<i>Triloculina barnardi</i> (Haig, 1988)	
<i>Triloculina bikiniensis</i> (Todd, 1954)	
<i>Triloculina chemnitziana</i> (d'Orbigny, 1839)	
<i>Triloculina elongata</i> (d'Orbigny in Fornasini, 1905)	
<i>Triloculina gibba</i> (d'Orbigny, 1826)	
<i>Triloculina echinata</i> (d'Orbigny in Fornasini, 1905)	
<i>Triloculina inornata</i> subsp. <i>longidentata</i> (Bandy, 1953)	
<i>Triloculina intermedia</i> (Karrer, 1868)	
<i>Triloculina earlandi</i> (Cushman, 1954)	X
<i>Triloculina echinata</i> (d'Orbigny in Fornasini, 1905)	X
<i>Triloculina marioni</i> (Schlumberger, 1893)	X
<i>Triloculina oblonga</i> (Montagu, 1803)	
<i>Triloculina propinqua</i> (Terquem Em. Le Calvez, 1947)	

<i>Triloculina schreiberiana</i> (d' Orbigny, 1839)	
<i>Triloculina selene</i> (Karrer, 1868)	
<i>Triloculina striatopunctata</i> (Shublak, 1977)	
<i>Triloculina terquemiana</i> (Brady, 1884)	
<i>Triloculina tricarinata</i> d'Orbigny in Deshayes, 1832)	X
<i>Triloculina trigonula</i> (Lamarck, 1804)	X
<i>Triloculina trihedra</i> (Loeblich and Tappan, 1953)	
<i>Triloculina cf. T. serrulata</i> (McCulloch, 1977)	
<i>Triloculina</i> spp.	X
<i>Triloculinella asymmetrica</i> (Said, 1949)	X
<i>Triloculinella chiastocytis</i> (Loeblich & Tappan, 1994)	
<i>Triloculinella dilatata</i> (d'Orbigny, 1839)	
<i>Triloculinella obliquinodus</i> (Riccio, 1950)	
<i>Triloculinella pseudooblonga</i> (Zheng, 1980)	
<i>Biloculinella wiesneri</i> (Le Calvez & Le Calvez, 1958)	
<i>Varidentella contorta</i> (d'Orbigny 1846)	
<i>Varidentella neostriatula</i> (Thalmann, 1950)	
<i>Varidentella rotunda</i> (Gerke 1938)	
<i>Varidentella pseudocostata</i> (Venglinsky 1958)	
<i>Varidentella</i> sp.	
<i>Mesosigmoilina minuta</i> (Zheng, 1979)	
<i>Sigmoilina sigmoidea</i> (Brady, 1884)	
<i>Sigmoilina</i> sp.	
<i>Sigmoilopsis asperula</i> (Karrer, 1868)	X
<i>Sigmoilopsis foeda</i> (Reuss, 1850)	
<i>Sigmoilopsis minutula</i> (Collins, 1958)	X
<i>Sigmoilopsis schlumbergeri</i> (Silvestri, 1904)	
<i>Sigmoilinella tortuosa</i> (Zheng, 1979)	
<i>Siphonaperta dilatata</i> (Le Calvez & Le Calvez, 1958)	
<i>Siphonaperta distorqueata</i> (Cushman, 1954)	
<i>Siphonaperta granulata</i> (Smigelska, 1957)	
<i>Siphonaperta cf. S. horrida</i> (Cushman, 1947)	
<i>Siphonaperta</i> spp.	
<i>Articulina alticostata</i> (Cushman, 1944)	
<i>Articulina queenslandica</i> Collins, 1958	
<i>Articulina</i> sp.	
<i>Ishamella apertura</i> (Buzas and Severin, 1982)	
<i>Steigerina bubnanensis</i> (McCulloch, 1977)	
<i>Sigmamiliolinella australis</i> (Parr, 1932)	
<i>Spiroloculina acicularis</i> (Batsch, 1791)	
<i>Spiroloculina angulata</i> (Cushman, 1917)	
<i>Spiroloculina antillarum</i> (d'Orbigny, 1838)	
<i>Spiroloculina carinata</i> (Fornasini, 1905)	
<i>Spiroloculina communis</i> (Cushman & Todd, 1944)	X
<i>Spiroloculina depressa</i> (d'Orbigny, 1826)	
<i>Spiroloculina dentata</i> (Cushman & Todd, 1944)	
<i>Spiroloculina excavata</i> (d'Orbigny, 1846)	
<i>Spiroloculina henbesti</i> (Petri, 1955)	
<i>Spiroloculina interrupta</i> (Terquem, 1878)	
<i>Spiroloculina lucida</i> (Cushman & Todd, 1944)	
<i>Spiroloculina nummiformis</i> (Said, 1949)	X

<i>Spiroloculina pulchella</i> (d'Orbigny in Fornasini, 1904)	
<i>Spiroloculina regularis</i> (Cushman & Todd, 1944)	
<i>Spiroloculina rotunda</i> (d'Orbigny, 1826)	
<i>Spiroloculina subcarinata</i> (D'Orbigny 1826)	
<i>Spiroloculina cf. nitida</i> (d'Orbigny, 1826)	
<i>Spiroloculina sp.</i>	
<i>Pseudohauerinella orientalis</i> (Cushman, 1946)	
<i>Vertebralina striata</i> (d'Orbigny, 1826)	
<i>Wiesnerella auriculata</i> (Egger, 1893)	
<i>Ophthalmidium arabianensis</i> (Shublak, 1977)	
<i>Ophthalmidium</i> sp.	
<i>Edentostomina constans</i> (Bandy, 1949)	
<i>Edentostomina cultrata</i> (Brady, 1881)	
<i>Edentostomina rupertiana</i> (Brady, 1881)	
<i>Edentostomina triangularis</i> (El-Naggar & Anber, 1974)	
<i>Spirophthalmidium acutimargo</i> (Brady, 1884)	
<i>Nodophthalmidium</i> sp.	
<i>Nubecularia</i> sp.	
<i>Ndobacularia</i> sp.	
<i>Peneroplis arietinus</i> (Batsch, 1791)	
<i>Peneroplis planatus</i> (Fichtel and Moll, 1798)	
<i>Peneroplis pertusus</i> (Forsskal in Niebuhr, 1775)	
<i>Coscinospira hemprichii</i> (Ehrenberg, 1839)	
<i>Spirolina</i> sp.	
<i>Dendritina elegans</i> (d'Orbigny, 1846)	
<i>Dendritina rangi</i> (d'Orbigny in Fornasini, 1904)	
<i>Sorites marginalis</i> (Lamarck, 1816)	
<i>Sorites orbiculus</i> (Forsskal in Niebuhr, 1775)	
<i>Miliammina cf. fusca</i> (Brady, 1870)	
<i>Miliammina</i> sp.	X
<i>Squamulina</i> sp.	
<i>Spirillina vivipara</i> (Ehrenberg, 1843)	
<i>Spirillina</i> sp.	
<i>Patellina corrugata</i> (Williamson, 1858)	
<i>Lagena dovevensis</i> (Haynes, 1973)	
<i>Lagena cf. hispidula</i> (Cushman, 1913)	
<i>Lagena perlucida</i> (Montagu, 1803)	X
<i>Lagena semilineata</i> (Wright, 1886)	X
<i>Lagena semistriata</i> (Williamson, 1848)	X
<i>Lagena spirata</i> (Bandy, 1949)	X
<i>Lagena striata</i> (Bandy, 1949)	
<i>Lagena sulcata</i> var. <i>torquiformis</i> (Haynes 1973)	
<i>Lagena substriata</i> (Williamson, 1848)	
<i>Lagena tenuis</i> (Bornemann, 1855)	X
<i>Lagena</i> sp.	
<i>Procerolagena distoma</i> (Parker & Jones, 1864)	
<i>Procerolagena oceanica</i> (Albani, 1974)	
<i>Procerolagena setigera</i> (Millett, 1901)	X
<i>Hyalinonetron distomapolitum</i> (Parker & Jones, 1865)	
<i>Hyalinonetron gracile</i> (Costa, 1856)	
<i>Hyalinonetron gracillimum</i> (Seguenza, 1862)	X

<i>Reussoolina laevis</i> (Montagu, 1803)	X
<i>Pyramidalina</i> sp.	
<i>Dentalina</i> sp.	
<i>Nodosaria</i> sp.	
<i>Laevidentalina communis</i> (d'Orbigny, 1826)	X
<i>Lenticulina</i> sp.	
<i>Pseudobulimina</i> sp. <i>P. convoluta</i> (Williamson, 1858)	
<i>Bulimina marginata</i> (d'Orbigny, 1826)	X
<i>Reussella aculeata</i> (Cushman, 1945)	X
<i>Reussella aequa</i> (Cushman & McCulloch, 1948)	X
<i>Reussella pulchra</i> (Cushman, 1945)	X
<i>Reussella pacifica</i> (Cushman & McCulloch, 1948)	
<i>Reussella</i> spp.	
<i>Fijiella simplex</i> (Cushman, 1929)	X
<i>Quirimbatina rimosa</i> (Heron-Allen & Earland, 1915)	
<i>Trimosina milletti</i> (Cushman, 1927)	
<i>Parabrizalina porrecta</i> (Brady, 1881)	
<i>Sagrinella convallaria</i> (Millett, 1900)	
<i>Neocassidulina abbreviata</i> (Heron-Allen and Earland, 1924)	
<i>Euloxostomum</i> sp.	
<i>Loxostomina limbata</i> (Brady, 1881)	X
<i>Loxostomina</i> sp.	X
<i>Pseudobrizalina lobata</i> (Brady, 1881)	
<i>Bolivinellina pseudopunctata</i> (Höglund, 1947)	
<i>Rectobolivina abrupta</i> (Phleger & Parker, 1952)	
<i>Tortoplectella rhomboidalis</i> (Millett, 1899)	
<i>Buccella frigida</i> (Cushman, 1922)	X
<i>Riminopsis asterizans</i> (Fichtel & Moll, 1798)	
<i>Fursenkoina schreibersiana</i> (Czjzek, 1848)	X
<i>Fursenkoina squamosa</i> (d'Orbigny in Deshayes, 1832)	
<i>Floresina durrandi</i> (Revets, 1990)	X
<i>Hopkinsina pacifica</i> (Cushman, 1933)	X
<i>Stainforthia concava</i> (Höglund 1947)	
<i>Bolivina alata</i> (Seguenza, 1862)	X
<i>Bolivina dilatata</i> (Reuss, 1950)	
<i>Bolivina nitida</i> (Brady, 1884)	
<i>Bolivina punctata</i> (d'Orbigny, 1839)	
<i>Bolivina spathulata</i> (Williamson, 1858)	X
<i>Bolivina striatula</i> (Cushman, 1922)	
<i>Bolivina substriatula</i> (Asano, 1958)	
<i>Bolivina vadescens</i> (Cushman, 1933)	
<i>Bolivina variabilis</i> (Williamson, 1858)	
<i>Bolivina</i> spp.	
<i>Rosalina adhaerens</i> (Murray, 1965)	
<i>Rosalina anomala</i> (Terquem, 1875)	
<i>Rosalina bradyi</i> (Cushman, 1915)	
<i>Rosalina densitiva</i> (McCulloch, 1977)	
<i>Rosalina globularis</i> (d'Orbigny, 1826)	X
<i>Rosalina orientalis</i> (Cushman, 1925)	
<i>Rosalina</i> spp.	
<i>Neoconorbina clara</i> (Cushman, 1934)	

<i>Neoconorbina</i> cf. <i>terquemi</i> (Rzehak, 1888)	
<i>Gavelinopsis praegeri</i> (Heron-Allen & Earland, 1913)	
<i>Eponides cribrorepandus</i> (Asano & Uchio, 1951)	
<i>Eponides repandus</i> (Fichtel & Moll, 1798)	X
<i>Poroeponides</i> sp.	
<i>Cancris auricula</i> (Fichtel & Moll, 1798)	
<i>Cancris</i> sp.	
<i>Valvularia rugosa</i> (d'Orbigny, 1839)	
<i>Discorbis vilardeboanus</i> (d'Orbigny, 1839)	X
<i>Helenina anderseni</i> (Warren, 1957)	
<i>Discorbina montereyensis</i> (Cushman & Martin, 1935)	
<i>Discorbina</i> sp.	
<i>Hanzawaia boueana</i> (d'Orbigny, 1846)	X
<i>Hanzawaia</i> cf. <i>H. nipponica</i> (Asano, 1944)	
<i>Facetocochlea pulchra</i> (Cushman, 1933)	
<i>Cibicidoides lobatus</i> (Walker & Jacob, 1798)	
<i>Cibicides refulgens</i> (Montfort, 1808)	
<i>Cibicides</i> sp.	
<i>Cibicidoides</i> spp.	
<i>Cibicidoides</i> cf. <i>subhaidingerii</i> (Parr, 1950)	X
<i>Heterolepa dutemplei</i> (d'Orbigny, 1846)	
<i>Lobatula mayori</i> (Cushman, 1924)	
<i>Planorbula mediterranensis</i> (d'Orbigny, 1826)	
<i>Planorbulinella elatensis</i> (Thomas, 1977)	
<i>Millettiana milletti</i> (Heron-Allen & Earland, 1915)	
<i>Cymbaloporella bradyi</i> (Cushman, 1915)	
<i>Cymbaloporella hemisphaerica</i> (Accordi & Selmi, 1952)	
<i>Cymbaloporella squammosa</i> (d'Orbigny, 1839)	
<i>Cymbaloporella</i> spp.	
<i>Cymbaloporella tabellaformis</i> (Brady, 1884)	
<i>Pseudononion japonicum</i> (Asano, 1936)	X
<i>Nonion bogdanowiczii</i> (Voloshinova, 1952)	
<i>Nonion nicobarensis</i> (Cushman, 1936)	
<i>Nonion</i> sp.	X
<i>Nonionella pulchella</i> (Hada, 1931)	
<i>Nonionella japonica</i> var. <i>mexicana</i> (Cushman & McCulloch, 1940)	
<i>Nonionella</i> sp.	X
<i>Pileolina patelliformis</i> (Brady, 1884)	
<i>Protelphidium hofkeri</i> (Haynes, 1956)	
<i>Protelphidium</i> sp.	
<i>Elphidium advenum</i> (Cushman, 1922)	X
<i>Elphidium advenum</i> subsp. <i>limbatum</i> (Chapman, 1907)	
<i>Elphidium chipolensis</i> (Cushman, 1920)	
<i>Elphidium craticulatum</i> (Fichtel and Moll, 1798)	
<i>Elphidium crispum</i> (Linnaeus, 1758)	
<i>Elphidium discoidale</i> (d'Orbigny, 1839)	X
<i>Elphidium jensenii</i> (Cushman, 1924)	
<i>Elphidium macellum</i> (Fichtel & Moll, 1798)	X
<i>Elphidium margaritaceum</i> (Cushman, 1930)	
<i>Elphidium reticulosum</i> (Cushman, 1933)	
<i>Elphidium tongaense</i> (Cushman, 1931)	

<i>Elphidium</i> cf. <i>alvarezianum</i> (d' Orbigny, 1839)	
<i>Elphidium</i> spp.	
<i>Criboelphidium albiumbilicatum</i> (Weiss, 1954)	
<i>Criboelphidium clarum</i> (Krashenennikov, 1960)	
<i>Criboelphidium excavatum</i> (Terquem, 1875)	
<i>Criboelphidium incertum</i> (Williamson, 1858)	
<i>Criboelphidium poeyanum</i> (d'Orbigny, 1839)	
<i>Porosononion</i> spp.	
<i>Elphidiella</i> sp.	
<i>Haynesina germanica</i> (Ehrenberg, 1840)	
<i>Haynesina</i> sp.	
<i>Ammonia aberdoveyensis</i> (Haynes, 1973)	
<i>Ammonia beccarii</i> (Linnaeus, 1758)	X
<i>Ammonia elegans</i> (d'Orbigny 1826)	
<i>Ammonia faceta</i> (He, Hu & Wang, 1965)	
<i>Ammonia falsobeccharii</i> (Rouville, 1974)	
<i>Ammonia nakazatoensis</i> (Kuwano, 1950)	
<i>Ammonia sadoensis</i> (Asano, 1951)	
<i>Ammonia tepida</i> (Cushman, 1926)	
<i>Ammonia umbonata</i> (Le Roy, 1944)	
<i>Ammonia</i> cf. <i>aberdoveyensis</i> (Haynes, 1973)	
<i>Ammonia</i> cf. <i>convexa</i> (Collins, 1958)	
<i>Ammonia</i> cf. <i>parkinsoniana</i> (d'Orbigny, 1839)	
<i>Ammonia</i> spp.	
<i>Challengerella bradyi</i> (Billman, Hottinger and Oesterle, 1980)	
<i>Challengerella persica</i> (Billman, Hottinger & Oesterle, 1980)	
<i>Challengerella</i> sp.	
<i>Asterorotalia dentata</i> (Parker & Jones, 1865)	X
<i>Asterorotalia inflata</i> (Millett, 1904)	X
<i>Asterorotalia milletti</i> (Hottinger and Oesterle, 1980)	
<i>Asterorotalia multispinosa</i> Nakamura, 1937	
<i>Asterorotalia concinna</i> Millet 1904	X
<i>Asterorotalia</i> spp.	
<i>Rotalidium annectens</i> (Parker & Jones, 1865)	X
<i>Rotalinoidea compressiuscula</i> (Brady, 1884)	
<i>Pseudorotalia schroeteriana</i> (Parker & Jones in Carpenter, 1862)	
<i>Cristatavultus milletti</i> (Heron-Allen & Earland, 1915)	
<i>Acervulina mabahethi</i> (Said, 1949)	
<i>Acervulina inhaerens</i> (Schulze, 1854)	
<i>Amphistegina lessonii</i> (d'Orbigny in Guérin-Méneville, 1832)	
<i>Monspeliensina</i> sp.	
<i>Eoepnidella</i> cf. <i>multisecta</i> (Galloway & Heminway, 1941)	
<i>Heterostegina depressa</i> (d'Orbigny, 1826)	
<i>Heterostegina</i> sp.	
<i>Operculina ammonoides</i> (Gronovius, 1781)	
<i>Operculina complanata</i> (Defrance in Blainville, 1822)	
<i>Operculina gaimardi</i> (d'Orbigny in Deshayes, 1832)	X
<i>Operculina</i> sp.	
<i>Murrayinella murrayi</i> (Heron-Allen & Earland, 1915)	
<i>Murrayinella globosa</i> (Millet, 1903)	
<i>Glandulina</i> sp.	

<i>Globulotuba entosoleniformis</i> (Collins, 1958)	X
<i>Globulotuba</i> sp.	X
<i>Polymorphina</i> sp.	
<i>Guttulina</i> cf. <i>sadoensis</i> (Cushman and Ozawa, 1928)	
<i>Globulina</i> cf. <i>tropicale</i> (Petri, 1957)	
<i>Globulina</i> sp.	
<i>Sigmomorphina semisecta</i> (Reuss, 1867)	
<i>Sigmomorphina</i> sp.	
<i>Oolina</i> cf. <i>hexagona</i> (Williamson, 1848)	
<i>Oolina laevigata</i> (d'Orbigny, 1839)	
<i>Oolina</i> sp.	
<i>Buchnerina milletti</i> (Todd in Cushman, Todd & Post, 1954)	
<i>Fissurina cucurbitasema</i> (Loeblich & Tappan, 1953)	
<i>Fissurina laevigata</i> (Reuss, 1850)	
<i>Fissurina lucida</i> (Williamson, 1848)	
<i>Fissurina marginata</i> (Montagu, 1803)	X
<i>Fissurina pedunculata</i> (Seguenza, 1862)	
<i>Fissurina tricarinata</i> (Terquem, 1882)	
<i>Fissurina</i> spp.	

X	X					X
					X	
					X	
	X					X
	X					
	X					
		X				
					X	
X						
	X					
	X					
X	X					X
					X	
	X					
		X				
			X			
				X		
	X	X				
	X	X				

X	X					
X	X					
X	X					
	X					
X						
		X				
X	X					
		X				
		X				
		X				
X						
					X	
X	X					
	X					
	X					
	X					X

			X	X	
	X			X	X
		X			
	X	X	X	X	
	X	X	X	X	
		X			X
X		X	X		X
		X			
		X			
				X	
	X		X		
				X	X
	X			X	
				X	
					X
		X			
				X	
					X
			X	X	
				X	
					X
		X	X	X	X
					X
		X	X	X	

