

Appendix

Field description

| Column | Explanation |
|--------------------------------|--|
| <i>Species</i> | Accepted species in this list |
| <i>Family</i> | Family name following Plants of the World Online 2021 |
| <i>All following Databases</i> | Acc – Accepted; NL – Not Listed; Syn – Synonym; ? – Doubtful; AmUn – Ambiguous or Unresolved / Unplaced 2021 |
| <i>Atlantis</i> | Biodiversity Data Bank of the Canary Islands: www.biodiversidadcanarias.es |
| <i>Muer</i> | Muer 2016: Die Farn- und Blütenpflanzen der Kanarischen Inseln (book) |
| <i>POWO</i> | Plants of the World Online, Kew: www.plantsoftheworldonline.org |
| <i>WFO</i> | World Flora Online: www.worldfloraonline.org (prior: The Plant List) |
| <i>COL</i> | Catalogue of Life: www.catalogueoflife.org |
| <i>GBIF</i> | Global Biodiversity Information Facility: www.gbif.org |
| <i>TRY</i> | Plant Trait Database: www.try-db.org |
| <i>POWO Syn</i> | # Synonyms listed in Plants of the World Online |
| <i>H</i> | El Hierro |
| <i>P</i> | La Palma |
| <i>G</i> | La Gomera |
| <i>T</i> | Tenerife |
| <i>C</i> | Gran Canaria |
| <i>F</i> | Fuerteventura |
| <i>L</i> | Lanzarote |
| <i>Endemic</i> | A – Canary Islands Archipelago Endemic; Island acronym – Single Island Endemic |
| <i>Native</i> | S – Surely native; P – Probably native |
| <i>Non native</i> | S – Surely non-native; P – Probably non-native; I – surely invasive |
| <i>Ornam Crop</i> | O – Ornamental plant; C – crop |

1 Main Table

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|--|---------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Aaronsohnia pubescens</i> (Desf.) K.Bremer & Humphries subsp. <i>maroccana</i> (P. W. Ball) H. Förther & D. Podlech | Asteraceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 2 | | | | | | | 1 | 1 | P | | |
| <i>Abutilon grandifolium</i> (Willd.) Sweet | Malvaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | | | I | O | |
| <i>Acacia cyclops</i> G. Don | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | | I | O | |
| <i>Acacia dealbata</i> Link | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | | | | | S | O | |
| <i>Acacia decurrens</i> (J.C.Wendl.) Willd. | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 11 | | | | 1 | | | | | S | O | |
| <i>Acacia mearnsii</i> De Wild. | Fabaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | | S | O | |
| <i>Acacia melanoxylon</i> R.Br. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | 1 | | | | | I | O | |
| <i>Acacia salicina</i> Lindl. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | 1 | | | | I | O | |
| <i>Acacia saligna</i> (Labill.) Wendl. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | | I | O | |
| <i>Acanthus mollis</i> L. | Acanthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | | | | | S | O | |
| <i>Acer campestre</i> L. | Sapindaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 52 | | | | 1 | | | | | S | O | |
| <i>Acer pseudoplatanus</i> L. | Sapindaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | | | | 1 | | | | | S | O | |
| <i>Achillea maritima</i> (L.) Ehrend. & Y.P.Guo | Asteraceae | Acc | Acc | Acc | Acc | Acc | Syn | Acc | 6 | | | | 1 | 1 | | | P | | | |
| <i>Achillea millefolium</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 128 | | | | 1 | | | | | S | | |
| <i>Achyranthes aspera</i> L. var. <i>sicula</i> L. | Amaranthaceae | NL | NL | Acc | Acc | Syn | Syn | Acc | 10 | 1 | 1 | 1 | 1 | 1 | | | | S | | |
| <i>Acokanthera oblongifolia</i> (Hochst.) Benth. & Hook.f. ex B.D.Jacks | Apocynaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | | | | S | | |
| <i>Adenocarpus foliolosus</i> (Aiton) DC. var. <i>foliolosus</i> | Fabaceae | NL | Acc | NL | NL | AmUn | Acc | NL | | 1 | 1 | 1 | 1 | 1 | | A | S | | | |
| <i>Adenocarpus ombriosus</i> Ceballos & Ortuno | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | 1 | | | | | | H | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|---|---------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Adenocarpus viscosus</i> (Willd.) Webb & Berthel. subsp. <i>viscosus</i> | Fabaceae | Acc | Acc | NL | NL | AmUn | Acc | NL | | | | 1 | 1 | | | | A | S | | |
| <i>Adenocarpus viscosus</i> (Willd.) Webb & Berthel. subsp. <i>spartioides</i> (Webb & Berthel.) Rivas Mart. & Belmonte | Fabaceae | Acc | Acc | Syn | Acc | AmUn | Acc | Syn | | | 1 | | | | | P | S | | | |
| <i>Adiantum capillus-veneris</i> L. | Pteridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 34 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | | |
| <i>Adiantum hispidulum</i> Sw. | Pteridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | | 1 | 1 | | | | | S | | |
| <i>Adiantum raddianum</i> C. Presl | Pteridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | 1 | 1 | 1 | | | | | S | | |
| <i>Adiantum reniforme</i> L. subsp. <i>reniforme</i> | Pteridaceae | Acc | NL | Acc | NL | Acc | Acc | NL | 0 | | 1 | 1 | 1 | | 1 | S | | | | |
| <i>Adiantum reniforme</i> L. subsp. <i>pusillum</i> (Bolle) Rivas-Mart. | Pteridaceae | Acc | NL | Acc | NL | Acc | Acc | NL | 0 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Adonis microcarpa</i> DC. | Ranunculaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | 1 | 1 | 1 | 1 | P | | | | |
| <i>Aegilops biuncialis</i> Vis. | Poaceae | Acc | Syn | Acc | Syn | Acc | Acc | Syn | 15 | | | 1 | | | | P | | | | |
| <i>Aegilops geniculata</i> Roth | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 22 | 1 | 1 | 1 | | | 1 | P | | | | |
| <i>Aegilops neglecta</i> Req. ex Bertol. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 27 | | | 1 | | | 1 | P | | | | |
| <i>Aeonium aizoon</i> (Bolle) T.H.M.Mes | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 2 | | | 1 | | | | T | S | | | |
| <i>Aeonium appendiculatum</i> Bañares | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | 1 | | | | | G | S | | | |
| <i>Aeonium arboreum</i> Webb & Berthel. subsp. <i>arboreum</i> | Crassulaceae | Acc | Acc | NL | Syn | Acc | Acc | NL | | | | | | 1 | | C | S | | | |
| <i>Aeonium arboreum</i> Webb & Berthel. subsp. <i>holochrysum</i> (H.Y.Liu) Bañares | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 8 | 1 | 1 | 1 | 1 | | | A | S | | | |
| <i>Aeonium aureum</i> (C.Sm. ex Hornem.) T.H.M.Mes | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | 1 | 1 | 1 | 1 | | A | S | | | |
| <i>Aeonium balsamiferum</i> Webb & Berthel. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | | | 1 | 1 | A | S | | | |
| <i>Aeonium canariense</i> (L.) Webb & Berthel. var. <i>canariense</i> | Crassulaceae | Acc | Acc | NL | NL | Acc | Acc | NL | | | | 1 | | | | T | S | | | |
| <i>Aeonium canariense</i> (L.) Webb & Berthel. subsp. <i>latifolium</i> (Burchard) Bañares | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 3 | | 1 | | | | | G | S | | | |
| <i>Aeonium castello-paivae</i> Bolle | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 3 | | 1 | | | | | G | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orrham Crop |
|--|--------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Aeonium ciliatum</i> (Willd.) Webb & Berthel. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 2 | | | | 1 | | | | T | S | | |
| <i>Aeonium cuneatum</i> Webb & Berthel. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | | T | S | | |
| <i>Aeonium davidbramwellii</i> H.Y.Liu | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | P | S | | |
| <i>Aeonium decorum</i> Webb ex Bolle | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | | G | S | | |
| <i>Aeonium diplocyclum</i> (Webb ex Bolle) T.H.M.Mes | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | | | | | A | S | | |
| <i>Aeonium dodrantale</i> (Willd.) T.H.M.Mes | Crassulaceae | Acc | Syn | Acc | Acc | AmUn | Acc | NL | 4 | | | | 1 | | | | T | S | | |
| <i>Aeonium gomerense</i> (Praeger) Praeger | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | 1 | | | | | G | S | | |
| <i>Aeonium goochiae</i> Webb & Berthel. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | | P | S | | |
| <i>Aeonium haworthii</i> Webb & Berthel. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | | | | | A | S | | |
| <i>Aeonium hierrense</i> (R.P.Murray) Pit. & Proust. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | | | | | | A | S | | |
| <i>Aeonium lancerottense</i> (Praeger) Praeger | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | | | | | | 1 | L | S | |
| <i>Aeonium lindleyi</i> Webb & Berthel. subsp. <i>lindleyi</i> | Crassulaceae | Acc | Acc | NL | Acc | Acc | Acc | NL | | | | 1 | | | | | T | S | | |
| <i>Aeonium lindleyi</i> Webb & Berthel. subsp. <i>viscatum</i> (Bolle) Bañares | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 3 | | | 1 | | | | | G | S | | |
| <i>Aeonium liui</i> Arango | Crassulaceae | Acc | NL | NL | NL | AmUn | Acc | NL | | | | 1 | | | | | T | S | | |
| <i>Aeonium mascaense</i> Bramwell | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | | | | | T | S | | |
| <i>Aeonium nobile</i> (Praeger) Praeger | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | P | S | | |
| <i>Aeonium palmense</i> Webb ex Christ | Crassulaceae | Syn | Syn | Acc | Syn | Syn | Syn | NL | 6 | 1 | 1 | | | | | | A | S | | |
| <i>Aeonium percarneum</i> (R.P.Murray) Pit. & Proust. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | | | 1 | | C | S | | |
| <i>Aeonium pseudourbicicum</i> Banares | Crassulaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 0 | | | 1 | | | | | T | S | | |
| <i>Aeonium rubrolineatum</i> Svent. | Crassulaceae | NL | Syn | Acc | Syn | Syn | Syn | NL | 1 | | | 1 | | | | | G | S | O | |
| <i>Aeonium saundersii</i> Bolle | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 2 | | | 1 | | | | | G | S | | |
| <i>Aeonium sedifolium</i> (Webb ex Bolle) Pit. & Proust. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | | | | | A | S | | |
| <i>Aeonium simsii</i> (Sweet) Stearn | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | 1 | | | | C | S | | |
| <i>Aeonium smithii</i> (Sims) Webb & Berthel. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | | T | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orrham Crop |
|---|----------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Aeonium spathulatum</i> (Hornem.) Praeger | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | | A | S | | | |
| <i>Aeonium tabuliforme</i> (Haw.) Webb & Berthel. | Crassulaceae | Acc | Syn | Acc | Acc | AmUn | Acc | Acc | 9 | | | | 1 | | | T | S | | | |
| <i>Aeonium undulatum</i> Webb & Berthel. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | C | S | | | |
| <i>Aeonium urbicum</i> (C.Sm. ex Hornem.) Webb & Berthel. subsp. <i>urbicum</i> | Crassulaceae | Acc | Acc | NL | NL | Acc | Acc | NL | | | | | 1 | | | T | S | | | |
| <i>Aeonium urbicum</i> (C.Sm. ex Hornem.) Webb & Berthel. subsp. <i>meridionale</i> (Bañares) Bañares | Crassulaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 0 | | | | 1 | | | T | S | | | |
| <i>Aeonium valverdense</i> (Praeger) Praeger | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | 1 | | | | | | H | S | | | |
| <i>Aeonium virgineum</i> Webb ex Christ | Crassulaceae | Syn | Syn | Acc | Syn | Acc | Syn | NL | 3 | | | | 1 | | | C | S | | | |
| <i>Aeonium volkeri</i> E.Hern. & Bañares | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | | | | T | S | | | |
| <i>Agapanthus praecox</i> Willd. subsp. <i>orientalis</i> (F.M.Leight.) F.M.Leight. | Amaryllidaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | 1 | 1 | 1 | | | | S | O | | |
| <i>Agave americana</i> L. var. <i>franzosini</i> Sprenger | Asparagaceae | Syn | NL | Acc | Syn | Acc | Acc | NL | 2 | 1 | 1 | 1 | | | | | S | O | | |
| <i>Agave angustifolia</i> Haw. | Asparagaceae | Acc | NL | Acc | Acc | Acc | Acc | NL | 0 | | 1 | 1 | 1 | | | | S | O | | |
| <i>Agave attenuata</i> Salm-Dyck | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Agave filifera</i> Salm-Dyck | Asparagaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 4 | | | 1 | 1 | | | | I | O | | |
| <i>Agave fourcroydes</i> Lem. | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | I | O | | |
| <i>Agave lechuguilla</i> Torr. | Asparagaceae | Acc | NL | Acc | Acc | AmUn | Acc | Acc | 5 | | 1 | | 1 | | | | S | O | | |
| <i>Agave macroacantha</i> Zucc. | Asparagaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 10 | 1 | | 1 | 1 | 1 | | | S | O | | |
| <i>Agave murpheyi</i> F.Gibson | Asparagaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | I | O | | |
| <i>Agave oteroii</i> G.D.Starr & TJ Davis | Asparagaceae | Acc | NL | Acc | NL | AmUn | Acc | NL | 0 | | | | 1 | | | | S | O | | |
| <i>Agave salmiana</i> Otto ex Salm-Dyck var. <i>ferox</i> (K.Koch) Gentry | Asparagaceae | NL | Syn | Acc | Acc | Acc | Acc | Acc | 6 | | 1 | 1 | 1 | | | | I | O | | |
| <i>Agave sisalana</i> Perrine | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | | 1 | 1 | 1 | | I | O | | |
| <i>Agave tequilana</i> F.A.C.Weber | Asparagaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | 1 | | | | I | O | | |
| <i>Agave vivipara</i> L. | Asparagaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | I | O | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|---|-----------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Ageratina adenophora</i> (Spreng.) R.M.King & H.Rob. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | I | O | | |
| <i>Ageratina riparia</i> (Regel) R.M.King & H.Rob. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | | | | | I | O | | |
| <i>Ageratum houstonianum</i> Mill. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | | | 1 | | | | | S | O | | |
| <i>Agrimonia eupatoria</i> L. | Rosaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | 1 | 1 | | | | | P | | | |
| <i>Agrostemma githago</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | | | | 1 | | | | P | | | |
| <i>Agrostis capillaris</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 70 | 1 | | | | | | | P | | | |
| <i>Agrostis castellana</i> Boiss. & Reut. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 23 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Agrostis pourretii</i> Willd. | Poaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 10 | | | 1 | | | | | I | | | |
| <i>Agrostis stolonifera</i> L. subsp. <i>stolonifera</i> | Poaceae | Acc | Acc | NL | Syn | AmUn | Acc | Syn | | | 1 | | | | | | P | | | |
| <i>Aichryson bituminosum</i> Bañares | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | | | | C | S | | |
| <i>Aichryson bollei</i> Webb ex Bolle | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | | | | | | P | S | | |
| <i>Aichryson brevipetalum</i> Praeger | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | 1 | | | | | | | P | S | | |
| <i>Aichryson dichotomum</i> (DC.) Webb & Berthel. | Crassulaceae | NL | NL | Acc | Syn | Syn | Acc | NL | 3 | | 1 | 1 | | | | | A | S | | |
| <i>Aichryson laxum</i> (Haw.) Bramwell subsp. <i>laxum</i> | Crassulaceae | Acc | NL | NL | NL | Acc | Acc | NL | | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Aichryson laxum</i> (Haw.) Bramwell subsp. <i>latipetalum</i> (Bañares & M.A. Marrero) Bañares | Crassulaceae | Acc | NL | Acc | NL | AmUn | Acc | NL | 0 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Aichryson pachycaulon</i> Bolle subsp. <i>pachycaulon</i> | Crassulaceae | Acc | Acc | NL | NL | Acc | Acc | NL | 1 | | | | | | 1 | | F | S | | |
| <i>Aichryson pachycaulon</i> Bolle subsp. <i>gonzalezhernandezii</i> (G.Kunkel) Bramwell | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | 1 | | | | | | G | S | | |
| <i>Aichryson pachycaulon</i> Bolle subsp. <i>immaculatum</i> (Webb ex Christ) Bramwell | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 2 | | | 1 | | | | | T | S | | |
| <i>Aichryson pachycaulon</i> Bolle subsp. <i>parviflorum</i> (Bolle) Bramwell | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 2 | 1 | | | | | | | P | S | | |
| <i>Aichryson pachycaulon</i> Bolle subsp. <i>praetermissum</i> Bramwell | Crassulaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | | | 1 | | | | | C | S | | |
| <i>Aichryson palmense</i> Webb ex Bolle | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | | | P | S | | |
| <i>Aichryson parlatorei</i> Bolle | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | | | A | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|---|----------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Aichryson porphyrogennetos</i> Bolle | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | | | | | | C | S | | |
| <i>Aichryson punctatum</i> (C.Sm. ex Link) Webb & Berthel. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Aichryson roseum</i> Bañares | Crassulaceae | Acc | NL | Acc | NL | Acc | Acc | NL | 0 | | | | | 1 | | | C | S | | |
| <i>Aichryson tortuosum</i> (Aiton) Webb & Berthel. var. <i>tortuosum</i> | Crassulaceae | Syn | Acc | NL | NL | AmUn | Acc | NL | | | | | | | | 1 | L | S | | |
| <i>Aichryson tortuosum</i> (Aiton) Webb & Berthel. subsp. <i>bethencourtianum</i> (Bolle) Bañares | Crassulaceae | Acc | Syn | Acc | Syn | Syn | Acc | NL | 4 | | | | | 1 | | | F | S | | |
| <i>Ailanthus altissima</i> (Mill.) Swingle | Simaroubaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 27 | | | | 1 | 1 | | | | I | O | |
| <i>Aira caryophyllea</i> L. subsp. <i>caryophyllea</i> | Poaceae | Acc | Acc | NL | Syn | AmUn | Syn | Syn | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Aira caryophyllea</i> L. subsp. <i>plesiantha</i> Jord. ex Boreau | Poaceae | Acc | Acc | NL | Syn | Syn | Syn | NL | | 1 | | | | | | | P | | | |
| <i>Aira cupaniana</i> Guss. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | 1 | 1 | 1 | | P | | | |
| <i>Aira elegans</i> Willd. ex Roem. & Schult. | Poaceae | Acc | Syn | Acc | NL | Acc | Acc | NL | 16 | | | 1 | | | | | P | | | |
| <i>Aira praecox</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | | | | 1 | | | | P | | | |
| <i>Aizoanthemopsis hispanica</i> (L.) Klak | Aizoaceae | Acc | Syn | Acc | NL | Acc | Acc | NL | 3 | | | 1 | | | | | P | | | |
| <i>Aizoon canariense</i> L. | Aizoaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Ajuga iva</i> (L.) Schreb. | Lamiaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 16 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Ajuga reptans</i> L. | Lamiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 13 | 1 | | | | | | | | S | | |
| <i>Alcea rosea</i> L. | Malvaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | | | | 1 | 1 | 1 | | S | O | | |
| <i>Alchemilla microcarpa</i> Boiss. & Reut. | Rosaceae | Syn | Syn | Acc | Syn | Syn | Syn | NL | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Alisma lanceolatum</i> With. | Alismataceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | | P | | | |
| <i>Allagopappus canariensis</i> (Willd.) Greuter | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | 1 | 1 | | | A | S | | |
| <i>Allagopappus viscosissimus</i> Bolle | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | | 1 | | | | C | S | | |
| <i>Allium ampeloprasum</i> L. | Amaryllidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 32 | 1 | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Allium canariense</i> (Regel) N.Friesen & P. Schönfelder subsp. <i>canariense</i> | Amaryllidaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Ornam Crop |
|--|------------------|----------|------|------|-----|------|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Allium canariense</i> (Regel) N.Friesen & P. Schönfelder subsp. <i>obtusitepetalum</i> (Svent.) N.Friesen & P.Schönfelder | Amaryllidaceae | Acc | Acc | Acc | NL | AmUn | Acc | NL | 2 | | | | | | | 1 | L | S | |
| <i>Allium neapolitanum</i> Cirillo | Amaryllidaceae | Syn | Syn | Acc | Acc | AmUn | Acc | Acc | 17 | | | | 1 | | | | | P | |
| <i>Allium nigrum</i> L. | Amaryllidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | | 1 | 1 | | | | | P | |
| <i>Allium paniculatum</i> L. subsp. <i>pallens</i> (L.) K.Richt. | Amaryllidaceae | Syn | NL | Acc | NL | Acc | Acc | NL | 5 | | | | | | | 1 | | S | |
| <i>Allium rotundum</i> L. | Amaryllidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 26 | | | 1 | 1 | | | | P | | |
| <i>Allium sphaerocephalon</i> L. | Amaryllidaceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | P | | |
| <i>Allium vineale</i> L. | Amaryllidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Aloe arborescens</i> Mill. | Xanthorrhoeaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | |
| <i>Aloe maculata</i> All. | Xanthorrhoeaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | 1 | 1 | | | | S | | |
| <i>Aloe vera</i> (L.) Burm.f. | Xanthorrhoeaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | |
| <i>Alojampelos ciliaris</i> (Haw.) Klopper & Gideon F.Sm. | Xanthorrhoeaceae | Syn | Syn | Acc | NL | Acc | Acc | Acc | 1 | | | 1 | 1 | | | | S | O | |
| <i>Alopecurus geniculatus</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | | 1 | | | | | P | | |
| <i>Alopecurus myosuroides</i> Huds. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Alternanthera caracasana</i> Kunth | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Alyssum granatense</i> Boiss. & Reut. | Brassicaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 6 | | | | 1 | | | | P | | |
| <i>Alyssum simplex</i> Rudolph | Brassicaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 10 | | | 1 | 1 | | | | P | | |
| <i>Amaranthus albus</i> L. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | | | 1 | | | | S | | |
| <i>Amaranthus blitoides</i> S.Watson | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Amaranthus blitum</i> L. subsp. <i>blitum</i> | Amaranthaceae | NL | Acc | NL | Syn | AmUn | Acc | Syn | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Amaranthus blitum</i> L. subsp. <i>emarginatus</i> (Salzm. ex Uline & Bray) Carretero, Muñoz Garm. & Pedrol | Amaranthaceae | Syn | Syn | Acc | Acc | Syn | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Amaranthus caudatus</i> L. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | | 1 | 1 | | | | S | | |
| <i>Amaranthus cruentus</i> L. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 29 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Orram Crop |
|--|----------------|----------|------|------|------|------|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Amaranthus deflexus</i> L. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | | 1 | 1 | 1 | 1 | S | | |
| <i>Amaranthus graecizans</i> L. subsp. <i>silvestris</i> (Vill.) Brenan | Amaranthaceae | Acc | Acc | Acc | Acc | Syn | Syn | Syn | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Amaranthus hybridus</i> L. subsp. <i>hybridus</i> | Amaranthaceae | Acc | NL | NL | Syn | AmUn | Acc | Syn | | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Amaranthus hybridus</i> L. subsp. <i>quitensis</i> (Kunth) Costea & Carretero | Amaranthaceae | Acc | NL | Acc | Acc | AmUn | Syn | Acc | 6 | 1 | 1 | | | | | | S | | |
| <i>Amaranthus muricatus</i> (Gillies ex Moq.) Hieron. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Amaranthus powelli</i> S. Watson | Amaranthaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 9 | | 1 | 1 | | | | | S | | |
| <i>Amaranthus retroflexus</i> L. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | 1 | | 1 | 1 | 1 | | | S | | |
| <i>Amaranthus standleyanus</i> Parodi ex Covas | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | | | | | S | | |
| <i>Amaranthus viridis</i> L. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Amaryllis belladonna</i> L. | Amaryllidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 20 | 1 | 1 | 1 | 1 | 1 | | | I | O | |
| <i>Ammi majus</i> L. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 37 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Ammi procerum</i> Lowe | Apiaceae | Acc | Acc | Syn | Syn | Acc | Acc | NL | 0 | 1 | | | 1 | | | | P | | |
| <i>Ammochloa pungens</i> (Schreb.) Boiss. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | | | | | P | | |
| <i>Ammodaucus leucotrichus</i> Coss. subsp. <i>nanocarpus</i> Beltrán-Tej. | Apiaceae | Syn | Syn | Acc | NL | Acc | Acc | NL | 0 | | 1 | 1 | | | | | S | | |
| <i>Amphilophium buccinatorium</i> (DC.) L.G.Lohmann | Bignoniaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 10 | 1 | | 1 | | | | | S | O | |
| <i>Anacyclus clavatus</i> (Desf.) Pers. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | 1 | | | | 1 | | | P | | |
| <i>Anacyclus radiatus</i> Loisel. subsp. <i>radiatus</i> | Asteraceae | Acc | Acc | Acc | Syn | Acc | Acc | NL | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Anacyclus radiatus</i> Loisel. subsp. <i>coronatus</i> (Murb.) Humphries | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 4 | | 1 | 1 | 1 | 1 | | | S | | |
| <i>Anagyris latifolia</i> Brouss. ex Willd. | Fabaceae | Acc | Acc | Acc | AmUn | AmUn | Acc | Acc | 1 | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Anastatica hierochuntica</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | | 1 | | | P | | |
| <i>Anchusa azurea</i> Mill. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Andrachne telephoides</i> L. | Phyllantaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | | 1 | 1 | | | P | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orram Crop |
|---|-----------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Andropogon distachyos</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | 1 | 1 | | | | | | P | | |
| <i>Andryala integrifolia</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 25 | 1 | | | | | | | | P | | |
| <i>Andryala perezii</i> M. Z. Ferreira, R. Jardim, Alv. Fern., & M. Seq. | Asteraceae | Acc | NL | Acc | NL | Acc | Acc | NL | 0 | | | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Andryala pinnatifida</i> Aiton subsp. <i>pinnatifida</i> | Asteraceae | Acc | Acc | Acc | Syn | Acc | Acc | NL | 7 | 1 | | 1 | 1 | 1 | | | A | S | | |
| <i>Andryala pinnatifida</i> Aiton subsp. <i>buchiana</i> (Sch.Bip.) Reyes-Bet. & A.Santos | Asteraceae | NL | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | | | | | | 1 | 1 | A | S |
| <i>Andryala pinnatifida</i> Aiton subsp. <i>cuneifolia</i> (Sch. Bip.) M. Z. Ferreira, Alv. Fern. & M. Seq. | Asteraceae | Acc | NL | Acc | NL | Acc | Acc | NL | 1 | 1 | | | 1 | 1 | 1 | | A | S | | |
| <i>Andryala pinnatifida</i> Aiton subsp. <i>latifolia</i> (Bornm.) G.Kunkel | Asteraceae | NL | NL | Acc | NL | Acc | Acc | NL | 7 | 1 | | | 1 | | | | | S | | |
| <i>Andryala pinnatifida</i> Aiton subsp. <i>preauxiana</i> (Sch.Bip.) G.Kunkel | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | | | 1 | | C | S | | |
| <i>Andryala pinnatifida</i> Aiton subsp. <i>teydensis</i> (Sch.Bip.) Rivas Mart. & al. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | | 1 | | | | T | S | | |
| <i>Andryala pinnatifida</i> Aiton subsp. <i>webbii</i> (Sch.Bip. ex Christ) G. Kunkel | Asteraceae | Acc | NL | NL | Acc | Syn | Acc | NL | | | 1 | 1 | | | | | A | S | | |
| <i>Andryala rothia</i> Pers. | Asteraceae | Syn | Syn | Acc | Acc | Acc | Acc | NL | 7 | 1 | 1 | 1 | | | | | A | S | | |
| <i>Andryala webbii</i> Christ | Asteraceae | Syn | Acc | Acc | Acc | Acc | Acc | NL | 1 | 1 | 1 | | | | | | A | S | | |
| <i>Anethum graveolens</i> L. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 20 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | C | |
| <i>Anogramma leptophylla</i> (L.) Link | Hemionitidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Anredera cordifolia</i> (Ten.) Steenis | Basellaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | | I | O | |
| <i>Anthemis arvensis</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Anthemis cotula</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Anthoxanthum aristatum</i> Boiss. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Anthoxanthum odoratum</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | 1 | | 1 | 1 | | | | P | | |
| <i>Anthriscus caucalis</i> M.Bieb. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | 1 | | | 1 | | | | | S | | |
| <i>Antigonon leptopus</i> Hook. & Arn. | Polygonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | 1 | | 1 | | | | | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Orrham Crop |
|---|-----------------|----------|------|------|-----|------|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Antirrhinum majus</i> L. | Antirrhinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | 1 | | P | O | |
| <i>Apium graveolens</i> L. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 27 | 1 | 1 | 1 | 1 | 1 | 1 | | P | C | |
| <i>Apium nodiflorum</i> (L.) Lag. | Apiaceae | Syn | Acc | Acc | Acc | Syn | Syn | Acc | 18 | | 1 | 1 | 1 | 1 | | | P | | |
| <i>Apium repens</i> (Jacq.) Lag. | Apiaceae | Syn | Acc | Acc | Acc | Syn | Syn | Acc | 6 | | | | 1 | | | | P | | |
| <i>Apteranthes burchardii</i> (N.E.Br.) Plowes subsp. <i>burchardii</i> | Asclepiadaceae | NL | Syn | Acc | NL | AmUn | Syn | NL | 0 | | | | | 1 | 1 | A | S | O | |
| <i>Aquilegia vulgaris</i> L. | Ranunculaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 28 | | | 1 | | | | | S | O | |
| <i>Arabidopsis thaliana</i> (L.) Heynh. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Arabis caucasica</i> Willd. | Brassicaceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 18 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Arabis nova</i> Vill. | Brassicaceae | Syn | NL | Acc | Acc | Acc | Acc | Acc | 11 | | 1 | | 1 | 1 | | | P | | |
| <i>Arabis recta</i> Vill. | Brassicaceae | NL | Acc | Acc | Acc | Syn | Syn | Acc | 18 | | 1 | | 1 | 1 | | | P | | |
| <i>Arbutus canariensis</i> Duhamel | Auracariaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Arbutus unedo</i> L. | Ericaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | | 1 | 1 | | | | I | O | |
| <i>Arenaria serpyllifolia</i> L. subsp. <i>leptoclados</i> (Rchb.) Nyman | Caryophyllaceae | Syn | Syn | Syn | Acc | Acc | Acc | Acc | | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Argemone mexicana</i> L. | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | | 1 | | 1 | 1 | | | I | O | |
| <i>Argemone ochroleuca</i> Sweet | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | 1 | | 1 | 1 | | | S | O | |
| <i>Argyranthemum adauctum</i> (Link) Humphries subsp. <i>adauctum</i> | Asteraceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 1 | | | | 1 | | | T | S | | |
| <i>Argyranthemum adauctum</i> (Link) Humphries subsp. <i>canariense</i> Humphries | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 2 | | | | 1 | | | C | S | | |
| <i>Argyranthemum adauctum</i> (Link) Humphries subsp. <i>dugourii</i> (Bolle) Humphries | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 2 | | | 1 | | | | T | S | | |
| <i>Argyranthemum adauctum</i> (Link) Humphries subsp. <i>erythrocarpon</i> (Svent.) Humphries | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | 1 | | | | | | H | S | | |
| <i>Argyranthemum adauctum</i> (Link) Humphries subsp. <i>gracile</i> (Sch.Bip.) Humphries | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | | | C | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop |
|---|------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Argyranthemum adauctum</i> (Link) Humphries subsp. <i>jacobiifolium</i> (Sch.Bip.) Humphries | Asteraceae | Syn | Syn | Acc | Acc | AmUn | Syn | NL | 4 | | | | | 1 | | | C | S | | |
| <i>Argyranthemum adauctum</i> (Link) Humphries A.Santos subsp. <i>palmensis</i> A.Santos | Asteraceae | Acc | NL | Acc | NL | AmUn | Acc | NL | 0 | 1 | | | | | | | P | S | | |
| <i>Argyranthemum broussonetii</i> (Pers.) Humphries subsp. <i>broussonetii</i> | Asteraceae | Acc | Acc | Acc | Syn | Acc | Acc | NL | 6 | | | | 1 | | | | T | S | | |
| <i>Argyranthemum callichrysum</i> (Svent.) Humphries | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | G | S | | |
| <i>Argyranthemum callichrysum</i> (Svent.) Humphries subsp. <i>callichrysum</i> | Asteraceae | Syn | Syn | NL | NL | Syn | Syn | NL | | | | 1 | | | | | G | S | | |
| <i>Argyranthemum callichrysum</i> (Svent.) Humphries subsp. <i>gomerensis</i> O.W. White | Asteraceae | Syn | Syn | Syn | NL | Syn | Syn | NL | | | | 1 | | | | | G | S | | |
| <i>Argyranthemum coronopifolium</i> (Wild.) Webb | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | | | 1 | | | | T | S | | |
| <i>Argyranthemum escarrei</i> (Svent.) Humphries | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | C | S | | |
| <i>Argyranthemum filifolium</i> (Sch.Bip.) Humphries | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 2 | | | | 1 | | | | T | S | | |
| <i>Argyranthemum foeniculaceum</i> (Willd.) Webb ex Sch.Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | 1 | | | | T | S | | |
| <i>Argyranthemum frutescens</i> (L.) Sch.Bip. subsp. <i>frutescens</i> | Asteraceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 5 | 1 | 1 | | 1 | 1 | 1 | A | S | | | |
| <i>Argyranthemum frutescens</i> (L.) Sch.Bip. subsp. <i>canariae</i> (Christ) Humphries | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 2 | | | | 1 | | | | C | S | | |
| <i>Argyranthemum frutescens</i> (L.) Sch.Bip. subsp. <i>foeniculaceum</i> (Pit. & Proust) Humphries | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | G | S | | |
| <i>Argyranthemum frutescens</i> (L.) Sch.Bip. subsp. <i>gracilescens</i> (Christ) Humphries | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | | | | | T | S | | |
| <i>Argyranthemum frutescens</i> (L.) Sch.Bip. subsp. <i>parviflorum</i> (Pit. & Proust) Humphries | Asteraceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 1 | | | 1 | 1 | | | | A | S | | |
| <i>Argyranthemum frutescens</i> (L.) Sch.Bip. subsp. <i>pumilum</i> Humphries | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | | 1 | | | | C | S | | |
| <i>Argyranthemum frutescens</i> (L.) Sch.Bip. subsp. <i>succulentum</i> Humphries | Asteraceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | 1 | | 1 | 1 | | | | A | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orrham Crop |
|--|------------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Argyranthemum gracile</i> Webb ex Sch.Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | T | S | | |
| <i>Argyranthemum haouarytheum</i> Humphries & Bramwell | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | | | | | P | S | | |
| <i>Argyranthemum hierrense</i> Humphries | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | | | H | S | | |
| <i>Argyranthemum lemsii</i> Humphries | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | | | | | | T | S | | |
| <i>Argyranthemum lidii</i> Humphries | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | | 1 | | | | C | S | | |
| <i>Argyranthemum maderense</i> (D.Don) Humphries | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | | | | | 1 | L | S | |
| <i>Argyranthemum sindingii</i> L.Borgen | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | | | | T | S | | |
| <i>Argyranthemum sventenii</i> Humphries & Aldridge | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | | | H | S | | |
| <i>Argyranthemum tenerifae</i> Humphries | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | | 1 | | | | T | S | | |
| <i>Argyranthemum vincentii</i> Santos & Feria | Asteraceae | NL | Acc | NL | AmUn | Acc | Acc | NL | | | | | 1 | | | | T | S | | |
| <i>Argyranthemum webbii</i> Sch.Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | | | | | | P | S | | |
| <i>Argyranthemum winteri</i> (Svent.) Humphries | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | | | 1 | F | S | |
| <i>Argyrolobium armindae</i> Marrero Rodr. | Fabaceae | Acc | Acc | Acc | AmUn | AmUn | Acc | NL | 0 | | | | 1 | | | | C | S | | |
| <i>Aria edulis</i> (Willd.) M. Roem. | Rosaceae | Syn | Syn | Acc | AmUn | Acc | Acc | NL | 40 | 1 | 1 | | | | | | P | | | |
| <i>Arisarum simorrhinum</i> Durieu | Araceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | 1 | 1 | 1 | | S | | | |
| <i>Aristida adscensionis</i> L. subsp. <i>adscensionis</i> | Poaceae | Acc | NL | NL | Syn | AmUn | Acc | Syn | | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Aristida adscensionis</i> L. subsp. <i>coerulescens</i> (Desf.) Bourreil & Trouin ex Auquier & J. Duvign. | Poaceae | Acc | Syn | Syn | Syn | Syn | Syn | NL | 0 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Aristolochia paucinervis</i> Pomel | Aristolochiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | 1 | 1 | | | | S | | |
| <i>Arnebia decumbens</i> (Vent.) Coss. & Kralik | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Arrhenatherum calderae</i> A.Hansen | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | | 1 | | | | A | S | | |
| <i>Arrhenatherum elatius</i> (L.) P.Beauv. ex J.Presl & C.Presl. subsp. <i>bulbosum</i> (Willd.) Schübl. & G.Martens | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Artemisia ramosa</i> C.Sm. ex Link | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | 1 | | | | A | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|--|----------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Artemisia reptans</i> C.Sm. ex Link | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | 1 | 1 | 1 | | S | | |
| <i>Artemisia thuscula</i> Cav. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | |
| <i>Arthrocaulon macrostachyum</i> (Moric.) Piirainen & G.Kadereit | Chenopodiaceae | Syn | Syn | Acc | NL | Acc | Acc | NL | 9 | | | | 1 | 1 | 1 | 1 | | S | | |
| <i>Arum italicum</i> Mill. subsp. <i>canariense</i> (Webb & Berthel.) P.C.Boyce | Araceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Arundo donax</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 25 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | I | O | |
| <i>Asclepias curassavica</i> L. | Asclepiadaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | O | |
| <i>Asparagus aethiopicus</i> L. | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | 1 | 1 | | | | P | | |
| <i>Asparagus albus</i> L. | Asparagaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | 1 | 1 | 1 | | S | | |
| <i>Asparagus arborescens</i> Willd. ex Schult. & Schult.f. | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | |
| <i>Asparagus asparagooides</i> (L.) Druce | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | O | |
| <i>Asparagus fallax</i> Svent. | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | 1 | | | | A | S | | |
| <i>Asparagus horridus</i> L. | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | | | 1 | 1 | | S |
| <i>Asparagus nesiotes</i> Svent. subsp. <i>nesiotes</i> | Asparagaceae | NL | NL | Acc | Syn | Acc | Acc | Syn | 0 | | | | | | | | 1 | 1 | A | S |
| <i>Asparagus nesiotes</i> Svent. subsp. <i>purpureiensis</i> Marrero Rodr. & A.Ramos | Asparagaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | | | | | | | | 1 | 1 | A | S |
| <i>Asparagus pastorianus</i> Webb & Berthel. | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | 1 | 1 | 1 | | S | | |
| <i>Asparagus plocamoides</i> Webb ex Svent. | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | |
| <i>Asparagus scoparius</i> Lowe | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Asparagus setaceus</i> (Kunth) Jessop | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | 1 | | 1 | 1 | 1 | | | | S | |
| <i>Asparagus umbellatus</i> Link subsp. <i>umbellatus</i> | Asparagaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | |
| <i>Asperula gemella</i> Airy Shaw & Turrill | Rubiaceae | Syn | NL | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | | | | | 1 | | P | |
| <i>Asphodelus aestivus</i> Brot. | Asphodelaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | |
| <i>Asphodelus ayardii</i> Jahand. & Maire | Asphodelaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | | P | | |
| <i>Asphodelus fistulosus</i> L. | Asphodelaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Ornam Crop |
|--|---------------|----------|------|------|------|-----|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Asphodelus ramosus</i> L. subsp. <i>ramosus</i> | Asphodelaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 18 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Asphodelus ramosus</i> L. subsp. <i>distalis</i> Z. Díaz & Valdés | Asphodelaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Asphodelus tenuifolius</i> Cav. | Asphodelaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Asplenium adiantum-nigrum</i> L. | Aspleniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | |
| <i>Asplenium aethiopicum</i> (Burm. f.) Bech. subsp. <i>dodecaploideum</i> A.F.Braithw. | Aspleniaceae | Syn | Syn | Acc | NL | Acc | Acc | NL | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | |
| <i>Asplenium aethiopicum</i> (Burm. f.) Bech. subsp. <i>filare</i> (Forssk.) A.F. Braithw. | Aspleniaceae | Syn | NL | Acc | Acc | Acc | Acc | NL | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | |
| <i>Asplenium anceps</i> Lowe ex Hook. & Grev. | Aspleniaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | |
| <i>Asplenium aureum</i> Cav. | Aspleniaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | |
| <i>Asplenium hemionitis</i> L. | Aspleniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | |
| <i>Asplenium monanthes</i> L. | Aspleniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | | | | | P | | |
| <i>Asplenium obovatum</i> Viv. subsp. <i>billotii</i> (F. W. Schultz) O. Bolòs, Vigo, Masalles & Ninot | Aspleniaceae | Acc | Syn | Acc | AmUn | Acc | Acc | Syn | 8 | 1 | | | | | 1 | | S | | |
| <i>Asplenium onopteris</i> L. | Aspleniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | |
| <i>Asplenium scolopendrium</i> L. | Aspleniaceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | 1 | | | | S | |
| <i>Asplenium septentrionale</i> (L.) Hoffm. | Aspleniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | 1 | 1 | | | | | S | | |
| <i>Asplenium sulcatum</i> Lam. | Aspleniaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | |
| <i>Asplenium terrene</i> G.Kunkel | Aspleniaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | | | 1 | | | | C | S | |
| <i>Asplenium trichomanes</i> L. subsp. <i>maderense</i> Gibby & Lovis | Aspleniaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | 1 | | | | | | P | | |
| <i>Asplenium trichomanes</i> L. subsp. <i>quadrivalens</i> D.E.Mey. | Aspleniaceae | Acc | Syn | Acc | NL | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | |
| <i>Asteriscus aquaticus</i> (L.) Less. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Asteriscus graveolens</i> (Forssk.) Less. subsp. <i>odoros</i> (Schousb.) Greuter | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 8 | | | | 1 | | | | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop | |
|---|-----------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|--|
| | | | | | | | | | | | | | | | | | | | | | |
| <i>Asteriscus graveolens</i> (Forssk.) Less. subsp. <i>stenophyllus</i> (Link) Greuter | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | | | 1 | | | C | S | | | |
| <i>Asteriscus intermedius</i> (DC.) Pit. & Proust | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | | | | 1 | L | S | | | |
| <i>Asteriscus schultzii</i> (Bolle) Pit. & Proust | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | | | | 1 | 1 | S | | | |
| <i>Asteriscus sericeus</i> (L.f.) DC. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | | | 1 | 1 | 1 | | A | S | | | |
| <i>Astragalus boeticus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | | | 1 | 1 | 1 | | P | | | | |
| <i>Astragalus edulis</i> Durand ex Bunge | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | 1 | 1 | P | | | | |
| <i>Astragalus hamosus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 24 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | | | |
| <i>Astragalus sinaicus</i> Boiss. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | 1 | 1 | P | | | | |
| <i>Astragalus solandri</i> Lowe | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 4 | | | 1 | 1 | 1 | 1 | 1 | P | | | | |
| <i>Astragalus stella</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | | | | | 1 | 1 | P | | | |
| <i>Astydamia latifolia</i> (L.f.) Baill. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | | | |
| <i>Athamanta cervariifolia</i> (DC.) DC. | Apiaceae | Acc | Syn | Acc | Acc | Acc | Acc | Syn | 2 | 1 | 1 | 1 | 1 | | | | A | S | | | |
| <i>Athamanta montana</i> (Webb ex Christ) Spalik & Wojew. & S.R.Downie | Apiaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | | |
| <i>Athyrium filix-femina</i> (L.) Roth | Athyriaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Atocion armeria</i> (L.) Raf. | Caryophyllaceae | NL | NL | Acc | Syn | Syn | Acc | Syn | 18 | | 1 | | | | | | | S | | | |
| <i>Atractylis arbuscula</i> Svent & Michaelis subsp. <i>arbuscula</i> | Asteraceae | NL | Acc | Acc | Syn | Acc | Acc | NL | 0 | | | | | | | | 1 | L | S | | |
| <i>Atractylis arbuscula</i> Svent & Michaelis subsp. <i>schizogynophylla</i> (Svent. & Kahne) Marrero Rodr. & Caujapé | Asteraceae | NL | Acc | Acc | Syn | Acc | Acc | NL | 1 | | | | 1 | | | | C | S | | | |
| <i>Atractylis cancellata</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | | |
| <i>Atractylis preauxiana</i> Sch.Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | 1 | | | | A | S | | | |
| <i>Atriplex glauca</i> L. subsp. <i>ifniensis</i> (Caball.) Rivas Mart. & al. | Chenopodiaceae | Acc | Acc | Acc | Acc | AmUn | Acc | NL | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | P | | | | |
| <i>Atriplex halimus</i> L. | Chenopodiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | 1 | 1 | 1 | | P | | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orrham Crop |
|---|----------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Atriplex lindleyi</i> Moq. | Chenopodiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | | | | 1 | | S | | |
| <i>Atriplex nummularia</i> Lindl. | Chenopodiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | 1 | 1 | 1 | | | S | | |
| <i>Atriplex portulacoides</i> L. | Chenopodiaceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | | 1 | | 1 | | | S | | |
| <i>Atriplex prostrata</i> Boucher ex DC. | Chenopodiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 43 | | | 1 | | | 1 | | | S | | |
| <i>Atriplex semibaccata</i> R.Br. | Chenopodiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | I | | |
| <i>Atriplex semilunaris</i> Aellen | Chenopodiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | | | 1 | 1 | | I | | |
| <i>Atriplex suberecta</i> Verd. | Chenopodiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | | 1 | 1 | 1 | | S | | |
| <i>Austrocylindropuntia cylindrica</i> (Lam.) Backeb. | Cactaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | |
| <i>Austrocylindropuntia subulata</i> (Muehlenpf.) Backeb. subsp. <i>exaltata</i> (A. Berger) D.R. Hunt | Cactaceae | Acc | NL | Acc | Acc | Acc | Acc | NL | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | |
| <i>Avellinia festucoides</i> (Link) Valdés & H.Scholz | Poaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 23 | | 1 | | 1 | | | | | I | | |
| <i>Avena barbata</i> Pott ex Link subsp. <i>barbata</i> | Poaceae | NL | NL | NL | Syn | AmUn | Acc | Syn | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Avena byzantina</i> K.Koch | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | | | | | | P | | | |
| <i>Avena canariensis</i> B.R.Baum, Rajhathy & D.R.Sampson | Poaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 0 | | | | 1 | 1 | 1 | A | S | | | |
| <i>Avena longiglumis</i> Durieu | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | P | | | |
| <i>Avena sativa</i> L. subsp. <i>sativa</i> | Poaceae | Acc | NL | NL | Syn | AmUn | Acc | Syn | | | | 1 | 1 | 1 | 1 | | P | C | | |
| <i>Avena sterilis</i> L. subsp. <i>sterilis</i> | Poaceae | Acc | NL | Acc | Syn | Acc | Acc | Syn | 7 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Avena sterilis</i> L. subsp. <i>atherantha</i> (C. Presl) H. Scholz | Poaceae | Acc | NL | NL | Acc | AmUn | Syn | Syn | | 1 | | | 1 | 1 | | | P | | | |
| <i>Avena sterilis</i> L. subsp. <i>ludoviciana</i> (Durieu) Gillet & Magne | Poaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 5 | 1 | | | 1 | 1 | | | P | | | |
| <i>Avena strigosa</i> Schreb. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | | | | | | P | | | |
| <i>Azolla filiculoides</i> Lam. | Salviniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | | | | | I | O | | |
| <i>Balanites aegyptiaca</i> (L.) Delile | Zygophyllaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | | S | O | | |
| <i>Ballota nigra</i> L. | Lamiaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 4 | 1 | | | | | | | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornham Crop |
|--|-----------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Bambusa vulgaris</i> Schrad. ex J.C. Wendl. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 25 | | | | | 1 | | | | S | O | |
| <i>Barbarea verna</i> (Mill.) Asch. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | | | | | | P | | |
| <i>Bassia hyssopifolia</i> (Pall.) Kuntze | Amaranthaaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | | | | 1 | 1 | 1 | | | P | | |
| <i>Bassia scoparia</i> (L.) A.J.Scott | Amaranthaaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 39 | | | | 1 | 1 | 1 | 1 | | S | O | |
| <i>Bassia tomentosa</i> (Lowe) Maire & Weiller | Amaranthaaceae | Acc | Acc | Acc | Acc | Syn | Syn | Acc | 7 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | | |
| <i>Begonia subvillosa</i> Klotzsch | Begoniaceae | Syn | NL | Acc | Acc | Acc | Acc | Acc | 6 | 1 | | | | | | | S | O | | |
| <i>Bellardia trixago</i> (L.) All. | Orobanchaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 25 | 1 | 1 | | 1 | 1 | | | P | | | |
| <i>Bellis annua</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | S | | | |
| <i>Bellis perennis</i> L. | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | 1 | | | | | P | | | |
| <i>Bencomia brachystachya</i> Svent. | Rosaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | | | 1 | | | | C | S | | |
| <i>Bencomia caudata</i> (Aiton) Webb & Berthel. | Rosaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 1 | 1 | 1 | 1 | | | | | A | S | | |
| <i>Bencomia exstipulata</i> Svent. | Rosaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | 1 | 1 | 1 | | | | | A | S | | |
| <i>Bencomia sphaerocarpa</i> Svent. | Rosaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | 1 | | | | | | | H | S | | |
| <i>Beta macrocarpa</i> Guss. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Beta vulgaris</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 46 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | C | | |
| <i>Bethencourtia hermosae</i> (Pit.) G.Kunkel | Asteraceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 2 | | 1 | | | | | | G | S | | |
| <i>Bethencourtia palmensis</i> (Nees) Choisy ex Link | Asteraceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 3 | 1 | 1 | | | | | | A | S | | |
| <i>Bethencourtia rupicola</i> (B.Nord.) B.Nord | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | NL | 1 | | 1 | | | | | | S | | | |
| <i>Biancaea decapetala</i> (Roth) O.Deg. | Fabaceae | Syn | NL | Acc | Syn | NL | Syn | NL | 14 | | | | 1 | | | | S | O | | |
| <i>Bidens aurea</i> (Aiton) Sheriff | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 39 | 1 | 1 | 1 | 1 | 1 | 1 | | I | | | |
| <i>Bidens pilosa</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 73 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Bifora testiculata</i> (L.) Roth | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | | 1 | | | | P | | | |
| <i>Biscutella auriculata</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Biserrula pelecinus</i> L. | Fabaceae | Syn | Acc | Acc | Syn | Syn | Syn | NL | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|---|----------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Bituminaria bituminosa</i> (L.) C.H.Stirt. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 22 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Blackstonia imperfoliata</i> (L.f.) Samp. | Gentianaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | | 1 | | | P | | | |
| <i>Blechnum spicant</i> (L.) Sm. | Blechnaceae | Syn | Acc | Acc | Acc | Syn | Acc | Acc | 35 | | | 1 | 1 | | | | S | | | |
| <i>Bolboschoenus glaucus</i> (Lam.) S.G.Sm. | Cyperaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 8 | | | | 1 | | | | S | | | |
| <i>Bolboschoenus maritimus</i> (L.) Palla | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | 1 | | | P | | | |
| <i>Borago officinalis</i> L. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Bosea yervamora</i> L. | Amaranthaaceae | Acc | Acc | Acc | Acc | AmUn | Syn | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | | |
| <i>Bothriochloa insculpta</i> (Hochst. ex A. Rich.) & A. Camus | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 5 | | | | 1 | 1 | | | P | | | |
| <i>Bothriochloa ischaemum</i> (L.) Keng | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 16 | | | | | 1 | | | P | | | |
| <i>Bothriochloa pertusa</i> (L.) A. Camus | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | 1 | | | P | | | |
| <i>Brachypodium arbuscula</i> (Gay ex St.-Yves) Gay ex St.-Yves | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | 1 | 1 | | | A | S | | | |
| <i>Brachypodium distachyon</i> (L.) P.Beauv. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 53 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Brachypodium glaucovirens</i> (Murb.) Sagorski | Poaceae | Acc | Acc | Acc | Syn | Acc | Acc | NL | 1 | | 1 | | | | | | S | | | |
| <i>Brachypodium phoenicoides</i> (L.) Roem. & Schult. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | | | | | 1 | | P | | | |
| <i>Brachypodium sylvaticum</i> (Huds.) P.Beauv. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Brassica bourgeauii</i> (Webb ex Christ) Kuntze | Brassicaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | | |
| <i>Brassica napus</i> L. | Brassicaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 28 | | | | | 1 | | | P | C | | |
| <i>Brassica nigra</i> (L.) K.Koch | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 24 | | | 1 | 1 | | | | P | C | | |
| <i>Brassica oleracea</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 45 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Briza maxima</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Briza media</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | | | 1 | 1 | | | P | | | |
| <i>Briza minor</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Bromus catharticus</i> Vahl. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 44 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|--|-----------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Bromus commutatus</i> Schrad. | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 4 | 1 | | | | | | | | P | | |
| <i>Bromus diandrus</i> Roth. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Bromus hordeaceus</i> L. subsp. <i>hordeaceus</i> | Poaceae | Acc | Syn | Acc | Syn | Acc | Acc | NL | 36 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Bromus lanceolatus</i> Roth. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Bromus lepidus</i> Holmb. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | | | 1 | | | P | | |
| <i>Bromus madritensis</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 31 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Bromus rigidus</i> Roth. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Bromus rubens</i> L. subsp. <i>kunkelii</i> (H.Scholz) H.Scholz | Poaceae | Acc | Syn | Acc | Acc | Acc | Acc | NL | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | A | P | | |
| <i>Bromus secalinus</i> L. | Poaceae | Syn | NL | Acc | Acc | Acc | Acc | Acc | 23 | 1 | | | | | | | | P | | |
| <i>Bromus squarrosum</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | | | | | 1 | | | P | | |
| <i>Bromus sterilis</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 23 | 1 | | 1 | | | | | | P | | |
| <i>Bromus tectorum</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 23 | 1 | | 1 | 1 | | | | | P | | |
| <i>Bryonia verrucosa</i> Aiton | Cucurbitaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | |
| <i>Bufonia paniculata</i> Dubois subsp. <i>teneriffae</i> Kunkel | Caryophyllaceae | NL | Syn | Acc | Acc | Acc | Acc | Syn | NL | 1 | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Buglossoides arvensis</i> (L.) I.M.Johnst. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | | | | 1 | 1 | 1 | 1 | | P | | |
| <i>Bupleurum handiense</i> (Bolle) G.Kunkel | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | 1 | 1 | A | S | | | |
| <i>Bupleurum lancifolium</i> Hornem. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | 1 | 1 | | | | | P | | |
| <i>Bupleurum salicifolium</i> R.Br. subsp. <i>salicifolium</i> | Apiaceae | Acc | Acc | NL | NL | Acc | Acc | NL | | 1 | | 1 | 1 | | | | | S | | |
| <i>Bupleurum salicifolium</i> R.Br. subsp. <i>aciphyllum</i> (Webb & Berthel.) Sunding & Kunkel | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Bupleurum semicompositum</i> L. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Bystropogon canariensis</i> (L.) L'Hér. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Bystropogon odoratissimus</i> Bolle | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | | | | | T | S | | |
| <i>Bystropogon origanifolius</i> L'Hér. var. <i>origanifolius</i> | Lamiaceae | NL | Acc | Acc | Syn | Acc | Acc | NL | 0 | | 1 | 1 | | | | | A | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|--|------------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Bystropogon origanifolius</i> L'Hér. var. <i>canariae</i> La Serna | Lamiaceae | NL | Acc | Acc | NL | Acc | Acc | NL | 0 | | | | | 1 | | | C | S | | |
| <i>Bystropogon origanifolius</i> L'Hér. var. <i>ferrensis</i> (Ceballos & Ortuño) La Serna | Lamiaceae | NL | Acc | Acc | Acc | Acc | Acc | NL | 0 | 1 | | | | | | | H | S | | |
| <i>Bystropogon origanifolius</i> L'Hér. var. <i>palmensis</i> Bornm. | Lamiaceae | NL | Acc | Acc | NL | Acc | Acc | NL | 0 | 1 | | | | | | | P | S | | |
| <i>Bystropogon plumosus</i> (L.f.) L'Hér. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | | 1 | | | | T | S | | |
| <i>Bystropogon wildpretii</i> La Serna | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | | | P | S | | |
| <i>Cakile maritima</i> Scop. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 24 | | | | 1 | 1 | 1 | 1 | P | | | |
| <i>Calamagrostis arenaria</i> (L.) Roth | Poaceae | Acc | Syn | Acc | Syn | Syn | Syn | NL | 8 | | | | | 1 | | | P | | | |
| <i>Calceolaria tripartita</i> Ruiz & Pav. | Calceolariaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 30 | 1 | 1 | 1 | | | | | S | O | | |
| <i>Calendula arvensis</i> M.Bieb. | Asteraceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 28 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | | |
| <i>Calendula officinalis</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Calendula stellata</i> Cav. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | | 1 | 1 | | | S | | | |
| <i>Calendula suffruticosa</i> Vahl | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | P | | | |
| <i>Calendula tripterocarpa</i> Rupr. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Callitrichie stagnalis</i> Scop. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | 1 | 1 | 1 | | | P | | | |
| <i>Calotropis procera</i> (Aiton) Dryand. | Apocynaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | | | 1 | 1 | | | I | | | |
| <i>Calystegia soldanella</i> (L.) R.Br. | Convolvulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | | | | | | 1 | | P | | | |
| <i>Camelina microcarpa</i> Andrz. ex DC. | Brassicaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 14 | | | | 1 | | | | P | | | |
| <i>Campanula dichotoma</i> L. | Campanulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | 1 | | 1 | 1 | | S | | | |
| <i>Campanula erinus</i> L. | Campanulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Camptoloma canariense</i> (Webb & Berthel.) Hilliard | Scrophulariaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | C | S | | |
| <i>Campylanthus salsoloides</i> (L.f.) Roth | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Canaria tortuosa</i> (Webb & Berthel.) Jim.Mejías & P.Vargas | Apiaceae | Acc | Syn | Acc | NL | Acc | Acc | NL | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop |
|--|---------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Canarina canariensis</i> (L.) Vatke | Campanulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | | A | S | | | |
| <i>Canna glauca</i> L. | Cannaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 18 | | 1 | | | | | | S | O | | |
| <i>Canna indica</i> L. | Cannaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 116 | | 1 | 1 | 1 | 1 | | | S | O | | |
| <i>Capparis spinosa</i> L. | Capparaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | | | | | | | S | C | | |
| <i>Capsella bursa-pastoris</i> (L.) Medik. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 237 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Capsella rubella</i> Reut. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | | | | | P | | | |
| <i>Capsicum annuum</i> L. | Solanaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 80 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Cardamine flexuosa</i> With subsp. <i>debilis</i> | Brassicaceae | NL | NL | Acc | Acc | Acc | Acc | NL | 13 | | | | | | 1 | | P | | | |
| <i>Cardamine hirsuta</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 25 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Cardiospermum grandiflorum</i> Sw. | Sapindaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | 1 | 1 | 1 | 1 | | | I | O | | |
| <i>Cardiospermum halicacabum</i> L. | Sapindaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | 1 | | | S | O | | |
| <i>Carduus baeocephalus</i> Webb subsp. <i>baeocephalus</i> | Asteraceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 1 | | | | | | 1 | | C | S | | |
| <i>Carduus baeocephalus</i> Webb subsp. <i>microstigma</i> Gaisberg & Wagenitz | Asteraceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | 1 | | | | 1 | | A | S | | | |
| <i>Carduus bourgaei</i> Kazmi | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | | | | 1 | | F | S | | |
| <i>Carduus clavulatus</i> Link | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | | |
| <i>Carduus pycnocephalus</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Carduus tenuiflorus</i> Curtis | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Carduus volatarioides</i> Reyes-Bet. | Asteraceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | | | | 1 | | | T | S | | |
| <i>Carex canariensis</i> Kük. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | | |
| <i>Carex demissa</i> Hornem. subsp. <i>cedercreutzii</i> (Fagerstr.) Jac.Koopman | Cyperaceae | Acc | Acc | Acc | Syn | Acc | Acc | NL | 1 | | | | 1 | | | | P | | | |
| <i>Carex distachya</i> Desf. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | 1 | | | P | | | |
| <i>Carex distans</i> L. | Cyperaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | 1 | | | P | | | |
| <i>Carex divisa</i> Huds. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 34 | 1 | | | | | | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orram Crop |
|---|---------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Carex divulsa</i> Stokes subsp. <i>divulsa</i> (Stokes) Celak. | Cyperaceae | Acc | NL | Acc | Syn | Syn | Acc | Acc | 14 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Carex leersii</i> F.W. Schultz | Cyperaceae | NL | Syn | Acc | Acc | Acc | Acc | Acc | 10 | | 1 | 1 | 1 | | | | P | | | |
| <i>Carex otrubae</i> Podp. | Cyperaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 8 | | 1 | 1 | 1 | | | | P | | | |
| <i>Carex pairae</i> F.W.Schultz | Cyperaceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | 1 | 1 | | | | P | | | |
| <i>Carex paniculata</i> L. subsp. <i>calderae</i> (A. Hansen) Lewej. & Lobin | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | 1 | | | | | | T | S | | |
| <i>Carex perraudieriana</i> (Kük. ex Bornm.) Gay ex Kük. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | | | | | A | S | | |
| <i>Carex pseudocyperus</i> L. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | P | | | |
| <i>Carica papaya</i> L. | Caricaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 31 | 1 | 1 | 1 | 1 | | | | | S | C | |
| <i>Carlina canariensis</i> Pit. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | C | S | | |
| <i>Carlina falcata</i> Svent. | Asteraceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 1 | 1 | 1 | 1 | | | | | A | S | | |
| <i>Carlina salicifolia</i> (L.f.) Cav. subsp. <i>salicifolia</i> | Asteraceae | NL | Acc | Acc | Syn | Acc | Acc | Syn | 4 | 1 | | 1 | 1 | | | | A | S | | |
| <i>Carlina salicifolia</i> (L.f.) Cav. subsp. <i>lancerottensis</i> G. Kunkel | Asteraceae | NL | Acc | Acc | AmUn | Acc | Acc | NL | 1 | | | | | 1 | 1 | A | S | | | |
| <i>Carlina salicifolia</i> (L.f.) Cav. subsp. <i>meuselii</i> nov subsp. | Asteraceae | NL | NL | NL | NL | AmUn | Acc | NL | | 1 | | | | | | | P | S | | |
| <i>Carlina salicifolia</i> (L.f.) Cav. var. <i>gomerensis</i> G.Kunkel | Asteraceae | NL | NL | Acc | NL | Acc | Acc | NL | 0 | | 1 | | | | | | G | S | | |
| <i>Carlina texedae</i> Marrero Rodr. | Asteraceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 0 | | | | 1 | | | | C | S | | |
| <i>Carlina xeranthemoides</i> L.f. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | T | S | | |
| <i>Caroxylon tetrandrum</i> (Forssk.) Akhani & Roalson | Amaranthaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 5 | | | | 1 | 1 | | | P | | | |
| <i>Caroxylon vermiculatum</i> (L.) Akhani & Roalson | Amaranthaceae | Acc | Acc | Acc | Syn | Syn | Syn | Syn | 15 | | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Carpobrotus acinaciformis</i> (L.) L.Bolus | Aizoaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | | | | I | O | | |
| <i>Carpobrotus edulis</i> (L.) N.E.Br. | Aizoaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | I | O | | |
| <i>Carrichtera annua</i> (L.) DC. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Carthamus caeruleus</i> L. | Asteraceae | Syn | Syn | Acc | Acc | Syn | Syn | Acc | 14 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orram Crop |
|--|---------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Carthamus lanatus</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Carthamus tinctorius</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | | | S | C | | |
| <i>Cascabela thevetia</i> (L.) Lippold | Apocynaceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | | | | S | O | | |
| <i>Castanea sativa</i> Mill. | Fagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | | | I | C | | |
| <i>Castellia tuberculosa</i> (Moris) Bor | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Casuarina cunninghamiana</i> Miq. | Casuarinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | | | | | | S | O | | |
| <i>Casuarina equisetifolia</i> L. | Casuarinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | 1 | 1 | | | S | O | | |
| <i>Casuarina glauca</i> Sieber ex Spreng. | Casuarinaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Catapodium marinum</i> (L.) C.E.Hubb. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 22 | | | | | | 1 | 1 | P | | | |
| <i>Catapodium rigidum</i> (L.) C.E.Hubb. subsp. <i>rigidum</i> | Poaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 15 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Catapodium rigidum</i> (L.) C.E.Hubb. subsp. <i>hemipoa</i> (Delile ex Spreng.) Kerguélen | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 9 | | | | | | 1 | | P | | | |
| <i>Catharanthus roseus</i> (L.) G. Don | Apocynaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | | 1 | 1 | 1 | 1 | S | O | | |
| <i>Cedronella canariensis</i> (L.) Webb & Berthel. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Ceiba pentandra</i> (L.) Gaertn. | Malvaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 22 | | | 1 | | | | | S | C | | |
| <i>Celtis australis</i> L. | Ulmaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | 1 | | 1 | | | | S | O | | |
| <i>Cenchrus americanus</i> (L.) Morrone | Poaceae | NL | Syn | Acc | AmUn | Acc | Acc | Syn | 58 | 1 | 1 | 1 | | | | | S | O | | |
| <i>Cenchrus ciliaris</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 20 | 1 | 1 | 1 | 1 | 1 | 1 | | P | O | | |
| <i>Cenchrus clandestinus</i> (Hochst. ex Chiov.) Morrone | Poaceae | Acc | NL | Acc | NL | Acc | Acc | Syn | 3 | 1 | 1 | 1 | 1 | 1 | | | I | O | | |
| <i>Cenchrus divisus</i> (J.F.Gmel.) Verloove, Govaerts & Buttler | Poaceae | NL | NL | Acc | NL | Acc | Acc | NL | 9 | | | 1 | 1 | | | | S | O | | |
| <i>Cenchrus echinatus</i> L. | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 10 | | | | 1 | | | | I | O | | |
| <i>Cenchrus geniculatus</i> Thunb. | Poaceae | Acc | NL | Acc | Syn | Acc | Acc | NL | 12 | 1 | 1 | | | | | | S | O | | |
| <i>Cenchrus longisetus</i> M.C. Johnst. | Poaceae | Acc | Syn | Acc | Syn | Acc | Acc | Syn | 3 | 1 | 1 | 1 | | | | | S | O | | |
| <i>Cenchrus orientalis</i> (Rich.) Morrone | Poaceae | Acc | NL | Acc | Syn | Acc | Acc | Syn | 12 | 1 | 1 | 1 | | | | | I | O | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Ornam Crop |
|---|------------------|----------|------|------|------|-----|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Cenchrus purpureus</i> (Schumach.) Morrone | Poaceae | Acc | Syn | Acc | AmUn | Acc | Acc | Syn | 13 | 1 | 1 | 1 | 1 | 1 | 1 | | I | O | |
| <i>Cenchrus setaceus</i> (Forssk.) Morrone | Poaceae | Acc | Syn | Acc | AmUn | Acc | Acc | Syn | 10 | 1 | 1 | 1 | 1 | 1 | 1 | | I | O | |
| <i>Centaurea aspera</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | | | 1 | | | P | | |
| <i>Centaurea bimorpha</i> Viv. | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | NL | 4 | | | | | 1 | | | S | | |
| <i>Centaurea calcitrapa</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | | 1 | 1 | 1 | 1 | | P | | |
| <i>Centaurea conocephala</i> Bolle | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | | | | T | S | | |
| <i>Centaurea diluta</i> Aiton | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | | 1 | | | P | | |
| <i>Centaurea eriophora</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | | 1 | | | P | | |
| <i>Centaurea gentilii</i> Braun-Blanq. & Maire | Asteraceae | Syn | Acc | Acc | Syn | Syn | Syn | Syn | 3 | | | | 1 | | | | P | | |
| <i>Centaurea melitensis</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Centaurium erythraea</i> Rafn | Gentianaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 36 | 1 | 1 | | 1 | 1 | | | P | | |
| <i>Centaurium maritimum</i> (L.) Fritsch | Gentianaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | | | 1 | | | | P | | |
| <i>Centaurium pulchellum</i> (Sw.) Druce | Gentianaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 49 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Centaurium tenuiflorum</i> (Hoffmanns. & Link) Fritsch subsp. <i>tenuiflorum</i> | Gentianaceae | Acc | NL | NL | NL | Acc | Acc | NL | | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Centratherum punctatum</i> Cass. | Asteraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 41 | 1 | | | | | | | S | | |
| <i>Cerastium arvense</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 36 | | 1 | 1 | 1 | | | | P | | |
| <i>Cerastium fontanum</i> Baumg. | Caryophyllaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 8 | 1 | | 1 | 1 | | | | P | | |
| <i>Cerastium glomeratum</i> Thuill. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 33 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Cerastium holosteoides</i> Fr. | Caryophyllaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 44 | | | 1 | 1 | | | | P | | |
| <i>Cerastium sventenii</i> Jalas | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | 1 | 1 | | 1 | | | A | S | | |
| <i>Ceratocapnos heterocarpa</i> Durand | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 2 | | | | | 1 | | | P | | |
| <i>Ceratonia siliqua</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | 1 | 1 | 1 | 1 | | P | C | |
| <i>Ceratophyllum demersum</i> L. | Ceratophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | | S | | |
| <i>Cereus hildmannianus</i> K.Schum. | Cactaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 33 | | | 1 | | | | | S | O | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orrham Crop |
|--|-----------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Ceropegia dichotoma</i> Haw. subsp. <i>dichotoma</i> | Asclepiadaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 2 | 1 | | | 1 | | | | A | S | | |
| <i>Ceropegia dichotoma</i> Haw. subsp. <i>kraenzii</i> (Svent.) P.Bruyns | Asclepiadaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | | | | | | G | S | | |
| <i>Ceropegia fusca</i> Bolle | Asclepiadaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | 1 | | | | A | S | | |
| <i>Cestrum aurantiacum</i> Lindl. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | 1 | 1 | | | | | | S | |
| <i>Cestrum parqui</i> (Lam.) L'Hér. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 20 | | | 1 | | 1 | | | | I | | |
| <i>Chaenorhinum minus</i> (L.) Lange | Plantaginaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 10 | 1 | | | | | | | | S | | |
| <i>Chaetonychia cymosa</i> (L.) Sweet | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | | 1 | | | | | P | | |
| <i>Chamaecrista fasciculata</i> (Michx.) Greene | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 45 | 1 | | | | | | | | S | O | |
| <i>Chamaecytisus mollis</i> (Cav.) Greuter & Burdet | Fabaceae | Acc | NL | Acc | Acc | AmUn | Syn | NL | 5 | | | | 1 | | | | | P | | |
| <i>Chamaecytisus prolifer</i> (L.f.) Link subsp. <i>prolifer</i> | Fabaceae | Syn | Syn | NL | NL | NL | Acc | NL | | | 1 | 1 | | | | | A | S | | |
| <i>Chamaecytisus prolifer</i> (L.f.) Link subsp. <i>angustifolius</i> (Kuntze) G. Kunkel | Fabaceae | Syn | Syn | Acc | NL | NL | Syn | NL | 0 | | 1 | 1 | | | | | A | S | | |
| <i>Chamaecytisus prolifer</i> (L.f.) Link subsp. <i>meridionalis</i> Acebes | Fabaceae | Syn | Syn | Acc | NL | NL | Syn | NL | 1 | | | 1 | | | | | C | S | | |
| <i>Chamaecytisus prolifer</i> (L.f.) Link subsp. <i>palmensis</i> H.Christ | Fabaceae | NL | Syn | Acc | Acc | Syn | Acc | Acc | 3 | 1 | | | | | | | P | S | | |
| <i>Chamaemelum fuscatum</i> (Brot.) Vasc. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | 1 | | | | | | S | | |
| <i>Chamaerops humilis</i> L. | Arecaeae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | | | | | S | O | | |
| <i>Chasmanthe aethiopica</i> (L.) N.E.Br. | Iridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | | | | I | O | | |
| <i>Chasmanthe bicolor</i> (Gasp.) N. E. Br. | Iridaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | | S | O | | |
| <i>Chasmanthe floribunda</i> (Salisb.) N. E. Br. | Iridaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | 1 | | | | | S | O | | |
| <i>Cheilanthes tirajanae</i> T.S. Velazquez | Pteridaceae | Acc | Acc | AmUn | NL | Syn | Syn | NL | 0 | | | 1 | | | | | C | S | | |
| <i>Cheirolophus anagaensis</i> Santos | Asteraceae | NL | NL | NL | NL | AmUn | Acc | NL | | | 1 | | | | | | T | S | | |
| <i>Cheirolophus arboreus</i> (Webb & Berthel.) Holub | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | | | | | P | S | | |
| <i>Cheirolophus arbutifolius</i> (Svent.) G.Kunkel | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | C | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop | |
|--|---------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|--|
| | | | | | | | | | | | | | | | | | | | | | |
| <i>Cheirolophus burchardii</i> Susanna | Asteraceae | Syn | Acc | Acc | Acc | Acc | Acc | NL | 3 | | | | 1 | | | | T | S | | | |
| <i>Cheirolophus canariensis</i> (Brouss. ex Willd.) Holub | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | T | S | | | |
| <i>Cheirolophus dariasii</i> (Svent.) Bramwell | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 2 | | | 1 | | | | | G | S | | | |
| <i>Cheirolophus duranii</i> (Burchard) Holub | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | 1 | | | | | | | H | S | | | |
| <i>Cheirolophus falcisectus</i> Svent. ex Montelongo & Moraleda | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | C | S | | | |
| <i>Cheirolophus ghomerythus</i> (Svent.) Holub | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | 1 | | | | | | G | S | | | |
| <i>Cheirolophus junonianus</i> (Svent.) Holub subsp. <i>junonianus</i> | Asteraceae | NL | Syn | NL | Syn | AmUn | Syn | NL | | | 1 | | | | | | P | S | | | |
| <i>Cheirolophus junonianus</i> (Svent.) Holub subsp. <i>isoplexisphyllus</i> (Svent.) G.Kunkel | Asteraceae | NL | Syn | Acc | Syn | Acc | Acc | NL | 0 | | 1 | | | | | | P | S | | | |
| <i>Cheirolophus metlesicsii</i> Parada | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | | | | | T | S | | | |
| <i>Cheirolophus puntallanensis</i> A. Santos | Asteraceae | NL | Acc | NL | NL | Acc | Acc | NL | | | 1 | | | | | | P | S | | | |
| <i>Cheirolophus santos-abreui</i> A.Santos | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | 1 | | | | | | P | S | | | |
| <i>Cheirolophus satarataensis</i> (Svent.) Holub | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | 1 | | | | | G | S | | | |
| <i>Cheirolophus sventenii</i> (A.Santos) G.Kunkel subsp. <i>sventenii</i> | Asteraceae | Acc | Acc | Acc | Syn | Acc | Acc | NL | 1 | | 1 | | | | | | P | S | | | |
| <i>Cheirolophus sventenii</i> (A.Santos) G.Kunkel subsp. <i>gracilis</i> A. Santos | Asteraceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | | 1 | | | | | | P | S | | | |
| <i>Cheirolophus tagananensis</i> (Svent.) Holub | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | 1 | | | | | T | S | | | |
| <i>Cheirolophus teydis</i> (C.Sm.) G.López | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | 1 | 1 | | | | | A | S | | | |
| <i>Cheirolophus webbianus</i> (Sch.Bip.) Holub | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 2 | | | 1 | | | | | T | S | | | |
| <i>Chelidonium majus</i> L. | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | | | 1 | 1 | | | | S | | | |
| <i>Chenopodium coronopus</i> (Moq.) S.Fuentes, Uotila & Borsch | Amaranthaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 2 | 1 | 1 | | 1 | 1 | | | A | S | | | |
| <i>Chenopodium murale</i> (L.) S.Fuentes, Uotila & Borsch | Amaranthaceae | Acc | Acc | Acc | Syn | Acc | Acc | Acc | 19 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | | |
| <i>Chenopodium album</i> L. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 88 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orrham Crop |
|---|---------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Chenopodium giganteum</i> D.Don | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | | 1 | 1 | 1 | | | P | | |
| <i>Chenopodium nutans</i> (R.Br.) S.Fuentes & Borsch | Amaranthaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 6 | 1 | | 1 | 1 | | | | I | | | |
| <i>Chenopodium opulifolium</i> Schrad. ex W.D.J.Koch & Ziz | Amaranthaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 5 | 1 | | | | | | | S | | | |
| <i>Chenopodium probstii</i> Aellen | Amaranthaceae | Acc | NL | Syn | Syn | Acc | Acc | Syn | | 1 | | 1 | | | | | S | | | |
| <i>Chenopodium vulvaria</i> L. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | | | 1 | | | | P | | | |
| <i>Chloris barbata</i> Sw. | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 4 | | | 1 | | | | | S | | | |
| <i>Chloris gayana</i> Kunth | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | 1 | | | | | P | | | |
| <i>Chloris pycnothrix</i> Trin. | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 10 | 1 | | | | | | | S | | | |
| <i>Chloris truncata</i> R.Br. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | 1 | | | | | P | | | |
| <i>Chlorophytum comosum</i> (Thunb.) Jacques | Asparagaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 31 | 1 | | 1 | 1 | | | | S | O | | |
| <i>Chondrilla juncea</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | | | 1 | | | | | P | | | |
| <i>Chrysojasminum odoratissimum</i> (L.) Banfi | Oleaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Cicer arietinum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | 1 | 1 | 1 | | S | | | |
| <i>Cicer canariense</i> A.Santos & G.P.Lewis | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | | | | A | S | | | |
| <i>Cichorium pumilum</i> Jacq. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Cirsium vulgare</i> (Savi) Ten. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | | | | | S | | | |
| <i>Cistanche phelypaea</i> (L.) Cout. | Orobanchaceae | Acc | Acc | Acc | Acc | AmUn | Acc | Acc | 10 | | | 1 | 1 | 1 | | | P | | | |
| <i>Cistus asper</i> Demoly & R.Mesa | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | 1 | | | | | | H | S | | | |
| <i>Cistus chinamadensis</i> Bañares & P.Romero subsp. <i>chinamadensis</i> | Cistaceae | Acc | Acc | NL | NL | Acc | Acc | NL | | | | 1 | | | | T | S | | | |
| <i>Cistus chinamadensis</i> Bañares & P.Romero subsp. <i>gomerae</i> A. Bañares & P. Romero | Cistaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 1 | | 1 | | | | | G | S | | | |
| <i>Cistus chinamadensis</i> Bañares & P.Romero subsp. <i>ombriosus</i> Demoly & M. Marrero | Cistaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | 1 | | | | | | H | S | | | |
| <i>Cistus grancanariae</i> Marrero Rodr., R.S.Almeida & C.Ríos | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | | | | C | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|--|---------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Cistus horrens</i> Demoly | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | | 1 | | | C | S | | |
| <i>Cistus ladanifer</i> L. subsp. <i>ladanifer</i> | Cistaceae | Acc | NL | NL | NL | Acc | Acc | NL | | | | | 1 | 1 | | | | S | | |
| <i>Cistus monspeliensis</i> L. subsp. <i>monspeliensis</i> | Cistaceae | NL | NL | NL | NL | AmUn | Acc | NL | | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Cistus monspeliensis</i> L. subsp. <i>canariensis</i> Rivas-Mart., Martín-Osorio & Wildpret | Cistaceae | Acc | NL | Syn | NL | AmUn | Acc | NL | | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Cistus ochreatus</i> C. Sm. ex Buch | Cistaceae | Acc | Syn | Acc | NL | Syn | Syn | NL | 0 | | | | 1 | | | C | S | | | |
| <i>Cistus osbeckiiifolius</i> Webb ex Christ subsp. <i>osbeckiiifolius</i> | Cistaceae | Acc | Acc | NL | NL | Acc | Acc | NL | | | | 1 | | | | T | S | | | |
| <i>Cistus osbeckiiifolius</i> Webb ex Christ subsp. <i>tomentosus</i> Bañares & Demoly | Cistaceae | Acc | Acc | Acc | Syn | Acc | Acc | NL | 0 | | | 1 | | | | T | S | | | |
| <i>Cistus palmensis</i> Bañares & Demoly | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | 1 | | | | | | P | S | | | |
| <i>Cistus symphytifolius</i> Lam. | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | | | | | A | S | | | |
| <i>Citrullus colocynthis</i> (L.) Schrad. | Cucurbitaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | P | | C | | |
| <i>Citrullus lanatus</i> (Thunb.) Matsum. & Nakai | Cucurbitaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Cladanthus mixtus</i> (L.) Chevall. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Cladium mariscus</i> (L.) Pohl subsp. <i>mariscus</i> | Cyperaceae | Acc | NL | Acc | NL | Acc | Acc | NL | 25 | | | | 1 | | | | P | | | |
| <i>Cladium mariscus</i> (L.) Pohl subsp. <i>jamaicense</i> (Crantz) Kük. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | 1 | | | | | P | | | |
| <i>Cleistocactus hyalacanthus</i> (K.Schum.) Rol.-Goss. | Cactaceae | NL | NL | Acc | Acc | Syn | Acc | Acc | 12 | | | 1 | | | | S | O | | | |
| <i>Cleistocactus strausii</i> (Heese) Backeb. | Cactaceae | NL | NL | Acc | Acc | Syn | Acc | Acc | 8 | | | 1 | | | | S | O | | | |
| <i>Clinopodium menthifolium</i> (Host) Stace subsp. <i>ascendens</i> (Jord.) Govaerts | Lamiaceae | NL | Syn | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | | P | | | | |
| <i>Clinopodium nepeta</i> (L.) Kuntze subsp. <i>nepeta</i> | Lamiaceae | Syn | NL | Acc | Syn | Acc | Acc | Syn | 43 | 1 | 1 | 1 | 1 | 1 | | P | | O | | |
| <i>Cneorum pulverulentum</i> Vent | Rutaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | | A | P | | | |
| <i>Coccloba uvifera</i> (L.) L. | Polygonaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Codiaeum variegatum</i> (L.) Rumph. ex A.Juss. | Euphorbiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 5 | 1 | | 1 | | | | S | O | | | |
| <i>Coffea arabica</i> L. | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | 1 | | | | S | C | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Ornam Crop |
|--|----------------|----------|------|------|------|------|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Coix lacryma-jobi</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | | 1 | 1 | 1 | | P | O |
| <i>Colchicum hierrense</i> (A.Santos) J.C.Manning & Vinn. | Liliaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 3 | 1 | 1 | 1 | | | | | A | S | |
| <i>Colchicum psammophilum</i> (Svent.) J.C.Manning & Vinn. | Liliaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 3 | | | | | | | 1 | 1 | A | S |
| <i>Coleostephus myconis</i> (L.) Rchb.f. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | | 1 | 1 | 1 | 1 | | P | |
| <i>Colocasia esculenta</i> (L.) Schott | Araceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 34 | 1 | 1 | 1 | 1 | | | | | I | C |
| <i>Combretum indicum</i> (L.) DeFilipps | Combretaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 15 | | | | | 1 | | | | S | O |
| <i>Commelina benghalensis</i> L. | Commelinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | | | | 1 | 1 | | | | S | |
| <i>Commelina diffusa</i> Burm.f. | Commelinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | | | | | S | |
| <i>Commelina latifolia</i> Hochst. ex A. Rich. | Commelinaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | | | | S | |
| <i>Commicarpus helenae</i> (J. A. Schult.) Meikle | Nyctaginaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 5 | | | | | 1 | | | | S | |
| <i>Conium maculatum</i> L. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | |
| <i>Convolvulus althaeoides</i> L. subsp. <i>althaeoides</i> | Convolvulaceae | Acc | NL | Acc | NL | AmUn | NL | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | |
| <i>Convolvulus arvensis</i> L. | Convolvulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 39 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | |
| <i>Convolvulus canariensis</i> L. | Convolvulaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | |
| <i>Convolvulus caput-medusae</i> Lowe | Convolvulaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | | | | | 1 | 1 | | A | S | |
| <i>Convolvulus farinosus</i> L. | Convolvulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | | | | | P | |
| <i>Convolvulus floridus</i> L.f. | Convolvulaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | |
| <i>Convolvulus fruticosus</i> Desr. subsp. <i>fruticosus</i> | Convolvulaceae | Acc | NL | Acc | NL | Acc | Acc | NL | 6 | 1 | 1 | 1 | 1 | | | | A | S | |
| <i>Convolvulus fruticosus</i> Desr. subsp. <i>glandulosus</i> (Webb) J.R.I.Wood & Scotland | Convolvulaceae | Acc | Syn | Acc | Syn | Syn | Acc | Syn | 2 | | | | | 1 | | | C | S | |
| <i>Convolvulus lopezsocasii</i> Svent. | Convolvulaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | | | | | | 1 | L | S | |
| <i>Convolvulus perraudieri</i> Coss. | Convolvulaceae | Acc | Acc | Syn | AmUn | Acc | Acc | Acc | | | | | 1 | 1 | | | A | S | |
| <i>Convolvulus scoparius</i> L. f. | Convolvulaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | |
| <i>Convolvulus siculus</i> L. subsp. <i>siculus</i> | Convolvulaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|---|----------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Convolvulus siculus</i> L. subsp. <i>elongatus</i> Batt. | Convolvulaceae | Acc | Syn | Acc | NL | Acc | Acc | Syn | 6 | | | | 1 | 1 | | 1 | P | | | |
| <i>Convolvulus subauriculatus</i> (Burchard) Linding. | Convolvulaceae | Acc | Acc | Syn | AmUn | Acc | Acc | NL | | | | 1 | | | | | G | S | | |
| <i>Convolvulus tricolor</i> L. | Convolvulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | 1 | | | P | | | |
| <i>Convolvulus volubilis</i> Brouss. ex Link | Convolvulaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 2 | | 1 | 1 | | | | | A | S | | |
| <i>Corchorus depressus</i> (L.) Stocks | Malvaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | 1 | | | | | | S | |
| <i>Coriandrum sativum</i> L. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Coronilla valentina</i> L. subsp. <i>glaucia</i> (L.) Batt. | Fabaceae | Acc | Acc | NL | Acc | Acc | Acc | Acc | | | | | 1 | 1 | 1 | | | P | | |
| <i>Coronilla viminalis</i> Salisb. | Fabaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | 1 | 1 | | P | | | |
| <i>Cortaderia selloana</i> (Schult. & Schult.f.) Asch. & Graebn. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | | 1 | 1 | 1 | | I | O | | |
| <i>Corymbia citriodora</i> (Hook.) K.D.Hill & L.A.S.Johnson | Myrtaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | 1 | | | | S | O | | |
| <i>Corymbia ficifolia</i> (F.Muell.) K.D.Hill & L.A.S.Johnson | Myrtaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | | | S | O | | |
| <i>Cosentinia vellea</i> (Aiton) Tod. subsp. <i>bivalens</i> (Reichstein) Rivas Mart. & Salvo | Pteridaceae | Acc | Syn | Acc | AmUn | Acc | Acc | NL | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Cosmos bipinnatus</i> Cav. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | | | 1 | 1 | | | S | O | | |
| <i>Cota tinctoria</i> (L.) J.Gay | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | P | | | |
| <i>Cotula australis</i> (Sieber ex Spreng.) Hook.f. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Cotyledon macrantha</i> A.Berger | Crassulaceae | Acc | Acc | Syn | AmUn | Syn | Syn | Syn | | | | | 1 | | | | S | O | | |
| <i>Cotyledon orbiculata</i> L. | Crassulaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 14 | | 1 | 1 | 1 | | | | S | O | | |
| <i>Crambe arborea</i> Webb ex Christ | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | T | S | | | |
| <i>Crambe feuilleei</i> A.Santos ex Prina & Mart.-Laborde | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | | H | S | | | |
| <i>Crambe gomeraea</i> Webb ex Christ subsp. <i>gomeraea</i> | Brassicaceae | Acc | Syn | NL | Syn | AmUn | Syn | NL | | | | 1 | | | | G | S | | | |
| <i>Crambe gomeraea</i> Webb ex Christ subsp. <i>hirsuta</i> A.Prina | Brassicaceae | Acc | Syn | Acc | NL | AmUn | Acc | NL | 0 | | 1 | | | | | G | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop | |
|---|--------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|--|
| | | | | | | | | | | | | | | | | | | | | | |
| <i>Crambe laevigata</i> DC. ex H.Christ | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | T | S | | | |
| <i>Crambe microcarpa</i> A.Santos | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | 1 | | | | | | | P | S | | | |
| <i>Crambe pritzelii</i> Bolle | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | C | S | | | |
| <i>Crambe santosii</i> Bramwell | Brassicaceae | Acc | Acc | Acc | Acc | Syn | NL | Syn | 0 | 1 | | | | | | | P | S | | | |
| <i>Crambe scaberrima</i> Webb ex Bramwell | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | T | S | | | |
| <i>Crambe scoparia</i> Svent. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | | | | C | S | | | |
| <i>Crambe strigosa</i> L'Hér. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | | |
| <i>Crambe sventenii</i> Pett. ex Bramwell & Sunding | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | | | 1 | F | S | | | |
| <i>Crambe tamadabensis</i> Prina & Marrero Rodr. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | | | | C | S | | | |
| <i>Crambe wildpretii</i> Prina & Bramwell | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | | | | | G | S | | | |
| <i>Crassula campestris</i> (Eckl. & Zeyh.) Endl. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Crassula multicava</i> Lem. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | | I | O | | |
| <i>Crassula muscosa</i> L. | Crassulaceae | NL | Syn | Acc | Acc | Acc | Acc | Acc | 22 | 1 | 1 | 1 | 1 | 1 | 1 | | | I | O | | |
| <i>Crassula ovata</i> (Mill.) Druce | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | O | | |
| <i>Crassula tetragona</i> L. | Crassulaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 11 | 1 | | | 1 | | | | | S | O | | |
| <i>Crassula tillaea</i> Lest.-Garl. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Crataegus monogyna</i> Jacq. | Rosaceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 84 | | | | 1 | | | | | S | O | | |
| <i>Crepis bursifolia</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | 1 | | | | | | P | | | |
| <i>Crepis canariensis</i> (Sch.Bip. ex Sch.Bip.) Babc. ex Babc. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | | | | 1 | 1 | A | S | | |
| <i>Crepis capillaris</i> (L.) Wallr. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 33 | 1 | | 1 | 1 | | | | | P | | | |
| <i>Crepis foetida</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Crepis juvenalis</i> (Delile) Babc. | Asteraceae | Acc | Syn | Acc | Acc | Acc | Acc | NL | 2 | | | 1 | | | | | | P | | | |
| <i>Crepis vesicaria</i> L. subsp. <i>taraxacifolia</i> (Thuill.) Thell. | Asteraceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 50 | | | 1 | 1 | | | | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop |
|---|----------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Cressa cretica</i> L. | Convolvulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | | | 1 | | | | P | | |
| <i>Crithmum maritimum</i> L. | Apiaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Cucurbita moschata</i> Duchesne | Cucurbitaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 14 | | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | |
| <i>Cucurbita pepo</i> L. | Cucurbitaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 42 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | |
| <i>Culcita macrocarpa</i> C. Presl | Dicksoniaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 2 | | | | 1 | | | | S | | | |
| <i>Cullen americanum</i> (L.) Rydb. in Britton | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | | | | P | | | |
| <i>Cuphea hyssopifolia</i> Kunth | Lythraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 5 | | 1 | | 1 | 1 | | | S | | | |
| <i>Cupressus sempervirens</i> L. | Cupressaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 24 | 1 | | 1 | | 1 | | | S | O | | |
| <i>Curio talinoides</i> (DC.) P.V.Heath var. <i>aizoides</i> (DC.) P.V.Heath | Asteraceae | Syn | NL | Acc | Acc | Acc | Acc | NL | 8 | | 1 | | | | | | S | O | | |
| <i>Cuscuta approximata</i> Bab. | Cuscutaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | 1 | 1 | 1 | P | | | |
| <i>Cuscuta campestris</i> Yunck. | Cuscutaceae | Acc | Acc | Acc | Acc | Syn | Syn | Acc | 5 | | | | 1 | | | | P | | | |
| <i>Cuscuta planiflora</i> Ten. | Cuscutaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Cutandia dichotoma</i> (Forssk.) Trab. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | | | 1 | | P | | | |
| <i>Cutandia divaricata</i> (Desf.) Benth. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | | | 1 | | P | | | |
| <i>Cutandia maritima</i> (L.) Barbey | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | | | | 1 | 1 | P | | | |
| <i>Cutandia memphitica</i> (Spreng.) Benth. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | 1 | 1 | 1 | 1 | P | | | |
| <i>Cyclospermum leptophyllum</i> (Pers.) Sprague | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 28 | 1 | | 1 | 1 | 1 | | | S | | | |
| <i>Cydonia oblonga</i> Mill. | Rosaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | 1 | | | 1 | | | | S | C | | |
| <i>Cylindropuntia bigelovii</i> (Engelm.) F.M. Knuth | Cactaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | 1 | | | S | O | | |
| <i>Cylindropuntia fulgida</i> (Engelm.) F.M. Knuth | Cactaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 5 | | | | 1 | | | | I | O | | |
| <i>Cylindropuntia imbricata</i> (Haw.) F.M. Knuth subsp. <i>rosea</i> (DC.) M.A.Baker | Cactaceae | Syn | NL | Acc | Syn | Syn | Acc | Syn | 5 | | | | 1 | | | | S | O | | |
| <i>Cylindropuntia prolifera</i> (Engelm.) F.M. Knuth | Cactaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | 1 | 1 | | | I | O | | |
| <i>Cylindropuntia tunicata</i> (Lehm.) F.M. Knuth | Cactaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 15 | | | 1 | | | | | I | O | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Orrham Crop |
|---|----------------|----------|------|------|-----|-----|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Cymbalaria muralis</i> P.Gaertn., B.Mey. & Scherb. | Antirrhinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | |
| <i>Cymodocea nodosa</i> (Ucria) Ascherson | Cymodaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | |
| <i>Cynanchum acutum</i> L. | Asclepiadaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | | | 1 | 1 | S | O | |
| <i>Cynara cardunculus</i> L. subsp. <i>flavescens</i> Wiklund | Asteraceae | NL | Acc | Acc | Acc | Acc | Acc | NL | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | |
| <i>Cynara humilis</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | | 1 | | | P | | |
| <i>Cynodon dactylon</i> (L.) Pers. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 68 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | I | | |
| <i>Cynoglossum creticum</i> Mill. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Cynomorium coccineum</i> L. subsp. <i>coccineum</i> | Balnophoraceae | Acc | NL | Acc | Syn | Syn | Acc | NL | 0 | | | | | | 1 | | P | | |
| <i>Cynosurus echinatus</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Cynosurus elegans</i> Desf. | Poaceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | | | 1 | 1 | | | P | | |
| <i>Cyperus alopecuroides</i> Rottb. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | | | | P | | |
| <i>Cyperus alternifolius</i> L. subsp. <i>flabelliformis</i> Kük. | Cyperaceae | Syn | Syn | Acc | Syn | Acc | Acc | NL | 7 | 1 | 1 | 1 | 1 | | | | I | O | |
| <i>Cyperus brevifolius</i> (Rottb.) Hassk. | Cyperaceae | Acc | Acc | Acc | Syn | Acc | Acc | NL | 2 | | | 1 | 1 | | | | P | O | |
| <i>Cyperus capitatus</i> Vand. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Cyperus eragrostis</i> Lam. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | 1 | 1 | 1 | | | | P | O | |
| <i>Cyperus esculentus</i> L. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 42 | 1 | | | | | | | S | O | |
| <i>Cyperus fuscus</i> L. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | 1 | | | | | P | | |
| <i>Cyperus gracilis</i> R.Br. | Cyperaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | | P | | |
| <i>Cyperus laevigatus</i> L. subsp. <i>laevigatus</i> | Cyperaceae | Acc | Acc | Acc | Syn | Acc | Acc | NL | 26 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Cyperus laevigatus</i> L. subsp. <i>distachyos</i> (All.) Ball | Cyperaceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | 1 | | | | | P | | |
| <i>Cyperus longus</i> L. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Cyperus michelianus</i> (L.) Delile | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | 1 | | | | P | | |
| <i>Cyperus mundii</i> (Nees) Kunth | Cyperaceae | Acc | NL | Acc | Syn | Acc | Acc | Syn | 2 | | | 1 | | | | | P | O | |
| <i>Cyperus polystachyos</i> Rottb. | Cyperaceae | Acc | NL | Acc | Syn | Acc | Acc | Acc | 3 | | 1 | | | | | | P | O | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Ornam Crop |
|--|-----------------|----------|------|------|------|------|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Cyperus rotundus</i> L. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 62 | 1 | | 1 | 1 | 1 | 1 | 1 | S | O | |
| <i>Cyperus rubicundus</i> Vahl | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | 1 | 1 | | | | S | | |
| <i>Cyrtomium falcatum</i> (L. f.) C. Presl | Dryopteridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | 1 | 1 | 1 | 1 | | 1 | I | O | |
| <i>Cysticapnos versicaria</i> (L.) Fedde | Papaveraceae | Syn | Syn | Acc | AmUn | Acc | Acc | Syn | 10 | | | | 1 | 1 | 1 | | P | | |
| <i>Cystopteris fragilis</i> (L.) Bernh. subsp. <i>diaphana</i> (Bory) Litard | Athyriaceae | Syn | Syn | Acc | Syn | Syn | Syn | NL | 17 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Cytinus hypocistis</i> (L.) L. | Rafflesiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Cytinus ruber</i> (Fourr.) Fritsch | Rafflesiaceae | Acc | Acc | Acc | Acc | Syn | Acc | Acc | 1 | | 1 | | 1 | 1 | | | P | | |
| <i>Cytisus filipes</i> Webb | Fabaceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Cytisus scoparius</i> (L.) Link | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 28 | | | 1 | 1 | | | | I | O | |
| <i>Cytisus supranubius</i> (L. f.) Kuntze | Fabaceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | 1 | | 1 | | | A | S | | |
| <i>Dactylis glomerata</i> L. subsp. <i>glomerata</i> | Poaceae | Acc | NL | Acc | Syn | Acc | Acc | Acc | 28 | 1 | 1 | | 1 | 1 | | | P | | |
| <i>Dactylis glomerata</i> L. subsp. <i>hispanica</i> (Roth) Nyman | Poaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | | | | | | P | | |
| <i>Dactylis metlesicsii</i> P.Schönfelder & D.Ludw. | Poaceae | Acc | Acc | NL | Syn | Syn | Syn | NL | | | | | 1 | | | T | S | | |
| <i>Dactylis smithii</i> Link. subsp. <i>smithii</i> | Poaceae | Acc | Acc | NL | NL | AmUn | Acc | NL | | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Dactylis smithii</i> Link. subsp. <i>hyloides</i> P. F. Parker | Poaceae | Acc | Acc | Syn | Syn | Syn | Syn | NL | | | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Daphne gnidium</i> L. | Thymelaeaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | | 1 | 1 | | | | S | | |
| <i>Dasispermum capense</i> (Lam.) Magee & B.-E.van Wyk | Apiaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Datura ferox</i> L. | Solanaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | S | O | |
| <i>Datura innoxia</i> Mill. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | 1 | 1 | 1 | 1 | | S | O | |
| <i>Datura stramonium</i> L. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 29 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | |
| <i>Daucus aureus</i> Desf. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | 1 | 1 | | | | P | | |
| <i>Daucus carota</i> L. subsp. <i>maximus</i> (Desf.) Ball | Apiaceae | Acc | Acc | NL | Acc | Acc | Acc | Acc | | 1 | 1 | 1 | 1 | 1 | 1 | | P | C | |
| <i>Daucus durieua</i> Lange | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | | | | | P | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orrham Crop |
|---|-----------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Daucus elegans</i> (Webb ex Bolle) Spalik, Banasiak & Reduron | Apiaceae | Acc | Syn | Acc | Syn | Acc | Acc | Syn | 2 | 1 | 1 | 1 | 1 | | | A | S | | | |
| <i>Daucus pumilus</i> (L.) Hoffmanns. & Link | Apiaceae | Acc | Syn | Acc | Syn | Acc | Acc | Syn | 18 | | | | | | | 1 | | P | | |
| <i>Davallia canariensis</i> (L.) Sm. | Davalliaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | S | | | | |
| <i>Delairea odorata</i> Lem. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | | 1 | 1 | | | I | O | | |
| <i>Delonix regia</i> (Hook.) Raf. | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | | 1 | 1 | 1 | | S | O | | |
| <i>Delosperma brunnthalieri</i> (A. Berger) Schwantes & H. Jacobsen | Aizoaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | S | O | | | |
| <i>Delphinium ajacis</i> L. | Ranunculaceae | Syn | Acc | Acc | Syn | Acc | Syn | Syn | 12 | 1 | 1 | | 1 | | | S | O | | | |
| <i>Delphinium consolida</i> L. | Ranunculaceae | Syn | Acc | Acc | Syn | Acc | Acc | Syn | 13 | 1 | | | 1 | 1 | 1 | S | | | | |
| <i>Delphinium staphisagria</i> L. | Ranunculaceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | 1 | 1 | | | | P | O | | |
| <i>Dendriopoterium pulidoi</i> Svent. | Rosaceae | Acc | Acc | AmUn | AmUn | Acc | Acc | NL | 0 | | | | | | 1 | C | S | | | |
| <i>Descurainia artemisioides</i> Svent. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | | 1 | C | S | | | |
| <i>Descurainia bourgaeana</i> (E. Fourn.) Webb | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | T | S | | | |
| <i>Descurainia gilva</i> Svent. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | | | | | P | S | | | |
| <i>Descurainia gonzalezii</i> Svent. | Brassicaceae | Acc | Acc | Acc | Acc | AmUn | Acc | Syn | 0 | | | 1 | | | | T | S | | | |
| <i>Descurainia lemsii</i> Bramwell | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | T | S | | | |
| <i>Descurainia millefolia</i> (Jacq.) Webb & Berthel. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | | | | A | S | | | |
| <i>Descurainia preauxiana</i> (Webb) Webb ex O.E.Schulz | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | C | S | | | |
| <i>Desmanthus virgatus</i> (L.) Willd. | Fabaceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 18 | | | | 1 | 1 | | S | O | | | |
| <i>Dianthus caryophyllus</i> L. | Caryophyllaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 18 | | | 1 | | | | S | O | | | |
| <i>Dichanthium annulatum</i> (Forssk.) Stapf | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | | | | P | | | | |
| <i>Dichanthium foveolatum</i> (Delile) Roberty | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | | |
| <i>Dicheranthus plocamoides</i> Webb | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | | | | A | S | | | |
| <i>Dichondra micrantha</i> Urb. | Convolvulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | | S | O | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|--|----------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Digitalis canariensis</i> L. | Plantaginaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 3 | 1 | 1 | 1 | | | | A | S | | | |
| <i>Digitalis chalcantha</i> (Svent. & O'Shan.) Albach, Bräuchler & Heubl | Plantaginaceae | Syn | Syn | Acc | AmUn | Acc | Acc | Syn | 1 | | | | 1 | | | C | S | | | |
| <i>Digitalis isabelliana</i> (Webb) Linding. | Plantaginaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 2 | | | | 1 | | | C | S | | | |
| <i>Digitalis purpurea</i> L. subsp. <i>purpurea</i> | Plantaginaceae | Acc | NL | NL | NL | Acc | Acc | Acc | | 1 | 1 | 1 | | | | | S | O | | |
| <i>Digitaria ciliaris</i> (Retz.) Koeler | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 50 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Digitaria ischaemum</i> (Schreb.) Muhl. | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 20 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Digitaria nodosa</i> Parl. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | 1 | 1 | | | P | | | |
| <i>Digitaria nuda</i> Schumach. | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 13 | 1 | | | | | | | P | | | |
| <i>Digitaria radicosa</i> (J.Presl) Miq. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | | | 1 | | | | P | | | |
| <i>Digitaria sanguinalis</i> (L.) Scop. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 53 | 1 | 1 | 1 | 1 | 1 | 1 | | I | | | |
| <i>Digitaria setigera</i> Roth. | Poaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 20 | | | | 1 | | | | S | | | |
| <i>Digitaria violascens</i> Link | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 23 | | | 1 | | | | | I | | | |
| <i>Dimorphotheca ecklonis</i> DC. | Asteraceae | Syn | NL | Acc | Syn | Acc | Acc | Syn | 1 | 1 | 1 | 1 | 1 | 1 | | | S | O | | |
| <i>Dioscorea communis</i> (L.) Caddick & Wilkin | Dioscoreaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Dipcadi serotinum</i> (L.) Medik. | Liliaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Diplachne fusca</i> (L.) P.Beauv. ex Roem. & Schult. subsp. <i>uninervia</i> (J.Presl) P.M.Peterson & N.Snow | Poaceae | Acc | NL | Acc | Syn | Acc | Acc | Syn | 26 | | | | 1 | | | | P | | | |
| <i>Diplazium caudatum</i> (Cac.) Jermy | Athyriaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 13 | 1 | 1 | 1 | 1 | | | | S | | | |
| <i>Dipterostigma catholica</i> (L.) DC. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | 1 | | | | P | | | |
| <i>Dipterostigma muralis</i> (L.) DC. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | | | 1 | | | | | P | | | |
| <i>Dipterostigma tenuifolia</i> (L.) DC. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | | | 1 | 1 | | | | S | | | |
| <i>Dipsacus fullonum</i> L. | Dipsacaceae | Acc | Acc | Acc | Acc | Syn | Acc | Acc | 18 | 1 | 1 | | | | | | S | | | |
| <i>Disocactus speciosus</i> (Cav.) Barthlott | Cactaceae | Acc | NL | Acc | Acc | Acc | Acc | NL | 43 | | | 1 | | | | | S | O | | |
| <i>Disphyma crassifolium</i> (L.) L.Bolus | Aizoaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | 1 | 1 | | | | S | O | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Ornam Crop |
|--|-----------------|----------|------|------|------|-----|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Distimake tuberosus</i> (L.) A.R.Simões & Staples | Convolvulaceae | NL | Syn | Acc | Syn | Acc | Acc | Syn | 13 | | | | 1 | 1 | | | S | O | |
| <i>Dittrichia viscosa</i> (L.) Greuter | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Draba verna</i> L. | Brassicaceae | Syn | NL | Acc | Syn | Acc | Acc | Acc | 104 | | | | 1 | | | | P | | |
| <i>Dracaena draco</i> (L.) L. subsp. <i>draco</i> | Asparagaceae | Acc | Acc | Acc | Syn | Acc | Acc | NL | 7 | 1 | 1 | 1 | 1 | 1 | | | S | O | |
| <i>Dracaena tamaranae</i> Marrero Rodr., R.S.Almeira & M.Gonzales-Martin | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | C | S | |
| <i>Dracocephalum thymiflorum</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | 1 | 1 | | | | | S | | |
| <i>Dracunculus canariensis</i> Kunth | Araceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | |
| <i>Drimia hesperia</i> (Webb & Berthel.) J.C.Manning & Goldblatt | Hyacinthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | T | S | |
| <i>Drimia maritima</i> (L.) Stearn | Hyacinthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | | | | | 1 | 1 | | S | | |
| <i>Drimiopsis maculata</i> Lindl. & Paxton | Hyacinthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | 1 | | | | | P | | |
| <i>Drosanthemum floribundum</i> (Haw.) Schwantes | Aizoaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | | 1 | | | | I | O | |
| <i>Drosanthemum hispidum</i> (L.) Schwantes | Aizoaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | I | O | |
| <i>Drusa glandulosa</i> (Poir.) H.Wolff ex Engl. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Dryopteris abbreviata</i> (Lam. & DC.) Newman | Dryopteridaceae | Syn | Syn | Acc | Acc | Acc | Acc | Syn | 22 | | 1 | 1 | | | | | S | | |
| <i>Dryopteris aemula</i> (Aiton) Kuntze | Dryopteridaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | | 1 | | | | | | S | | |
| <i>Dryopteris guanchica</i> Gibby & Jermy | Dryopteridaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | 1 | 1 | 1 | | | | | S | | |
| <i>Dryopteris oligodonta</i> Pic.Serm. | Dryopteridaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | |
| <i>Duranta erecta</i> L. | Verbenaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 46 | | | | 1 | 1 | | | S | O | |
| <i>Dysphania ambrosioides</i> (L.) Mosyakin & Clemants | Chenopodiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 53 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Dysphania anthelmintica</i> (L.) Mosyakin & Clemants | Chenopodiaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 10 | 1 | 1 | | 1 | | | | S | | |
| <i>Dysphania multifida</i> L.) Mosyakin & Clemants | Chenopodiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | | 1 | 1 | 1 | | 1 | | S | | |
| <i>Echinocereus rigidissimus</i> (Engelm.) Hirscht | Cactaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | | | 1 | | | | | S | O | |
| <i>Echinochloa colonum</i> (L.) Link | Poaceae | Acc | Acc | Acc | Syn | NL | Acc | Acc | 45 | 1 | 1 | | 1 | | | | P | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Oriental Crop |
|--|--------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|---------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Echinochloa crus-galli</i> (L.) P.Beauv. subsp. <i>crus-galli</i> | Poaceae | NL | NL | NL | NL | AmUn | Acc | NL | | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Echinopsis huascha</i> (Web.) Friedrich & G.D.Rowley | Cactaceae | Syn | NL | Acc | Acc | Acc | Acc | Acc | 44 | | | | 1 | | | | S | O | | |
| <i>Echinopsis lageniformis</i> (C.F.Först.) H.Friedrich & G.D.Rowley | Cactaceae | NL | NL | Acc | Syn | Acc | Acc | Acc | 12 | | | | 1 | | | | S | O | | |
| <i>Echinopsis spachiana</i> (Lem.) Riccob. | Cactaceae | NL | NL | Acc | Acc | Syn | Acc | Acc | 6 | | | | 1 | | | | S | O | | |
| <i>Echinopsis volliana</i> H.Friedrich & G.D.Rowley | Cactaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 12 | | | 1 | | | | | S | O | | |
| <i>Echium acanthocarpum</i> Svent. | Boraginaceae | Acc | Acc | Acc | NL | Acc | Acc | Acc | 0 | | 1 | | | | | | G | S | | |
| <i>Echium aculeatum</i> Poir. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | | | | | A | S | | |
| <i>Echium auberianum</i> Webb & Berthel. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | T | S | | |
| <i>Echium bethencourtii</i> A. Santos | Boraginaceae | Acc | Acc | Acc | Acc | AmUn | Acc | NL | 0 | 1 | | | | | | | P | S | | |
| <i>Echium bonnetii</i> Coincy | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Echium brevirame</i> Sprague & Hutch. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | | | P | S | | |
| <i>Echium callithyrsum</i> Webb ex Bolle | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | C | S | | |
| <i>Echium decaisnei</i> Webb & Berthel. subsp. <i>decaisnei</i> | Boraginaceae | Acc | Acc | NL | NL | AmUn | Acc | NL | | | | | 1 | | | | C | S | | |
| <i>Echium decaisnei</i> Webb & Berthel. subsp. <i>purpureum</i> Bramwell | Boraginaceae | Acc | Acc | Acc | Acc | Syn | Syn | NL | 1 | | | | 1 | 1 | A | | S | | | |
| <i>Echium giganteum</i> L.f. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | T | S | | |
| <i>Echium handiense</i> Svent | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | | | | F | S | | |
| <i>Echium hierrense</i> Webb ex Bolle | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | | | H | S | | |
| <i>Echium horridum</i> Batt. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | S | | | |
| <i>Echium leucophaeum</i> Webb ex Sprague & Hutch. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | T | S | | |
| <i>Echium onosmifolium</i> Webb & Berthel. subsp. <i>onosmifolium</i> | Boraginaceae | Acc | Acc | NL | NL | Acc | Acc | NL | | | | | 1 | | | | C | S | | |
| <i>Echium onosmifolium</i> Webb & Berthel. subsp. <i>spectabile</i> G.Kunkel | Boraginaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | | | 1 | | | | | C | S | | |
| <i>Echium perezii</i> Sprague | Boraginaceae | Acc | Syn | Syn | AmUn | Acc | Syn | NL | 2 | 1 | | | | | | | P | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop | |
|---|------------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|--|
| | | | | | | | | | | | | | | | | | | | | | |
| <i>Echium pininana</i> Webb & Berthel. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | | | P | S | | | |
| <i>Echium pitardii</i> A. Chev. | Boraginaceae | Syn | Syn | Acc | Acc | Syn | Syn | NL | 2 | | | | | | | | 1 | L | S | | |
| <i>Echium plantagineum</i> L. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | 1 | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Echium simplex</i> DC. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | T | S | | O | |
| <i>Echium strictum</i> L.f. subsp. <i>strictum</i> | Boraginaceae | Acc | Acc | NL | Acc | Acc | Acc | NL | | 1 | 1 | 1 | 1 | 1 | | | A | S | | | |
| <i>Echium strictum</i> L.f. subsp. <i>exasperatum</i> (Webb ex Coincy) Bramwell | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | | 1 | | | | G | S | | | |
| <i>Echium strictum</i> L.f. subsp. <i>gomerae</i> (Pit.) Bramwell | Boraginaceae | Acc | Acc | Acc | Acc | AmUn | Acc | NL | 0 | | 1 | | | | | | G | S | | | |
| <i>Echium sventenii</i> Bramwell | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | | | | T | S | | | |
| <i>Echium thyrsiflorum</i> Masson ex Link | Boraginaceae | Syn | Syn | Acc | Acc | Syn | Syn | NL | 2 | 1 | | | | | | | P | S | | | |
| <i>Echium triste</i> Svent. subsp. <i>triste</i> | Boraginaceae | Acc | Acc | NL | NL | Acc | Acc | NL | | | | | 1 | | | | C | S | | | |
| <i>Echium triste</i> Svent. subsp. <i>nivariense</i> (Svent.) Bramwell | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | | | | | A | S | | | |
| <i>Echium virescens</i> DC. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | T | S | | | |
| <i>Echium webbii</i> Coincy | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | | | | | | P | S | | | |
| <i>Echium wildpretii</i> H.Pearson ex Hook.f. subsp. <i>wildpretii</i> | Boraginaceae | Acc | Acc | NL | NL | Acc | Acc | NL | | | | | 1 | | | | T | S | | | |
| <i>Eclipta prostrata</i> (L.) L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | NL | Acc | 107 | | | | 1 | | | | | S | | | |
| <i>Ehrharta longifolia</i> Sm. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | | | S | | | |
| <i>Eleocharis multicaulis</i> (Sm.) Desv. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | | | | | P | | | | |
| <i>Eleocharis palustris</i> (L.) Roem. & Schult. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | 1 | 1 | 1 | | | | P | | | | |
| <i>Eleusine africana</i> Kenn.-O'Byrne | Poaceae | Syn | NL | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | | | | | I | | | | |
| <i>Eleusine indica</i> (L.) Gaertn. subsp. <i>indica</i> | Poaceae | Acc | Acc | NL | Syn | AmUn | Acc | NL | | 1 | 1 | 1 | 1 | 1 | | | I | | | | |
| <i>Eleusine tristachya</i> (Lam.) Lam. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | | | | | | | S | | | | |
| <i>Elionurus royleanus</i> Nees ex A.Rich. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | 1 | | | | S | | | | |
| <i>Elodea canadensis</i> Michx. | Hydrocharitaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 30 | 1 | 1 | | | | | | I | | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orrham Crop |
|--|--------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Elymus repens</i> (L.) Gould | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | | 1 | 1 | | | P | | | |
| <i>Enneapogon desvauxii</i> P.Beauv. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 20 | | | | 1 | 1 | 1 | 1 | P | | | |
| <i>Ensete ventricosum</i> (Welw.) Cheesman | Musaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 32 | 1 | | 1 | | | | | S | O | | |
| <i>Ephedra altissima</i> Desf. | Ephedraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | 1 | | | S | | | |
| <i>Ephedra fragilis</i> Desf. | Ephedraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Ephedra major</i> Host | Ephedraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | | 1 | | | | | S | | | |
| <i>Epilobium angustifolium</i> L. | Onagraceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 40 | | | | 1 | | | | P | | | |
| <i>Epilobium ciliatum</i> Lehm. | Onagraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 61 | 1 | 1 | | | | | | P | | | |
| <i>Epilobium glandulosum</i> Lehm. | Onagraceae | Acc | Acc | Acc | Syn | Syn | Syn | Syn | 24 | | | | 1 | | | | S | | | |
| <i>Epilobium hirsutum</i> L. | Onagraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | 1 | 1 | | | | | P | | | |
| <i>Epilobium obscurum</i> Schreb. | Onagraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | | | 1 | | | | | P | | | |
| <i>Epilobium palustre</i> L. | Onagraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 53 | | | 1 | | | | | P | | | |
| <i>Epilobium parviflorum</i> Schreb. | Onagraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Epilobium tetragonum</i> L. subsp. <i>tetragonum</i> | Onagraceae | Acc | NL | NL | Syn | NL | Acc | NL | | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Epilobium tetragonum</i> L. subsp. <i>lamyi</i> (F.W.Schultz) Nyman | Onagraceae | Acc | Syn | NL | Acc | Syn | Syn | Acc | | | | 1 | | | | | P | | | |
| <i>Equisetum ramosissimum</i> Desf. | Equisetaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Eragrostis barrelieri</i> Daveau subsp. <i>barrelieri</i> | Poaceae | NL | NL | NL | NL | AmUn | Acc | NL | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Eragrostis papposa</i> (Roem. & Schult.) Steud. | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 7 | | | | 1 | | | | P | | | |
| <i>Eragrostis virescens</i> J. Presl | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | | 1 | 1 | | | | P | | | |
| <i>Erica canariensis</i> Rivas Mart., Martin Osorio & Wildpret | Ericaceae | Acc | Syn | Acc | NL | Acc | NL | Syn | 0 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Erica platycodon</i> L. subsp. <i>platycodon</i> | Ericaceae | Acc | NL | Syn | Syn | Acc | Acc | NL | 1 | 1 | | 1 | 1 | | | A | S | | | |
| <i>Erigeron bonariensis</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 29 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Erigeron calderae</i> A.Hansen | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | T | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop |
|---|--------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Erigeron canadensis</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 31 | | | | 1 | 1 | | | | S | | |
| <i>Erigeron floribundus</i> (Kunth) Sch.Bip. | Asteraceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | 1 | 1 | 1 | | | | S | | |
| <i>Erigeron gouanii</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Syn | Acc | Acc | 15 | | 1 | 1 | 1 | 1 | | | | S | | |
| <i>Erigeron karvinskianus</i> DC. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | | 1 | 1 | 1 | | I | O | | |
| <i>Erigeron sumatrensis</i> Retz. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | | | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Eriobotrya japonica</i> (Thunb.) Lindl. | Rosaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Erodium botrys</i> (Cav.) Bertol. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Erodium brachycarpum</i> (Godr.) Thell. | Geraniaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 3 | 1 | | | 1 | | | | P | | | |
| <i>Erodium chium</i> (Burm.f.) Willd. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Erodium ciconium</i> (L.) L'Hér. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | 1 | | | P | | | |
| <i>Erodium cicutarium</i> (L.) L'Hér. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 41 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Erodium laciniatum</i> (Cav.) Willd. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Erodium malacoides</i> (L.) L'Hér. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Erodium maritimum</i> L'Hér. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | 1 | | | P | | | |
| <i>Erodium moschatum</i> (L.) L'Hér. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Erodium neuradifolium</i> Delile ex Godr. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Erodium pulverulentum</i> (Cav.) Willd. | Geraniaceae | NL | Acc | Acc | Syn | Syn | Syn | Syn | 8 | | | | | | 1 | 1 | P | | | |
| <i>Erodium salzmannii</i> Delile | Geraniaceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | 1 | | 1 | 1 | P | | | |
| <i>Erodium touchyanum</i> Delile ex Godr. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | 1 | 1 | P | | | |
| <i>Eruca vesicaria</i> (L.) Cav. | Brassicaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 43 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Erucastrum canariense</i> Web & Berthel. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | |
| <i>Erucastrum cardaminoides</i> (Webb ex Christ) O.E.Schulz | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | | |
| <i>Erysimum albescens</i> (Webb & Berthel.) Bramwell | Brassicaceae | NL | Acc | Syn | Acc | AmUn | Acc | Syn | | | | | 1 | | | | C | S | | |
| <i>Erysimum bicolor</i> (Hornem.) DC. | Brassicaceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orrham Crop |
|--|--------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Erysimum scorpiarium</i> (Brouss. ex Willd.) Wettst. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | | | A | S | | O | |
| <i>Erysimum virescens</i> (Webb ex Christ) Wettst. | Brassicaceae | Acc | NL | Acc | Syn | Syn | Syn | Syn | 1 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | | |
| <i>Erythrina crista-galli</i> L. | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | | | | | S | O | | |
| <i>Erythrostemon gilliesii</i> (Hook.) Klotzsch | Fabaceae | Syn | Syn | Acc | Syn | Syn | Syn | Acc | 4 | | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Eschscholzia californica</i> Cham. | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 108 | 1 | 1 | | 1 | 1 | 1 | I | O | | | |
| <i>Espostoa melanostele</i> (Vaupel) Borg | Cactaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | | | | S | O | | |
| <i>Eucalyptus blakelyi</i> Maiden | Myrtaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | | S | O | | |
| <i>Eucalyptus camaldulensis</i> Dehnh. subsp. <i>camaldulensis</i> | Myrtaceae | Acc | NL | Acc | Syn | Acc | Acc | NL | 12 | | | | 1 | | | | S | O | | |
| <i>Eucalyptus camaldulensis</i> Dehnh. subsp. <i>acuta</i> Brooker & M.W. McDonald | Myrtaceae | Acc | NL | Acc | NL | Acc | Acc | NL | 0 | | | | 1 | | | | S | O | | |
| <i>Eucalyptus camaldulensis</i> Dehnh. subsp. <i>arida</i> Brooker & M.W. McDonald | Myrtaceae | Acc | NL | Acc | NL | Acc | Acc | NL | 0 | | | | 1 | 1 | | | S | O | | |
| <i>Eucalyptus cladocalyx</i> F.Muell. | Myrtaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | | S | O | | |
| <i>Eucalyptus conferruminata</i> D.J. Carr & S.G.M.Carr subsp. <i>recherche</i> D.Nicolle & M.E.French | Myrtaceae | Acc | NL | Acc | NL | Acc | Acc | NL | 0 | | | | 1 | | | | S | O | | |
| <i>Eucalyptus cornuta</i> Labill. | Myrtaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | S | O | | |
| <i>Eucalyptus diversicolor</i> F.Muell. | Myrtaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | 1 | | | S | O | | |
| <i>Eucalyptus dwyeri</i> Maiden & Blakely | Myrtaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | S | O | | |
| <i>Eucalyptus globulus</i> Labill. | Myrtaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | I | O | | | |
| <i>Eucalyptus gomphocephala</i> A.Cunn. ex DC. | Myrtaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | S | O | | |
| <i>Eucalyptus lehmannii</i> (Schauer) Benth. subsp. <i>lehmannii</i> | Myrtaceae | Acc | NL | Acc | Syn | Acc | Acc | NL | 0 | | | | 1 | | | | S | O | | |
| <i>Eucalyptus moluccana</i> Roxb. | Myrtaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | | S | O | | |
| <i>Eucalyptus ovata</i> Labill. | Myrtaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | S | O | | |
| <i>Eucalyptus robusta</i> Sm. | Myrtaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | 1 | | | S | O | | |
| <i>Eucalyptus rufa</i> Endl. | Myrtaceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | S | O | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orrham Crop |
|---|-----------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Eucalyptus sideroxylon</i> A.Cunn. ex Wools | Myrtaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 3 | | | | | 1 | | | | S | O | |
| <i>Eucalyptus talyuberlup</i> D.J.Carr & S..G.M.Carr | Myrtaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | | 1 | | | | S | O | |
| <i>Eucalyptus viminalis</i> Labill. | Myrtaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | 1 | | | | S | O | |
| <i>Eudianthe coeli-rosa</i> (L.) Fenzl ex Endl. | Caryophyllaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 19 | | | | 1 | | | | | P | | |
| <i>Euphorbia aphylla</i> Brouss. ex Willd. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | 1 | 1 | | | | A | S | | |
| <i>Euphorbia atropurpurea</i> Brouss. ex Willd. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | | T | S | | |
| <i>Euphorbia balsamifera</i> Aiton subsp. <i>balsamifera</i> | Euphorbiaceae | Acc | NL | NL | Syn | AmUn | Acc | NL | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Euphorbia berthelotii</i> Bolle ex Boiss. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | G | S | | |
| <i>Euphorbia bourgeana</i> J.Gay ex Boiss. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | 1 | | | A | S | | |
| <i>Euphorbia bravoana</i> Svent. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | G | S | | |
| <i>Euphorbia calyptata</i> Coss. & Kralik | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | | 1 | | | | P | | |
| <i>Euphorbia canariensis</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Euphorbia chamaesyce</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Euphorbia exigua</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | 1 | 1 | 1 | 1 | | | P | | |
| <i>Euphorbia granulata</i> Forsk. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | | 1 | | 1 | | | | | P | | |
| <i>Euphorbia handiensis</i> Burchard | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | | 1 | | F | S | | |
| <i>Euphorbia helioscopia</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Euphorbia heterophylla</i> L. var. <i>cyathophora</i> (Murray) Griseb. | Euphorbiaceae | Syn | Syn | Acc | Syn | Acc | Acc | NL | 15 | 1 | 1 | | 1 | 1 | 1 | | P | O | | |
| <i>Euphorbia hirsuta</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 22 | | | | 1 | 1 | 1 | | S | | | |
| <i>Euphorbia humifusa</i> Willd. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | | 1 | | | | P | | | |
| <i>Euphorbia hypericifolia</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | | 1 | 1 | | | | P | O | | |
| <i>Euphorbia inaequilatera</i> Sond. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | | | 1 | | | | P | | | |
| <i>Euphorbia lamarckii</i> Sweet subsp. <i>lamarckii</i> | Euphorbiaceae | Acc | Acc | NL | NL | AmUn | Acc | NL | | | | | 1 | | | T | S | | | |
| <i>Euphorbia lathyris</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | | 1 | | | | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|---|---------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Euphorbia leucocephala</i> Lotsy | Euphorbiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | | | S | O | | |
| <i>Euphorbia maculata</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | 1 | 1 | 1 | 1 | | | | S | O | | |
| <i>Euphorbia mellifera</i> Aiton | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | | | | A | S | | | |
| <i>Euphorbia miliiflora</i> Des Moul. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | 1 | | | | S | O | | |
| <i>Euphorbia murielii</i> N.E.Br. | Euphorbiaceae | NL | NL | Acc | NL | Syn | Syn | Syn | 2 | 1 | 1 | 1 | 1 | 1 | | | S | O | | |
| <i>Euphorbia nutans</i> Lag. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | | 1 | 1 | | | | | P | | | |
| <i>Euphorbia paralias</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Euphorbia peplis</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 7 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Euphorbia platyphyllus</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | 1 | | | | P | | | |
| <i>Euphorbia prostrata</i> Aiton | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | | |
| <i>Euphorbia pterococca</i> Brot. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | | 1 | 1 | | | | P | | | |
| <i>Euphorbia pulcherrima</i> Willd. ex Klotzsch | Euphorbiaceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Euphorbia regis-jubae</i> J.Gay | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | | 1 | 1 | 1 | | S | | | |
| <i>Euphorbia scordiifolia</i> Jacq. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | | | | | | | P | | | |
| <i>Euphorbia segetalis</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | | | | 1 | | P | | | |
| <i>Euphorbia serpens</i> Kunth | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 28 | 1 | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Euphorbia serrata</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Euphorbia sulcata</i> Lens ex Loisel. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Euphorbia taurinensis</i> All. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Euphorbia terracina</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 36 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Euphorbia tirucalli</i> L. | Euphorbiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Euphorbia variabilis</i> Ces. | Euphorbiaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | 1 | | | | P | | | |
| <i>Euryops chrysanthemoides</i> (DC.) B.Nord. | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | S | O | | |
| <i>Fagopyrum esculentum</i> Moench | Polygonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 22 | | | | 1 | | | | S | C | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Oriental Crop |
|---|--------------|----------|------|------|-----|-----|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|---------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Fallopia convolvulus</i> (L.) Å.Löve | Polygonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Farfugium japonicum</i> (L.) Kitam. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | 1 | | | 1 | | | | S | O | |
| <i>Felicia amoena</i> (Sch.Bip.) Levyns | Asteraceae | NL | NL | Acc | Acc | Acc | Acc | Syn | 0 | | 1 | | | | | | S | | |
| <i>Ferocactus herrerae</i> J.G.Ortega | Cactaceae | Acc | NL | NL | NL | Acc | Syn | Acc | Syn | 2 | | | | 1 | 1 | | S | O | |
| <i>Ferraria crispa</i> Burm. | Iridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | | | | | | S | O | |
| <i>Ferula arnoldiana</i> S.Scholz & Reyes-Bet. | Apiaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | | | | | 1 | F | S | | | |
| <i>Ferula communis</i> L. subsp. <i>linkii</i> (Webb) Reduron & Dobignard | Apiaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Ferula lancerotensis</i> Parl. ex Hartung | Apiaceae | Acc | Syn | Acc | Acc | Acc | Acc | Syn | 0 | | | | | | 1 | 1 | A | S | |
| <i>Ferula latipinna</i> A.Santos | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | 1 | 1 | | | | A | S | | |
| <i>Festuca agustini</i> Linding. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Festuca alopecuros</i> Schousb. | Poaceae | Syn | Acc | Acc | Syn | Syn | Syn | Syn | 9 | | | | 1 | 1 | | P | | | |
| <i>Festuca ambigua</i> Le Gall | Poaceae | Syn | NL | Acc | Syn | Syn | Acc | Syn | 15 | 1 | | | 1 | | 1 | P | | | |
| <i>Festuca bromoides</i> L. | Poaceae | Syn | Acc | Acc | Syn | Syn | Syn | Syn | 22 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Festuca geniculata</i> (L.) Lag. & Rodr. | Poaceae | Syn | Acc | Acc | Syn | Syn | Syn | Syn | 12 | | | | | 1 | | P | | | |
| <i>Festuca maritima</i> L. | Poaceae | Syn | Syn | Acc | Syn | Syn | Acc | Syn | 48 | | 1 | | | | | P | | | |
| <i>Festuca membranacea</i> (L.) Druce | Poaceae | Syn | Acc | Acc | Syn | Syn | Acc | Syn | 11 | 1 | | | | 1 | | P | | | |
| <i>Festuca muralis</i> Kunth | Poaceae | Syn | Acc | Acc | Syn | Syn | Acc | Syn | 6 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Festuca myuros</i> L. subsp. <i>myuros</i> | Poaceae | NL | NL | NL | NL | NL | Syn | NL | | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Festuca rubra</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 144 | | 1 | | | 1 | | P | | | |
| <i>Ficus carica</i> L. | Moraceae | Acc | Acc | Acc | Acc | Acc | NL | Acc | 29 | 1 | 1 | 1 | 1 | 1 | 1 | P | C | | |
| <i>Ficus elastica</i> Roxb. ex Hornem. | Moraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | 1 | 1 | S | O | | |
| <i>Ficus microcarpa</i> L.f. | Moraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 24 | 1 | 1 | 1 | 1 | | | S | O | | |
| <i>Ficus rubiginosa</i> Desf. ex Vent. | Moraceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 25 | 1 | | 1 | 1 | | | S | O | | |
| <i>Filago arvensis</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Syn | Acc | Acc | 24 | | | | 1 | | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Orram Crop |
|---|---------------|----------|------|------|------|-----|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Filago desertorum</i> Pomel | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | | 1 | 1 | 1 | P | | |
| <i>Filago germanica</i> (L.) Huds. | Asteraceae | Acc | Syn | Acc | Acc | Syn | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Filago lutescens</i> Jord. subsp. <i>atlantica</i> Wagenitz | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | NL | 3 | 1 | | | 1 | 1 | | 1 | P | | |
| <i>Filago pygmaea</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | | 1 | 1 | | 1 | P | | |
| <i>Filago pyramidata</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 28 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Fimbristylis bisumbellata</i> (Forssk.) Bubani | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | | 1 | 1 | | | P | | |
| <i>Fimbristylis ferruginea</i> (L.) Vahl | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 40 | | | | 1 | 1 | | | P | | |
| <i>Fimbristylis turkestanica</i> (Regel) B.Fedtsch. | Cyperaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | 1 | | | P | | |
| <i>Foeniculum vulgare</i> Mill. subsp. <i>vulgare</i> | Apiaceae | Acc | NL | NL | NL | Syn | Acc | Acc | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | C | |
| <i>Forsskaolea angustifolia</i> Retz. | Urticaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | |
| <i>Fragaria vesca</i> L. | Rosaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 29 | 1 | | | 1 | | | | S | C | |
| <i>Frankenia boissieri</i> Reut. ex Boiss. | Frankeniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | 1 | 1 | | S | | |
| <i>Frankenia ericifolia</i> C.Sm. ex DC. subsp. <i>ericifolia</i> | Frankeniaceae | Acc | Acc | NL | NL | Acc | Acc | NL | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | |
| <i>Frankenia ericifolia</i> C.Sm. ex DC. subsp. <i>latifolia</i> (Webb & Berthel.) Brochmann, Lobin & Sunding | Frankeniaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | 1 | 1 | 1 | | | | A | S | | |
| <i>Frankenia hirsuta</i> L. | Frankeniaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 18 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | |
| <i>Frankenia pulverulenta</i> L. | Frankeniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | | | 1 | 1 | 1 | 1 | P | | |
| <i>Fraxinus angustifolia</i> Vahl. | Oleaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | | | | | | P | | |
| <i>Freesia refracta</i> (Jacq.) Klatt | Iridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | | | | S | O | |
| <i>Fuchsia boliviiana</i> Carrière | Onagraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | 1 | 1 | | | S | O | |
| <i>Fuchsia coccinea</i> Aiton | Onagraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | 1 | | | | S | O | |
| <i>Fumaria agraria</i> Lag. | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | P | | |
| <i>Fumaria bastardii</i> Boreau | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Fumaria capreolata</i> L. | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Fumaria coccinea</i> R.T.Lowe ex Pugsley | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|--|--------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Fumaria montana</i> J.A.Schmidt | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | | | |
| <i>Fumaria muralis</i> Sond. ex W.D.J.Koch subsp. <i>muralis</i> | Papaveraceae | Acc | NL | NL | NL | Acc | Acc | Acc | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Fumaria muralis</i> Sond. ex W.D.J.Koch subsp. <i>borea</i> (Jord.) Pugsley | Papaveraceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | | 1 | | | | P | | | |
| <i>Fumaria officinalis</i> L. | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | 1 | | 1 | 1 | 1 | | P | | | |
| <i>Fumaria parviflora</i> Lam. | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Fumaria vaillantii</i> Loisel. | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Furcraea foetida</i> (L.) Haw. | Agavaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | 1 | | 1 | 1 | 1 | | I | O | | |
| <i>Furcraea hexapetala</i> (Jacq.) Urb. | Asparagaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 13 | | | 1 | | | | | I | O | | |
| <i>Furcraea selloana</i> Koch | Asparagaceae | Acc | NL | Acc | Acc | Acc | Acc | Syn | 1 | | | 1 | 1 | | | | I | O | | |
| <i>Galactites tomentosus</i> Moench | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Galinsoga parviflora</i> Cav. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Galinsoga quadriradiata</i> Ruiz & Pav. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 30 | | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Galium aparine</i> L. | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 26 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Galium aschenbornii</i> Schauer | Rubiaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 7 | 1 | | | | | 1 | | P | | | |
| <i>Galium elongatum</i> C. Presl | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | | P | | | |
| <i>Galium murale</i> (L.) All. | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Galium parisiense</i> L. | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 24 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Galium scabrum</i> L. | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Galium setaceum</i> Lam. | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Galium spurium</i> L. | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | 1 | 1 | 1 | | P | | | |
| <i>Galium tricornutum</i> Dandy | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Galium verrucosum</i> Huds. | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Gamochaeta antillana</i> (Urb.) Anderb. | Asteraceae | Acc | Acc | Acc | Syn | NL | Acc | Syn | 3 | 1 | 1 | | 1 | | | | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Orrham Crop |
|---|----------------|----------|------|------|------|------|------|-----|----------|----------------|---|---|---|---|-----|---|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Gamochaeta pensylvanica</i> (Willd.) Cabrera | Asteraceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 6 | 1 | 1 | | 1 | 1 | 1 | | | S | |
| <i>Gastridium phleoides</i> (Nees & Meyen) C.E.Hubb. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | | | | 1 | | | P | |
| <i>Gastridium ventricosum</i> (Gouan) Schinz & Thell. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 25 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | |
| <i>Gaudinia fragilis</i> (L.) P.Beauv. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 24 | | | 1 | 1 | | | | | P | |
| <i>Gazania rigens</i> (L.) Gaertn. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | | | | | | | S O | |
| <i>Genista benehoavensis</i> (Bolle) del Arco | Fabaceae | Acc | Acc | Syn | AmUn | AmUn | Syn | NL | | 1 | | | | | | P | S | | |
| <i>Gennaria diphylla</i> (Link) Parl. | Orchidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | |
| <i>Geranium dissectum</i> L. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | |
| <i>Geranium molle</i> L. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | |
| <i>Geranium purpureum</i> Vill. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | |
| <i>Geranium pyrenaicum</i> Burm.f. | Geraniaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | |
| <i>Geranium reuteri</i> Aedo & Munoz Garm. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | |
| <i>Geranium robertianum</i> L. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | |
| <i>Geranium rotundifolium</i> L. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | |
| <i>Geropogon hybridus</i> (L.) Sch.Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | | | | | | P | |
| <i>Gesnouinia arborea</i> (L.f.) Gaudich. | Urticaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | | | A | S | |
| <i>Gladiolus italicus</i> Mill. | Iridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | |
| <i>Glaucium corniculatum</i> (L.) Rudolph | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | |
| <i>Glaucium flavum</i> (Sm.) Fedde | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | 1 | | 1 | 1 | 1 | 1 | | | P | |
| <i>Glebionis coronaria</i> (L.) Cass. Ex Spach | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | |
| <i>Glebionis segetum</i> (L.) Fourr. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | 1 | 1 | 1 | | | | | P | |
| <i>Gleditsia triacanthos</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 23 | | | | 1 | | | | S O | | |
| <i>Glinus lotoides</i> L. | Molluginaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 16 | | | | | | | | P | | |
| <i>Globularia ascanii</i> Bramwell & Kunkel | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | | C S | | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orrham Crop |
|--|-----------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Globularia salicina</i> Lam. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Globularia sarcophylla</i> Svent. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | | 1 | | | C | S | | |
| <i>Glyceria declinata</i> Breb. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | | 1 | | | | P | | |
| <i>Gnidia polystachya</i> P.J.Bergius | Thymelaeaceae | Acc | Acc | Acc | Acc | AmUn | Syn | Syn | 5 | | | | 1 | | | | S | O | | |
| <i>Gomphocarpus fruticosus</i> (L.) W.T.Aiton | Apocynaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Gonospermum canariense</i> (DC.) Less. subsp. <i>canariense</i> | Asteraceae | NL | Acc | Acc | NL | Acc | Acc | NL | 4 | 1 | | | | | | | P | S | | |
| <i>Gonospermum canariense</i> (DC.) Less. subsp. <i>elegans</i> | Asteraceae | NL | Acc | NL | NL | Acc | Acc | NL | | 1 | | | | | | | H | S | | |
| <i>Gonospermum ferulaceum</i> (Webb) Febles var. <i>ferulaceum</i> | Asteraceae | NL | Acc | NL | Syn | AmUn | Syn | NL | | | | | | 1 | | | C | S | | |
| <i>Gonospermum ferulaceum</i> (Webb) Febles var. <i>latipinnum</i> (Svent.) Febles | Asteraceae | NL | Acc | Acc | NL | Acc | Acc | NL | 2 | | | | | 1 | | | C | S | | |
| <i>Gonospermum fruticosum</i> Less. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | | | | A | S | | |
| <i>Gonospermum gomerae</i> Bolle | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | | | | | | G | S | | |
| <i>Gonospermum oshanahanii</i> (Marrero Rodr., Febles & C.Suarez) Febles | Asteraceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 1 | | | | 1 | | | | C | S | | |
| <i>Gonospermum ptarmiciflorum</i> (Webb & Berthel.) Febles | Asteraceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 3 | | | | 1 | | | | C | S | | |
| <i>Gonospermum revolutum</i> (C.Sm. ex Buch) Sch.Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | | T | S | | |
| <i>Gossypium barbadense</i> L. | Malvaceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 71 | | | | 1 | | | | S | O | | |
| <i>Gossypium herbaceum</i> L. | Malvaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 32 | 1 | 1 | | | 1 | | | S | O | | |
| <i>Grammitis querenda</i> Bolle | Polypodiaceae | Acc | NL | Acc | AmUn | NL | Acc | NL | 0 | | | 1 | | | | | S | | | |
| <i>Graptopetalum paraguayense</i> (N.E.Br.) E.Walther | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 6 | | | 1 | 1 | | | | S | O | | |
| <i>Grevillea robusta</i> A.Cunn ex. R.Br. | Proteaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | | | | | S | O | | |
| <i>Guizotia abyssinica</i> (L.f.) Casse | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | 1 | 1 | 1 | | | | | S | O | | |
| <i>Gymnocarpos decander</i> Forssk. | Caryophyllaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 7 | | 1 | 1 | 1 | 1 | 1 | | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orrham Crop |
|--|------------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Gymnocarpos sclerocephalus</i> (Decne.) Dahlgren & Thulin | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | 1 | | | P | | | |
| <i>Gymnosporia cassinoides</i> (L'Hér.) Masf. | Celastraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Gymnosporia cryptopetala</i> Reyes-Bet. & A.Santos | Celastraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | | | | 1 | 1 | A | P | |
| <i>Gypsophila elegans</i> M.Bieb | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | | | | | S | | |
| <i>Gypsophila vaccaria</i> (L.) Sm. | Caryophyllaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 38 | | | | 1 | 1 | 1 | | P | | | |
| <i>Haageocereus multangularis</i> (Haw.) F. Ritter | Cactaceae | Syn | NL | NL | Acc | AmUn | Acc | NL | | | | | 1 | | | | S | O | | |
| <i>Habenaria tridactylites</i> Lindl. | Orchidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | |
| <i>Hainardia cylindrica</i> (Willd.) Greuter | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Halophila decipiens</i> Ostenfeld | Hydrocharitaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | | 1 | 1 | | | S | | | |
| <i>Harrisia tetracantha</i> (Labour) | Cactaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | | | | | | 1 | | S | O | | |
| <i>Heberdenia excelsa</i> Banks ex Schult. | Primulaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Hedera canariensis</i> Willd. | Araliaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Hedera helix</i> L. | Araliaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | 1 | 1 | 1 | 1 | | | S | O | |
| <i>Hedychium coronarium</i> J.Koenig | Zingiberaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 13 | | 1 | | | | | | | S | | |
| <i>Hedychium gardnerianum</i> Sheppard ex Ker Gawl. | Zingiberaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | | 1 | | | | I | O | | |
| <i>Hedypnois rhagadioloides</i> (L.) F.W.Schmidt | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 35 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Helianthemum aganae</i> Marrero Rodr. & R. Mesa | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | | | | | G | S | | |
| <i>Helianthemum aguloi</i> Marrero Rodr. & R. Mesa | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | | | | | G | S | | |
| <i>Helianthemum bramwelliorum</i> Marrero Rodr. | Cistaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | | | | | | 1 | L | S | | |
| <i>Helianthemum broussonetii</i> Dunal | Cistaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | | 1 | | 1 | | | | A | S | | |
| <i>Helianthemum bystropogophyllum</i> Svent. | Cistaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | | | | 1 | | | | C | S | | |
| <i>Helianthemum canariense</i> (Jacq.) Pers. | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Helianthemum ciraе</i> A.Santos | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | 1 | | | | | | P | S | | |
| <i>Helianthemum gonzalezferreri</i> Marrero Rodr. | Cistaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | | | | | | | 1 | L | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|---|--------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Helianthemum inaguae</i> Marrero Rodr., Gonz-Mart & Gonz-Art | Cistaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | | | | 1 | | | C | S | | |
| <i>Helianthemum juliae</i> Wildpret | Cistaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | | | 1 | | | | T | S | | |
| <i>Helianthemum ledifolium</i> (L.) Mill. | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | | | | | 1 | 1 | | P | |
| <i>Helianthemum linii</i> A. Santos | Cistaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | 1 | | | | | | | | P | S | |
| <i>Helianthemum salicifolium</i> (L.) Mill. | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | 1 | | 1 | | | | | P | | |
| <i>Helianthemum teneriffae</i> Coss. | Cistaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | | 1 | | | | | T | S | | |
| <i>Helianthemum tholiforme</i> Bramwell, J. Ortega & B. Navarro | Cistaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | | | 1 | | | | C | S | | |
| <i>Helianthemum thymiphyllosum</i> Svent. | Cistaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | | | | | | | 1 | 1 | A | S | |
| <i>Helianthemum villosum</i> Thibaud | Cistaceae | Acc | Acc | Acc | Acc | AmUn | Acc | NL | 3 | | | | | | | 1 | | | P | |
| <i>Helianthus annuus</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 49 | 1 | 1 | 1 | 1 | | | | | S | C | |
| <i>Helichrysum alucense</i> Garcia-Cas. & al. | Asteraceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | 1 | | | | | | | G | S | |
| <i>Helichrysum gossypinum</i> Sch.Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | 1 | 1 | A | S | |
| <i>Helichrysum luteoalbum</i> (L.) Rchb. | Asteraceae | Syn | Syn | Acc | Acc | Acc | Acc | Syn | 27 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Helichrysum monogynum</i> B.L.Burtt. & Sunding | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | | | 1 | L | S | | |
| <i>Helichrysum orientale</i> (L.) Gaertn. | Asteraceae | Acc | NL | Acc | AmUn | Acc | Acc | Acc | 8 | | | | 1 | 1 | | | | S | | |
| <i>Helichrysum petiolare</i> Hilliard & B.L.Burtt | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | | | | | | S | | |
| <i>Helichrysum teydeum</i> (Wildpret & Greuter) Raus | Asteraceae | Syn | Syn | Acc | Acc | Acc | Acc | Syn | 2 | | | 1 | | | | | T | S | | |
| <i>Helichrysum teydeum</i> (Wildpret & Greuter) Raus | Asteraceae | NL | Syn | Acc | Acc | Acc | Acc | Syn | 2 | | | 1 | | | | | T | S | | |
| <i>Helictochloa marginata</i> (Lowe) Romero Zarco | Poaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 40 | | 1 | 1 | | | | | | P | | |
| <i>Heliotropium arborescens</i> L. | Boraginaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 11 | | | 1 | 1 | | | | | S | O | |
| <i>Heliotropium crispum</i> Desf. | Boraginaceae | Syn | Syn | Acc | Acc | Syn | Syn | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Heliotropium curassavicum</i> L. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | | 1 | 1 | 1 | | | | S | | |
| <i>Heliotropium europaeum</i> L. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orrham Crop |
|--|-----------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Heliotropium supinum</i> L. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | | | | | | 1 | P | | | |
| <i>Helminthotheca echooides</i> (L.) Holub | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Hemarthria altissima</i> (Poir.) Stapf & C.E.Hubb. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | 1 | 1 | 1 | | | | | I | | | |
| <i>Hemionitis gluckuk</i> Christenh. | Pteridaceae | NL | Syn | Acc | AmUn | Acc | Syn | NL | 7 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Hemionitis guanchica</i> (Bolle) Christenh. | Pteridaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | | |
| <i>Hemionitis pteridioides</i> (Reichard) Christenh. | Pteridaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 25 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | | |
| <i>Hemionitis pulchella</i> (Bory ex Willd.) Christenh. | Pteridaceae | Syn | Syn | Acc | NL | Syn | Syn | NL | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Hemionitis tinaei</i> (Tod.) Christenh. | Pteridaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 5 | | | | 1 | | | | S | | | |
| <i>Herniaria canariensis</i> Chaudhri | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 1 | | | | 1 | | | | T | S | | |
| <i>Herniaria cinerea</i> DC. | Caryophyllaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 8 | 1 | | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Herniaria fontanesii</i> J.Gay | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | 1 | 1 | | | P | | | |
| <i>Hesperocyparis macrocarpa</i> (Hartw.) Bartel | Cupressaceae | Acc | Syn | Acc | Syn | Syn | Syn | Syn | 9 | 1 | 1 | 1 | 1 | | | | S | O | | |
| <i>Heteropogon contortus</i> (L.) P.Beauv. ex Roem. & Schult. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 32 | | 1 | 1 | 1 | | | | P | | | |
| <i>Hibiscus rosa-sinensis</i> L. | Malvaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Hibiscus schizopetalus</i> (Dyer) Hook.f. | Malvaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | 1 | | | | S | O | | |
| <i>Hibiscus trionum</i> L. | Malvaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 25 | | | | 1 | | | | S | | | |
| <i>Himantoglossum metlesicsianum</i> (W.P.Teschner) P.Delforge | Orchidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | | | | A | S | | | |
| <i>Hippocrepis constricta</i> Kunze | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | | | | 1 | | | P | | | |
| <i>Hippocrepis multisiliquosa</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Hippocrepis salzmannii</i> Boiss. & Reut. | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | | 1 | 1 | | P | | | |
| <i>Hirschfeldia incana</i> (L.) Lagr.-Foss | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 27 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Hoffmannseggia glauca</i> (Ortega) Eifert | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 24 | | | 1 | | | | | S | | | |
| <i>Holcus annuus</i> Salzm. & C. A. Meyer | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orram Crop |
|--|------------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Holcus hierrensis</i> (Stierst.) Stierst. & M.Seq. | Poaceae | Syn | Acc | Acc | Syn | Acc | Acc | NL | 1 | 1 | | | | | | | H | S | | |
| <i>Holcus lanatus</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Hordeum distichon</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 36 | | | | 1 | 1 | | | | P | | |
| <i>Hordeum marinum</i> Huds. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Hordeum murinum</i> L. subsp. <i>glaucum</i> (Steud) Tzvelev | Poaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Hordeum murinum</i> L. subsp. <i>leporinum</i> (Link) Arcang. | Poaceae | Acc | Syn | Acc | Acc | Syn | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Hordeum vulgare</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 129 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Hornungia procumbens</i> (L.) Hayek | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 44 | | | 1 | 1 | | | | P | | | |
| <i>Humulus lupulus</i> L. | Cannabaceae | Syn | NL | Acc | Acc | Acc | Acc | Acc | 8 | | | 1 | 1 | | | | S | C | | |
| <i>Hunnemannia fumariifolia</i> Sweet | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | 1 | | | | S | O | | |
| <i>Hydrangea macrophylla</i> (Thunb.) Ser. | Hydrangeaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 30 | 1 | 1 | | | | | | S | O | | |
| <i>Hydrilla verticillata</i> (L.f.) Royle | Hydrocharitaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | 1 | 1 | | | | | | I | | | |
| <i>Hydrocotyle bowlesioides</i> Mathias & Constance | Apiaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | S | | | |
| <i>Hydrocotyle microphylla</i> A. Cunn. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | | | | | S | | | |
| <i>Hymenophyllum tunbrigense</i> (L.) Sm. | Hymenophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | 1 | 1 | 1 | | | | S | | | |
| <i>Hymenophyllum wilsonii</i> Hook | Hymenophyllaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 0 | | 1 | 1 | 1 | | | | P | | | |
| <i>Hyoscyamus albus</i> L. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Hyoseris radiata</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | | 1 | | | | S | | | |
| <i>Hyparrhenia arrhenobasis</i> (Hochst. ex Steud.) Stapf | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | | S | | | |
| <i>Hyparrhenia hirta</i> (L.) Stapf | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 25 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Hypecoum procumbens</i> L. | Papaveraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 6 | | | | | | | | P | | | |
| <i>Hypericum canariense</i> L. | Hypericaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Hypericum coadunatum</i> C.Sm. Ex Link. | Hypericaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | | | | 1 | | | C | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orram Crop |
|--|-----------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Hypericum glandulosum</i> Aiton | Hypericaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Hypericum grandifolium</i> Choisy | Hypericaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Hypericum humifusum</i> L. | Hypericaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | | | | | | | P | | | |
| <i>Hypericum perfoliatum</i> L. | Hypericaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | | | 1 | | | P | | | |
| <i>Hypericum perforatum</i> L. | Hypericaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | | 1 | | | | | P | | | |
| <i>Hypericum reflexum</i> L.f. | Hypericaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 1 | | 1 | 1 | 1 | | | A | S | | | |
| <i>Hypochaeris acylophorus</i> L. | Asteraceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | 1 | | | | 1 | | P | | | |
| <i>Hypochaeris glabra</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 33 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Hypochaeris oligocephala</i> (Svent. & Bramwell) Lack | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | T | S | | | |
| <i>Hypochaeris radicata</i> L. | Asteraceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 14 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Iberis odorata</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | | 1 | | | P | O | | |
| <i>Ifloga obovata</i> Bolle | Asteraceae | Syn | Acc | Acc | Acc | Acc | Acc | Syn | 1 | | 1 | 1 | 1 | 1 | 1 | A | S | | | |
| <i>Ifloga spicata</i> (Forssk.) Sch.Bip. subsp. <i>spicata</i> | Asteraceae | Acc | NL | Acc | NL | Acc | Acc | NL | 11 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Ilex canariensis</i> Poir. | Aquifoliaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | | |
| <i>Ilex perado</i> Aiton subsp. <i>lopezilloi</i> (G. Kunkel) S. Andrews | Aquifoliaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 2 | | 1 | | | | | G | S | | | |
| <i>Ilex perado</i> Aiton subsp. <i>platyphylla</i> (Webb & Berthel.) Tutin | Aquifoliaceae | Acc | Acc | NL | Acc | Acc | Acc | Acc | | 1 | 1 | 1 | | | | A | S | | | |
| <i>Illecebrum verticillatum</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | 1 | 1 | | | | P | | | | |
| <i>Impatiens hawkeri</i> W.Bull. | Balsaminaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | S | O | | | |
| <i>Impatiens sodenii</i> Engl. & Warb. | Balsaminaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | | | | S | O | | | |
| <i>Impatiens walleriana</i> Hook.f. | Balsaminaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | | | | S | O | | | |
| <i>Imperata cylindrica</i> (L.) Raeusch. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 32 | | | 1 | 1 | | | I | O | | | |
| <i>Lochroma cyaneum</i> (Lindl.) M.L. Green | Solanaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 8 | | 1 | | 1 | | | S | O | | | |
| <i>Ipomoea batatas</i> (L.) Lam. | Convolvulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | S | C | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Ornam Crop |
|---|----------------|----------|------|------|------|-----|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Ipomoea cairica</i> (L.) Sweet | Convolvulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 38 | 1 | 1 | 1 | 1 | 1 | 1 | | I | O | |
| <i>Ipomoea corymbosa</i> (L.) Roth | Convolvulaceae | Syn | NL | Acc | Syn | Syn | Syn | Syn | 22 | | | | 1 | 1 | | | S | O | |
| <i>Ipomoea imperati</i> (Vahl) Griseb | Convolvulaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 33 | | | | 1 | | | C | P | O | |
| <i>Ipomoea indica</i> (Burm.) Merr. | Convolvulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 60 | 1 | 1 | 1 | 1 | 1 | 1 | | I | O | |
| <i>Ipomoea nil</i> (L.) Roth | Convolvulaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 39 | | | | | | 1 | | S | O | |
| <i>Ipomoea pes-caprae</i> (L.) R.Br. | Convolvulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 27 | | | | | | 1 | | S | O | |
| <i>Ipomoea purpurea</i> (L.) Roth. | Convolvulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 26 | 1 | 1 | 1 | | | | | S | O | |
| <i>Iris florentina</i> L. | Iridaceae | Syn | Syn | Acc | AmUn | Syn | Acc | Acc | 4 | 1 | 1 | 1 | 1 | | | | S | O | |
| <i>Iris foetidissima</i> L. | Iridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | | | | | S | O | |
| <i>Iris pallida</i> Lam. | Iridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | | | | | S | O | |
| <i>Iris x germanica</i> L. | Iridaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 36 | 1 | | 1 | | | | | S | O | |
| <i>Isatis tinctoria</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 26 | 1 | | | | | | | S | C | |
| <i>Isolepis cernua</i> (Vahl) Roem. & Schult. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | | 1 | 1 | 1 | | P | | | |
| <i>Ixanthus viscosus</i> (Aiton) Griseb. | Gentianaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Jacaranda mimosifolia</i> D.Don | Bignoniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | | | S | O | |
| <i>Jacobaea maritima</i> (L.) Pelser & Meijden subsp. <i>maritima</i> | Asteraceae | Acc | NL | Acc | Syn | Acc | Acc | NL | 13 | | | | 1 | | | | S | | |
| <i>Juglans regia</i> L. | Juglandaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | | | 1 | | | | S | C | |
| <i>Juncus acutus</i> L. subsp. <i>acutus</i> | Juncaceae | Acc | Acc | Acc | Syn | Acc | Acc | NL | 3 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Juncus acutus</i> L. subsp. <i>leopoldii</i> (Parl.) Snogerup | Juncaceae | Acc | Acc | Acc | Acc | Syn | Syn | Acc | 4 | | | | | 1 | | P | | | |
| <i>Juncus articulatus</i> L. | Juncaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | P | | |
| <i>Juncus bufonius</i> L. | Juncaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Juncus capitatus</i> Weigel | Juncaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Juncus effusus</i> L. | Juncaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Juncus inflexus</i> L. | Juncaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orrham Crop |
|--|----------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Juncus maritimus</i> Lam. | Juncaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | | |
| <i>Juniperus canariensis</i> Guyot & Mathou | Cupressaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 2 | 1 | 1 | 1 | 1 | 1 | 1 | S | | | | |
| <i>Juniperus cedrus</i> Webb & Berthel. subsp. <i>cedrus</i> | Cupressaceae | Acc | NL | NL | NL | AmUn | Acc | Acc | | 1 | 1 | 1 | 1 | | | A | S | | | |
| <i>Justicia hyssopifolia</i> L. | Acanthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | 1 | | | | A | S | | | |
| <i>Kalanchoe daigremontiana</i> Raym.-Hamet & H. Perrier | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | | | | S | O | | |
| <i>Kalanchoe delagoensis</i> Eckl. & Zeyh. | Crassulaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Kalanchoe fedtschenkoi</i> Raym.-Hamet & H. Perrier | Crassulaceae | NL | NL | Acc | Syn | Acc | Acc | Syn | 1 | 1 | | | | 1 | | | S | | | |
| <i>Kalanchoe pinnata</i> (Lam.) Pers. | Crassulaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 14 | | 1 | 1 | | | | | S | O | | |
| <i>Kalanchoe prolifera</i> (Bowie ex Hook.) Raym.-Hamet | Crassulaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 2 | 1 | | | 1 | | | | S | O | | |
| <i>Kickxia commutata</i> (Bernh. Ex Rchb.) Fritsch subsp. <i>commutata</i> | Plantaginaceae | Acc | NL | NL | NL | Acc | Acc | NL | | | | 1 | | | | P | | | | |
| <i>Kickxia commutata</i> (Bernh. Ex Rchb.) Fritsch subsp. <i>graeca</i> (Bory & Chaub.) R. Fern. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 5 | 1 | 1 | 1 | | | | P | | | | |
| <i>Kickxia elatine</i> (L.) Dumort subsp. <i>elatine</i> | Plantaginaceae | Acc | Acc | NL | Syn | Acc | Acc | NL | | 1 | 1 | 1 | | | | P | | | | |
| <i>Kickxia pendula</i> (G.Kunkel) G.Kunkel | Plantaginaceae | Acc | Acc | Acc | AmUn | Syn | Acc | NL | 2 | | | 1 | | | | C | S | | | |
| <i>Kickxia spuria</i> (L.) Dumort. subsp. <i>integrifolia</i> (Brot.) R.Fern. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 3 | 1 | | | | | | | S | | | |
| <i>Kleinia nerifolia</i> Haw. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | | |
| <i>Krubera peregrina</i> (L.) Lowe | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | 1 | 1 | 1 | | | | P | | | |
| <i>Kumara plicatilis</i> (L.) G.D.Rowley | Aphodelaceae | NL | NL | Acc | Syn | Acc | Acc | Acc | 9 | | | 1 | | | | S | O | | | |
| <i>Lablab purpureus</i> (L.) Sweet | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | S | O | | | |
| <i>Lactuca palmensis</i> Bolle | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | | | | | P | S | | | |
| <i>Lactuca sativa</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Lactuca serriola</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 30 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | | |
| <i>Lactuca viminea</i> (L.) J.Presl & C.Presl. subsp. <i>ramosissima</i> (All.) Arcang. | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | NL | 3 | 1 | | | | | | P | | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Oriental Crop |
|--|---------------|----------|------|------|-----|-----|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|---------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Lagenaria siceraria</i> (Molina) Standl. | Cucurbitaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 27 | | | | | | | 1 | S | C | |
| <i>Lagurus ovatus</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | | 1 | 1 | 1 | | | P | | |
| <i>Lamarcia aurea</i> (L.) Moench | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Lamium amplexicaule</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | |
| <i>Lamium purpureum</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | 1 | 1 | | | S | | |
| <i>Lampranthus stipulaceus</i> (L.) N.E. Br. | Aizoaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 5 | | | | 1 | | | | S | O | |
| <i>Lantana camara</i> L. | Verbenaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | I | O | |
| <i>Lapsana communis</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | | 1 | | | | P | | |
| <i>Lasiopogon muscoides</i> (Desf.) DC. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | | | | 1 | 1 | P | |
| <i>Lathyrus angulatus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | | 1 | 1 | | | P | | |
| <i>Lathyrus annuus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Lathyrus aphaca</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | | 1 | 1 | | | P | | |
| <i>Lathyrus cicera</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | | | | 1 | 1 | P | | |
| <i>Lathyrus clymenum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Lathyrus ochrus</i> (L.) DC. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | 1 | | | P | | |
| <i>Lathyrus odoratus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | | | S | O | |
| <i>Lathyrus oleraceus</i> L. subsp. <i>elatius</i> (M.Bieb.) Asch. & Graebn. | Fabaceae | NL | Syn | NL | Acc | Acc | Syn | Syn | | | 1 | 1 | 1 | 1 | 1 | 1 | S | C | |
| <i>Lathyrus sativus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | |
| <i>Lathyrus setifolius</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | | 1 | | | | P | | |
| <i>Lathyrus sphaericus</i> Retz. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Lathyrus tingitanus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Launaea arborescens</i> (Batt.) Murb. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | |
| <i>Launaea capitata</i> (Spreng.) Dandy | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | 1 | 1 | | | P | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orrham Crop |
|--|---------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Launaea mucronata</i> (Forssk.) Muschl. subsp. <i>mucronata</i> | Asteraceae | Acc | NL | Acc | NL | Acc | Acc | NL | 10 | | | | | | | 1 | | P | | |
| <i>Launaea nudicaulis</i> (L.) Hook f. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Laurus novocanariensis</i> Rivas Mart., Lousa, Fern.Prieto, E.Dias, J.C.Costa & C.Aguilar | Lauraceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Lavandula bramwellii</i> Upson & S.Andrews | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | 1 | | | C | S | | |
| <i>Lavandula buchii</i> Webb & Berthel. var. <i>buchii</i> | Lamiaceae | NL | Acc | Acc | Syn | Acc | Acc | NL | 1 | | | | 1 | | | | T | S | | |
| <i>Lavandula canariensis</i> (L.) Mill. subsp. <i>canariensis</i> | Lamiaceae | Acc | Acc | Acc | Syn | Acc | Acc | NL | 3 | | | | 1 | | | | T | S | | |
| <i>Lavandula canariensis</i> (L.) Mill. subsp. <i>canariae</i> Upson & S. Andrews | Lamiaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | | | | 1 | | | | C | S | | |
| <i>Lavandula canariensis</i> (L.) Mill. subsp. <i>fuerteventurae</i> Upson & S. Andrews | Lamiaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | | | | | 1 | | | F | S | | |
| <i>Lavandula canariensis</i> (L.) Mill. subsp. <i>gomerensis</i> Upson & S. Andrews | Lamiaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | | 1 | | | | | | G | S | | |
| <i>Lavandula canariensis</i> (L.) Mill. subsp. <i>hierrensis</i> Upson & S. Andrews | Lamiaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | 1 | | | | | | | H | S | | |
| <i>Lavandula canariensis</i> (L.) Mill. subsp. <i>lancerottensis</i> Upson & S. Andrews | Lamiaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | | | | | 1 | | | L | S | | |
| <i>Lavandula canariensis</i> (L.) Mill. subsp. <i>palmensis</i> Upson & S. Andrews | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | 1 | | | | | | | P | S | | |
| <i>Lavandula dentata</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Lavandula minutolii</i> Bolle | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | | | | | A | S | | |
| <i>Lavandula pedunculata</i> (Mill.) Cav. | Lamiaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | S | O | | |
| <i>Lavandula pinnata</i> Lundmark | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | 1 | | | S | | | |
| <i>Lavandula stoechas</i> L. subsp. <i>stoechas</i> | Lamiaceae | NL | Acc | Acc | Syn | Acc | Acc | NL | 11 | | | 1 | 1 | | | | S | O | | |
| <i>Legousia falcata</i> (Ten.) Fritsch ex Janch. | Campanulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Legousia hybrida</i> (L.) Delarbre | Campanulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | | | 1 | 1 | 1 | | | P | | | |
| <i>Lemna gibba</i> L. | Araceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|--|----------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Lemna minor</i> L. | Araceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Lemna minuta</i> Kunth | Araceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | 1 | 1 | | | | I | | | |
| <i>Lens nigricans</i> (M.Bieb.) Godr. | Fabaceae | Acc | Acc | Syn | Acc | Acc | Acc | Acc | 0 | 1 | 1 | | | | | | P | | | |
| <i>Leonotis nepetifolia</i> (L.) R.Br. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | | | | S | | | |
| <i>Leontodon saxatilis</i> Lam. subsp. <i>rothii</i> Maire | Asteraceae | NL | NL | NL | Acc | Syn | Syn | Acc | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Leopoldia comosa</i> (L.) Parl. | Hyacinthaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 59 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Lepidium bonariense</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | 1 | 1 | 1 | | | | S | | | |
| <i>Lepidium coronopus</i> (L.) Al-Shehbaz | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 25 | | | 1 | 1 | 1 | | | P | | | |
| <i>Lepidium didymum</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 32 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Lepidium sativum</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | | | 1 | | | | | S | | | |
| <i>Lepidium virginicum</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 36 | | 1 | 1 | 1 | | | | S | | | |
| <i>Leucaena leucocephala</i> (Lam.) de Wit subsp. <i>glabra</i> (Rose) Zarate | Fabaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | I | | | |
| <i>Leucanthemum maximum</i> (Ramond) DC. | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 11 | | | 1 | | | | | P | O | | |
| <i>Leuzea cynaroides</i> (C.Sm.) Font Quer ex G.Lopez | Asteraceae | Syn | Syn | Acc | Syn | Acc | Syn | NL | 6 | | 1 | 1 | | | | A | S | | | |
| <i>Ligustrum lucidum</i> W.T.Aiton | Oleaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | | | 1 | 1 | | | | S | O | | |
| <i>Ligustrum vulgare</i> L. | Oleaceae | Acc | Acc | Acc | Acc | Acc | Syn | Acc | 11 | | | 1 | | | | | S | O | | |
| <i>Lilium candidum</i> L. | Liliaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | 1 | 1 | | | | S | O | | |
| <i>Limoniastrum monopetalum</i> (L.) Boiss. | Plumbaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | 1 | | | S | | | |
| <i>Limonium arboreum</i> Erben, A.Santos & Reyes-Bet. | Plumbaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Syn | 3 | 1 | 1 | | | | | A | S | | | |
| <i>Limonium benmageci</i> Marrero Rodr. | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | | 1 | | | | C | S | | | |
| <i>Limonium bollei</i> (Webb ex Wangerin) Erben | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 1 | | | | 1 | | | F | S | | | |
| <i>Limonium bourgeau</i> (Webb ex Webb) Kuntze | Plumbaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | 1 | A | S | | | | |
| <i>Limonium brassicifolium</i> (Webb & Berthel.) Kuntze subsp. <i>brassicifolium</i> | Plumbaginaceae | Acc | NL | NL | NL | AmUn | Acc | NL | | | 1 | | | | | G | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop |
|--|----------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Limonium brassicifolium</i> (Webb & Berthel.) Kuntze subsp. <i>macropterum</i> (Webb & Berthel.) G. Kunkel | Plumbaginaceae | Acc | Syn | Acc | NL | Acc | Syn | NL | 2 | 1 | | | | | | | H | S | | |
| <i>Limonium dendroides</i> Svent. | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | | 1 | | | | | | G | S | | |
| <i>Limonium frutescens</i> (Lem.) Erben, A.Santos & Reyes-Bet. | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 3 | | | 1 | | | | | T | S | | |
| <i>Limonium imbricatum</i> (Webb ex Girard) F.T.Hubb. ex L.H.Bailey | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 1 | 1 | 1 | | | | | | A | S | | |
| <i>Limonium lobatum</i> (L.f.) Chaz. | Plumbaginaceae | Syn | Syn | Acc | Acc | Syn | Syn | Acc | 11 | | | 1 | 1 | | | | P | | | |
| <i>Limonium macrophyllum</i> (Willd. ex Spreng.) Kuntze | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 2 | | | 1 | | | | | T | S | | |
| <i>Limonium ovalifolium</i> (Poir.) Kuntze | Plumbaginaceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | | | | | | 1 | 1 | | P |
| <i>Limonium ovalifolium</i> (Poir.) Kuntze subsp. <i>canariense</i> Pignatti | Plumbaginaceae | NL | Acc | NL | NL | Syn | Acc | NL | | | | | | | | | 1 | 1 | | P |
| <i>Limonium papillatum</i> (Webb & Berthel.) Kuntze | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 2 | | | | | | | | 1 | 1 | | S |
| <i>Limonium pectinatum</i> (Aiton) Kuntze | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 7 | 1 | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Limonium perezii</i> (Stapf) F.T. Hubb. | Plumbaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | T | S | | |
| <i>Limonium preauxii</i> (Webb & Berthel.) Kuntze | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 1 | | | | 1 | | | | C | S | | |
| <i>Limonium puberulum</i> (Webb ex Lindl.) Kuntze | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 1 | | | | | | | | 1 | 1 | A | S |
| <i>Limonium redivivum</i> (Svent.) G.Kunkel & Sunding | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 1 | | 1 | | | | | | G | S | | |
| <i>Limonium relicticum</i> R.Mesa & A.Santos | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | 1 | | | | | | G | S | | |
| <i>Limonium sinuatum</i> (L.) Mill. subsp. <i>beaumierianum</i> (Coss. ex Maire) Sauvage & Vindt | Plumbaginaceae | Acc | Acc | NL | NL | AmUn | Acc | NL | | | | | | | | | 1 | | P | |
| <i>Limonium spectabile</i> (Svent.) G.Kunkel & Sunding | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 1 | | | 1 | | | | | T | S | | |
| <i>Limonium sventenii</i> A.Santos & M.Fernandez | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | | | 1 | | | | | C | S | | |
| <i>Limonium tuberculatum</i> (Boiss.) Kuntze | Plumbaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | 1 | | | | | S | | | |
| <i>Limonium vigaroense</i> Marrero Rodr. & R.S.Almeida | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | | 1 | | | | | C | S | | |
| <i>Linaria arvensis</i> (L.) Desf. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Syn | Acc | 3 | | | 1 | 1 | | | | P | | | |
| <i>Linaria micrantha</i> (Cav.) Hoffmanns. & Link | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop | |
|---|-----------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|--|
| | | | | | | | | | | | | | | | | | | | | | |
| <i>Linaria simplex</i> Desf. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | | 1 | 1 | | | P | | | | |
| <i>Linaria sparta</i> (L.) Willd. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | 1 | | | 1 | | | | P | | | | |
| <i>Linum bienne</i> Mill. | Linaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 22 | 1 | 1 | 1 | 1 | 1 | | | | | P | | |
| <i>Linum decumbens</i> Desf. | Linaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | | 1 | | | | | | P | | |
| <i>Linum strictum</i> L. | Linaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Linum trigynum</i> L. | Linaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 7 | | 1 | | | | | | | | P | | |
| <i>Linum usitatissimum</i> L. | Linaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | 1 | 1 | 1 | 1 | 1 | | | | P | C | |
| <i>Lippia alba</i> (Mill.) N.E.Br. ex Britton & P.Wilson | Verbenaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 37 | | | | 1 | | | | S | O | | | |
| <i>Lobelia erinus</i> L. | Campanulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 50 | | 1 | | 1 | | | | S | O | | | |
| <i>Lobularia canariensis</i> (DC.) L. Borgen subsp. <i>canariensis</i> | Brassicaceae | Acc | Acc | NL | Syn | Acc | Acc | NL | | | | | 1 | 1 | | | A | S | | | |
| <i>Lobularia canariensis</i> (DC.) L. Borgen subsp. <i>intermedia</i> | Brassicaceae | Acc | Acc | Acc | NL | Acc | Syn | NL | 3 | 1 | 1 | 1 | 1 | 1 | | | A | S | | | |
| <i>Lobularia canariensis</i> (DC.) L. Borgen subsp. <i>marginata</i> (Webb) L. Borgen | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 2 | | | | | | 1 | 1 | | S | | | |
| <i>Lobularia canariensis</i> (DC.) L. Borgen subsp. <i>microsperma</i> L.Borgen | Brassicaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | | | 1 | 1 | | | | A | S | | | |
| <i>Lobularia canariensis</i> (DC.) L. Borgen subsp. <i>palmensis</i> (Webb ex Christ) L. Borgen | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | | 1 | | | | A | S | | | |
| <i>Lobularia libyca</i> (Viv.) Webb & Berthel. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | | |
| <i>Lobularia maritima</i> (L.) Desv. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 26 | 1 | 1 | | 1 | 1 | | | P | | | | |
| <i>Loeflingia hispanica</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | | | 1 | 1 | P | | | | |
| <i>Logfia clementei</i> (Willk.) Holub | Asteraceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 5 | | | | | | | 1 | 1 | P | | | |
| <i>Logfia gallica</i> (L.) Coss. & Germ. | Asteraceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 10 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | | |
| <i>Logfia minima</i> (Sm.) Dumort. | Asteraceae | Syn | Syn | Acc | Acc | Acc | Acc | Syn | 11 | 1 | | | 1 | | | | P | | | | |
| <i>Lolium arundinaceum</i> (Schreb.) Darbysh. subsp. <i>arundinaceum</i> | Poaceae | Syn | Acc | Acc | NL | Syn | Syn | NL | 41 | | 1 | | 1 | 1 | | | P | | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Ornam Crop |
|---|----------------|----------|------|------|-----|------|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Lolium atlantigenum</i> (St.-Yves) Banfi, Galasso, Foggi, Kopecký & Ardenghi | Poaceae | Acc | Acc | Acc | NL | AmUn | Acc | NL | 4 | 1 | | | | | | | P | | |
| <i>Lolium canariense</i> Steud. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | |
| <i>Lolium edwardii</i> H.Scholz, Stierst. & Gaisberg | Poaceae | Acc | Acc | Syn | Syn | Syn | Syn | Syn | 1 | | 1 | 1 | | | | A | S | | |
| <i>Lolium interruptum</i> (Desf.) Banfi, Galasso, Foggi, Kopecký & Ardenghi | Poaceae | Acc | NL | Acc | NL | AmUn | Acc | NL | 4 | 1 | | | | 1 | | | P | | |
| <i>Lolium mediterraneum</i> Schreb. | Poaceae | Acc | NL | Acc | NL | AmUn | Acc | Syn | 9 | 1 | | | | | | | P | | |
| <i>Lolium multiflorum</i> Lam. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Lolium perenne</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 31 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Lolium remotum</i> Schrank | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | | 1 | 1 | | | P | | |
| <i>Lolium rigidum</i> Gaudin | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 29 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Lolium saxatile</i> H.Scholz & S.Scholz | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | 1 | 1 | | S | | |
| <i>Lolium temulentum</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 32 | 1 | | | 1 | 1 | 1 | | P | | |
| <i>Lonicera etrusca</i> Santi | Caprifoliaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | | | | | 1 | | | S | | |
| <i>Lonicera japonica</i> Thunb | Caprifoliaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | | | | | 1 | | | I | O | |
| <i>Lonicera ligustrina</i> Wall. | Caprifoliaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 7 | | 1 | 1 | | | | | S | O | |
| <i>Lophocereus schottii</i> (Engelm.) Britton & Rose | Cactaceae | Acc | NL | Acc | Acc | Syn | Syn | Acc | 25 | | | | | 1 | | | S | O | |
| <i>Lotus angustissimus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 14 | 1 | 1 | 1 | | | | | P | | |
| <i>Lotus arinagensis</i> Bramwell | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | | | C | S | | |
| <i>Lotus berthelotii</i> Masf. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | T | S | | |
| <i>Lotus broussonetii</i> Choisy ex Ser. | Fabaceae | Syn | Syn | Acc | Acc | Acc | Acc | NL | 2 | | | 1 | 1 | | | A | S | | |
| <i>Lotus callis-viridis</i> Bramwell & D.H.Davis | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | | | C | S | | |
| <i>Lotus campylocladus</i> Webb & Berthel. subsp. <i>campylocladus</i> | Fabaceae | Acc | Acc | Acc | NL | AmUn | Acc | NL | 0 | | | 1 | | | | T | S | | |
| <i>Lotus campylocladus</i> Webb & Berthel. subsp. <i>hillebrandii</i> (Christ) Sandral & D.D.Sokoloff | Fabaceae | Acc | Acc | Acc | Syn | NL | Syn | NL | 1 | 1 | | | | | | H | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop |
|---|----------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Lotus corniculatus</i> L. | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | 1 | S | | | | |
| <i>Lotus creticus</i> L. | Fabaceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | 1 | | | 1 | | P | | | | |
| <i>Lotus dumetorum</i> R.P.Murray | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | | | T | S | | | |
| <i>Lotus emeroides</i> R.P.Murray | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | 1 | | | | G | S | | | |
| <i>Lotus eremiticus</i> A.Santos | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | 1 | | | | | | P | S | | | |
| <i>Lotus eriophthalmus</i> Webb & Berthel. | Fabaceae | Syn | Syn | Acc | Acc | Acc | Acc | NL | 1 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | | |
| <i>Lotus glaucus</i> Sol. | Fabaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Lotus glinoides</i> Delile | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Lotus gomerythus</i> A. Portero, J. Martín-Carbalal & R. Mesa | Fabaceae | Acc | NL | NL | NL | AmUn | Acc | NL | | | | | 1 | | | G | S | | | |
| <i>Lotus holosericeus</i> Webb & Berthel. | Fabaceae | Acc | Acc | Acc | Acc | AmUn | Acc | NL | 0 | | | | 1 | | | C | S | | | |
| <i>Lotus kunkelii</i> (Esteve) Bramwell & D.H.Davis | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | | 1 | | | C | S | | | |
| <i>Lotus lancerottensis</i> Webb & Berthel. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | | 1 | 1 | | S | | | |
| <i>Lotus maculatus</i> Breitf. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | 1 | 1 | | | A | S | | | |
| <i>Lotus mascaensis</i> Burchard | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | T | S | | | |
| <i>Lotus ornithopodioides</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | | P | | | |
| <i>Lotus parviflorus</i> Desf. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | 1 | 1 | | | P | | | |
| <i>Lotus pedunculatus</i> Cav. | Fabaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | P | | | |
| <i>Lotus pyranthus</i> P.Perez | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | 1 | | | | | | P | S | | | |
| <i>Lotus sessilifolius</i> DC. subsp. <i>sessilifolius</i> | Fabaceae | Acc | Acc | Acc | NL | AmUn | Acc | NL | 2 | 1 | 1 | 1 | 1 | | | A | S | | | |
| <i>Lotus sessilifolius</i> DC. subsp. <i>vilosissimus</i> (Pit.) Sandral & D.D.Sokoloff | Fabaceae | Acc | Acc | Acc | NL | AmUn | Acc | NL | 1 | 1 | | | | | | H | S | | | |
| <i>Lotus spartioides</i> Webb & Berthel. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | C | S | | | |
| <i>Lotus spectabilis</i> Choisy ex Ser. | Fabaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | T | S | | | |
| <i>Lotus tenellus</i> (Lowe) Sandral, A.Santos & D.D.Sokoloff | Fabaceae | Acc | Acc | Acc | AmUn | AmUn | Acc | NL | 1 | | | 1 | 1 | | | A | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|---|---------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Lotus tetragonolobus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | | | 1 | 1 | | | P | | |
| <i>Lunaria annua</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | | 1 | | | | S | O | |
| <i>Lupinus albus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | | | | S | O | |
| <i>Lupinus angustifolius</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 32 | 1 | 1 | | 1 | 1 | | | | S | O | |
| <i>Lupinus luteus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 26 | | | | | 1 | | | | S | O | |
| <i>Lupinus pilosus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | | | | | | P | | | |
| <i>Luzula canariensis</i> Poir. | Juncaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | 1 | | | | | A | S | | |
| <i>Luzula elegans</i> Lowe | Juncaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Luzula forsteri</i> (Sm.) DC. | Juncaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | 1 | 1 | 1 | | | | P | | | |
| <i>Luzula pilosa</i> (L.) Willd. | Juncaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | | 1 | | | P | | | |
| <i>Lycium europaeum</i> L. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | | | | | I | | | |
| <i>Lycium intricatum</i> Boiss. | Solanaceae | Acc | Acc | Acc | Syn | Syn | Syn | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Lysimachia arvensis</i> (L.) U. Manns & Anderb. | Primulaceae | Acc | Syn | Acc | AmUn | Acc | Acc | Syn | 22 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Lysimachia foemina</i> (Mill.) U. Manns & Anderb. | Primulaceae | Acc | Syn | Acc | AmUn | Acc | Acc | Syn | 1 | | | | | | | | P | | | |
| <i>Lysimachia linum-stellatum</i> L. | Primulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Lysimachia wildpretii</i> (Valdés) U.Manns & Anderb. | Primulaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 1 | 1 | 1 | | 1 | 1 | 1 | | S | | | |
| <i>Lythrum hyssopifolia</i> L. | Lythraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Lythrum junceum</i> Banks & Sol. | Lythraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Maclura pomifera</i> (Raf.) C.K.Schneid. | Moraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | | | 1 | | | S | O | | |
| <i>Macrochloa tenacissima</i> (L.) Kunth. | Poaceae | Acc | Acc | Acc | Syn | Syn | Syn | Syn | 2 | | | | | 1 | | | S | | | |
| <i>Maireana brevifolia</i> (R.Br.) Paul G. Wilson | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | | | 1 | 1 | 1 | | S | | |
| <i>Mairetis microsperma</i> (Boiss.) I.M.Johnst. | Boraginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 3 | | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Malcolmia maritima</i> (L.) Aiton | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Malephora crocea</i> (Jacq.) Schwantes | Aizoaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | 1 | 1 | 1 | 1 | 1 | | S | O | | |

| Species Name | Family | Atlantis | Muer | POWO | | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop | |
|--|---------------|----------|------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|--|
| | | | | | | | | | | | | | | | | | | | | | | |
| <i>Malva acerifolia</i> (Cav.) Alef. var. <i>acerifolia</i> | Malvaceae | NL | Syn | NL | NL | NL | Acc | Syn | | | 1 | 1 | 1 | 1 | 1 | | | A | S | | | |
| <i>Malva alcea</i> L. | Malvaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | | | 1 | | | | | P | | | |
| <i>Malva arborea</i> (L.) Webb & Berthel. | Malvaceae | Syn | Acc | Acc | Acc | AmUn | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | O | | |
| <i>Malva durieui</i> Spach | Malvaceae | Syn | Syn | Acc | Acc | Syn | Syn | Acc | 6 | | | | 1 | | | | | | S | | | |
| <i>Malva longiflora</i> (Boiss. & Reut.) Soldano, Banfi & Galasso | Malvaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 2 | | | 1 | | | | | | | S | | | |
| <i>Malva multiflora</i> (Cav.) Soldano, Banfi & Galasso | Malvaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 25 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | | |
| <i>Malva neglecta</i> Wallr. | Malvaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | | | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Malva nicaeensis</i> All. | Malvaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Malva parviflora</i> L. | Malvaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Malva phoenicea</i> (Vent.) Alef. | Malvaceae | Syn | Syn | Acc | AmUn | Syn | Acc | NL | 6 | | | 1 | | | | | | T | S | | | |
| <i>Malva pusilla</i> Sm. | Malvaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | | | 1 | | | | | | P | | | |
| <i>Malvastrum corchorifolium</i> (Desr.) Britton ex Small | Malvaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 4 | | 1 | | 1 | 1 | | | | | S | | | |
| <i>Malvastrum coromandelianum</i> (L.) Garcke subsp. <i>coromandelianum</i> | Malvaceae | Acc | NL | NL | Syn | Acc | Acc | Syn | | | 1 | | | 1 | | | | | S | | | |
| <i>Malvastrum coromandelianum</i> (L.) Garcke subsp. <i>capitatospicatum</i> (Kuntze) S. R. Hill | Malvaceae | Acc | NL | Acc | NL | AmUn | Acc | NL | 1 | 1 | | | | | | | | | S | | | |
| <i>Malvaviscus arboreus</i> Cav. | Malvaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 44 | | | | 1 | 1 | | | | | S | O | | |
| <i>Mangifera indica</i> L. | Anacardiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 21 | | 1 | 1 | 1 | | | | | | S | C | | |
| <i>Marcketella moquiniana</i> (Webb & Berthel.) Svent. | Rosaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | 1 | 1 | 1 | | | | | A | S | | | |
| <i>Marcus-kochia littorea</i> (L.) Al-Shehbaz | Brassicaceae | Syn | Syn | Acc | Syn | NL | Acc | Syn | 11 | | | | | | | | | | P | | | |
| <i>Marrubium vulgare</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Marsilea quadrifolia</i> L. | Marsilenaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | | 1 | | | | | | S | | | |
| <i>Matricaria chamomilla</i> Blanco | Asteraceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 49 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | C | | |
| <i>Matthiola bolleana</i> Webb ex Christ subsp. <i>bolleana</i> | Brassicaceae | Acc | NL | NL | NL | NL | Acc | NL | | | | | 1 | 1 | A | P | | | | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Oriental Crop |
|--|----------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|---------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Matthiola bolleana</i> Webb ex Christ subsp. <i>morocera</i> (Christ) Reyes-Betancort | Brassicaceae | Acc | NL | Acc | NL | NL | Acc | NL | 1 | | | | 1 | 1 | | | A | P | | |
| <i>Matthiola bolleana</i> Webb ex Christ subsp. <i>viridis</i> (Conti) Reyes-Bet. | Brassicaceae | Acc | Syn | Acc | NL | NL | Acc | NL | 1 | | | | | | | 1 | 1 | | P | |
| <i>Matthiola incana</i> (L.) R.Br. subsp. <i>incana</i> | Brassicaceae | Acc | Acc | NL | NL | Acc | Acc | NL | | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Matthiola parviflora</i> (Schousb.) R.Br. in W. T. Aiton | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Maurandya barclayana</i> Lindl. | Plantaginaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | | | | | | | S | O | |
| <i>Maurandya scandens</i> (Cav.) Pers. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | 1 | 1 | | | | | S | O | |
| <i>Medicago arabica</i> (L.) Huds. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | 1 | | 1 | 1 | | | | P | | |
| <i>Medicago arborea</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | | | | | | | | S | | |
| <i>Medicago intertexta</i> (L.) Mill. subsp. <i>intertexta</i> | Fabaceae | Acc | NL | NL | Syn | Acc | Acc | Acc | | | | | | | | 1 | 1 | | P | |
| <i>Medicago intertexta</i> (L.) Mill. subsp. <i>ciliaris</i> (L.) Ponert | Fabaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | 1 | | | | P | | |
| <i>Medicago laciniata</i> (L.) Mill. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Medicago littoralis</i> Loisel | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | | 1 | 1 | 1 | 1 | | | S | | |
| <i>Medicago lupulina</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 23 | 1 | 1 | | 1 | 1 | | | | P | | |
| <i>Medicago marina</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | | | | | P | | |
| <i>Medicago minima</i> (L.) L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 27 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Medicago monspeliaca</i> (L.) Trautv. | Fabaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 7 | | | | | | | 1 | | P | | |
| <i>Medicago orbicularis</i> (L.) Bartal. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | | 1 | | 1 | 1 | 1 | | | P | | |
| <i>Medicago polymorpha</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 69 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Medicago sativa</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | | 1 | 1 | 1 | | | S | C | |
| <i>Medicago soleirolii</i> Duby | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | 1 | | | | P | | |
| <i>Medicago tornata</i> (L.) Mill. subsp. <i>helix</i> (Willd.) Ooststr. & Reichg. | Fabaceae | Acc | NL | NL | Acc | Acc | Acc | Acc | | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Medicago truncatula</i> Gaertn. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Orram Crop |
|---|---------------|----------|------|------|------|-----|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Medicago turbinata</i> (L.) All. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | 1 | | | | | P | | |
| <i>Megaskepasma erythrochlamys</i> Lindau | Acanthaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | | 1 | S | O | |
| <i>Megathyrsus maximus</i> (Jacq.) B.K.Simon & S.W.L.Jacobs | Poaceae | Acc | Acc | Acc | Syn | Syn | Syn | Syn | 33 | 1 | 1 | 1 | 1 | | | | S | | |
| <i>Melampodium montanum</i> Benth. | Asteraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | | | | | S | | |
| <i>Melia azedarach</i> L. | Meliaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 39 | 1 | 1 | | 1 | 1 | | | I | O | |
| <i>Melianthus comosus</i> Vahl | Melianthaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | 1 | | S | O | |
| <i>Melica canariensis</i> W.Hempel | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Melica teneriffae</i> Hack. ex Christ | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | 1 | | 1 | A | S | | |
| <i>Melilotus albus</i> Medik. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 20 | 1 | | | | 1 | | | S | | |
| <i>Melilotus indicus</i> (L.) All. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 22 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Melilotus infestus</i> Guss. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | | | | | | | S | | |
| <i>Melilotus officinalis</i> (L.) Lam. | Fabaceae | Acc | NL | Acc | AmUn | Acc | Acc | Acc | 44 | | | | | 1 | | | S | | |
| <i>Melilotus segetalis</i> (Brot.) Ser. | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 6 | | | 1 | 1 | 1 | | | P | | |
| <i>Melilotus sulcatus</i> Desf. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Melinis minutiflora</i> P.Beauv. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Melinis repens</i> (Willd.) Zizka subsp. <i>repens</i> | Poaceae | Acc | NL | Acc | Syn | Acc | Acc | NL | 23 | | | | 1 | | | | I | | |
| <i>Melissa officinalis</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | | | | S | C | |
| <i>Mentha aquatica</i> L. | Lamiaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 87 | | | 1 | 1 | | | | P | | |
| <i>Mentha arvensis</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 142 | 1 | | 1 | | | | | S | | |
| <i>Mentha longifolia</i> (L.) L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | | | | S | | |
| <i>Mentha pulegium</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 35 | 1 | 1 | 1 | 1 | | | | S | C | |
| <i>Mentha spicata</i> L. | Lamiaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | | | | S | | |
| <i>Mentha suaveolens</i> Ehrh. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | 1 | 1 | | | S | | |
| <i>Mercurialis annua</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|--|---------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Mercurialis canariensis</i> Obbard & S.A.Harris | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | | |
| <i>Mesembryanthemum cordifolium</i> L.f. | Aizoaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Mesembryanthemum crystallinum</i> L. | Aizoaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | O | |
| <i>Mesembryanthemum nodiflorum</i> L. | Aizoaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | O | |
| <i>Mesembryanthemum theurkauffii</i> (Maire) Maire | Aizoaceae | Acc | Acc | Acc | Acc | Syn | Syn | Acc | 2 | | | | | | 1 | | P | | O | |
| <i>Micromeria benthamii</i> Webb & Berthel. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | | 1 | | C | S | | | |
| <i>Micromeria canariensis</i> (P. Pérez) Puppo subsp. <i>canariensis</i> | Lamiaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | | | | | 1 | | C | S | | | |
| <i>Micromeria canariensis</i> (P. Pérez) Puppo subsp. <i>meridialis</i> (P. Perez) Puppo | Lamiaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 3 | | | | | 1 | | C | S | | | |
| <i>Micromeria densiflora</i> Benth. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | 1 | | T | S | | | |
| <i>Micromeria ericifolia</i> (Roth) Bornm. | Lamiaceae | Acc | NL | Acc | NL | Syn | Syn | NL | 4 | | | | | 1 | | T | S | | | |
| <i>Micromeria glomerata</i> P.Pérez | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | | 1 | | T | S | | | |
| <i>Micromeria gomerensis</i> (P.Pérez) Puppo | Lamiaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 3 | | | 1 | | | | G | S | | | |
| <i>Micromeria herpyllomorpha</i> Webb & Berthel. subsp. <i>herpyllomorpha</i> | Lamiaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 3 | | 1 | | | | | P | S | | | |
| <i>Micromeria herpyllomorpha</i> Webb & Berthel. subsp. <i>palmensis</i> (Bolle) Puppo | Lamiaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 4 | | 1 | | | | | P | S | | | |
| <i>Micromeria hierrensis</i> (P. Perez) Puppo subsp. <i>hierrensis</i> | Lamiaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | 1 | | | | | | H | S | | | |
| <i>Micromeria hierrensis</i> (P. Perez) Puppo subsp. <i>incana</i> Puppo | Lamiaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | 1 | | | | | | H | S | | | |
| <i>Micromeria lachnophylla</i> Webb & Berthel. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | | | | T | S | | | |
| <i>Micromeria lanata</i> (C.Sm. Ex Link) Benth. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | C | S | | | |
| <i>Micromeria lasiophylla</i> Webb & Berthel. subsp. <i>lasiophylla</i> (Bolle) P.Pérez | Lamiaceae | NL | NL | NL | Acc | AmUn | Syn | NL | | | | | 1 | | | T | S | | | |
| <i>Micromeria lepida</i> Webb & Berthel. subsp. <i>levida</i> P.Pérez | Lamiaceae | Acc | Acc | Acc | Syn | Acc | Acc | NL | 2 | | 1 | | | | | G | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|---|-----------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Micromeria lepida</i> Webb & Berthel. subsp. <i>bolleana</i> P.Pérez | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | 1 | | | | | G | S | | |
| <i>Micromeria leucantha</i> Svent. ex P.Perez | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | C | S | | |
| <i>Micromeria mahensis</i> Puppo | Lamiaceae | Acc | NL | NL | NL | AmUn | Acc | NL | | | | | | | | | 1 | 1 | A | S |
| <i>Micromeria pedro-luisii</i> Puppo | Lamiaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | | 1 | | | | | | G | S | | |
| <i>Micromeria pineolens</i> Svent. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | C | S | | |
| <i>Micromeria rivas-martinezii</i> Wildpret | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | | | | | | T | S | | |
| <i>Micromeria rupestris</i> (Webb & Berthel.) Puppo | Lamiaceae | NL | Acc | Acc | Syn | Syn | Syn | NL | 0 | | | | | | | | 1 | 1 | A | S |
| <i>Micromeria teneriffae</i> P.Pérez var. <i>teneriffae</i> | Lamiaceae | NL | NL | NL | Syn | AmUn | Syn | NL | | | | 1 | | | | | T | S | | |
| <i>Micromeria tenuis</i> (Link) Webb & Berthel. subsp. <i>tenuis</i> P. Pérez | Lamiaceae | Acc | Acc | Acc | Syn | Acc | Acc | NL | 2 | | | 1 | | | | | C | S | | |
| <i>Micromeria tenuis</i> (Link) Webb & Berthel. subsp. <i>linkii</i> (Webb & Berthel.) P. Pérez | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 6 | | | 1 | | | | | C | S | | |
| <i>Micromeria tenuis</i> (Link) Webb & Berthel. var. <i>soriae</i> P.Pérez | Lamiaceae | NL | NL | Acc | Acc | Acc | Acc | NL | 1 | | | 1 | | | | | C | S | | |
| <i>Micromeria tragothymus</i> Webb & Berthel. | Lamiaceae | Acc | NL | Acc | Acc | Acc | Acc | NL | 3 | | | 1 | | | | | T | S | | |
| <i>Mirabilis jalapa</i> L. | Nyctaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 33 | 1 | 1 | 1 | 1 | 1 | 1 | | I | O | | |
| <i>Misopates calycinum</i> (Lange) Rothm. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | | | | | P | | | |
| <i>Misopates orontium</i> (L.) Raf. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Misopates salvagense</i> D.A.Sutton | Plantaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | 1 | | | | | | | S | | | |
| <i>Moehringia pentandra</i> J.Gay | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Momordica charantia</i> L. | Cucurbitaceae | Acc | NL | Acc | Acc | AmUn | Acc | Acc | 22 | 1 | 1 | | | | | | S | C | | |
| <i>Monanthes anagensis</i> Praeger | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | | | | | T | S | | |
| <i>Monanthes brachycaulos</i> (Webb. & Berth.) R. Lowe | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | 1 | 1 | | | | A | S | | |
| <i>Monanthes dasypylla</i> Svent. | Crassulaceae | NL | NL | Acc | Syn | Syn | Syn | NL | 0 | | | 1 | | | | | T | S | | |
| <i>Monanthes icterica</i> (Webb & Bolle) Christ | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 2 | | 1 | 1 | | | | | A | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orrham Crop |
|---|------------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Monanthes laxiflora</i> (DC.) Bolle ex Bornmuller | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | | |
| <i>Monanthes minima</i> (Bolle) Christ subsp. <i>minima</i> | Crassulaceae | Acc | Acc | NL | NL | Acc | Acc | NL | | | | | 1 | | | T | S | | | |
| <i>Monanthes minima</i> (Bolle) Christ subsp. <i>adenoscepes</i> (Svent.) Bañares | Crassulaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 1 | | | | 1 | | | T | S | | | |
| <i>Monanthes muralis</i> (Webb ex Bolle) Hook.f. | Crassulaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 1 | 1 | 1 | | | | | A | S | | | |
| <i>Monanthes pallens</i> (Webb in Christ) Christ | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | 1 | | | A | S | | | |
| <i>Monanthes polyphylla</i> (Aiton) Haw. subsp. <i>polyphylla</i> | Crassulaceae | Acc | Acc | NL | Syn | Acc | Acc | NL | | | | 1 | 1 | | | A | S | | | |
| <i>Monanthes polyphylla</i> (Aiton) Haw. subsp. <i>amydros</i> | Crassulaceae | Acc | Acc | Acc | Syn | Acc | Acc | NL | 1 | | | 1 | | | | G | S | | | |
| <i>Monanthes purpurascens</i> (Bolle & Webb) Christ | Crassulaceae | NL | NL | Acc | AmUn | Acc | Syn | NL | 1 | | | | | | 1 | C | S | | | |
| <i>Monanthes subcrassicaulis</i> (Kuntze) Praeger | Crassulaceae | Syn | NL | Acc | Acc | Syn | Syn | Syn | 0 | 1 | | 1 | | | | A | S | | | |
| <i>Monanthes subrosulata</i> Bañares & A. Acev.-Rodr. | Crassulaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | 1 | | | | | | P | S | | | |
| <i>Monanthes wildpretii</i> Bañares & S.Scholz | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | | | | T | S | | | |
| <i>Montanoa bipinnatifida</i> (Kunth) K.Koch | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | | | | | | S | O | |
| <i>Morella rivas-martinezii</i> A.Santos & J.Herb. | Myricaceae | Acc | Acc | AmUn | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | | | | A | S | | | |
| <i>Moricandia arvensis</i> (L.) DC. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | | | | | 1 | 1 | | | S | |
| <i>Morus alba</i> L. | Moraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 40 | 1 | 1 | | | | 1 | | | | S | C |
| <i>Morus nigra</i> L. | Moraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | | | S | C |
| <i>Musa acuminata</i> Colla | Musaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | | | | S | C |
| <i>Myoporum laetum</i> G. Forst. | Scrophulariaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | 1 | 1 | 1 | | I | O | | |
| <i>Myoporum tenuifolium</i> G. Forst. | Scrophulariaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | | S | O | | |
| <i>Myosotis discolor</i> Pers. subsp. <i>canariensis</i> (Pit.) Grau | Boraginaceae | Acc | Acc | NL | NL | Acc | Acc | Acc | | 1 | 1 | 1 | 1 | 1 | | A | S | | | |
| <i>Myosotis latifolia</i> Poir. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Myosotis ramosissima</i> Rochel | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | | 1 | 1 | | | P | | | |
| <i>Myrica faya</i> Aiton | Myricaceae | Syn | Syn | Acc | Acc | Syn | Syn | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Orrham Crop |
|---|------------------|----------|------|------|------|------|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Myriophyllum spicatum</i> L. | Haloragaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Myriopus candidulus</i> (Miers) Feuillet | Boraginaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 2 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | |
| <i>Myrtus communis</i> L. | Myrtaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | 1 | | | | S | O | |
| <i>Najas marina</i> L. | Hydrocharitaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | 1 | | | P | | |
| <i>Nanorrhinum sagittatum</i> (Poir.) Yousefi & Zarre; | Plantaginaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 3 | | | 1 | 1 | 1 | 1 | | S | | |
| <i>Nanorrhinum scoparium</i> (Brouss. ex Spreng.) Yousefi & Zarre | Plantaginaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 6 | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Nanorrhinum urbanii</i> (Pit.) Yousefi & Zarre | Plantaginaceae | NL | Syn | Acc | Syn | Acc | Acc | NL | 3 | | | 1 | 1 | 1 | A | S | | | |
| <i>Narcissus tazetta</i> L. | Amaryllidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | 1 | | | P | O | | |
| <i>Nassella neesiana</i> (Trin. & Rupr.) Barkworth | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 27 | 1 | 1 | 1 | 1 | 1 | 1 | | I | | |
| <i>Nasturtium officinale</i> R.Br. | Brassicaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 31 | 1 | 1 | 1 | 1 | 1 | | | S | C | |
| <i>Neatostema apulum</i> (L.) I.M.Johnst. | Boraginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 7 | | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Nemesia melissifolia</i> Benth. | Scrophulariaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | S | | |
| <i>Neotinea maculata</i> (Desf.) Stearn | Orchidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 31 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Nepeta teydea</i> Webb & Berthel. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | | | | A | S | | |
| <i>Nephrolepis cordifolia</i> (L.) C.Presl. | Nephrolepidaceae | Acc | NL | Acc | Acc | AmUn | Acc | Acc | 25 | 1 | 1 | | | | | | S | O | |
| <i>Nephrolepis exaltata</i> (L.) Schott | Nephrolepidaceae | Acc | Acc | Acc | Acc | AmUn | Acc | Acc | 3 | 1 | 1 | 1 | | | | | S | O | |
| <i>Nerium oleander</i> L. | Apocynaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 22 | 1 | 1 | 1 | | | | | P | O | |
| <i>Neurada procumbens</i> L. | Neuradaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | I | | |
| <i>Nicandra physalodes</i> (L.) Gaertn. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | 1 | 1 | 1 | 1 | 1 | | | S | O | |
| <i>Nicotiana alata</i> Link & Otto | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | | | | | S | O | |
| <i>Nicotiana glauca</i> Graham | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | I | O | |
| <i>Nicotiana glutinosa</i> L. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | 1 | | | | | S | O | |
| <i>Nicotiana paniculata</i> L. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | 1 | | | | | I | O | |
| <i>Nicotiana rustica</i> L. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 22 | | | 1 | | | | | S | C | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Ornam Crop |
|--|----------------|----------|------|------|------|------|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Nicotiana tabacum</i> L. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 53 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | C | |
| <i>Nigella damascena</i> L | Ranunculaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | | 1 | 1 | 1 | | | | P | C | |
| <i>Nothoscordum gracile</i> (Aiton) Stearn | Amaryllidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | P | O | |
| <i>Notobasis syriaca</i> (L.) Cass. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | | 1 | 1 | | | S | | |
| <i>Notoceras bicornе</i> (Aiton) Amo | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Ocimum basilicum</i> L. | Lamiaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 25 | | 1 | 1 | 1 | 1 | 1 | | S | C | |
| <i>Ocotea foetens</i> (Aiton) Baill. | Lauraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Odontites hollianus</i> (Lowe) Benth. | Orobanchaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | | | | | | P | | |
| <i>Oenothera biennis</i> L. | Onagraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 119 | | | | 1 | | | | S | | |
| <i>Oenothera glazioviana</i> Micheli | Onagraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 49 | | 1 | 1 | | | | | S | | |
| <i>Oenothera indecora</i> Cambess. | Onagraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | 1 | | | | | | P | | |
| <i>Oenothera jamesii</i> Torr. & A. Gray | Onagraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | 1 | | | | | S | | |
| <i>Oenothera parodiana</i> Munz | Onagraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | 1 | | | | | | S | | |
| <i>Oenothera rosea</i> L'Her. Ex Aiton | Onagraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Oenothera stricta</i> Ledeb. ex Link | Onagraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | | | 1 | | | | | S | | |
| <i>Ogastemma pusillum</i> (Coss. & Durieu ex Bonnet & Barratte) Brummitt | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | | 1 | | | P | | |
| <i>Olea europaea</i> L. subsp. <i>europaea</i> | Oleaceae | Acc | NL | Acc | Syn | Acc | Acc | NL | 34 | 1 | 1 | 1 | 1 | 1 | 1 | | P | C | |
| <i>Olea europaea</i> L. subsp. <i>guanchica</i> P. Vargas & al. | Oleaceae | Syn | Acc | Acc | Acc | Acc | Acc | Syn | 1 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | C | |
| <i>Oligomeris linifolia</i> (Vahl ex Hornem.) J.F.Macbr. | Resedaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | | | 1 | 1 | 1 | 1 | | S | | |
| <i>Oloptum miliaceum</i> (L.) Röser & Hamasha | Poaceae | Syn | Syn | Acc | Syn | Acc | Syn | Syn | 29 | | 1 | 1 | 1 | | | | P | | |
| <i>Ononis angustissima</i> Lam. subsp. <i>angustissima</i> | Fabaceae | Acc | Acc | Acc | NL | AmUn | Acc | NL | 4 | | 1 | 1 | | | | A | S | | |
| <i>Ononis angustissima</i> Lam. subsp. <i>longifolia</i> (Brouss. ex Willd.) Förther & Podlech | Fabaceae | Acc | Acc | Acc | AmUn | AmUn | Acc | NL | 1 | | 1 | 1 | 1 | 1 | | | S | | |
| <i>Ononis catalinae</i> Reyes-Bet. & S.Scholz | Fabaceae | Acc | Acc | Acc | AmUn | AmUn | Acc | NL | 0 | | | | 1 | 1 | A | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orram Crop |
|--|-----------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Ononis christii</i> Bolle | Fabaceae | Acc | Acc | Acc | AmUn | AmUn | Acc | Acc | 0 | | | | | | | 1 | F | S | | |
| <i>Ononis dentata</i> Sol. ex Lowe | Fabaceae | Acc | Acc | Acc | Syn | Syn | Acc | Syn | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Ononis diffusa</i> Ten. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Ononis hebecarpa</i> Webb & Berthel. | Fabaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | | | | | | | 1 | 1 | A | S | |
| <i>Ononis hesperia</i> (Maire) H. Förther & D. Podlech | Fabaceae | Acc | NL | Syn | Acc | Acc | Syn | NL | | | | | | 1 | 1 | 1 | 1 | S | | |
| <i>Ononis laxiflora</i> Desf. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | | | 1 | 1 | 1 | P | | | |
| <i>Ononis mitissima</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Ononis pendula</i> Desf. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | | 1 | 1 | 1 | S | | | |
| <i>Ononis reclinata</i> L. subsp. <i>reclinata</i> | Fabaceae | Acc | NL | Acc | Acc | Acc | Acc | Syn | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Ononis reclinata</i> L. subsp. <i>mollis</i> (Savi) Bég. | Fabaceae | Acc | NL | NL | NL | AmUn | Syn | Syn | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Ononis serrata</i> Forssk. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Ononis sicula</i> Guss. | Fabaceae | Acc | Acc | Acc | Syn | Acc | Syn | Syn | 4 | | | | | | 1 | 1 | P | | | |
| <i>Ononis tournefortii</i> Coss. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Ononis variegata</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | | 1 | | | P | | | |
| <i>Ononis viscosa</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | | | 1 | 1 | 1 | P | | | |
| <i>Onopordum carduelium</i> Bolle | Asteraceae | Acc | Acc | Acc | Acc | AmUn | Acc | NL | 0 | | | | | 1 | | C | S | | | |
| <i>Onopordum micropterum</i> Pau | Asteraceae | Acc | Acc | Acc | Acc | AmUn | Syn | Acc | 3 | | | | | 1 | | F | S | | | |
| <i>Ophioglossum azoricum</i> C. Presl | Ophioglossaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | | 1 | 1 | 1 | 1 | S | | | |
| <i>Ophioglossum lusitanicum</i> L. subsp. <i>lusitanicum</i> | Ophioglossaceae | Acc | NL | NL | NL | AmUn | Syn | NL | | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Ophioglossum polyphyllum</i> A. Braun ex Schub. | Ophioglossaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | | 1 | 1 | 1 | 1 | S | | | |
| <i>Ophrys bombyliflora</i> Link | Orchidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | 1 | | | P | | | |
| <i>Opismenus hirtellus</i> (L.) P. Beauv. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 69 | | | | | 1 | | | S | O | | |
| <i>Opuntia basilaris</i> Engelm. & J.M. Bigelow | Cactaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 21 | | | | 1 | | | | S | O | | |
| <i>Opuntia dillenii</i> (Ker Gawl.) Haw. | Cactaceae | Acc | Acc | Acc | Acc | Syn | Syn | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | I | O | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|---|---------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Opuntia elatior</i> Mill. | Cactaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 24 | | | | 1 | | | | | S | O | |
| <i>Opuntia engelmannii</i> Salm-Dyck ex Engelm. var. <i>lindheimeri</i> (Engelm.) B.D.Parfitt & Pinkava | Cactaceae | Syn | NL | Acc | Acc | Acc | Acc | Acc | 24 | | | | 1 | | | | | I | O | |
| <i>Opuntia ficus-indica</i> (L.) Mill. | Cactaceae | NL | Syn | Acc | Acc | Acc | Acc | Acc | 30 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | |
| <i>Opuntia leucotricha</i> DC. | Cactaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | 1 | | | 1 | | | | S | O | |
| <i>Opuntia macrocentra</i> Engelm. | Cactaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | | S | O | |
| <i>Opuntia maxima</i> Mill. | Cactaceae | Acc | Acc | Acc | Acc | AmUn | Acc | Acc | 16 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | |
| <i>Opuntia microdasys</i> (Lehm.) Pfeiff. | Cactaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 8 | | | | 1 | 1 | 1 | | | S | O | |
| <i>Opuntia monacantha</i> (Willd.) Haw. | Cactaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 12 | | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | |
| <i>Opuntia pilifera</i> F.A.C. Weber | Cactaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | 1 | | | | S | O | |
| <i>Opuntia robusta</i> J.C. Wendl. | Cactaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | 1 | | 1 | 1 | | | | S | O | |
| <i>Opuntia tomentosa</i> Salm-Dyck | Cactaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | I | O | |
| <i>Opuntia tuna</i> (L.) Mill. | Cactaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | | | 1 | | | | S | O | |
| <i>Orchis canariensis</i> Lindl. | Orchidaceae | Acc | Syn | Acc | Syn | Syn | Syn | NL | 3 | 1 | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Orchis mascula</i> (L.) L. subsp. <i>lapalmensis</i> Leibbach & Ruedi Peter | Orchidaceae | Acc | Acc | Syn | Syn | Syn | Syn | NL | | | 1 | | | | | | P | S | | |
| <i>Oreocereus pseudofossulatus</i> D.R.Hunt | Cactaceae | Acc | NL | Acc | Syn | Acc | Acc | Syn | 1 | | | | 1 | | | | | S | O | |
| <i>Origanum vulgare</i> L. subsp. <i>virens</i> (Hoffmanns. & Link) Ietsw. | Lamiaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | | | | P | | C | |
| <i>Ornithogalum arabicum</i> L. | Asparagaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 16 | | | | 1 | | | | | P | | |
| <i>Ornithogalum narbonense</i> L. | Asparagaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 14 | | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Ornithogalum pyrenaicum</i> L. | Asparagaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 14 | | | | 1 | | | | | P | | |
| <i>Ornithopus compressus</i> L. | Fabaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Ornithopus perpusillus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | | | | 1 | 1 | 1 | | | S | | |
| <i>Ornithopus pinnatus</i> (Mill.) Druce | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | | 1 | | | | | P | | |
| <i>Orobanche amethystea</i> Thuill. | Orobanchaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 10 | | | | 1 | | 1 | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Orram Crop |
|---|---------------|----------|------|------|------|------|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Orobanche artemisiae-campestris</i> Vaucher ex Gaudin | Orobanchaceae | Syn | NL | Acc | Acc | Acc | Acc | Acc | 10 | | | | | | 1 | 1 | P | | |
| <i>Orobanche calendulae</i> Pomel | Orobanchaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | | | 1 | | P | | |
| <i>Orobanche cernua</i> Loefl. | Orobanchaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 20 | 1 | 1 | 1 | 1 | 1 | 1 | A | P | | |
| <i>Orobanche crenata</i> Forssk. | Orobanchaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | 1 | | 1 | 1 | 1 | 1 | | P | | |
| <i>Orobanche gratiosa</i> (Webb & Berthel.) Linding. | Orobanchaceae | Syn | Acc | Acc | AmUn | AmUn | Syn | NL | 2 | | | | 1 | 1 | 1 | A | S | | |
| <i>Orobanche hederae</i> Duby | Orobanchaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | 1 | 1 | | | | P | | |
| <i>Orobanche minor</i> Sm. | Orobanchaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 33 | 1 | 1 | | | 1 | 1 | 1 | P | | |
| <i>Orobanche mutelii</i> F.W.Schultz | Orobanchaceae | Syn | Acc | Acc | Acc | Syn | Syn | Acc | 22 | 1 | | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Orobanche nana</i> Noe ex Rchb. | Orobanchaceae | Syn | Acc | Acc | Acc | Syn | Syn | Acc | 10 | 1 | 1 | | 1 | 1 | 1 | | P | | |
| <i>Orobanche purpurea</i> Jacq. | Orobanchaceae | Syn | Acc | Acc | Acc | Syn | Acc | Acc | 18 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Orobanche ramosa</i> L. | Orobanchaceae | Syn | Acc | Acc | Acc | Syn | Acc | Acc | 16 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Orobanche schultzii</i> Mutel | Orobanchaceae | Syn | Acc | Acc | Acc | Syn | Syn | Acc | 11 | | | | 1 | | | | P | | |
| <i>Orobanche trichocalyx</i> (Webb & Berthel.) Beck | Orobanchaceae | NL | Acc | NL | Acc | Syn | Syn | NL | | | | | 1 | 1 | | A | S | | |
| <i>Orobanche variegata</i> Wallr. | Orobanchaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 13 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Oropetium capense</i> Stapf subsp. <i>hesperidum</i> Stapf (Maire) Marrero Rodr. | Poaceae | Acc | Acc | Acc | Acc | AmUn | Syn | NL | 0 | | | | 1 | | | C | S | | |
| <i>Oryza sativa</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | | | 1 | | | | | S | C | |
| <i>Osyris lanceolata</i> Hochst. & Steud. | Santalacea | Acc | Acc | Acc | Acc | Syn | Acc | Acc | 21 | 1 | 1 | 1 | | | | | S | | |
| <i>Oxalis adenophylla</i> Gillies ex Hook. & Arn. | Oxalidaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | 1 | | | | | | | S | | |
| <i>Oxalis bowiei</i> W.T.Aiton ex G.Don | Oxalidaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | | | | P | | |
| <i>Oxalis corniculata</i> L. | Oxalidaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 64 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Oxalis debilis</i> Kunth | Oxalidaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 20 | 1 | 1 | 1 | 1 | | | | S | | |
| <i>Oxalis latifolia</i> Kunth | Oxalidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 25 | 1 | 1 | 1 | 1 | | | | I | | |
| <i>Oxalis pes-caprae</i> L. | Oxalidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 20 | 1 | 1 | 1 | 1 | 1 | 1 | | I | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orram Crop |
|---|----------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Oxalis purpurea</i> L. | Oxalidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 24 | | | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Oxalis stricta</i> L. | Oxalidaceae | Acc | Acc | Acc | Acc | Syn | Syn | Acc | 67 | | | | | 1 | | | | S | | |
| <i>Oxybasis glauca</i> (L.) S.Fuentes, Uotila & Borsch | Chenopodiaceae | Acc | Acc | Acc | Syn | Acc | Acc | Acc | 18 | | | | | 1 | 1 | | | P | | |
| <i>Oxybasis urbica</i> (L.) S.Fuentes, Uotila & Borsch | Chenopodiaceae | Acc | Acc | Acc | Syn | Acc | Acc | Acc | 10 | | | | 1 | 1 | | | | P | | |
| <i>Pallenis hierochuntica</i> (Michon) Greuter | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | | | | 1 | | S | | |
| <i>Pallenis maritima</i> (L.) Greuter | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | | 1 | 1 | | | P | | |
| <i>Pallenis spinosa</i> (L.) Cass. subsp. <i>spinosa</i> | Asteraceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 7 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Pallenis spinosa</i> (L.) Cass. subsp. <i>maroccana</i> (Aurich & Podlech) Greuter | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | NL | 1 | 1 | 1 | | | | | | | P | | |
| <i>Pancratium canariense</i> Ker Gawl. | Amaryllidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | |
| <i>Pancratium maritimum</i> L. | Amaryllidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | | | | | | 1 | 1 | P | | O |
| <i>Panicum capillare</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | | 1 | | | | | | S | | |
| <i>Panicum miliaceum</i> L. subsp. <i>miliaceum</i> | Poaceae | Acc | NL | NL | Syn | AmUn | Acc | NL | | 1 | | | | 1 | | | | S | C | |
| <i>Panicum repens</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | 1 | 1 | 1 | | | | | P | | |
| <i>Papaver argemone</i> L. | Papaveraceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 13 | | | | | 1 | 1 | | | P | | |
| <i>Papaver dodecandrum</i> (Forssk.) Medik. | Papaveraceae | NL | NL | Acc | Acc | AmUn | Syn | Syn | 28 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Papaver dubium</i> L. | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 32 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Papaver pinnatifidum</i> Moris | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Papaver rhoes</i> L. | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 59 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Papaver somniferum</i> L. subsp. <i>somniferum</i> | Papaveraceae | Acc | NL | NL | NL | AmUn | Acc | Acc | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | O |
| <i>Papaver somniferum</i> L. subsp. <i>setigerum</i> (DC.) Arcang. | Papaveraceae | Acc | Syn | Acc | Acc | Syn | Syn | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | O | |
| <i>Parapholis incurva</i> (L.) C.E.Hubb. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | | | | | 1 | 1 | | | P | | |
| <i>Parapholis pycnantha</i> (Hack.) C. E. Hubb. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | 1 | | | | P | | |
| <i>Paraserianthes lophantha</i> (Willd.) I.C.Nielsen | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | | I | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|---|-----------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Parentucellia latifolia</i> (L.) Caruel | Orobanchaceae | Acc | Syn | Acc | AmUn | Acc | Acc | Acc | 18 | | | | | 1 | 1 | | | | P | |
| <i>Parentucellia viscosa</i> (L.) Caruel | Orobanchaceae | Acc | Syn | Acc | Acc | Syn | Syn | Acc | 11 | 1 | 1 | 1 | 1 | 1 | 1 | | | | P | |
| <i>Parietaria debilis</i> G.Forst. | Urticaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 32 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | |
| <i>Parietaria filamentosa</i> Webb & Bertel. | Urticaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 1 | | 1 | 1 | 1 | | | | A | S | | |
| <i>Parietaria judaica</i> L. | Urticaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | |
| <i>Parietaria mauritanica</i> Durieu | Urticaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | | | 1 | | 1 | | | | P | |
| <i>Parkinsonia aculeata</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | 1 | 1 | | | | S O | |
| <i>Parolinia aridanae</i> A. Santos | Brassicaceae | NL | Acc | NL | NL | AmUn | Acc | NL | | | 1 | | | | | | P | S | | |
| <i>Parolinia filifolia</i> Kunk. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | | | | C | S | | |
| <i>Parolinia glabriuscula</i> Montelongo & Bramwell | Brassicaceae | Acc | Acc | Acc | AmUn | AmUn | Acc | NL | 0 | | | | 1 | | | | C | S | | |
| <i>Parolinia intermedia</i> Svent. & Bramwell | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | T | S | | |
| <i>Parolinia ornata</i> Webb | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | C | S | | |
| <i>Parolinia platypetala</i> G. Kunkel | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | | | | C | S | | |
| <i>Parolinia schizogynoides</i> Svent. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | | | | | | G | S | | |
| <i>Paronychia argentea</i> Lam. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | | | 1 | | | | | | P | |
| <i>Paronychia canariensis</i> (L.f.) Link | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Paronychia capitata</i> (L.) Lam. subsp. <i>canariensis</i> (Chaudhri) Sunding | Caryophyllaceae | Acc | Acc | Acc | NL | Syn | Syn | NL | 0 | | | | 1 | | | | C | S | | |
| <i>Paronychia echinulata</i> Chater | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | | 1 | | | | | | P | |
| <i>Parthenocissus tricuspidata</i> (Siebold & Zucc.) Planch. | Vitaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | | | | 1 | | | | | | S O | |
| <i>Pascalia glauca</i> Ortega | Asteraceae | NL | NL | Acc | Acc | Acc | Acc | NL | 10 | 1 | | | | | | | | | S | |
| <i>Paspalum dilatatum</i> Poir. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | 1 | | | | | | | S | |
| <i>Paspalum distichum</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 29 | 1 | 1 | 1 | 1 | | | | | | S | |
| <i>Paspalum notatum</i> Flüggé | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 6 | | | 1 | | | | | | | S | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orram Crop |
|--|----------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Paspalum urvillei</i> Steud. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | | | | | | | S | | | |
| <i>Paspalum vaginatum</i> Sw. | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 27 | 1 | 1 | 1 | | | | | I | | | |
| <i>Passiflora caerulea</i> L. | Passifloraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | | | | | | S | O | | |
| <i>Passiflora edulis</i> Sims | Passifloraceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | | 1 | | | | | S | O | | |
| <i>Passiflora mollissima</i> (Kunth) L. H. Bailey | Passifloraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | | | | | | | S | O | | |
| <i>Passiflora morifolia</i> Mast. | Passifloraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 5 | | 1 | 1 | | | | | S | O | | |
| <i>Passiflora suberosa</i> L. | Passifloraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 32 | 1 | | 1 | | | | | S | O | | |
| <i>Patellifolia procumbens</i> (C.Sm.) A.J.Scott, Ford-Lloyd & J.T.Williams | Amaranthaceae | Acc | Acc | Acc | Acc | Syn | Syn | Acc | 16 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Pavonia sepioides</i> Fryxell & Krapov. | Malvaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | S | O | | |
| <i>Pelargonium capitatum</i> (L.) L'Her. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | | | | | 1 | | I | O | | |
| <i>Pelargonium cucullatum</i> (L.) L'Hér. | Geraniaceae | Acc | NL | Acc | Acc | Acc | Acc | Syn | 16 | 1 | | | | | | | S | O | | |
| <i>Pelargonium graveolens</i> L'Her. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | | | | S | O | | |
| <i>Pelargonium inquinans</i> (L.) L'Her. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | | 1 | | | I | O | | |
| <i>Pelargonium peltatum</i> (L.) L'Her. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | 1 | 1 | | | | | S | O | | |
| <i>Pelargonium quercifolium</i> (L. f.) L'Her. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | 1 | 1 | | | | | S | O | | |
| <i>Pelargonium zonale</i> (L.) L'Her. ex Aiton | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 34 | | 1 | 1 | | | | | I | O | | |
| <i>Pericallis appendiculata</i> (L.f.) B.Nord. var. <i>appendiculata</i> | Asteraceae | NL | Acc | NL | Syn | AmUn | Syn | NL | | 1 | 1 | 1 | | | | | A | S | | |
| <i>Pericallis appendiculata</i> (L.f.) B.Nord. var. <i>preauxiana</i> Sch. Bip. in Webb & Berthel. | Asteraceae | NL | Acc | Acc | NL | Acc | Acc | NL | 0 | | | 1 | | | | | C | S | | |
| <i>Pericallis cruenta</i> Webb & Berthel. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | | | | A | S | | |
| <i>Pericallis echinata</i> (L.f.) B.Nord. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | 1 | | | | | | T | S | | |
| <i>Pericallis hadrosoma</i> (Svent.) B.Nord. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | 1 | | | | | C | S | | |
| <i>Pericallis hansenii</i> (G.Kunkel) Sunding | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | 1 | | | | | | G | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop | |
|---|-----------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|--|
| | | | | | | | | | | | | | | | | | | | | | |
| <i>Pericallis hillebrandii</i> (Christ) Barquín & Voggenreiter ex Beierkuhnlein, Walentowitz & Weiss; Basionym <i>Senecio hillebrandii</i> Christ | Asteraceae | NL | NL | Syn | Syn | Syn | Acc | NL | | 1 | | | | | | | P | S | | | |
| <i>Pericallis lanata</i> (L'Hér.) B.Nord. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | 1 | | | | | T | S | | | |
| <i>Pericallis multiflora</i> (L'Hér.) B.Nord. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | | | | | T | S | | | |
| <i>Pericallis murrayi</i> (Bornm.) B.Nord. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | | | | | | H | S | | | |
| <i>Pericallis papyracea</i> (DC.) B.Nord. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | 1 | | | | | | P | S | | | |
| <i>Pericallis steetzii</i> (Bolle) B.Nord. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | G | S | | | |
| <i>Pericallis tussilaginis</i> (L'Hér.) D.Don. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | 1 | | | | A | S | | | |
| <i>Pericallis webbii</i> (Sch.Bip.) Bolle | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | | C | S | | | |
| <i>Periploca laevigata</i> Aiton | Apocynaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | | |
| <i>Persea americana</i> Mill. | Lauraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 29 | 1 | 1 | 1 | | | | | | S | C | | |
| <i>Persea barbujana</i> (Cav.) Mabb. & Nieto subsp. <i>barbujana</i> | Lauraceae | Syn | Syn | NL | NL | Syn | Syn | NL | | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | | |
| <i>Persea barbujana</i> (Cav.) Mabb. & Nieto subsp. <i>ceballosi</i> (Svent.) G.Kunkel | Lauraceae | Syn | Syn | AmUn | Syn | AmUn | Syn | NL | | | | 1 | | | | | G | S | | | |
| <i>Persea indica</i> (L.) Spreng. | Lauraceae | Acc | Acc | Acc | Acc | Syn | Syn | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | | |
| <i>Persicaria capitata</i> (Buch.-Ham. ex D.Don) H.Gross | Polygonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Persicaria decipiens</i> (R.Br.) K.L.Wilson | Polygonaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 27 | | | 1 | 1 | 1 | | | P | | | | |
| <i>Persicaria maculosa</i> Gray | Polygonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 68 | | 1 | 1 | 1 | | | | P | | | | |
| <i>Petrea volubilis</i> L. | Verbenaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 34 | | 1 | 1 | | | | | S | O | | | |
| <i>Petrorhagia dubia</i> (Raf.) G.López & Romo | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | | | | 1 | | | P | | | | |
| <i>Petrorhagia nanteuillii</i> (Burnat) P.W.Ball & Heywood | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | | |
| <i>Petroselinum crispum</i> (Mill.) Fuss. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 61 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | | |
| <i>Petunia axillaris</i> (Lam.) Britton, Sterns & Poggenb. | Solanaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 8 | | | 1 | | 1 | | | S | O | | | |
| <i>Phacelia tanacetifolia</i> Benth. | Boraginaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 8 | | 1 | | 1 | 1 | | | S | C | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Ornam Crop |
|---|-----------------|----------|------|------|-----|------|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Phagnalon purpurascens</i> Sch.Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Phagnalon rupestre</i> (L.) DC. subsp. <i>rupestre</i> | Asteraceae | NL | NL | Acc | Syn | Acc | Acc | NL | 7 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Phagnalon rupestre</i> (L.) DC. subsp. <i>Illyricum</i> DC (H.Lindb.) Ginzb. | Asteraceae | Acc | NL | Acc | Acc | Syn | Acc | NL | 2 | | 1 | | 1 | 1 | | 1 | P | | |
| <i>Phagnalon saxatile</i> (L.) Cass. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Phagnalon umbelliforme</i> DC. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | | | A | S | |
| <i>Phalaris aquatica</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | | 1 | 1 | | | P | | |
| <i>Phalaris brachystachys</i> Link | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Phalaris canariensis</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | |
| <i>Phalaris coerulescens</i> Desf. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Phalaris minor</i> Retz. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Phalaris paradoxa</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Phaseolus acutifolius</i> A. Gray | Fabaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | | 1 | | | S | C | |
| <i>Phaseolus vulgaris</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 48 | | | | | 1 | | | S | C | |
| <i>Phillyrea angustifolia</i> L. subsp. <i>canariensis</i> Rivas-Mart. & del Arco | Oleaceae | Acc | NL | NL | NL | AmUn | Acc | NL | | | | | | 1 | 1 | 1 | A | S | |
| <i>Phillyrea latifolia</i> L. | Oleaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 60 | | | | | | | 1 | | S | O |
| <i>Phlebodium aureum</i> (L.) J.Sm. | Polypodiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | 1 | | 1 | | | | | S | O | |
| <i>Phlomis purpurea</i> L. | Lamiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | P | | |
| <i>Phoenix canariensis</i> Chabaud | Arecaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | |
| <i>Phoenix dactylifera</i> L. | Arecaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | | 1 | 1 | 1 | 1 | | I | C | |
| <i>Phormium tenax</i> J.R.Forst. & G.Forst. | Xanthorrhoeceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | 1 | | | | | S | O | |
| <i>Phragmites australis</i> (Cav.) Trin. ex Steud. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Phyla nodiflora</i> (L.) Greene | Verbenaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | 1 | 1 | 1 | | | | S | O | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|---|----------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Phyla nodiflora</i> (L.) Greene var. <i>minor</i> (Gillies & Hook.) N.O'Leary & Múlgura; <i>Lippia canescens</i> Kunth | Verbenaceae | Syn | Acc | Acc | Syn | Acc | Acc | Syn | 21 | | | | 1 | | | | | S | O | |
| <i>Phyllanthus tenellus</i> Roxb. | Phyllanthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | | S | | |
| <i>Phyllis nobla</i> L. | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Phyllis viscosa</i> Webb ex Christ | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | 1 | 1 | | | A | S | | | |
| <i>Physalis peruviana</i> L. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Phytolacca americana</i> L. | Phytolaccaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | | 1 | 1 | | | I | O | | |
| <i>Phytolacca dioica</i> L. | Phytolaccaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | 1 | 1 | 1 | 1 | | | S | O | | |
| <i>Picconia excelsa</i> (Aiton) DC. | Oleaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Picnomon acarna</i> (L.) Cass. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | | 1 | | | | P | | | |
| <i>Picris hieracioides</i> L. | Asteraceae | Acc | NL | Acc | AmUn | Acc | Acc | Acc | 2 | | | | | | | | P | | | |
| <i>Pilea microphylla</i> (L.) Liebm. | Urticaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 22 | 1 | | 1 | | | | | S | | | |
| <i>Pilosocereus pachycladus</i> F.Ritter | Cactaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 23 | | | 1 | | 1 | | S | | O | | |
| <i>Pimpinella anagodendron</i> Bolle | Apiaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 1 | | | 1 | | | | T | S | | | |
| <i>Pimpinella cumbrae</i> Link. | Apiaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 3 | 1 | | 1 | | | | A | S | | | |
| <i>Pimpinella dendroselinum</i> Webb | Apiaceae | Syn | Acc | Acc | AmUn | Acc | Acc | Syn | 2 | 1 | | 1 | | | | A | S | | | |
| <i>Pimpinella junionae</i> Ceballos & Ortuno | Apiaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Syn | 0 | | 1 | | | | | G | S | | | |
| <i>Pinus canariensis</i> C.Sm. | Pinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | | A | S | | | |
| <i>Pinus halepensis</i> Mill. | Pinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Pinus nigra</i> J.F.Arnold | Pinaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | S | C | | | |
| <i>Pinus pinaster</i> Aiton | Pinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | 1 | | | S | C | | | |
| <i>Pinus pinea</i> L. | Pinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | | | | I | C | | | |
| <i>Pinus radiata</i> D.Don | Pinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | I | C | | | |
| <i>Pinus sylvestris</i> L. | Pinaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | | S | C | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|---|----------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Piptatherum coerulescens</i> (Desf.) P.Beauv. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Pistacia atlantica</i> Desf. | Anacardiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | 1 | | S | 0 | | |
| <i>Pistacia lentiscus</i> L. | Anacardiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | 1 | 1 | 1 | 1 | 1 | | S | 0 | | |
| <i>Pistacia terebinthus</i> L. | Anacardiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | P | 0 | | |
| <i>Pistia stratiotes</i> L. | Araceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 27 | 1 | 1 | 1 | 1 | 1 | 1 | | S | 0 | | |
| <i>Pittosporum coriaceum</i> Aiton | Pittosporaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | T | S | | | |
| <i>Pittosporum tobira</i> (Thunb.) W.T.Aiton | Pittosporaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | | | 1 | 1 | | | | S | 0 | | |
| <i>Pittosporum undulatum</i> Vent. | Pittosporaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | 1 | | | | I | 0 | | |
| <i>Plantago afra</i> L. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Plantago albicans</i> L. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Plantago amplexicaulis</i> Cav. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Plantago arborescens</i> Poir. subsp. <i>arborescens</i> | Plantaginaceae | Acc | Acc | NL | NL | Acc | Acc | NL | | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Plantago arborescens</i> Poir. subsp. <i>maderensis</i> (Decne.) A. Hansen & G. Kunkel | Plantaginaceae | Acc | Acc | Acc | NL | Acc | Acc | Acc | 3 | | | | 1 | | | | S | | | |
| <i>Plantago asphodeloides</i> Svent. var. <i>asphodeloides</i> | Plantaginaceae | NL | Acc | NL | NL | AmUn | Acc | NL | | | | 1 | 1 | | | | A | S | | |
| <i>Plantago asphodeloides</i> Svent. var. <i>oligostachya</i> Svent. | Plantaginaceae | NL | Acc | NL | NL | Acc | Acc | NL | | | | | 1 | | | | C | S | | |
| <i>Plantago bellardii</i> All. | Plantaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 10 | 1 | | 1 | | | | | P | | | |
| <i>Plantago ciliata</i> Desf. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | 1 | | | P | | | |
| <i>Plantago coronopus</i> L. | Plantaginaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 26 | 1 | 1 | 1 | 1 | 1 | 1 | A | P | | | |
| <i>Plantago famarae</i> Svent. | Plantaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 1 | | | | | | | | 1 | L | S | |
| <i>Plantago lagopus</i> L. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Plantago lanceolata</i> L. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 59 | 1 | | 1 | 1 | | | | P | | | |
| <i>Plantago loeflingii</i> L. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | | 1 | 1 | 1 | | | P | | | |
| <i>Plantago major</i> L. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 99 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orrham Crop |
|---|----------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Plantago ovata</i> Forssk. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 24 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Plantago phaeostoma</i> Boiss. & Heldr. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | | 1 | 1 | P | | |
| <i>Plantago webbii</i> Barneoud | Plantaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 2 | 1 | | 1 | 1 | | | | A | S | | |
| <i>Platycapnos spicatus</i> (L.) Bernh. | Papaveraceae | Acc | Acc | Acc | Acc | AmUn | Acc | NL | 3 | | | 1 | 1 | | | | P | | | |
| <i>Platycerium bifurcatum</i> (Cav.) C.Chr. | Polypodiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | | | | | I | O | | |
| <i>Pleiomeris canariensis</i> (Wild.) A.Dc. | Primulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | | | | A | S | | |
| <i>Plerandra elegantissima</i> (H.J.Veitch ex Mast.) Lowry, G.M.Plunkett & Frodin | Araliaceae | NL | NL | Acc | Syn | Acc | Acc | Syn | 5 | 1 | 1 | 1 | | | | | | S | | |
| <i>Plocama pendula</i> Aiton | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Pluchea carolinensis</i> (Jacq.) D.Don | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | | | 1 | | | S | | |
| <i>Pluchea dioscoridis</i> (L.) DC. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | | 1 | | | | | | S | | |
| <i>Pluchea ovalis</i> (Pers.) DC. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | | | | | I | | | |
| <i>Plumbago auriculata</i> Lam. | Plumbaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | | | | S | O | | |
| <i>Plumeria obtusa</i> L. | Apocynaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 24 | 1 | 1 | 1 | | | | | S | O | | |
| <i>Plumeria rubra</i> L. | Apocynaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 34 | 1 | | | 1 | | | | S | O | | |
| <i>Poa angustifolia</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | 1 | 1 | 1 | | | | | P | | | |
| <i>Poa annua</i> L. subsp. <i>annua</i> | Poaceae | Syn | NL | NL | Syn | AmUn | Acc | NL | | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Poa annua</i> L. subsp. <i>raniglumis</i> (S.E. Fröhner) Chrték | Poaceae | Syn | Acc | NL | Syn | Syn | Syn | NL | | 1 | 1 | | | | | | P | | | |
| <i>Poa bulbosa</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 22 | 1 | | | 1 | 1 | | | S | | | |
| <i>Poa infirma</i> Kunth | Poaceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Poa leptoclada</i> Hochst. ex A.Rich. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | | 1 | | | | | P | | | |
| <i>Poa pitardiana</i> H.Scholz | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | 1 | | | | A | S | | |
| <i>Poa pratensis</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 77 | | | 1 | 1 | | | | P | | | |
| <i>Poa trivialis</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 34 | | | 1 | | 1 | | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|--|-----------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Podranea ricasoliana</i> (Tanfani) Sprague | Bignoniaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | | | | S | O | | |
| <i>Polycarpea aristata</i> (Aiton) C.Sm. Ex DC: | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | | | | A | S | | |
| <i>Polycarpea carnosa</i> C.Sm. Ex Buch | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 1 | | 1 | 1 | 1 | | | | A | S | | |
| <i>Polycarpea corymbosa</i> (L.) Lam. | Caryophyllaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 22 | | 1 | 1 | 1 | | | | A | S | | |
| <i>Polycarpea divaricata</i> (Aiton) Poir. ex Steud. | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Polycarpea latifolia</i> (Willd.) Poir. | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 3 | | 1 | 1 | 1 | | | | A | S | | |
| <i>Polycarpea nivea</i> (Aiton) Webb | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Polycarpea robusta</i> (Pit.) G.Kunkel | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | | | | | | | 1 | L | S | |
| <i>Polycarpea smithii</i> Link | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 2 | 1 | 1 | 1 | | | | | A | S | | |
| <i>Polycarpea tenuis</i> Webb ex Christ | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | 1 | 1 | 1 | | | | | A | S | | |
| <i>Polycarpon alsinifolium</i> (Biv.) Arcang. | Caryophyllaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 5 | | | | | | | | 1 | P | | |
| <i>Polycarpon tetraphyllum</i> (L.) L. subsp. <i>diphyllum</i> (Cav.) O. Bolòs & Font Quer | Caryophyllaceae | Acc | NL | NL | Acc | Acc | Acc | Acc | | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Polygonum arenastrum</i> Boreau | Polygonaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 28 | 1 | | | | | | | | S | | |
| <i>Polygonum aviculare</i> L. subsp. <i>aviculare</i> | Polygonaceae | Acc | NL | NL | Syn | Acc | Acc | NL | | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Polygonum balansae</i> Boiss. subsp. <i>balansae</i> | Polygonaceae | Acc | NL | NL | NL | Acc | Acc | NL | | | | 1 | 1 | | | | S | | | |
| <i>Polygonum equisetiforme</i> Sm. | Polygonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | | 1 | 1 | | | P | | | |
| <i>Polygonum maritimum</i> L. | Polygonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Polygonum rurivagum</i> Jord. et Boreau | Polygonaceae | Syn | NL | Acc | Acc | Syn | Syn | Acc | 5 | 1 | | | | | | | S | | | |
| <i>Polypodium macaronesicum</i> A.E. Bobrov subsp. <i>macaronesicum</i> | Polypodiaceae | Acc | NL | NL | NL | Acc | Acc | NL | | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Polypogon fugax</i> Nees ex Steud. | Poaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Polypogon maritimus</i> Willd. | Poaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 11 | | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Polypogon monspeliensis</i> (L.) Desf. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 31 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Polypogon viridis</i> (Gouan) Breistr. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 26 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orrham Crop |
|--|------------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Polystichum aculeatum</i> (L.) Roth ex Mert. | Dryopteridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 27 | 1 | 1 | 1 | 1 | | | | S | | | |
| <i>Polystichum setiferum</i> (Forssk.) Moore ex Woyn | Dryopteridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | | | | S | | | |
| <i>Pontederia crassipes</i> Mart. | Pontederiaceae | NL | NL | Acc | Syn | Syn | Acc | Syn | 9 | 1 | 1 | 1 | | | | | S | | | |
| <i>Populus alba</i> L. | Salicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 28 | 1 | 1 | 1 | 1 | 1 | 1 | | I | O | | |
| <i>Populus nigra</i> L. | Salicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 36 | | | | 1 | | | | S | O | | |
| <i>Portulaca canariensis</i> Danin & Reyes-Bet. | Portulaccaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | 1 | 1 | A | S | | | | |
| <i>Portulaca granulatostellulata</i> (Poelln.) Ricceri & Arigoni | Portulaccaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Portulaca nicaraguensis</i> (Danin & H.G.Baker) Danin | Portulaccaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | 1 | 1 | 1 | | | | | S | | | |
| <i>Portulaca nitida</i> (Danin & H.G.Baker) Ricceri & Arigoni | Portulaccaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | | | 1 | | S | | | |
| <i>Portulaca oleracea</i> L. | Portulaccaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 33 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Portulaca papillatostellulata</i> (Danin & H.G.Baker) Danin | Portulaccaceae | Acc | Syn | Acc | Acc | Syn | Syn | Acc | 1 | 1 | 1 | 1 | | | | | S | | | |
| <i>Portulacaria afra</i> Jacq. | Didieraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Potamogeton nodosus</i> Poir. | Potamogetonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 33 | | 1 | 1 | 1 | | | | P | | | |
| <i>Potamogeton pusillus</i> L. | Potamogetonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 43 | | | 1 | 1 | | | | P | | | |
| <i>Potamogeton trichoides</i> Cham. & Schltdl. | Potamogetonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | 1 | | | | P | | | |
| <i>Potentilla indica</i> (Andrews) Th.Wolf | Rosaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 15 | | | 1 | | | | | S | | | |
| <i>Potentilla reptans</i> L. | Rosaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | | 1 | | | | | | S | | | |
| <i>Prasium majus</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | 1 | | | | | S | | | |
| <i>Prosopis juliflora</i> (Sw.) DC. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | | | | | I | O | | |
| <i>Prunella vulgaris</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | | | | | S | | | |
| <i>Prunus cerasus</i> L. | Rosaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 33 | 1 | 1 | 1 | | | | | S | C | | |
| <i>Prunus domestica</i> L. subsp. <i>italica</i> (Borkh.) Gams | Rosaceae | NL | Acc | NL | Acc | NL | Acc | NL | | | 1 | 1 | 1 | | | | S | C | | |
| <i>Prunus dulcis</i> (Mill.) D.A.Webb | Rosaceae | Acc | Acc | Syn | Acc | Acc | Acc | Acc | | 1 | 1 | 1 | 1 | 1 | 1 | | I | C | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orrham Crop |
|--|------------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Prunus lusitanica</i> L. subsp. <i>hixa</i> (Willd.) Franco | Rosaceae | Acc | Syn | NL | Syn | Syn | Syn | NL | | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Pseudosasa japonica</i> (Steud.) Makino | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | 1 | | 1 | | | | S | O | | |
| <i>Psidium guajava</i> L. | Myrtaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 29 | 1 | | 1 | | | | | S | C | | |
| <i>Psilotum nudum</i> (L.) P. Beauv. | Psilotaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 20 | 1 | | 1 | | | 1 | | S | | | |
| <i>Pteranthus dichotomus</i> Forssk. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | | | 1 | 1 | P | | | |
| <i>Pteridium aquilinum</i> (L.) Kuhn | Dennstaedtiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 45 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Pteris cretica</i> L. | Pteridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | S | | | |
| <i>Pteris incompleta</i> Cav. | Pteridaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | | | | S | | | |
| <i>Pteris multifida</i> Poir. | Pteridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | | | | | | | S | | | |
| <i>Pteris tremula</i> R.Br. | Pteridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | 1 | 1 | | | | S | | | |
| <i>Pteris vittata</i> L. | Pteridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | | | | S | O | | |
| <i>Pterocephalus dumetorum</i> (Brouss. ex Willd.) Coult. | Caprifoliaceae | Acc | Acc | Acc | AmUn | AmUn | Acc | Syn | 2 | 1 | | 1 | 1 | | | A | S | | | |
| <i>Pterocephalus lasiospermus</i> Link | Caprifoliaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 2 | | | 1 | | | | T | S | | | |
| <i>Pterocephalus porphyranthus</i> Svent. | Caprifoliaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | 1 | | | | | | P | S | | | |
| <i>Pterocephalus virens</i> Webb & Berthel. | Caprifoliaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 1 | | | 1 | | | | T | S | | | |
| <i>Puccinellia maritima</i> (Huds.) Parl. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 29 | | | 1 | | | | | P | | | |
| <i>Pulicaria burchardii</i> Hutch. subsp. <i>burchardii</i> | Asteraceae | Acc | Acc | NL | Syn | AmUn | Acc | NL | | | | | | | 1 | | S | | | |
| <i>Pulicaria canariensis</i> Bolle subsp. <i>canariensis</i> | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | 1 | A | S | | | | |
| <i>Pulicaria canariensis</i> Bolle subsp. <i>lanata</i> (Font Quer & Svent.) Bramwell & G.Kunkel | Asteraceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | | | 1 | 1 | A | S | | | | |
| <i>Pulicaria odora</i> (L.) Rchb. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | | | | P | | | | |
| <i>Pulicaria paludosa</i> Link. | Asteraceae | Syn | Acc | Acc | AmUn | Acc | Acc | Syn | 1 | | | 1 | | | | P | | | | |
| <i>Pulicaria undulata</i> (L.) C.A.Mey. subsp. <i>undulata</i> | Asteraceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 8 | | | 1 | | | | P | | | | |
| <i>Punica granatum</i> L. | Lythraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Pyrostegia venusta</i> (Ker Gawl.) Miers | Bignoniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | 1 | | 1 | 1 | | | | S | O | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Oriam Crop |
|--|---------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Pyrus communis</i> L. | Rosaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 26 | | | | 1 | | | | | S | C | |
| <i>Quercus ilex</i> L. | Fagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 28 | 1 | 1 | 1 | 1 | | | | | S | O | |
| <i>Quercus robur</i> L. | Fagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | 1 | | | | S | O | |
| <i>Quercus rotundifolia</i> Lam. | Fagaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 16 | | | | | | | 1 | | S | O | |
| <i>Quercus suber</i> L. | Fagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | 1 | | | | S | O | |
| <i>Radiola linoides</i> Roth | Linaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | | 1 | 1 | | | | P | | |
| <i>Ranunculus aquatilis</i> L. | Ranunculaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 59 | | | | 1 | | | | | P | | |
| <i>Ranunculus arvensis</i> L. | Ranunculaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | | | | 1 | | | | | P | | |
| <i>Ranunculus baudotii</i> Godr. | Ranunculaceae | NL | NL | Acc | Syn | Syn | Acc | Syn | 12 | | | | 1 | | | | | P | | |
| <i>Ranunculus cortusifolius</i> Willd. | Ranunculaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Ranunculus ficaria</i> L. | Ranunculaceae | Syn | Acc | Acc | Syn | Syn | Syn | Syn | 24 | | | | 1 | | | | | P | | |
| <i>Ranunculus fluitans</i> Lam. | Ranunculaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | | | 1 | | | | | P | | |
| <i>Ranunculus muricatus</i> L. | Ranunculaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Ranunculus ololeucos</i> J.Lloyd | Ranunculaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | | 1 | | | | | S | | |
| <i>Ranunculus ophioglossifolius</i> Vill. | Ranunculaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | | | 1 | | | | | P | | |
| <i>Ranunculus parviflorus</i> Loefl. | Ranunculaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Ranunculus peltatus</i> Schrank subsp. <i>peltatus</i> | Ranunculaceae | Acc | NL | NL | NL | Acc | Acc | Acc | | | | | 1 | | | | | P | | |
| <i>Ranunculus penicillatus</i> (Dumort.) Bab. | Ranunculaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | | | S | | |
| <i>Ranunculus repens</i> L. | Ranunculaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 23 | | | 1 | | | | | | P | | |
| <i>Ranunculus sardous</i> Crantz | Ranunculaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 24 | | | 1 | 1 | | | | | P | | |
| <i>Ranunculus trichophyllus</i> Chair ex Vill. | Ranunculaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 68 | | | 1 | 1 | | | | | P | | |
| <i>Ranunculus trilobus</i> Desf. | Ranunculaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Raphanus raphanistrum</i> L. subsp. <i>raphanistrum</i> | Brassicaceae | Acc | NL | NL | Syn | Acc | Acc | NL | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Raphanus raphanistrum</i> L. subsp. <i>sativus</i> (L.) Domin | Brassicaceae | Syn | Syn | Acc | Acc | AmUn | Acc | Acc | 40 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Orrham Crop | |
|---|-----------------|----------|------|------|------|-----|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|-------------|--|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Rapistrum rugosum</i> (L.) All. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 41 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Ravenala madagascariensis</i> Sonn. | Musaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | | | S | O | | |
| <i>Reichardia crystallina</i> (Sch.Bip. Ex Sch.Bip.) Bramwell | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | 1 | | | | A | S | | |
| <i>Reichardia famarae</i> Bramwell & G.Kunkel ex M.J.Gallego & Talavera | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | 1 | 1 | A | S | | | |
| <i>Reichardia intermedia</i> (Sch.Bip) Samp. | Asteraceae | NL | NL | Acc | Acc | Syn | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Reichardia ligulata</i> (Vent.) G.Kunkel & Sundig | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Reichardia picroides</i> (L.) Roth | Asteraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 22 | | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Reichardia tingitana</i> (L.) Roth | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Reseda lancerotae</i> Webb ex Del. | Resedaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 1 | | | | | 1 | 1 | 1 | A | S | | |
| <i>Reseda lutea</i> L. | Resedaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 28 | | | | | | 1 | | | P | | |
| <i>Reseda luteola</i> L. | Resedaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Reseda scoparia</i> Brouss. ex Willd. | Resedaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Retama monosperma</i> (L.) Boiss. | Fabaceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Retama raetam</i> (Forssk.) Webb & Berthel. | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Syn | 3 | 1 | 1 | 1 | | | 1 | | | P | | |
| <i>Rhagadiolus stellatus</i> (L.) Gaertn. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Rhamnus alaternus</i> L. | Rhamnaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 26 | | | | | 1 | | | | I | | |
| <i>Rhamnus crenulata</i> Aiton | Rhamnaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | |
| <i>Rhamnus glandulosa</i> Aiton | Rhamnaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | | | | | S | | |
| <i>Rhamnus integrifolia</i> DC. | Rhamnaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 2 | | | | 1 | | | | T | S | | |
| <i>Rhodalsine geniculata</i> (Poir.) F.N.Williams | Caryophyllaceae | Acc | Syn | Acc | Syn | Acc | Acc | Syn | 36 | | | | 1 | 1 | 1 | | P | | | |
| <i>Rhus coriaria</i> L. | Anacardiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | | | S | O | | |
| <i>Rhynchosia caribaea</i> (Jacq.) DC. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | | 1 | | | | | S | | | |
| <i>Ricinus communis</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 77 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | I | O | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop |
|---|--------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Ridolfia segetum</i> (L.) Moris | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | | | 1 | 1 | 1 | | S | | | |
| <i>Robinia pseudoacacia</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 45 | | | | 1 | | | | S | O | | |
| <i>Roldana petasitis</i> (Sims) H.Rob. & Bretell | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | 1 | | | S | | | |
| <i>Romulea columnae</i> Sebast. & Mauri subsp. <i>grandiscapa</i> (Webb) G.Kunkel | Iridaceae | NL | Acc | Acc | Acc | Acc | Acc | NL | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Rosa canina</i> L. | Rosaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 78 | 1 | 1 | 1 | 1 | 1 | | | P | O | | |
| <i>Rosa micrantha</i> Borrer ex Sm. | Rosaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 15 | 1 | | | | | | | P | O | | |
| <i>Rosa rubiginosa</i> L. | Rosaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 15 | | | | 1 | | | | P | O | | |
| <i>Rostraria cristata</i> (L.) Tzvelev | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 67 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Rostraria pumila</i> (Desf.) Tzvelev | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | 1 | 1 | | 1 | 1 | 1 | 1 | P | | | |
| <i>Rubia fruticosa</i> Aiton subsp. <i>fruticosa</i> | Rubiaceae | Acc | Acc | NL | NL | AmUn | Acc | NL | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | | |
| <i>Rubia fruticosa</i> Aiton subsp. <i>melanocarpa</i> (Bornm.) Bramwell | Rubiaceae | Acc | Acc | Syn | Syn | Syn | Syn | NL | | | | 1 | 1 | 1 | | A | S | | | |
| <i>Rubia fruticosa</i> Aiton subsp. <i>periclymenum</i> (schenk) Sundig | Rubiaceae | Acc | Acc | Syn | Syn | Syn | Syn | NL | | | 1 | 1 | 1 | 1 | | A | S | | | |
| <i>Rubia occidens</i> Capelo, M.Seq. & H.Schaef. | Rubiaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Rubus bollei</i> Focke | Rosaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Rubus palmensis</i> A.Hansen | Rosaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | 1 | 1 | 1 | 1 | | | A | S | | | |
| <i>Rubus ulmifolius</i> Schott | Rosaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 62 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Ruellia bourgaei</i> Hemsl. | Acanthaceae | Syn | NL | Acc | Acc | Acc | Acc | Acc | | | | 1 | | | | S | O | | | |
| <i>Rumex acetosella</i> L. subsp. <i>angiocarpus</i> (Murb.) Murb. | Polygonaceae | Acc | NL | NL | Acc | Acc | Syn | Acc | | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Rumex bipinnatus</i> L.f. | Polygonaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | | 1 | 1 | | P | | | |
| <i>Rumex bucephalophorus</i> L. subsp. <i>canariensis</i> (Steinh.) Rchb.f. | Polygonaceae | Acc | Acc | NL | Acc | Acc | Acc | NL | | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Rumex bucephalophorus</i> L. subsp. <i>gallicus</i> (Steinh.) Rchb.f. | Polygonaceae | Acc | Acc | NL | Acc | Acc | Acc | Acc | | | 1 | 1 | 1 | 1 | | S | | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Orram Crop |
|---|-----------------|----------|------|------|------|-----|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Rumex conglomeratus</i> Murray | Polygonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 25 | 1 | 1 | 1 | 1 | | | | P | | |
| <i>Rumex crispus</i> L. subsp. <i>crispus</i> | Polygonaceae | Acc | NL | NL | NL | Acc | Acc | Syn | | | 1 | 1 | 1 | | 1 | | P | | |
| <i>Rumex cristatus</i> DC. | Polygonaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 4 | 1 | | 1 | | | | | S | | |
| <i>Rumex induratus</i> Boiss. Reut. | Polygonaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 1 | | | 1 | 1 | | | | P | | |
| <i>Rumex lunaria</i> L. | Polygonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | |
| <i>Rumex maderensis</i> Lowe | Polygonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Rumex obtusifolius</i> L. subsp. <i>obtusifolius</i> | Polygonaceae | Acc | NL | Acc | Syn | Acc | Acc | NL | 2 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Rumex palustris</i> Sm. | Polygonaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | | | | | P | | |
| <i>Rumex pulcher</i> L. subsp. <i>pulcher</i> | Polygonaceae | Acc | NL | NL | Syn | Acc | Acc | NL | | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Rumex pulcher</i> L. subsp. <i>woodsii</i> (De Not.) Arcang. | Polygonaceae | Acc | Acc | NL | Acc | Acc | Acc | Acc | | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Rumex spinosus</i> L. | Polygonaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Rumex vesicarius</i> L. | Polygonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Ruppia maritima</i> L. | Ruppiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 36 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Ruscus aculeatus</i> L. | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | 1 | | 1 | | | S | | |
| <i>Ruscus hypoglossum</i> L. | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | 1 | | | | | S | | |
| <i>Russelia equisetiformis</i> Schleidl. & Cham. | Plantaginaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | 1 | 1 | | | | S | O | |
| <i>Ruta chalepensis</i> L. | Rutaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Ruta graveolens</i> L. | Rutaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | | 1 | | | | | S | C | |
| <i>Ruta microcarpa</i> Svent. | Rutaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | | 1 | | | | | G | S | | |
| <i>Ruta oreojasme</i> Webb & Berthel. | Rutaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | | | 1 | | | | C | S | | |
| <i>Ruta pinnata</i> L.f. | Rutaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 1 | 1 | | 1 | | | | A | S | | |
| <i>Rutheopsis herbanica</i> (Bolle) A.Hansen & G.Kunkel | Apiaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 2 | | | | 1 | 1 | A | S | | | |
| <i>Sabulina mediterranea</i> (Lebed. ex Link) Rchb. | Caryophyllaceae | Syn | Syn | Acc | AmUn | Syn | Acc | Syn | 14 | | 1 | | | | | S | | | |
| <i>Saccharum officinarum</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | 1 | 1 | | | | S | C | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|---|-----------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Sagina apetala</i> Ard. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 37 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Sagina maritima</i> G.Don | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | | 1 | | | | | P | | | |
| <i>Sagina procumbens</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | 1 | 1 | | 1 | 1 | | | P | | | |
| <i>Salicornia perennis</i> Mill. | Amaranthaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 12 | | | | 1 | 1 | 1 | | S | | | |
| <i>Salix fragilis</i> L. | Salicaceae | NL | Acc | Acc | Syn | Acc | Acc | Acc | 33 | 1 | | 1 | 1 | 1 | | | | S | O | |
| <i>Salix pedicellata</i> (C.Sm. ex Link) A.K.Skvortsov subsp. <i>canariensis</i> (C.Sm. ex Link) A.K.Skvortsov | Salicaceae | Syn | Syn | Acc | Acc | Syn | Syn | Acc | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | | |
| <i>Salpichroa origanifolia</i> (Lam.) Baill. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | | 1 | 1 | 1 | | | S | | | |
| <i>Salsola divaricata</i> Masson ex Link | Amaranthaceae | Acc | Acc | Acc | Acc | Syn | Acc | NL | 3 | | 1 | 1 | 1 | 1 | 1 | A | S | | | |
| <i>Salsola kali</i> L. | Amaranthaceae | Acc | Acc | Acc | Acc | Syn | Syn | Acc | 18 | | | 1 | 1 | 1 | | | P | | | |
| <i>Salsola longifolia</i> Forssk. | Amaranthaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 8 | | | 1 | | | | | P | | | |
| <i>Salsola oppositifolia</i> Desf. | Amaranthaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | 1 | | 1 | 1 | | P | | | |
| <i>Salvia aegyptiaca</i> L. | Lamiaceae | Syn | Acc | Acc | Acc | Syn | Acc | Acc | 7 | | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Salvia africana</i> L. | Lamiaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 10 | | 1 | | | | | | S | | | |
| <i>Salvia broussonetii</i> Benth. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | T | S | | | |
| <i>Salvia canariensis</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | | |
| <i>Salvia coccinea</i> Buc'hoz ex EtL. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Salvia fruticosa</i> Mill. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | 1 | | | 1 | | | | S | | | |
| <i>Salvia herbanica</i> A.Santos & M.Fernandez | Lamiaceae | Syn | Acc | Acc | Acc | Acc | Syn | NL | 1 | | | | | | 1 | F | S | | | |
| <i>Salvia hispanica</i> L. | Lamiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 5 | | | | | | 1 | | S | | | |
| <i>Salvia leucantha</i> Cav. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | | | S | O | | |
| <i>Salvia microphylla</i> Kunth | Lamiaceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | | 1 | | S | | | |
| <i>Salvia officinalis</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | S | C | | |
| <i>Salvia rosmarinus</i> Schleid. | Lamiaceae | Acc | Syn | Acc | Syn | Acc | Acc | Syn | 19 | 1 | 1 | 1 | 1 | 1 | | | S | C | | |
| <i>Salvia verbenaca</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 81 | 1 | 1 | 1 | 1 | 1 | 1 | | P | C | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|---|----------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Salvinia molesta</i> D.S. Mitch | Salviaceae | Acc | NL | Acc | Syn | Acc | Acc | Syn | 1 | | | | | | | | | I | O | |
| <i>Salvinia natans</i> (L.) All. | Salviaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | | 1 | 1 | | | | S | O | |
| <i>Sambucus canadensis</i> L. | Adoxaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 30 | | | | | | | | | S | O | |
| <i>Sambucus palmensis</i> Link | Adoxaceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | | | | A | S | | |
| <i>Samolus valerandi</i> L. | Primulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Sanguisorba megacarpa</i> (Lowe) Munoz Garm. & C.Navarro | Rosaceae | Acc | Syn | Acc | AmUn | Syn | Syn | NL | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Sanguisorba menendezii</i> Svent. | Rosaceae | Syn | Syn | Acc | AmUn | Syn | Syn | Acc | 2 | | | | | | 1 | | C | S | | |
| <i>Saxifraga stolonifera</i> Curtis | Saxifragaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | | | | | | | 1 | | | S | |
| <i>Scabiosa atropurpurea</i> L. | Caprifoliaceae | Acc | Acc | Acc | Acc | Syn | Syn | Acc | 11 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Scandix brachycarpa</i> Guss. | Apiaceae | Syn | Acc | Syn | Acc | Acc | Acc | Syn | | | | | | | 1 | | | P | | |
| <i>Scandix pecten-veneris</i> L. subsp. <i>pecten-veneris</i> | Apiaceae | Acc | NL | NL | NL | AmUn | Acc | Acc | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Schefflera actinophylla</i> (Endl.) Harms | Araliaceae | Acc | Acc | Syn | Acc | Acc | Acc | Acc | | 1 | 1 | 1 | | | | | | S | O | |
| <i>Schenkia spicata</i> (L.) G.Mans. | Gentianaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 13 | | | 1 | | | | | | P | | |
| <i>Schinus molle</i> L. | Anacardiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | C | |
| <i>Schinus terebinthifolia</i> Raddi | Anacardiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | | | 1 | 1 | 1 | | | S | C | |
| <i>Schismus arabicus</i> Nees ex Steud. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | 1 | 1 | | | | P | | |
| <i>Schismus barbatus</i> (L.) Thell. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 22 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Schizogyne glaberrima</i> DC. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | 1 | | | | A | S | | |
| <i>Schizogyne sericea</i> (L.f.) DC. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Schoenoplectiella supina</i> (L.) Lye | Cyperaceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 18 | | | | | 1 | | | | P | | |
| <i>Schoenoplectus triquetus</i> (L.) Palla in Verh | Cyperaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 22 | | | | | | | | | P | | |
| <i>Scilla haemorrhoidalis</i> Webb & Berthel. | Asparagaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Scilla latifolia</i> Willd. ex Schult. & Schult.f. | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Scilla peruviana</i> L. | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 41 | | | 1 | | | | | | | S | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orram Crop |
|---|------------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Scirpoides holoschoenus</i> (L.) Soják | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | | | | | P | | |
| <i>Scleranthus annuus</i> L. subsp. <i>annuus</i> | Caryophyllaceae | Acc | NL | NL | Syn | AmUn | Acc | NL | | | | | 1 | 1 | | | | P | | |
| <i>Scleranthus annuus</i> L. subsp. <i>polycarpos</i> (L.) Bonnier & Layens | Caryophyllaceae | Acc | Syn | NL | Acc | Acc | Acc | Acc | | | | | 1 | | | | | P | | |
| <i>Sclerophylax spinescens</i> Miers | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | 1 | 1 | | | S | | |
| <i>Scolymus grandiflorus</i> Desf. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | | | P | | |
| <i>Scolymus hispanicus</i> L. subsp. <i>hispanicus</i> | Asteraceae | Acc | Acc | Acc | Syn | Acc | Acc | NL | 8 | 1 | 1 | 1 | 1 | | | | | P | | |
| <i>Scolymus hispanicus</i> L. subsp. <i>occidentalis</i> L. F.M.Vázquez | Asteraceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | 1 | 1 | 1 | 1 | | | | | P | | |
| <i>Scolymus maculatus</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Scorpiurus muricatus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Scorpiurus vermiculatus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | 1 | 1 | | | | | S | | |
| <i>Scorzoneroides laciniata</i> L. | Asteraceae | Syn | Acc | Acc | Syn | Acc | Acc | Acc | 2 | | | | 1 | 1 | 1 | 1 | | P | | |
| <i>Scorzoneroides palisiae</i> (Izuzq.) Greuter & Talavera | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | | 1 | | | | | P | | |
| <i>Scrophularia arguta</i> Aiton | Scrophulariaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Scrophularia auriculata</i> L. | Scrophulariaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | | | | | S | | |
| <i>Scrophularia calliantha</i> Webb & Berthel. | Scrophulariaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | | | | 1 | | | | C | S | | |
| <i>Scrophularia glabrata</i> Aiton | Scrophulariaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 1 | 1 | 1 | | | | | A | S | | | |
| <i>Scrophularia parviflora</i> Wooton & Standl. | Scrophulariaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | | | | | A | S | | | |
| <i>Scrophularia scorodonia</i> L. | Scrophulariaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | | | 1 | | | | | S | | |
| <i>Scrophularia smithii</i> Hornem subsp. <i>smithii</i> (Bolle) V.Dalgaard | Scrophulariaceae | Acc | Acc | NL | NL | Acc | Acc | NL | | | | | 1 | | | T | S | | | |
| <i>Scrophularia smithii</i> Hornem subsp. <i>hierrensis</i> Dalgaard | Scrophulariaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | 1 | | | | | | H | S | | | |
| <i>Scrophularia smithii</i> Hornem subsp. <i>langeana</i> (Bolle) Dalgaard | Scrophulariaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 2 | 1 | 1 | 1 | 1 | | | A | S | | | |
| <i>Searsia albida</i> (Schousb.) Moffett | Anacardiaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | | 1 | | | P | | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|---|------------------|----------|------|------|------|-----|------|-----|----------|----|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | 19 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| <i>Secale cereale</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | 1 | 1 | 1 | 1 | 1 | | P | C | | |
| <i>Sedum dendroideum</i> Moc. & Sessé ex D.C. | Crassulaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | | | | S | | | |
| <i>Sedum lancerottense</i> R.P. Murray | Crassulaceae | Syn | Acc | Acc | AmUn | Acc | Acc | Syn | 1 | | | | | | | 1 | L | S | | |
| <i>Sedum mexicanum</i> Britton | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | S | | | |
| <i>Sedum nudum</i> Aiton | Crassulaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | | | | 1 | S | | | |
| <i>Sedum rubens</i> L. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Selaginella denticulata</i> (L.) Spring | Selaginellaceae | Acc | Acc | Acc | Syn | Acc | Acc | NL | 2 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Selaginella kraussiana</i> (Kunze) A.Braun | Selaginellaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | 1 | 1 | | | S | | | |
| <i>Selaginella selaginoides</i> (L.) P. Beauv. ex Schrank & Mart. | Selanginellaceae | Acc | Acc | Acc | Acc | Syn | Acc | Acc | 5 | 1 | | | | | | | S | | | |
| <i>Selenicereus triangularis</i> (L.) D.R.Hunt | Cactaceae | NL | NL | Acc | Acc | Acc | Acc | NL | 23 | | | | 1 | | | | S | O | | |
| <i>Selenicereus undatus</i> (Haw.) D.R.Hunt | Cactaceae | Syn | Syn | Acc | Syn | Acc | Syn | Syn | 7 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Semele androgyna</i> (L.) Kunth | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Semele gayae</i> (Webb & Berthel.) Svent. & Kunkel | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | | 1 | | | C | S | | | |
| <i>Senecio angulatus</i> L.f. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | | 1 | 1 | | | S | O | | |
| <i>Senecio bollei</i> Sundig & G.Kunkel | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | 1 | | F | S | | |
| <i>Senecio flavus</i> (Decne) Sch.Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Senecio glaucus</i> L. subsp. <i>coronopifolius</i> (Maire) C.Alexander | Asteraceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 8 | 1 | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Senecio ilsae</i> A.Santos & Reyes-Bet. | Asteraceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 2 | | | 1 | | | | G | S | | | |
| <i>Senecio incrassatus</i> Lowe | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | 1 | 1 | | | | | | S | | | |
| <i>Senecio leucanthemifolius</i> Poir. var. <i>leucanthemifolius</i> | Asteraceae | NL | Acc | NL | Syn | Acc | Acc | NL | | | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Senecio leucanthemifolius</i> Poir. var. <i>falcifolius</i> (Bolle) Kunkel | Asteraceae | NL | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | 1 | A | | S | | | |
| <i>Senecio massaicus</i> (Maire) Maire | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | 1 | 1 | 1 | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orram Crop |
|--|---------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Senecio teneriffae</i> Sch. Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Senecio vulgaris</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Senna bicapsularis</i> (L.) Roxb. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Senna corymbosa</i> (Lam.) H.S.Irwin & Barneby | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | | 1 | | | S | O | | |
| <i>Senna didymobotrya</i> (Fresen.) H.S.Irwin & Barneby | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | 1 | 1 | 1 | | S | O | | |
| <i>Senna multiglandulosa</i> (Jacq.) H.S.Irwin & Barneby | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | | | 1 | | | S | O | | |
| <i>Senna occidentalis</i> (L.) Link | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | | | | 1 | | | | S | O | | |
| <i>Senna spectabilis</i> (DC.) H.S.Irwin & Barneby | Fabaceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | | S | O | | |
| <i>Serapias parviflora</i> Parl. subsp. <i>mascaensis</i> (H.Kretzschmar, G.Kretzschmar & Kreutz) Kreutz | Orchidaceae | Syn | Syn | Syn | Syn | Syn | Syn | NL | 2 | | | 1 | | | | T | S | | | |
| <i>Sesleria albicans</i> Kit. | Poaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 13 | 1 | | | | | | | P | | | |
| <i>Sesuvium portulacastrum</i> (L.) L. subsp. <i>portulacastrum</i> | Aizoaceae | Acc | NL | NL | NL | Acc | Acc | NL | | | | | 1 | 1 | 1 | | I | O | | |
| <i>Sesuvium verrucosum</i> Raf. | Aizoaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | | S | O | | |
| <i>Setaria geminata</i> (Forssk.) Veldkamp | Poaceae | Syn | Syn | Acc | Syn | Acc | Acc | NL | 24 | | | 1 | | | | P | | | | |
| <i>Setaria italica</i> (L.) P.Beauv. | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 70 | | | 1 | | | | P | | | | |
| <i>Setaria megaphylla</i> (Steud.) T. Durant & Schinz | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | 1 | 1 | | | | | | S | | | |
| <i>Setaria parviflora</i> (Poir.) M. Kerguelen | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 107 | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Setaria pumila</i> (Poir.) Roem. & Schult. | Poaceae | Acc | Acc | Acc | Acc | Syn | Syn | Acc | 26 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Setaria verticillata</i> (L.) P.Beauv. | Poaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 41 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Setaria viridis</i> (L.) P.Beauv. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 54 | | | 1 | 1 | | | | P | | | |
| <i>Sherardia arvensis</i> L. | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Sicyos edulis</i> Jacq. | Cucurbitaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 5 | 1 | | | 1 | | | | S | C | | |
| <i>Sida acuta</i> Burm.f. | Malvaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 38 | | | 1 | 1 | | | | S | | | |
| <i>Sida rhombifolia</i> L. | Malvaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 37 | 1 | 1 | 1 | 1 | | | | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop |
|---|-----------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Sida spinosa</i> L. | Malvaceae | Acc | NL | Acc | Acc | Acc | NL | Acc | 27 | 1 | 1 | | | | | | | S | | |
| <i>Sidastrum paniculatum</i> (L.) Fryxell | Malvaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | | 1 | | | | | | S | O | |
| <i>Sideritis amagroi</i> Marrero Rodr. & B.Navarro | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | C | S | | |
| <i>Sideritis barbellata</i> Mend.-Heuer | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | | | | | | P | S | | |
| <i>Sideritis bolleana</i> Bornm. | Lamiaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | | | | | | P | S | | |
| <i>Sideritis brevicaulis</i> Mend.-Heuer | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | T | S | | |
| <i>Sideritis canariensis</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | | 1 | | | | A | S | | |
| <i>Sideritis cretica</i> L. subsp. <i>cretica</i> | Lamiaceae | NL | Acc | Acc | NL | Acc | Acc | NL | 2 | | | 1 | | | | | T | S | | |
| <i>Sideritis cretica</i> L. subsp. <i>spicata</i> (Pit.) Negrín & P.Perez | Lamiaceae | Syn | Acc | Acc | Acc | Acc | Acc | NL | 1 | | 1 | | | | | | G | S | | |
| <i>Sideritis cystosiphon</i> Svent. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | T | S | | |
| <i>Sideritis dasygnaphala</i> (Webb & Berthel.) Clos | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | C | S | | |
| <i>Sideritis dendrochahorra</i> Bolle | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | | T | S | | |
| <i>Sideritis discolor</i> Willd. ex Bolle | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | C | S | | |
| <i>Sideritis eriocephala</i> Marrero Rodr. ex Negrín & P.Pérez | Lamiaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 1 | | | 1 | | | | | T | S | | |
| <i>Sideritis ferrensis</i> P.Pérez & Négrin | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | | | H | S | | |
| <i>Sideritis gomeraea</i> de Noé ex Bolle subsp. <i>gomeraea</i> | Lamiaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 2 | | 1 | | | | | | G | S | | |
| <i>Sideritis gomeraea</i> de Noé ex Bolle subsp. <i>perezii</i> Negrín. | Lamiaceae | Acc | Acc | Acc | NL | AmUn | Acc | NL | 0 | | 1 | | | | | | G | S | | |
| <i>Sideritis guayedrae</i> Marrero Rodr. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | | | | | C | S | | |
| <i>Sideritis infernalis</i> Bolle | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | T | S | | |
| <i>Sideritis kuegleriana</i> Bornm. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | 1 | | | | | T | S | | |
| <i>Sideritis lotsyi</i> (Pit.) Ceballos & Ortuño subsp. <i>lotsyi</i> | Lamiaceae | Syn | Syn | NL | NL | AmUn | Syn | NL | | | | 1 | | | | | T | S | | |
| <i>Sideritis macrostachyos</i> Poir. | Lamiaceae | Acc | Acc | Acc | Acc | AmUn | Acc | NL | 1 | | | 1 | | | | | T | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orrham Crop |
|--|-----------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Sideritis marmorea</i> Bolle | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | G | S | | |
| <i>Sideritis mascaensis</i> (Svent.) Marrero Rodr. | Lamiaceae | Acc | Acc | Acc | Syn | NL | Acc | NL | 2 | | | 1 | | | | | T | S | | |
| <i>Sideritis nervosa</i> (Christ) Linding. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | NL | Acc | 2 | | | 1 | | | | | T | S | | |
| <i>Sideritis nutans</i> Svent. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | | | | | | G | S | | |
| <i>Sideritis oroteneriffae</i> Negrín & P.Pérez var. <i>oroteneriffae</i> | Lamiaceae | NL | Acc | NL | Syn | AmUn | Syn | NL | | | | 1 | | | | | T | S | | |
| <i>Sideritis pumila</i> (Christ) Mendoza-Heuer | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | | 1 | 1 | A | S | | | |
| <i>Sideritis santosii</i> Marrero Rodr. | Lamiaceae | Acc | Acc | Acc | NL | AmUn | Acc | NL | 0 | | | 1 | | | | | T | S | | |
| <i>Sideritis soluta</i> Clos subsp. <i>soluta</i> | Lamiaceae | Acc | Acc | Acc | Syn | Acc | Acc | NL | 5 | | | 1 | | | | | T | S | | |
| <i>Sideritis soluta</i> Clos M.L.Negrín-Sosa & P.Pérez subsp. <i>gueimaris</i> Negrín & Pérez. | Lamiaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | | | 1 | | | | | T | S | | |
| <i>Sideritis soluta</i> Clos subsp. <i>hildae</i> Marrero Rodr. | Lamiaceae | Acc | Acc | Acc | NL | AmUn | Acc | NL | 0 | | | 1 | | | | | T | S | | |
| <i>Sideritis sventenii</i> (G.Kunkel) Mend.-Heuer | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | C | S | | |
| <i>Sideroxylon canariense</i> Leyens, Lobin & A.Santos | Sapotaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Sigesbeckia orientalis</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | 1 | 1 | 1 | | | | | | | S | |
| <i>Silene apetala</i> Willd. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 20 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Silene behen</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | 1 | 1 | 1 | 1 | | | P | | |
| <i>Silene bellidifolia</i> Juss. ex Jacq. | Caryophyllaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 12 | | | 1 | | | 1 | | | P | | |
| <i>Silene berthelotiana</i> Webb ex Christ | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | 1 | | 1 | | | | | A | S | | |
| <i>Silene bourgauei</i> Webb ex Christ | Caryophyllaceae | Acc | Acc | Acc | AmUn | AmUn | Acc | Syn | 0 | | 1 | | | | | | G | S | | |
| <i>Silene canariensis</i> Spreng. | Caryophyllaceae | Acc | NL | Acc | AmUn | AmUn | Acc | NL | 0 | | | 1 | 1 | | | | A | S | | |
| <i>Silene colorata</i> Poir. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | | | | | 1 | 1 | | | P | | |
| <i>Silene conica</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | | | | | | P | | |
| <i>Silene conoidea</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | 1 | | | | | | P | | |
| <i>Silene cretica</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | 1 | 1 | 1 | | | | | P | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orram Crop |
|--|-----------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Silene diversifolia</i> Otth | Caryophyllaceae | NL | Syn | Acc | Acc | Syn | Syn | Acc | 2 | | | | | | | 1 | P | | | |
| <i>Silene gallica</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 68 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Silene gracilis</i> DC. | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 2 | | | | | | | 1 | 1 | P | | |
| <i>Silene inaperta</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | | 1 | 1 | | | P | | | |
| <i>Silene lagunensis</i> C.Sm. ex Link | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | | | | 1 | | | | T | S | | |
| <i>Silene muscipula</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | | | | 1 | P | | | |
| <i>Silene nocteolens</i> Webb & Berthel. | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Syn | 0 | | | | 1 | | | | T | S | | |
| <i>Silene nocturna</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Silene nutans</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 29 | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Silene pogonocalyx</i> (Svent.) Bramwell | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 1 | 1 | 1 | | | | | | A | S | | |
| <i>Silene rubella</i> L. | Caryophyllaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 9 | | | | | | | 1 | P | | | |
| <i>Silene sabinosae</i> Pit. | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | 1 | | | | | | | H | S | | |
| <i>Silene tamaranae</i> Bramwell | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | | | | | 1 | | C | S | | |
| <i>Silene tridentata</i> Desf. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Silene vulgaris</i> (Moench) Garcke subsp. <i>vulgaris</i> | Caryophyllaceae | Acc | NL | NL | Syn | Acc | Acc | NL | | 1 | 1 | 1 | | | | | P | | | |
| <i>Silene vulgaris</i> (Moench) Garcke subsp. <i>commutata</i> (Guss.) Hayek | Caryophyllaceae | Acc | Syn | Syn | Acc | Syn | Syn | Acc | | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Silybum marianum</i> (L.) Gaertn. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Simmondsia chinensis</i> (Link) C.K. Schneid. | Simmondsiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | | | | 1 | | S | | |
| <i>Sinapis alba</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | C | |
| <i>Sinapis arvensis</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 36 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Sinapis flexuosa</i> Poir. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | 1 | | | | | P | | | |
| <i>Sinapis pubescens</i> L. | Brassicaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | | | | | | P | | | |
| <i>Sisymbrium erysimoides</i> Desf. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Sisymbrium irio</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 20 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Orram Crop |
|---|--------------|----------|------|------|-----|-----|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Sisymbrium officinale</i> (L.) Scop. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Sisymbrium orientale</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | | 1 | | 1 | 1 | | | P | | |
| <i>Smilax aspera</i> L. | Smilacaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 27 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Smilax canariensis</i> Willd. | Smilacaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | 1 | 1 | 1 | | | S | | |
| <i>Smyrnium olusatrum</i> L. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | 1 | 1 | | | S | | |
| <i>Solandra grandiflora</i> Sw. | Solanaceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | 1 | 1 | 1 | 1 | 1 | | S | O | |
| <i>Solandra maxima</i> (Moc. & Sessé ex Dunal) P.S. Green | Solanaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | 1 | 1 | 1 | 1 | | S | O | |
| <i>Solanum abutiloides</i> (Griseb.) Bitter & Lillo | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | | 1 | | | | S | | |
| <i>Solanum alatum</i> Moench | Solanaceae | NL | Acc | Acc | Syn | Syn | Acc | NL | 6 | | 1 | | | | | | S | | |
| <i>Solanum americanum</i> Mill. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 51 | | | | | 1 | | | S | | |
| <i>Solanum betaceum</i> Cav. | Solanaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | 1 | | | | S | | |
| <i>Solanum bonariense</i> L. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | 1 | | 1 | 1 | | | S | | |
| <i>Solanum chenopodioides</i> Lam. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | | 1 | 1 | 1 | 1 | | | S | | |
| <i>Solanum chrysotrichum</i> Schlechl. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | | 1 | | | S | | |
| <i>Solanum decipiens</i> Opiz | Solanaceae | NL | NL | Syn | Syn | Acc | Acc | Acc | | | 1 | | | | | | S | | |
| <i>Solanum giganteum</i> Jacq. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | | | | 1 | | | S | | |
| <i>Solanum hoehnei</i> C.V.Morton | Solanaceae | NL | Syn | Acc | Acc | Acc | Acc | Acc | 3 | 1 | | | 1 | 1 | 1 | P | | | |
| <i>Solanum laxum</i> Spreng. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | | | 1 | 1 | | | S | | |
| <i>Solanum lidi</i> Sundig | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | C | S | | |
| <i>Solanum lycopersicum</i> L. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 65 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Solanum marginatum</i> L.f. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | 1 | | | | S | | |
| <i>Solanum mauritianum</i> Scop. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | 1 | | 1 | | | | S | | |
| <i>Solanum nava</i> Webb & Berthel. | Solanaceae | Syn | Acc | Acc | Acc | Acc | Acc | Syn | 2 | | | 1 | 1 | | | A | S | | |
| <i>Solanum nigrum</i> L. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 58 | | 1 | 1 | 1 | 1 | 1 | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop |
|---|-------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Solanum pseudocapsicum</i> L. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 40 | 1 | 1 | 1 | 1 | 1 | | | | S | | |
| <i>Solanum robustum</i> H.L. Wendl. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | | 1 | 1 | | | | S | | |
| <i>Solanum seaforthianum</i> Andrews | Solanaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 9 | | 1 | | | 1 | | | | S | | |
| <i>Solanum tuberosum</i> L. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 362 | | | 1 | 1 | 1 | 1 | 1 | | S | C | |
| <i>Solanum vespertilio</i> Aiton subsp. <i>vespertilio</i> | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 3 | | | | 1 | | | | T | S | | |
| <i>Solanum vespertilio</i> Marrero Rodr. & Gonz.-Mart. subsp. <i>doramae</i> Marrero Rodr. & Gonz.-Mart. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | | | | C | S | | |
| <i>Solanum villosum</i> Mill. subsp. <i>villosum</i> | Solanaceae | Acc | NL | NL | Syn | Acc | Acc | Acc | | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Soleirolia soleirolii</i> (Req.) Dandy | Urticaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | 1 | 1 | | | S | O | | |
| <i>Solenopsis laurentia</i> (L.) C.Presl | Lobeliaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | 1 | | | P | | | |
| <i>Soliva stolonifera</i> (Brot.) R.Br. ex G.Don | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | | | | S | | |
| <i>Sonchus acaulis</i> Dum.Cours | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | 1 | 1 | | | A | S | | |
| <i>Sonchus arboreus</i> DC. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | | 1 | | | | | A | S | | |
| <i>Sonchus asper</i> (L.) Hill subsp. <i>asper</i> | Asteraceae | Acc | NL | NL | Syn | AmUn | Acc | Acc | | 1 | 1 | 1 | 1 | | 1 | | P | | | |
| <i>Sonchus asper</i> (L.) Hill subsp. <i>glaucescens</i> (Jord.) Ball ex Ball | Asteraceae | Acc | Syn | Acc | Acc | Syn | Syn | Acc | 6 | 1 | 1 | 1 | 1 | | 1 | | P | | | |
| <i>Sonchus bornmuelleri</i> Pit. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | | | P | S | | |
| <i>Sonchus bourgeau</i> Sch.Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | 1 | 1 | | | S | | |
| <i>Sonchus brachylobus</i> Webb & Berthel. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | C | S | | |
| <i>Sonchus bupleuroides</i> (Font Quer) N.Kilian & Greuter | Asteraceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | C | S | | |
| <i>Sonchus canariensis</i> (Sch.Bip.) Boulos subsp. <i>canariensis</i> | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | 1 | | | | A | S | | |
| <i>Sonchus canariensis</i> Boulos subsp. <i>orotavensis</i> Boulos | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | | | | T | S | | | |
| <i>Sonchus capillaris</i> Svent. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | 1 | 1 | | | | A | S | | |
| <i>Sonchus congestus</i> Willd. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | 1 | 1 | | | | A | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop |
|---|------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Sonchus esperanzae</i> N.Kilian & Greuter | Asteraceae | Syn | Acc | Acc | Acc | Acc | Acc | NL | 3 | 1 | | | | | | | P | S | | |
| <i>Sonchus fauces-orci</i> Knoche | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | | | | | T | S | | |
| <i>Sonchus gandogerii</i> Pit. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | | | H | S | | |
| <i>Sonchus gomeraensis</i> Boulos | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Syn | 1 | | | 1 | | | | | G | S | | |
| <i>Sonchus gummosus</i> Link | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | | 1 | | | | T | S | | |
| <i>Sonchus hierrensis</i> (Pit.) Boulos | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | | | | | A | S | | |
| <i>Sonchus leptcephalus</i> Cass. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Sonchus lidii</i> Boulos | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | 1 | | | | | | | H | S | | |
| <i>Sonchus microcarpus</i> (Boulos) U.Reifenb. & A.Reifenb. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | | T | S | | |
| <i>Sonchus oleraceus</i> (L.) L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 36 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Sonchus ortunoi</i> Svent. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | | | | | | G | S | | |
| <i>Sonchus palmensis</i> Boulos | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | | | | | P | S | | |
| <i>Sonchus pendulus</i> (Sch.Bip.) Sennikov subsp. <i>pendulus</i> | Asteraceae | Syn | Syn | Acc | Syn | Acc | Acc | NL | 2 | | | | 1 | | | | C | S | | |
| <i>Sonchus pendulus</i> (Sch.Bip.) Sennikov subsp. <i>flaccidus</i> (Svent.) N.Kilian & Greuter | Asteraceae | Syn | Syn | Acc | Acc | Acc | Acc | NL | 2 | | | 1 | | | | | C | S | | |
| <i>Sonchus pinnatifidus</i> Cav. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | | 1 | 1 | | | S | | |
| <i>Sonchus pitardii</i> Boulos | Asteraceae | Acc | Syn | Acc | Acc | Acc | Acc | NL | 0 | 1 | | | | | | | H | S | | |
| <i>Sonchus platylepis</i> Webb | Asteraceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | C | S | | |
| <i>Sonchus radicans</i> Aiton | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | T | S | | |
| <i>Sonchus regis-jubae</i> Pit. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 2 | 1 | 1 | 1 | 1 | | | | A | S | | |
| <i>Sonchus sventenii</i> U.Reifenb. & A.Reifenb. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | 1 | | | | | | G | S | | |
| <i>Sonchus tectifolius</i> Svent. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | T | S | | |
| <i>Sonchus tenerimus</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Sonchus tuberifer</i> Svent. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | T | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop | |
|---|-----------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|--|
| | | | | | | | | | | | | | | | | | | | | | |
| <i>Sonchus webbii</i> Sch.Bip. | Asteraceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | | | | | | | P | S | | | |
| <i>Sonchus wildpretii</i> U.Reifenh. & A.Reifenb. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | | | | | | G | S | | | |
| <i>Sorghum bicolor</i> (L.) Moench. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 177 | 1 | 1 | | 1 | | | | | P | C | | |
| <i>Sorghum halepense</i> (L.) Pers. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 34 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Spartium junceum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | 1 | 1 | 1 | 1 | | | I | O | | |
| <i>Spathodea campanulata</i> P.Beauv. | Bignoniaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Spergula arvensis</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Spergula pentandra</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | | 1 | 1 | | | | P | | | |
| <i>Spergularia bocconei</i> (Scheele) Asch. & Graebn. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Spergularia bourgaei</i> Lebel | Caryophyllaceae | Acc | NL | Acc | Acc | AmUn | Acc | NL | 1 | | | | 1 | | | | T | S | | | |
| <i>Spergularia diandra</i> (Guss.) Heldr. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 24 | | | | 1 | 1 | 1 | | | P | | | |
| <i>Spergularia fimbriata</i> Boiss. & Reut. var. <i>fimbriata</i> | Caryophyllaceae | NL | Acc | NL | NL | AmUn | Acc | NL | | | | | 1 | 1 | 1 | | | P | | | |
| <i>Spergularia flaccida</i> (Madden) I.M.Turner | Caryophyllaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 9 | 1 | | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Spergularia marina</i> (L.) Besser | Caryophyllaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 76 | 1 | | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Spergularia media</i> (L.) C.Presl | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 47 | | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Sphenopus divaricatus</i> (Gouan) Rchb. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | | | | | 1 | | | | P | | | |
| <i>Spinacia oleracea</i> L. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | 1 | 1 | | | | | S | C | | |
| <i>Spirobassia hirsuta</i> (L.) Freitag & G. Kadereit | Amaranthaaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 20 | | | | 1 | | | | | P | | | |
| <i>Spirodela punctata</i> (G.Mey.) C.H.Thomps. | Araceae | Syn | NL | Acc | Acc | Acc | Acc | Acc | 4 | 1 | | 1 | | | | | | I | | | |
| <i>Sporobolus africanus</i> (Poir.) Robyns & Tournay | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 11 | 1 | | | | | | | | P | | | |
| <i>Sporobolus coepi</i> Verloove | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | T | S | | | |
| <i>Sporobolus diandrus</i> (Retz.) P.Beauv. | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 9 | | | 1 | | | | | | P | | | |
| <i>Sporobolus indicus</i> (L.) R.Br. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 23 | 1 | | 1 | 1 | | | | | P | | | |
| <i>Stachys arvensis</i> (L.) L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|---|-----------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Stachys germanica</i> L. subsp. <i>cordigera</i> Briq. | Lamiaceae | Acc | Acc | NL | Syn | Syn | Syn | NL | | | | | | 1 | | | | P | | |
| <i>Stachys ocymastrum</i> (L.) Briq. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Stellaria apetala</i> Ucria | Caryophyllaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 8 | | 1 | | | 1 | 1 | | | P | | |
| <i>Stellaria media</i> (L.) Vill. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 59 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Stenocereus dumortieri</i> (Scheidew.) Buxb. | Cactaceae | NL | NL | Acc | Syn | Syn | Syn | Syn | 4 | | | | | 1 | | | | S | O | |
| <i>Stenocereus pruinosus</i> (Otto ex Pfeiff.) Buxb. | Cactaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 19 | | | | | 1 | | | | S | O | |
| <i>Stenotaphrum secundatum</i> (Walter) Kuntze | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | 1 | | 1 | 1 | 1 | 1 | | S | | |
| <i>Stipagrostis ciliata</i> (Desf.) De Winter | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | | | 1 | 1 | | | P | | |
| <i>Stipellula capensis</i> (Thunb.) Röser & Hamasha | Poaceae | Acc | Acc | Acc | Syn | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Streptosolen jamesonii</i> (Benth.) Miers | Solanaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | | 1 | 1 | | | | S | | |
| <i>Suaeda ifniensis</i> Caball. ex Maire | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | 1 | 1 | 1 | | P | | |
| <i>Suaeda maritima</i> (L.) Dumort. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 64 | | | | 1 | 1 | 1 | 1 | | S | | |
| <i>Suaeda spicata</i> (Willd.) Moq. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | | | | 1 | | P | | |
| <i>Suaeda vera</i> Forssk. ex J.F.Gmel. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Suaeda vermiculata</i> Forssk. ex J.F.Gmel. | Amaranthaceae | Acc | Acc | Acc | Acc | Syn | Syn | Acc | 16 | | | | 1 | 1 | 1 | 1 | | S | | |
| <i>Succowia balearica</i> (L.) Medik. | Brassicaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | | | | | P | | |
| <i>Symphyotrichum laeve</i> (L.) Å.Löve & D.Löve | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 34 | 1 | | 1 | | | | | | S | O | |
| <i>Symphyotrichum lanceolatum</i> (Willd.) G.L.Nesom | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | | S | O | |
| <i>Symphyotrichum subulatum</i> (Michx.) G.L.Nesom subsp. <i>squamatum</i> (Spreng.) S.D.Sundb. | Asteraceae | Syn | Syn | Acc | Syn | Acc | Acc | NL | 24 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | |
| <i>Syzygium cumini</i> (L.) Skeels | Myrtaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 43 | 1 | | | 1 | | | | | S | | |
| <i>Syzygium jambos</i> (L.) Alston | Myrtaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 19 | 1 | | 1 | | | | | | S | O | |
| <i>Taeniatherum caput-medusae</i> (L.) Nevski | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 25 | | | | 1 | | | | | P | | |
| <i>Tagetes erecta</i> L. | Asteraceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | |
| <i>Tagetes minuta</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | | | | S | O | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Oriental Crop |
|--|--------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|---------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Tamarix africana</i> Poir. | Tamaricaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | | | | | 1 | 1 | 1 | S | | | |
| <i>Tamarix boveana</i> Bunge | Tamaricaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | | | 1 | | S | | | |
| <i>Tamarix canariensis</i> Willd. | Tamaricaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Tanacetum parthenium</i> (L.) Sch. Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 49 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Tara spinosa</i> (Molina) Britton & Rose | Fabaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 15 | | | | 1 | 1 | 1 | | P | O | | |
| <i>Taraxacum canarensis</i> Soest | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | NL | 0 | | 1 | 1 | | | | A | S | | | |
| <i>Taraxacum degelii</i> G. E. Haglund | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | | | | | | S | | | |
| <i>Taraxacum duplidentifrons</i> Dahlst. ex Johnston | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | | | | | | S | | | |
| <i>Taraxacum duriense</i> Soest | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | | | | S | | | |
| <i>Taraxacum gelertii</i> Raunk. | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | S | | | |
| <i>Taraxacum guanchicum</i> A. Galán, E. Linares & V. Orell. | Asteraceae | Acc | NL | Acc | NL | Acc | Acc | NL | 0 | | | 1 | 1 | | | A | S | | | |
| <i>Taraxacum lidianum</i> Soest | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | NL | 0 | | 1 | | | | | | S | | | |
| <i>Taraxacum lucidum</i> Dahlst. | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | S | | | |
| <i>Taraxacum officinale</i> F.H.Wigg | Asteraceae | Syn | Syn | Acc | Syn | AmUn | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Tecoma stans</i> (L.) Juss. ex Kunth | Bignoniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Tecomaria capensis</i> (Thunb.) Spach | Bignoniaceae | Acc | Acc | Acc | Acc | Syn | Syn | Syn | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Teline canariensis</i> (L.) Webb & Berthel. | Fabaceae | Acc | Acc | Syn | Syn | Syn | Acc | Syn | 22 | | | 1 | 1 | | | A | S | | | |
| <i>Teline microphylla</i> P.E.Gibbs & Dingwall | Fabaceae | Acc | Acc | Syn | Syn | Acc | Acc | Syn | 4 | | | | 1 | | | C | S | | | |
| <i>Teline nervosa</i> (Esteve) Hansen & Sund. | Fabaceae | Acc | Acc | Syn | AmUn | NL | Acc | Syn | 1 | | | | 1 | | | C | S | | | |
| <i>Teline osyrioides</i> (Svent.) P.E.Gibbs & Ding subsp. <i>osyrioides</i> | Fabaceae | Acc | Acc | NL | NL | NL | NL | NL | | | | | 1 | | | T | S | | | |
| <i>Teline osyrioides</i> (Svent.) P.E.Gibbs & Ding subsp. <i>sericea</i> (Kuntze) del Arco | Fabaceae | Acc | NL | NL | NL | NL | NL | NL | | | | | 1 | | | T | S | | | |
| <i>Teline pallida</i> (Poir.) G. Kunkel subsp. <i>pallida</i> | Fabaceae | Acc | Acc | NL | NL | NL | Syn | NL | | | | 1 | | | | T | S | | | |
| <i>Teline pallida</i> (Poir.) G. Kunkel subsp. <i>gomerae</i> | Fabaceae | Acc | Acc | AmUn | NL | NL | Syn | NL | 2 | | 1 | | | | | G | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop | |
|--|--------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|--|
| | | | | | | | | | | | | | | | | | | | | | |
| <i>Teline pallida</i> (Poir.) G. Kunkel subsp. <i>silensis</i> | Fabaceae | Acc | NL | AmUn | NL | NL | Syn | NL | 0 | | | | 1 | | | | T | S | | | |
| <i>Teline rosmarinifolia</i> Webb & Berthel. subsp. <i>rosmarinifolia</i> Arco | Fabaceae | Acc | Acc | NL | NL | NL | Acc | NL | 8 | | | | 1 | | | | C | S | | | |
| <i>Teline rosmarinifolia</i> Webb & Berthel. subsp. <i>eurifolia</i> | Fabaceae | Acc | Acc | NL | NL | NL | NL | NL | | | | | 1 | | | | C | S | | | |
| <i>Teline salsolooides</i> del Acro & Acebes | Fabaceae | Acc | Acc | AmUn | AmUn | NL | Acc | NL | 0 | | | | 1 | | | | T | S | | | |
| <i>Teline splendens</i> (Webb & Berthel.) del Arco | Fabaceae | Acc | Acc | Syn | AmUn | Syn | Acc | NL | 1 | 1 | | | | | | | P | S | | | |
| <i>Teline stenopetala</i> (Webb & Berthel.) Webb & Berthel. subsp. <i>stenopetala</i> | Fabaceae | Acc | Acc | NL | NL | NL | Acc | NL | | 1 | 1 | 1 | 1 | | | | | S | | | |
| <i>Teline stenopetala</i> (Webb & Berthel.) Webb & Berthel. subsp. <i>microphylla</i> (Pit. & Proust) del Arco | Fabaceae | Acc | Acc | NL | NL | NL | NL | NL | | 1 | 1 | | | | | | A | S | | | |
| <i>Teline stenopetala</i> (Webb & Berthel.) Webb & Berthel. subsp. <i>pauciovulata</i> (del Arco) del Arco | Fabaceae | Acc | Acc | NL | NL | NL | NL | NL | | | | 1 | | | | | G | S | | | |
| <i>Teline stenopetala</i> (Webb & Berthel.) Webb & Berthel. subsp. <i>sericea</i> (Pit. & Proust) del Arco | Fabaceae | Acc | Acc | NL | NL | NL | NL | NL | | | 1 | | | | | | P | S | | | |
| <i>Teline stenopetala</i> (Webb & Berthel.) Webb & Berthel. subsp. <i>spachiana</i> (Webb) del Arco | Fabaceae | Acc | Acc | NL | NL | NL | NL | NL | | | | 1 | | | | | T | S | | | |
| <i>Tephrocactus articulatus</i> (Pfeiff.) Backeb. | Cactaceae | Acc | NL | Acc | Syn | Syn | Acc | Acc | 45 | | | 1 | | | | | | S | O | | |
| <i>Tetraclinis articulata</i> (Vahl) Mast. | Cupressaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | 1 | | | | | | S | O | | |
| <i>Tetragonia echinata</i> Aiton | Aizoaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | | S | | | |
| <i>Tetragonia tetragonoides</i> (Pall.) Kuntze | Aizoaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | | | | S | | | |
| <i>Tetrapogon villosus</i> Desf. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Teucrium heterophyllum</i> L'Hér subsp. <i>brevipilosum</i> Gaisberg | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | 1 | 1 | 1 | 1 | | | | A | S | | | |
| <i>Teucrium heterophyllum</i> L'Hér subsp. <i>hierrense</i> Gaisberg | Lamiaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | 1 | | | | | | | H | S | | | |
| <i>Teucrium spinosum</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | 1 | 1 | | | | | S | | | |
| <i>Theligonum cynocrambe</i> L. | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | | | | P | | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|--|------------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Thelocactus hastifer</i> (Werderm. et Boed.) F.M.Knuth | Cactaceae | NL | NL | Acc | Acc | Acc | Acc | NL | 2 | | | | 1 | | | | | S | O | |
| <i>Thelypteris dentata</i> (Forssk.) E.P.St.John | Thelypteridaceae | Syn | Syn | Acc | Syn | Acc | Syn | Syn | 62 | 1 | 1 | 1 | 1 | | | | | S | | |
| <i>Thesium canariensis</i> (Stearn) J.C.Manning & F.Forest | Santalaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 1 | | | | 1 | | | | C | S | | |
| <i>Thesium humile</i> Vahl. | Santalaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Thesium psilotocladium</i> Svent. | Santalaceae | Syn | Syn | Acc | AmUn | Acc | Acc | NL | 1 | | | 1 | | | | | T | S | | |
| <i>Thesium retamoides</i> (A.Santos) J.C.Manning & F.Forest | Santalaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 1 | 1 | 1 | 1 | | | | | A | S | | |
| <i>Thesium subsucculentum</i> (Kämmer) J.C.Manning & F.Forest | Santalaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 1 | | | 1 | | | | | T | S | | |
| <i>Thlaspi arvense</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | 1 | | | | | | P | | |
| <i>Thunbergia alata</i> Bojer ex Sims | Acanthaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | | | | | S | O | |
| <i>Thunbergia grandiflora</i> (Roxb. ex Rottl.) Roxb. | Acanthaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | | | | | S | O | | |
| <i>Thymus origanoides</i> Webb & Berthel. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | | 1 | L | S | | |
| <i>Thymus vulgaris</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | | S | C | | |
| <i>Tillandsia bergeri</i> Mez. | Bromeliaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | S | O | | |
| <i>Tipuana tipu</i> (Benth.) Kuntze | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | 1 | | | | | P | O | | |
| <i>Tithonia diversifolia</i> (Hemsl.) A.Gray | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | | | | | | S | O | | |
| <i>Todaroa aurea</i> (Sol.) Parl. subsp. <i>aurea</i> | Apiaceae | Acc | Acc | NL | NL | Acc | Acc | NL | | 1 | 1 | 1 | | | | | A | S | | |
| <i>Todaroa aurea</i> (Sol.) Parl. subsp. <i>suaveolens</i> P.Pérez | Apiaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | 1 | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Tolpis barbata</i> (L.) Gaertn. subsp. <i>barbata</i> | Asteraceae | NL | Acc | NL | Syn | AmUn | Syn | NL | | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Tolpis calderae</i> Bolle | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | 1 | | | | | | | P | S | | |
| <i>Tolpis coronopifolia</i> (Desf.) Bif. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 6 | 1 | 1 | 1 | | | | | A | S | | |
| <i>Tolpis crassiuscula</i> Svent. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | T | S | | |
| <i>Tolpis glabrescens</i> Kämmer | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | | | | | T | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orrham Crop | |
|--|----------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|--|
| | | | | | | | | | | | | | | | | | | | | | |
| <i>Tolpis laciniata</i> (Sch.Bip.) Webb | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | | | | A | S | | | |
| <i>Tolpis lagopoda</i> C.Sm. ex Link. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | 1 | 1 | | | | A | S | | | |
| <i>Tolpis proustii</i> Pit. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | 1 | | | | | A | S | | | |
| <i>Tolpis santosii</i> D.J.Crawford, Mort & J.K.Archibald | Asteraceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | | 1 | | | | | | P | S | | | |
| <i>Tolpis umbellata</i> Bertol. | Asteraceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Tolpis webbii</i> Sch.Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | T | S | | | |
| <i>Torilis arvensis</i> (Schult.) Thell. subsp. <i>neglecta</i> (Schult.) Thell. | Apiaceae | Acc | Acc | NL | Acc | Acc | Acc | Acc | | 1 | 1 | | 1 | | 1 | 1 | | P | | | |
| <i>Torilis elongata</i> (Hoffmanns. & Link) Samp. | Apiaceae | Acc | Acc | Acc | Syn | Syn | Acc | NL | 12 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Torilis leptophylla</i> (L.) Rchb.f. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Torilis nodosa</i> (L.) Gaertn. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Torilis webbii</i> Bianca | Apiaceae | Syn | Syn | Syn | Acc | Syn | Acc | Acc | | | | | 1 | | 1 | 1 | | P | | | |
| <i>Tradescantia cerinthoides</i> Kunth | Commelinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | | | 1 | | | S | O | | |
| <i>Tradescantia fluminensis</i> Vell. | Commelinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | 1 | 1 | 1 | | | | I | O | | |
| <i>Tradescantia pallida</i> (Rose) D.R.Hunt | Commelinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | 1 | 1 | 1 | 1 | | | | S | O | | |
| <i>Tradescantia sillamontana</i> Matuda | Commelinaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | | | | | | | S | | | |
| <i>Tradescantia spathacea</i> Sw. | Commelinaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | | | | | S | | | |
| <i>Tradescantia zebrina</i> Bosse | Commelinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | 1 | 1 | | | | S | O | | | |
| <i>Traganum moquinii</i> Webb ex Moq. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | 1 | 1 | 1 | | S | | | | |
| <i>Tragopogon porrifolius</i> L. subsp. <i>australis</i> (Jord.) Nyman | Asteraceae | NL | NL | NL | Acc | Acc | Acc | Acc | | | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Tragus racemosus</i> (L.) All. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Tribulus terrestris</i> L. | Zygophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 22 | | 1 | | 1 | 1 | 1 | | | P | | | |
| <i>Trichocereus macrogonus</i> (Salm-Dyck) Riccob. | Cactaceae | NL | NL | Acc | Syn | NL | Acc | NL | 14 | | | | 1 | | | | S | | O | | |
| <i>Tricholaena teneriffae</i> (L.f.) Link | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orram Crop |
|-------------------------------------|------------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Trichomanes speciosum</i> Willd. | Hymenophyllaceae | Syn | Syn | Acc | AmUn | Syn | Syn | Acc | 8 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Trifolium angustifolium</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Trifolium arvense</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Trifolium aureum</i> Pollich | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Trifolium bocconeii</i> Savi | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Trifolium campestre</i> Schreb. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Trifolium cernuum</i> Brot. | Fabaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 5 | | | | 1 | | | | P | | | |
| <i>Trifolium cherleria</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Trifolium dubium</i> Sibth. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Trifolium fragiferum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | 1 | | | P | | | |
| <i>Trifolium gemellum</i> Willd. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | 1 | | | | P | | | |
| <i>Trifolium glomeratum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Trifolium hirtum</i> All. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | | | | P | | | |
| <i>Trifolium lappaceum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | | | 1 | | P | | | |
| <i>Trifolium ligusticum</i> Loisel. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Trifolium micranthum</i> Viv. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | | | | | | | P | | | |
| <i>Trifolium obscurum</i> Savi | Fabaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Trifolium occidentale</i> Coombe | Fabaceae | NL | NL | Acc | Syn | Syn | Acc | Syn | 2 | 1 | | | | | | | S | | | |
| <i>Trifolium pratense</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | 1 | 1 | | S | | | |
| <i>Trifolium repens</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Trifolium resupinatum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | 1 | 1 | | | | P | | | |
| <i>Trifolium scabrum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Trifolium spumosum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | | | | P | | | |
| <i>Trifolium squamosum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | 1 | 1 | | | | | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orram Crop |
|---|----------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Trifolium squarrosum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Trifolium stellatum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Trifolium striatum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Trifolium subterraneum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Trifolium suffocatum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | | 1 | 1 | | | P | | | |
| <i>Trifolium tomentosum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Trigonella anguina</i> Delile | Fabaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 4 | | 1 | | | 1 | 1 | | P | | | |
| <i>Trigonella stellata</i> Forst. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | 1 | 1 | 1 | 1 | | S | | | |
| <i>Triplachne nitens</i> (Guss.) Link | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | 1 | 1 | 1 | | S | | | |
| <i>Tripleurospermum inodorum</i> (L.) Sch.Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 36 | | | | 1 | | | | S | | | |
| <i>Trisetaria lapalmae</i> H.Scholz | Poaceae | Acc | NL | Syn | Syn | Syn | Syn | NL | | 1 | 1 | | 1 | 1 | 1 | A | S | | | |
| <i>Trisetaria loeflingiana</i> (L.) Paunero | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | 1 | | | 1 | 1 | | | P | | | |
| <i>Trisetaria panicea</i> (Lam.) Paunero | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 22 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Trisetum tamonanteae</i> Marrero Rodr. & S. Scholz | Poaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | | | | | | 1 | | F | S | | |
| <i>Triticum aestivum</i> L. subsp. <i>aestivum</i> | Poaceae | NL | Acc | Acc | Syn | Acc | Acc | Acc | 89 | 1 | | | 1 | 1 | | | S | C | | |
| <i>Triticum turgidum</i> L. subsp. <i>durum</i> (Desf.) Husn. | Poaceae | Acc | NL | Acc | Syn | Acc | Acc | Syn | 59 | | | | 1 | | | | S | C | | |
| <i>Tropaeolum majus</i> L. | Tropaeolaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 20 | 1 | 1 | 1 | 1 | 1 | 1 | | I | O | | |
| <i>Tuberaria guttata</i> (L.) Fourr. | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 48 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Tuberaria lignosa</i> (Sweet) Samp. | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | | 1 | | | | | P | | | |
| <i>Turnera ulmifolia</i> L. | Passifloraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Typha domingensis</i> Pers. | Typhaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 28 | | 1 | 1 | 1 | 1 | | | P | | O | |
| <i>Ulex europaeus</i> L. subsp. <i>europaeus</i> | Fabaceae | Acc | NL | Acc | Syn | Acc | Acc | Acc | 12 | | | 1 | | | | | I | | | |
| <i>Ulmus minor</i> Mill. | Ulmaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 61 | 1 | | 1 | 1 | | | | S | | | |
| <i>Umbilicus heylandianus</i> Webb & Berthel. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 8 | 1 | | | 1 | | | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Oriam Crop |
|---|------------------|----------|------|------|-----|-----|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Umbilicus horizontalis</i> (Guss.) DC. | Crassulaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Urochloa mutica</i> (Forssk.) T.Q. Nguyen | Poaceae | Acc | NL | Acc | Syn | Syn | Syn | Syn | 14 | 1 | | | 1 | | | | I | | |
| <i>Urochloa plantaginea</i> (Link) R.D.Webster | Poaceae | Acc | NL | Acc | Syn | Syn | Syn | Syn | 6 | | | | 1 | | | | I | | |
| <i>Urochloa subquadripara</i> (Trin.) R.D.Webster | Poaceae | NL | NL | Acc | Syn | Syn | Acc | Syn | 5 | | | 1 | | | | | S | | |
| <i>Urospermum picroides</i> (L.) Scop. ex F.W.Schmidt | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Urtica membranacea</i> Poir. ex Savigny | Urticaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Urtica morifolia</i> Poir. | Urticaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | |
| <i>Urtica stachyoides</i> Webb & Berthel. | Urticaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | | 1 | 1 | | | A | S | |
| <i>Urtica urens</i> L. | Urticaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Vachellia farnesiana</i> (L.) Wight & Arn. | Fabaceae | Syn | Syn | Acc | Syn | Acc | Acc | Acc | 4 | 1 | | 1 | 1 | 1 | 1 | 1 | I | O | |
| <i>Valantia hispida</i> L. | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Valeriana calcitrapae</i> L. | Caprifoliaceae | Syn | Syn | Acc | Syn | NL | Syn | Syn | 13 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Valeriana carinata</i> (Loisel.) Christenh. & Byng | Caprifoliaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 8 | | | | 1 | | | | P | | |
| <i>Valeriana coronata</i> (L.) Mill. | Caprifoliaceae | Syn | Syn | Acc | Syn | Syn | Acc | Syn | 12 | | | | 1 | | | | P | | |
| <i>Valeriana dentata</i> (L.) All. | Caprifoliaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 21 | 1 | | | | | | | P | | |
| <i>Valeriana discoidea</i> (L.) Willd. | Caprifoliaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 8 | | | | 1 | | | | P | | |
| <i>Valeriana eriocarpa</i> (Desv.) Christenh. & Byng | Caprifoliaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 10 | | | 1 | 1 | | | | P | | |
| <i>Valeriana locusta</i> L. | Caprifoliaceae | Syn | Syn | Acc | Syn | Syn | Acc | Syn | 18 | | | 1 | 1 | | | | P | | |
| <i>Valeriana rubra</i> L. | Caprifoliaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 8 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | I | | |
| <i>Valerianella abyssinica</i> Fresen. | Caprifoliaceae | Syn | NL | Acc | Syn | Acc | Acc | Syn | 0 | | 1 | 1 | | | | | P | | |
| <i>Valerianella muricata</i> (Steven ex M.Bieb.) W.H.Baxter | Caprifoliaceae | Acc | Acc | Acc | Acc | Syn | Acc | Acc | 6 | | | 1 | | | | | P | | |
| <i>Verbascum creticum</i> (L.f.) Cav. | Scrophulariaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | 1 | | | | | S | | |
| <i>Verbascum sinuatum</i> L. | Scrophulariaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | | | 1 | | | | | S | | |
| <i>Verbascum thapsus</i> L. subsp. <i>thapsus</i> | Scrophulariaceae | Acc | NL | NL | NL | Acc | Acc | Acc | | | | 1 | | | | | I | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orram Crop |
|--|------------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Verbascum virgatum</i> Stokes | Scrophulariaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | | | | S | | | |
| <i>Verbena bonariensis</i> L. | Verbenaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | | | | S | C | | |
| <i>Verbena officinalis</i> L. | Verbenaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Verbena supina</i> L. | Verbenaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Verbesina encelioides</i> (Cav.) Benth. & Hook. ex A.Gray | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | | | | 1 | | | | S | O | | |
| <i>Veronica agrestis</i> L. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | | 1 | 1 | 1 | | | | S | | | |
| <i>Veronica anagallis-aquatica</i> L. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 26 | | | 1 | 1 | | | | P | | | |
| <i>Veronica arvensis</i> L. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Veronica beccabunga</i> L. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Veronica hederifolia</i> L. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | 1 | 1 | | | | P | | | |
| <i>Veronica persica</i> Poir. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Veronica polita</i> Fries | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | 1 | 1 | 1 | | | | P | | | |
| <i>Veronica serpyllifolia</i> L. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 26 | | | 1 | | | | | P | | | |
| <i>Viburnum rugosum</i> Pers. | Adoxaceae | Acc | Syn | Acc | Syn | Syn | Syn | Syn | 5 | 1 | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Vicia aphylla</i> C. Sm. ex Buch | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 3 | 1 | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Vicia articulata</i> Hornem. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Vicia benghalensis</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Vicia chaetocalyx</i> Webb & Berthel. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | | 1 | | | | C | S | | |
| <i>Vicia disperma</i> DC. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Vicia ervilia</i> (L.) Willd. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | 1 | 1 | | | | P | | | |
| <i>Vicia faba</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | | | 1 | 1 | | | | S | C | | |
| <i>Vicia filicaulis</i> Webb & Berthel. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | C | S | | |
| <i>Vicia hirsuta</i> (L.) Gray | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Vicia lens</i> (L.) Coss. & Germ. | Fabaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orram Crop |
|---|-------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Vicia lutea</i> L. subsp. <i>lutea</i> | Fabaceae | Acc | NL | Acc | Syn | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Vicia monantha</i> Retz. | Fabaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | | 1 | 1 | 1 | | P | | | |
| <i>Vicia nataliae</i> U.Reifenb. & U.Reifenb. | Fabaceae | Acc | Acc | Acc | AmUn | AmUn | Acc | NL | 0 | | | 1 | 1 | | | | A | S | | |
| <i>Vicia pannonica</i> Crantz | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 11 | 1 | | | 1 | 1 | | | | P | | |
| <i>Vicia parviflora</i> Cav | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Vicia pubescens</i> (DC.) Link. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Vicia sativa</i> L. subsp. <i>sativa</i> | Fabaceae | Acc | NL | Acc | Syn | Acc | Acc | Acc | 55 | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Vicia sativa</i> L. subsp. <i>amphicarpa</i> (Dorthes) Asch. & Graebn. | Fabaceae | Acc | NL | NL | Acc | Acc | Acc | Acc | | | | | | | | 1 | P | | | |
| <i>Vicia sativa</i> L. subsp. <i>cordata</i> (Wulfen ex T. Hoppe) Asch. & Graebn. | Fabaceae | Acc | Syn | NL | Acc | Acc | Acc | Acc | | | | | | | | 1 | P | | | |
| <i>Vicia sativa</i> L. subsp. <i>nigra</i> (L.) Ehrh. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 43 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Vicia scandens</i> R.P.Murray | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | T | P | | |
| <i>Vicia tenoi</i> Marrero Rodr. | Fabaceae | Acc | NL | NL | NL | AmUn | Acc | NL | | | | 1 | | | | | T | S | | |
| <i>Vicia tenuifolia</i> Roth | Fabaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | | P | | |
| <i>Vicia tenuifolia</i> Roth subsp. <i>dalmatica</i> (A.Kern.) Greuter | Fabaceae | Acc | NL | Syn | Acc | Acc | NL | Acc | | | | | 1 | | | | | P | | |
| <i>Vicia tetrasperma</i> (L.) Schreb. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Vicia villosa</i> Roth subsp. <i>villosa</i> | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | | | | | | | | P | | |
| <i>Vicia villosa</i> Roth subsp. <i>ambigua</i> (Guss.) Kerguelen | Fabaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 11 | | | 1 | | | | | S | | | |
| <i>Vicia villosa</i> Roth subsp. <i>varia</i> (Host) Corb. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Vicia voggenreiteriana</i> Gil, R. Mesa & M. L. Gil | Fabaceae | Acc | Acc | Acc | NL | AmUn | Acc | NL | 0 | | 1 | | | | | | G | S | | |
| <i>Vicia vulcanorum</i> J.Gil & M.L.Gil | Fabaceae | Acc | Acc | Acc | NL | AmUn | Acc | NL | 0 | 1 | | | 1 | 1 | | | A | S | | |
| <i>Vieraea laevigata</i> (Willd.) Webb ex Sch.Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | 1 | | | | | T | S | | |
| <i>Vinca difformis</i> Pourr. | Apocynaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | | | | | | S | O | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|--|------------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Vinca major</i> L. | Apocynaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | | | P | O | | |
| <i>Viola anagae</i> Gilli | Violaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | | | | 1 | | | T | S | | | |
| <i>Viola arvensis</i> Murray | Violaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | | 1 | 1 | 1 | | | | P | | | |
| <i>Viola cheiranthifolia</i> Bonpl. | Violaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 3 | | | | 1 | | | T | S | | | |
| <i>Viola guaxarensis</i> M. Marrero, Docoito Díaz & Martín Esquivel | Violaceae | Acc | NL | NL | NL | AmUn | NL | NL | | | | | 1 | | | T | S | | | |
| <i>Viola odorata</i> L. | Violaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 36 | | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Viola palmensis</i> (Webb & Berthel.) Sauer | Violaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 2 | | 1 | | | | | P | S | | | |
| <i>Viola plantaginea</i> Webb ex Christ | Violaceae | Acc | NL | Syn | Acc | Syn | Syn | Syn | 0 | | | 1 | | | | G | S | | | |
| <i>Viola riviniana</i> Rchb. | Violaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Viola tricolor</i> L. | Violaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 59 | | 1 | 1 | 1 | | | | S | | | |
| <i>Visnaga daucoides</i> Gaertn. | Apiaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 10 | | 1 | | | 1 | | | P | | | |
| <i>Visnea mocanera</i> L.f. | Pentaphylacaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Vitis vinifera</i> L. | Vitaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 45 | | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Volutaria bollei</i> (Sch.Bip. ex Bolle) A.Hansen & G.Kunkel | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | | | | 1 | 1 | A | S | |
| <i>Volutaria canariensis</i> Wagenitz | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | | |
| <i>Volutaria lippii</i> (L.) Cass. | Asteraceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | 1 | | | P | | | |
| <i>Volutaria tubuliflora</i> (Murb.) Sennen | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 4 | 1 | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Wahlenbergia lobelioides</i> (L.f.) Link. subsp. <i>lobelioides</i> | Campanulaceae | Acc | Acc | NL | Syn | AmUn | Acc | NL | | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Waltheria indica</i> L. | Malvaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 20 | | 1 | | | | | | S | | | |
| <i>Wigandia urens</i> (Ruiz & Pav.) Kunth | Boraginaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 29 | | | 1 | 1 | | | | S | O | | |
| <i>Withania aristata</i> (Aiton) Pauquy | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Withania frutescens</i> (L.) Pauq. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | 1 | | | P | | | |
| <i>Withania somnifera</i> (L.) Dunal. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 20 | 1 | 1 | 1 | 1 | | | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop |
|---|------------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Wolffia arrhiza</i> (L.) Horkel ex Wimm. | Araceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | | 1 | | | | | S | | |
| <i>Woodwardia radicans</i> (L.) Sm. | Blechnaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | | | | S | | |
| <i>Xanthium spinosum</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | | 1 | 1 | 1 | 1 | | S | | |
| <i>Xanthium strumarium</i> L. subsp. <i>strumarium</i> | Asteraceae | Syn | Syn | Acc | Acc | Acc | Acc | Syn | 56 | | | | 1 | 1 | 1 | 1 | | S | | |
| <i>Xerochrysum bracteatum</i> (Svent.) Tzvelev | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 30 | | | | 1 | | | | | S | O | |
| <i>Youngia japonica</i> (L.) DC. | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 29 | | | | 1 | | | | | I | | |
| <i>Zannichellia palustris</i> L. | Potamogetonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | 1 | 1 | 1 | | | | P | | |
| <i>Zantedeschia aethiopica</i> (L.) Spreng. | Araceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | O | |
| <i>Zea mays</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | C | |
| <i>Zostera noltii</i> Hornemann | Zosteraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 10 | | | | 1 | 1 | 1 | | | S | | |
| <i>Zoysia matrella</i> (L.) Merr. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | 1 | | | | | | | P | | |
| <i>Zygophyllum creticum</i> (L.) Christenh. & Byng | Zygophyllaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Zygophyllum fontanesii</i> Webb & Berthel. | Zygophyllaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 2 | 1 | | 1 | 1 | 1 | 1 | | | S | | |
| <i>Zygophyllum gaetulum</i> Emb. & Maire subsp. <i>gaetulum</i> | Zygophyllaceae | Syn | NL | NL | NL | NL | Syn | NL | | | | | 1 | 1 | | | | S | | |
| <i>Zygophyllum gaetulum</i> Emb. & Maire subsp. <i>waterlotii</i> (Maire) Dobignard, Jacquemoud & D.Jord. | Zygophyllaceae | Syn | Syn | Acc | Syn | Syn | Syn | NL | 2 | | | | 1 | | | | | S | | |

2 Species Level Only

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|---|---------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Aaronsohnia pubescens</i> (Desf.) K.Bremer & Humphries | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 3 | | | | | 1 | 1 | | P | | | |
| <i>Abutilon grandifolium</i> (Willd.) Sweet | Malvaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | | I | O | | |
| <i>Acacia cyclops</i> G. Don | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | | 1 | 1 | 1 | | I | O | | |
| <i>Acacia dealbata</i> Link | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | | 1 | | | | S | O | | |
| <i>Acacia decurrens</i> (J.C.Wendl.) Willd. | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 11 | | | | 1 | | | | S | O | | |
| <i>Acacia mearnsii</i> De Wild. | Fabaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | S | O | | |
| <i>Acacia melanoxylon</i> R.Br. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | 1 | | | | I | O | | |
| <i>Acacia salicina</i> Lindl. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | 1 | | | I | O | | |
| <i>Acacia saligna</i> (Labill.) Wendl. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | I | O | | |
| <i>Acanthus mollis</i> L. | Acanthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | | | | S | O | | |
| <i>Acer campestre</i> L. | Sapindaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 52 | | | | 1 | | | | S | O | | |
| <i>Acer pseudoplatanus</i> L. | Sapindaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | | | | 1 | | | | S | O | | |
| <i>Achillea maritima</i> (L.) Ehrend. & Y.P.Guo | Asteraceae | Acc | Acc | Acc | Acc | Acc | Syn | Acc | 6 | | | | 1 | 1 | | P | | | | |
| <i>Achillea millefolium</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 128 | | | | | | 1 | | S | | | |
| <i>Achyranthes aspera</i> L. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Acokanthera oblongifolia</i> (Hochst.) Benth. & Hook.f. ex B.D.Jacks | Apocynaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Adenocarpus foliolosus</i> (Aiton) DC. | Fabaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Adenocarpus ombriosus</i> Ceballos & Ortuno | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | 1 | | | | | | H | S | | | |
| <i>Adenocarpus viscosus</i> (Willd.) Webb & Berthel. | Fabaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | | | | A | S | | | |
| <i>Adiantum capillus-veneris</i> L. | Pteridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 34 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Adiantum hispidulum</i> Sw. | Pteridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | | | 1 | 1 | | | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop |
|--|---------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Adiantum raddianum</i> C. Presl | Pteridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | 1 | 1 | 1 | 1 | | | | S | | | |
| <i>Adiantum reniforme</i> L. | Pteridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Adonis microcarpa</i> DC. | Ranunculaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | | 1 | 1 | 1 | | | P | | |
| <i>Aegilops biuncialis</i> Vis. | Poaceae | Acc | Syn | Acc | Syn | Acc | Acc | Syn | 15 | | 1 | | | | | | P | | | |
| <i>Aegilops geniculata</i> Roth | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 22 | 1 | 1 | 1 | | | 1 | | P | | | |
| <i>Aegilops neglecta</i> Req. ex Bertol. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 27 | | | 1 | | 1 | | | P | | | |
| <i>Aeonium aizoon</i> (Bolle) T.H.M.Mes | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 2 | | | 1 | | | | | T | S | | |
| <i>Aeonium appendiculatum</i> Bañares | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | 1 | | | | | | G | S | | |
| <i>Aeonium arboreum</i> Webb & Berthel. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Aeonium aureum</i> (C.Sm. ex Hornem.) T.H.M.Mes | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | | | | A | S | | |
| <i>Aeonium balsamiferum</i> Webb & Berthel. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | | | | 1 | 1 | A | S | | |
| <i>Aeonium canariense</i> (L.) Webb & Berthel. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | | T | S | | |
| <i>Aeonium castello-paivae</i> Bolle | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 3 | | 1 | | | | | | G | S | | |
| <i>Aeonium ciliatum</i> (Willd.) Webb & Berthel. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 2 | | | 1 | | | | | T | S | | |
| <i>Aeonium cuneatum</i> Webb & Berthel. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | | T | S | | |
| <i>Aeonium davidbramwellii</i> H.Y.Liu | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | | | | | | P | S | | |
| <i>Aeonium decorum</i> Webb ex Bolle | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | | | | | | G | S | | |
| <i>Aeonium diplocyclum</i> (Webb ex Bolle) T.H.M.Mes | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | | | | | A | S | | |
| <i>Aeonium dodrantale</i> (Willd.) T.H.M.Mes | Crassulaceae | Acc | Syn | Acc | Acc | AmUn | Acc | NL | 4 | | | | 1 | | | | T | S | | |
| <i>Aeonium gomerense</i> (Praeger) Praeger | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | 1 | | | | | G | S | | |
| <i>Aeonium goochiae</i> Webb & Berthel. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | | | | | P | S | | |
| <i>Aeonium haworthii</i> Webb & Berthel. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | 1 | | | | | A | S | | |
| <i>Aeonium hierrense</i> (R.P.Murray) Pit. & Proust. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | | | | | | A | S | | |
| <i>Aeonium lancerottense</i> (Praeger) Praeger | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | | | 1 | L | S | | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orrham Crop |
|---|----------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Aeonium lindleyi</i> Webb & Berthel. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | | T | S | | |
| <i>Aeonium liui</i> Arango | Crassulaceae | Acc | NL | NL | NL | AmUn | Acc | NL | | | | | 1 | | | | T | S | | |
| <i>Aeonium mascaense</i> Bramwell | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | | | | T | S | | |
| <i>Aeonium nobile</i> (Praeger) Praeger | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | | | | | | P | S | | |
| <i>Aeonium palmense</i> Webb ex Christ | Crassulaceae | Syn | Syn | Acc | Syn | Syn | Syn | NL | 6 | 1 | 1 | | | | | | A | S | | |
| <i>Aeonium percarneum</i> (R.P.Murray) Pit. & Proust. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | C | S | | |
| <i>Aeonium pseudourbicum</i> Banares | Crassulaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 0 | | | | 1 | | | | T | S | | |
| <i>Aeonium rubrolineatum</i> Svent. | Crassulaceae | NL | Syn | Acc | Syn | Syn | Syn | NL | 1 | | 1 | | | | | | G | S | | 0 |
| <i>Aeonium saundersii</i> Bolle | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 2 | | 1 | | | | | | G | S | | |
| <i>Aeonium sedifolium</i> (Webb ex Bolle) Pit. & Proust. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | | | | | A | S | | |
| <i>Aeonium simsii</i> (Sweet) Stearn | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | 1 | | | | C | S | | |
| <i>Aeonium smithii</i> (Sims) Webb & Berthel. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | | T | S | | |
| <i>Aeonium spathulatum</i> (Hornem.) Praeger | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Aeonium tabuliforme</i> (Haw.) Webb & Berthel. | Crassulaceae | Acc | Syn | Acc | Acc | AmUn | Acc | Acc | 9 | | | 1 | | | | | T | S | | |
| <i>Aeonium undulatum</i> Webb & Berthel. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | C | S | | |
| <i>Aeonium urticum</i> (C.Sm. ex Hornem.) Webb & Berthel. | Crassulaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | | T | S | | |
| <i>Aeonium valerdense</i> (Praeger) Praeger | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | 1 | | | | | | | H | S | | |
| <i>Aeonium virginicum</i> Webb ex Christ | Crassulaceae | Syn | Syn | Acc | Syn | Acc | Syn | NL | 3 | | | | 1 | | | | C | S | | |
| <i>Aeonium volkeri</i> E.Hern. & Bañares | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | | | | | T | S | | |
| <i>Agapanthus praecox</i> Willd. | Amaryllidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | 1 | 1 | | | | | S | O | |
| <i>Agave americana</i> L. | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | I | O | | |
| <i>Agave angustifolia</i> Haw. | Asparagaceae | Acc | NL | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | 1 | 1 | | | S | O | | |
| <i>Agave attenuata</i> Salm-Dyck | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Agave filifera</i> Salm-Dyck | Asparagaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 4 | | | 1 | 1 | | | | I | O | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|---|-----------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Agave fourcroydes</i> Lem. | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | I | O | | |
| <i>Agave lechuguilla</i> Torr. | Asparagaceae | Acc | NL | Acc | Acc | AmUn | Acc | Acc | 5 | | 1 | | 1 | | | | S | O | | |
| <i>Agave macroacantha</i> Zucc. | Asparagaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 10 | 1 | | 1 | 1 | 1 | | | S | O | | |
| <i>Agave murpheyi</i> F.Gibson | Asparagaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | I | O | | |
| <i>Agave oteroii</i> G.D.Starr & TJ Davis | Asparagaceae | Acc | NL | Acc | NL | AmUn | Acc | NL | 0 | | | | 1 | | | | S | O | | |
| <i>Agave salmiana</i> Otto ex Salm-Dyck | Asparagaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | 1 | | | | S | O | | |
| <i>Agave sisalana</i> Perrine | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | | 1 | 1 | 1 | | I | O | | |
| <i>Agave tequilana</i> F.A.C.Weber | Asparagaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | 1 | | | | I | O | | |
| <i>Agave vivipara</i> L. | Asparagaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | I | O | | |
| <i>Ageratina adenophora</i> (Spreng.) R.M.King & H.Rob. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | I | O | | |
| <i>Ageratina riparia</i> (Regel) R.M.King & H.Rob. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | | | | | I | O | | |
| <i>Ageratum houstonianum</i> Mill. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | | | 1 | | | | | S | O | | |
| <i>Agrimonia eupatoria</i> L. | Rosaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | 1 | 1 | | | | | P | | | |
| <i>Agrostemma githago</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | | | | 1 | | | | P | | | |
| <i>Agrostis capillaris</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 70 | 1 | | | | | | | P | | | |
| <i>Agrostis castellana</i> Boiss. & Reut. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 23 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Agrostis pourretii</i> Willd. | Poaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 10 | | | 1 | | | | | I | | | |
| <i>Agrostis stolonifera</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 125 | 1 | | | | | | | P | | | |
| <i>Aichryson bituminosum</i> Bañares | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | | | | C | S | | | |
| <i>Aichryson bollei</i> Webb ex Bolle | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | | | | | P | S | | | |
| <i>Aichryson brevipetalum</i> Praeger | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | 1 | | | | | | P | S | | | |
| <i>Aichryson dichotomum</i> (DC.) Webb & Berthel. | Crassulaceae | NL | NL | Acc | Syn | Syn | Acc | NL | 3 | | 1 | 1 | | | | A | S | | | |
| <i>Aichryson laxum</i> (Haw.) Bramwell | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | | |
| <i>Aichryson pachycaulon</i> Bolle | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|---|----------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Aichryson palmense</i> Webb ex Bolle | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | | | P | S | | |
| <i>Aichryson parlatorei</i> Bolle | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Aichryson porphyrogennetos</i> Bolle | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | | | 1 | | | C | S | | |
| <i>Aichryson punctatum</i> (C.Sm. ex Link) Webb & Berthel. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Aichryson roseum</i> Bañares | Crassulaceae | Acc | NL | Acc | NL | Acc | Acc | NL | 0 | | | | | 1 | | | C | S | | |
| <i>Aichryson tortuosum</i> (Aiton) Webb & Berthel. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 9 | | | | | | 1 | L | S | | | |
| <i>Ailanthus altissima</i> (Mill.) Swingle | Simaroubaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 27 | | | | 1 | 1 | | | I | O | | |
| <i>Aira caryophyllea</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 41 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Aira cupaniana</i> Guss. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | 1 | 1 | 1 | | P | | | |
| <i>Aira elegans</i> Willd. ex Roem. & Schult. | Poaceae | Acc | Syn | Acc | NL | Acc | Acc | NL | 16 | | | 1 | | | | | P | | | |
| <i>Aira praecox</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | | | | 1 | | | | P | | | |
| <i>Aizoanthemopsis hispanica</i> (L.) Klak | Aizoaceae | Acc | Syn | Acc | NL | Acc | Acc | NL | 3 | | | 1 | | 1 | 1 | | P | | | |
| <i>Aizoon canariense</i> L. | Aizoaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Ajuga iva</i> (L.) Schreb. | Lamiaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 16 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Ajuga reptans</i> L. | Lamiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 13 | 1 | | | | | | | S | | | |
| <i>Alcea rosea</i> L. | Malvaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | | | | 1 | 1 | 1 | | S | O | | |
| <i>Alchemilla microcarpa</i> Boiss. & Reut. | Rosaceae | Syn | Syn | Acc | Syn | Syn | Syn | NL | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Alisma lanceolatum</i> With. | Alismataceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | | 1 | | | P | | | |
| <i>Allagopappus canariensis</i> (Willd.) Greuter | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | 1 | 1 | | | A | S | | |
| <i>Allagopappus viscosissimus</i> Bolle | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | | 1 | | | | C | S | | |
| <i>Allium ampeloprasum</i> L. | Amaryllidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 32 | 1 | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Allium canariense</i> (Regel) N.Friesen & P. Schönfelder | Amaryllidaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 1 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | | |
| <i>Allium neapolitanum</i> Cirillo | Amaryllidaceae | Syn | Syn | Acc | Acc | AmUn | Acc | Acc | 17 | | | 1 | | | | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop |
|---|------------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Allium nigrum</i> L. | Amaryllidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | | 1 | 1 | | | | | P | | |
| <i>Allium paniculatum</i> L. | Amaryllidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | | 1 | 1 | | | | | P | | |
| <i>Allium rotundum</i> L. | Amaryllidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 26 | | | 1 | 1 | | | | | P | | |
| <i>Allium sphaerocephalon</i> L. | Amaryllidaceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | | P | | |
| <i>Allium vineale</i> L. | Amaryllidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | 1 | | 1 | 1 | 1 | 1 | | | P | | |
| <i>Aloe arborescens</i> Mill. | Xanthorrhoeaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | 1 | 1 | 1 | 1 | | | S | O | |
| <i>Aloe maculata</i> All. | Xanthorrhoeaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | 1 | 1 | 1 | 1 | | | S | | |
| <i>Aloe vera</i> (L.) Burm.f. | Xanthorrhoeaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | O | |
| <i>Alojampelos ciliaris</i> (Haw.) Klopper & Gideon F.Sm. | Xanthorrhoeaceae | Syn | Syn | Acc | NL | Acc | Acc | Acc | 1 | | | 1 | 1 | | | | | S | O | |
| <i>Alopecurus geniculatus</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | | 1 | | | | | | P | | |
| <i>Alopecurus myosuroides</i> Huds. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | | 1 | 1 | 1 | 1 | | | P | | |
| <i>Alternanthera caracasana</i> Kunth | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Alyssum granatense</i> Boiss. & Reut. | Brassicaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 6 | | | | | | 1 | | | P | | |
| <i>Alyssum simplex</i> Rudolph | Brassicaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 10 | | | 1 | 1 | | | | | P | | |
| <i>Amaranthus albus</i> L. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | | | | 1 | | | | S | | |
| <i>Amaranthus blitoides</i> S.Watson | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | | 1 | 1 | 1 | 1 | | | S | | |
| <i>Amaranthus blitum</i> L. | Amaranthaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 32 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Amaranthus caudatus</i> L. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | | 1 | 1 | | | | | S | | |
| <i>Amaranthus cruentus</i> L. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 29 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | O | |
| <i>Amaranthus deflexus</i> L. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Amaranthus graecizans</i> L. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | | 1 | 1 | 1 | 1 | | | S | | |
| <i>Amaranthus hybridus</i> L. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 37 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Amaranthus muricatus</i> (Gillies ex Moq.) Hieron. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Amaranthus powellii</i> S. Watson | Amaranthaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 9 | | | 1 | 1 | | | | | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Orrham Crop |
|--|-----------------|----------|------|------|------|------|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Amaranthus retroflexus</i> L. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | 1 | | | 1 | 1 | | 1 | S | | |
| <i>Amaranthus standleyanus</i> Parodi ex Covas | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | | | | | S | | |
| <i>Amaranthus viridis</i> L. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | |
| <i>Amaryllis belladonna</i> L. | Amaryllidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 20 | | 1 | 1 | 1 | 1 | | | I | O | |
| <i>Ammi majus</i> L. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 37 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Ammi procerum</i> Lowe | Apiaceae | Acc | Acc | Syn | Syn | Acc | Acc | NL | 0 | | 1 | | | 1 | | | P | | |
| <i>Ammochloa pungens</i> (Schreb.) Boiss. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | 1 | | | | P | | |
| <i>Ammodaucus leucotrichus</i> Coss. | Apiaceae | Syn | Syn | Acc | Acc | Acc | Acc | NL | 2 | | | 1 | 1 | | | | S | | |
| <i>Amphilophium buccinatorium</i> (DC.) L.G.Lohmann | Bignoniaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 10 | | 1 | | 1 | | | | S | O | |
| <i>Anacyclus clavatus</i> (Desf.) Pers. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | | 1 | | | | 1 | | P | | |
| <i>Anacyclus radiatus</i> Loisel. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | 1 | | 1 | 1 | 1 | 1 | S | | | |
| <i>Anagyris latifolia</i> Brouss. ex Willd. | Fabaceae | Acc | Acc | Acc | AmUn | AmUn | Acc | Acc | 1 | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Anastatica hierochuntica</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | | | 1 | | P | | |
| <i>Anchusa azurea</i> Mill. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Andrachne telephioides</i> L. | Phyllantaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | | 1 | 1 | | | P | | |
| <i>Andropogon distachyos</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | 1 | 1 | | | | | P | | |
| <i>Andryala integrifolia</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 25 | 1 | | | | 1 | | | P | | |
| <i>Andryala perezii</i> M. Z. Ferreira, R. Jardim, Alv. Fern., & M. Seq. | Asteraceae | Acc | NL | Acc | NL | Acc | Acc | NL | 0 | | | 1 | 1 | 1 | 1 | A | S | | |
| <i>Andryala pinnatifida</i> Aiton | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | 1 | 1 | 1 | | | S | | |
| <i>Andryala rothia</i> Pers. | Asteraceae | Syn | Syn | Acc | Acc | Acc | Acc | NL | 7 | | 1 | | 1 | | | A | S | | |
| <i>Andryala webbii</i> Christ | Asteraceae | Syn | Acc | Acc | Acc | Acc | Acc | NL | 1 | 1 | 1 | | | | | A | S | | |
| <i>Anethum graveolens</i> L. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 20 | 1 | 1 | 1 | 1 | 1 | 1 | | P | C | |
| <i>Anogramma leptophylla</i> (L.) Link | Hemionitidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Anredera cordifolia</i> (Ten.) Steenis | Basellaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | I | O | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orrham Crop |
|--|-----------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Anthemis arvensis</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Anthemis cotula</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Anthoxanthum aristatum</i> Boiss. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Anthoxanthum odoratum</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | 1 | | 1 | 1 | | | | P | | |
| <i>Anthriscus caucalis</i> M.Bieb. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | 1 | | | 1 | | | | | S | | |
| <i>Antigonon leptopus</i> Hook. & Arn. | Polygonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | 1 | | | 1 | | | | S | | |
| <i>Antirrhinum majus</i> L. | Antirrhinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | O | |
| <i>Apium graveolens</i> L. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 27 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | C | |
| <i>Apium nodiflorum</i> (L.) Lag. | Apiaceae | Syn | Acc | Acc | Acc | Syn | Syn | Acc | 18 | | 1 | 1 | 1 | 1 | | | | P | | |
| <i>Apium repens</i> (Jacq.) Lag. | Apiaceae | Syn | Acc | Acc | Acc | Syn | Syn | Acc | 6 | | | 1 | | | | | | P | | |
| <i>Apteranthes burchardii</i> (N.E.Br.) Plowes | Asclepiadaceae | Acc | NL | Acc | Syn | Acc | Syn | NL | 2 | | | | | | 1 | 1 | A | S | O | |
| <i>Aquilegia vulgaris</i> L. | Ranunculaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 28 | | 1 | | | | | | | S | O | |
| <i>Arabidopsis thaliana</i> (L.) Heynh. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Arabis caucasica</i> Willd. | Brassicaceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 18 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Arabis nova</i> Vill. | Brassicaceae | Syn | NL | Acc | Acc | Acc | Acc | Acc | 11 | | 1 | | 1 | 1 | 1 | | | P | | |
| <i>Arabis recta</i> Vill. | Brassicaceae | NL | Acc | Acc | Acc | Syn | Syn | Acc | 18 | | 1 | | 1 | 1 | | | | P | | |
| <i>Arbutus canariensis</i> Duhamel | Auracariaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Arbutus unedo</i> L. | Ericaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | | 1 | 1 | | | | | I | O | |
| <i>Arenaria serpyllifolia</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Argemone mexicana</i> L. | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | | 1 | | 1 | 1 | | | | I | O | |
| <i>Argemone ochroleuca</i> Sweet | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | 1 | | 1 | 1 | | | | S | O | |
| <i>Argyranthemum adauctum</i> (Link) Humphries | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | T | S | | |
| <i>Argyranthemum broussonetii</i> (Pers.) Humphries | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | T | S | | |
| <i>Argyranthemum callichrysum</i> (Svent.) Humphries | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | | | | | | G | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop |
|--|------------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Argyranthemum callichrysum</i> (Svent.) Humphries | Asteraceae | Syn | Syn | NL | NL | Syn | Syn | NL | | | | | 1 | | | | G | S | | |
| <i>Argyranthemum coronopifolium</i> (Wild.) Webb | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | | 1 | | | | T | S | | | |
| <i>Argyranthemum escarrei</i> (Svent.) Humphries | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | C | S | | | |
| <i>Argyranthemum filifolium</i> (Sch.Bip.) Humphries | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 2 | | | 1 | | | | T | S | | | |
| <i>Argyranthemum foeniculaceum</i> (Willd.) Webb ex Sch.Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | | | | T | S | | | |
| <i>Argyranthemum frutescens</i> (L.) Sch.Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | | 1 | 1 | 1 | A | S | | | |
| <i>Argyranthemum gracile</i> Webb ex Sch.Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | T | S | | | |
| <i>Argyranthemum haouarytheum</i> Humphries & Bramwell | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | | | | P | S | | | |
| <i>Argyranthemum hierrense</i> Humphries | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | | H | S | | | |
| <i>Argyranthemum lemsii</i> Humphries | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | T | S | | | |
| <i>Argyranthemum lidii</i> Humphries | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | | 1 | | | C | S | | | |
| <i>Argyranthemum maderense</i> (D.Don) Humphries | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | | | | 1 | L | S | | |
| <i>Argyranthemum sundingii</i> L.Borgen | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | | | | T | S | | | |
| <i>Argyranthemum sventenii</i> Humphries & Aldridge | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | | H | S | | | |
| <i>Argyranthemum tenerifae</i> Humphries | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | 1 | | | | T | S | | | |
| <i>Argyranthemum vincentii</i> Santos & Feria | Asteraceae | NL | Acc | NL | AmUn | Acc | Acc | NL | | | | 1 | | | | T | S | | | |
| <i>Argyranthemum webbii</i> Sch.Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | | | | | P | S | | | |
| <i>Argyranthemum winteri</i> (Svent.) Humphries | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | | 1 | | F | S | | | |
| <i>Argyrolobium armindae</i> Marrero Rodr. | Fabaceae | Acc | Acc | Acc | AmUn | AmUn | Acc | NL | 0 | | | 1 | | | | C | S | | | |
| <i>Aria edulis</i> (Willd.) M. Roem. | Rosaceae | Syn | Syn | Acc | AmUn | Acc | Acc | NL | 40 | 1 | 1 | 1 | | | | P | | | | |
| <i>Arisarum simorrhinum</i> Durieu | Araceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | 1 | 1 | 1 | S | | | | |
| <i>Aristida adscensionis</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 92 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | | |
| <i>Aristolochia paucinervis</i> Pomel | Aristolochiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | 1 | 1 | | | | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|---|----------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Arnebia decumbens</i> (Vent.) Coss. & Kralik | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | | | | 1 | 1 | 1 | 1 | | P | | |
| <i>Arrhenatherum calderae</i> A.Hansen | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | | | | | A | S | | |
| <i>Arrhenatherum elatius</i> (L.) P.Beauv. ex J.Presl & C.Presl. | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Artemisia ramosa</i> C.Sm. ex Link | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | 1 | | | | A | S | | |
| <i>Artemisia reptans</i> C.Sm. ex Link | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | 1 | 1 | | | A | S | | |
| <i>Artemisia thuscula</i> Cav. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Arthrocaulon macrostachyum</i> (Moric.) Piirainen & G.Kadereit | Chenopodiaceae | Syn | Syn | Acc | NL | Acc | Acc | NL | 9 | | | 1 | 1 | 1 | 1 | | S | | | |
| <i>Arum italicum</i> Mill. | Araceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Arundo donax</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 25 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | I | O | | |
| <i>Asclepias curassavica</i> L. | Asclepiadaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Asparagus aethiopicus</i> L. | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | 1 | | | | P | | | |
| <i>Asparagus albus</i> L. | Asparagaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | 1 | 1 | 1 | | S | | | |
| <i>Asparagus arborescens</i> Willd. ex Schult. & Schult.f. | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | | |
| <i>Asparagus asparagoides</i> (L.) Druce | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | 1 | 1 | | P | O | | |
| <i>Asparagus fallax</i> Svent. | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | | | | | A | S | | |
| <i>Asparagus horridus</i> L. | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | | | 1 | 1 | S | |
| <i>Asparagus nesiotes</i> Svent. | Asparagaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | | | | | 1 | 1 | A | S |
| <i>Asparagus pastorianus</i> Webb & Berthel. | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | 1 | 1 | 1 | | S | | | |
| <i>Asparagus plocamoides</i> Webb ex Svent. | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | | | | A | S | | |
| <i>Asparagus scoparius</i> Lowe | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Asparagus setaceus</i> (Kunth) Jessop | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | | | | | S | | |
| <i>Asparagus umbellatus</i> Link | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Asperula gemella</i> Airy Shaw & Turrill | Rubiaceae | Syn | NL | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | | | 1 | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orrham Crop |
|---|---------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Asphodelus aestivus</i> Brot. | Asphodelaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Asphodelus ayardii</i> Jahand. & Maire | Asphodelaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | | 1 | | | | P | | |
| <i>Asphodelus fistulosus</i> L. | Asphodelaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Asphodelus ramosus</i> L. | Asphodelaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Asphodelus tenuifolius</i> Cav. | Asphodelaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Asplenium adiantum-nigrum</i> L. | Aspleniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Asplenium aethiopicum</i> (Burm. f.) Bech. | Aspleniaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Asplenium anceps</i> Lowe ex Hook. & Grev. | Aspleniaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | | | | | S | | |
| <i>Asplenium aureum</i> Cav. | Aspleniaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Asplenium hemionitis</i> L. | Aspleniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Asplenium monanthes</i> L. | Aspleniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | | | | | | | P | | |
| <i>Asplenium obovatum</i> Viv. | Aspleniaceae | Acc | NL | Acc | AmUn | Acc | Acc | Acc | 0 | 1 | | 1 | 1 | 1 | 1 | | | S | | |
| <i>Asplenium onopteris</i> L. | Aspleniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Asplenium scolopendrium</i> L. | Aspleniaceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | 1 | 1 | | | | | S | | |
| <i>Asplenium septentrionale</i> (L.) Hoffm. | Aspleniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | 1 | 1 | | | | | | S | | |
| <i>Asplenium sulcatum</i> Lam. | Aspleniaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Asplenium terrene</i> G.Kunkel | Aspleniaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | | | 1 | | | C | S | | | |
| <i>Asplenium trichomanes</i> L. | Aspleniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | | | | | | | S | | |
| <i>Asteriscus aquaticus</i> (L.) Less. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | 1 | 1 | 1 | 1 | | | | | P | | |
| <i>Asteriscus graveolens</i> (Forssk.) Less. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | | 1 | | | | S | | |
| <i>Asteriscus intermedius</i> (DC.) Pit. & Proust | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | | | | 1 | L | S | | |
| <i>Asteriscus schultzii</i> (Bolle) Pit. & Proust | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | | 1 | 1 | | | S | | |
| <i>Asteriscus sericeus</i> (L.f.) DC. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | | 1 | 1 | 1 | | A | S | | | |
| <i>Astragalus boeticus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | | 1 | 1 | 1 | 1 | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orrham Crop |
|--|-----------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Astragalus edulis</i> Durand ex Bunge | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | | 1 | 1 | | P | |
| <i>Astragalus hamosus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 24 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | |
| <i>Astragalus mareoticus</i> Delile | Fabaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | | | | 1 | 1 | | S | |
| <i>Astragalus sinaicus</i> Boiss. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | | 1 | 1 | | P | |
| <i>Astragalus solandri</i> Lowe | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 4 | | | | 1 | 1 | 1 | 1 | 1 | | P | |
| <i>Astragalus stella</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | | | | | 1 | 1 | | P | |
| <i>Astydamia latifolia</i> (L.f.) Baill. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | |
| <i>Athamanta cervariifolia</i> (DC.) DC. | Apiaceae | Acc | Syn | Acc | Acc | Acc | Acc | Syn | 2 | 1 | 1 | 1 | 1 | | | | | A | S | |
| <i>Athamanta montana</i> (Webb ex Christ) Spalik & Wojew. & S.R.Downie | Apiaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | | | | A | S | |
| <i>Athyrium filix-femina</i> (L.) Roth | Athyriaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | 1 | | | | | S | |
| <i>Atocion armeria</i> (L.) Raf. | Caryophyllaceae | NL | NL | Acc | Syn | Syn | Acc | Syn | 18 | | 1 | | | | | | | | S | |
| <i>Atractylis arbuscula</i> Svent & Michaelis | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | NL | 0 | | | | | | | 1 | 1 | A | S | |
| <i>Atractylis cancellata</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | |
| <i>Atractylis preauxiana</i> Sch.Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | 1 | | | | A | S | |
| <i>Atriplex glauca</i> L. | Chenopodiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | | P | |
| <i>Atriplex halimus</i> L. | Chenopodiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | | 1 | 1 | 1 | 1 | | | P | |
| <i>Atriplex lindleyi</i> Moq. | Chenopodiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | | | | 1 | | | S | |
| <i>Atriplex nummularia</i> Lindl. | Chenopodiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | 1 | 1 | 1 | | | | S | |
| <i>Atriplex portulacoides</i> L. | Chenopodiaceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | | 1 | | 1 | | | | S | |
| <i>Atriplex prostrata</i> Boucher ex DC. | Chenopodiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 43 | | | | 1 | | 1 | | | | S | |
| <i>Atriplex semibaccata</i> R.Br. | Chenopodiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | I | |
| <i>Atriplex semilunaris</i> Aellen | Chenopodiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | | | | 1 | 1 | | I | |
| <i>Atriplex suberecta</i> Verd. | Chenopodiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | 1 | 1 | 1 | | | S | |
| <i>Astrocytindropuntia cylindrica</i> (Lam.) Backeb. | Cactaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | | 1 | 1 | 1 | 1 | | | S | O | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Ornam Crop |
|---|----------------|----------|------|------|------|-----|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Austrocylindropuntia subulata</i> (Muehlenpf.) Backeb. | Cactaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | |
| <i>Avellinia festucoides</i> (Link) Valdés & H.Scholz | Poaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 23 | | 1 | 1 | | | | | I | | |
| <i>Avena barbata</i> Pott ex Link | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 24 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Avena byzantina</i> K.Koch | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | | | | | | P | | |
| <i>Avena canariensis</i> B.R.Baum, Rajhathy & D.R.Sampson | Poaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 0 | | | 1 | 1 | 1 | A | S | | | |
| <i>Avena fatua</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 28 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Avena longiglumis</i> Durieu | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | P | | |
| <i>Avena sativa</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 44 | | | 1 | 1 | 1 | 1 | | P | C | |
| <i>Avena sterilis</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Avena strigosa</i> Schreb. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | | | | | | P | | |
| <i>Azolla filiculoides</i> Lam. | Salviniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | | | | | I | O | |
| <i>Balanites aegyptiaca</i> (L.) Delile | Zygophyllaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | | S | O | |
| <i>Ballota nigra</i> L. | Lamiaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 4 | 1 | | | | | | | S | | |
| <i>Bambusa vulgaris</i> Schrad. ex J.C. Wendl. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 25 | | | | 1 | | | | S | O | |
| <i>Barbarea verna</i> (Mill.) Asch. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | | | | | P | | |
| <i>Bassia hyssopifolia</i> (Pall.) Kuntze | Amaranthaaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | | | 1 | 1 | 1 | | | P | | |
| <i>Bassia scoparia</i> (L.) A.J.Scott | Amaranthaaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 39 | | 1 | 1 | 1 | 1 | | | S | O | |
| <i>Bassia tomentosa</i> (Lowe) Maire & Weiller | Amaranthaaceae | Acc | Acc | Acc | Acc | Syn | Syn | Acc | 7 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Begonia subvillosa</i> Klotzsch | Begoniaceae | Syn | NL | Acc | Acc | Acc | Acc | Acc | 6 | 1 | | | | | | | S | O | |
| <i>Bellardia trixago</i> (L.) All. | Orobanchaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 25 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Bellis annua</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | S | | |
| <i>Bellis perennis</i> L. | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | | | | | | P | | |
| <i>Bencomia brachystachya</i> Svent. | Rosaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | | 1 | | | | C | S | | |
| <i>Bencomia caudata</i> (Aiton) Webb & Berthel. | Rosaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 1 | 1 | 1 | 1 | | | | A | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orrham Crop |
|--|-----------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Bencomia exstipulata</i> Svent. | Rosaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | 1 | | | 1 | | | | A | S | | |
| <i>Bencomia sphaerocarpa</i> Svent. | Rosaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | 1 | | | | | | | H | S | | |
| <i>Beta macrocarpa</i> Guss. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | | 1 | 1 | 1 | | P | | | |
| <i>Beta vulgaris</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 46 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | C |
| <i>Bethencourtia hermosae</i> (Pit.) G.Kunkel | Asteraceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 2 | | | 1 | | | | | G | S | | |
| <i>Bethencourtia palmensis</i> (Nees) Choisy ex Link | Asteraceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 3 | 1 | | 1 | | | | | A | S | | |
| <i>Bethencourtia rupicola</i> (B.Nord.) B.Nord | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | NL | 1 | | 1 | | | | | | S | | | |
| <i>Biancaea decapetala</i> (Roth) O.Deg. | Fabaceae | Syn | NL | Acc | Syn | NL | Syn | NL | 14 | | | | | 1 | | | | S | O | |
| <i>Bidens aurea</i> (Aiton) Sherff | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 39 | 1 | 1 | 1 | 1 | 1 | 1 | | I | | | |
| <i>Bidens pilosa</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 73 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | | |
| <i>Bifora testiculata</i> (L.) Roth | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | | 1 | | | | P | | | |
| <i>Biscutella auriculata</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Biserrula pelecinus</i> L. | Fabaceae | Syn | Acc | Acc | Syn | Syn | Syn | NL | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Bituminaria bituminosa</i> (L.) C.H.Stirt. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 22 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Blackstonia imperfoliata</i> (L.f.) Samp. | Gentianaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | | | | P | | | |
| <i>Blechnum spicant</i> (L.) Sm. | Blechnaceae | Syn | Acc | Acc | Acc | Syn | Acc | Acc | 35 | | 1 | 1 | | | | | S | | | |
| <i>Bolboschoenus glaucus</i> (Lam.) S.G.Sm. | Cyperaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 8 | | | 1 | | | | | S | | | |
| <i>Bolboschoenus maritimus</i> (L.) Palla | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | 1 | 1 | | | | P | | | |
| <i>Borago officinalis</i> L. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | C | | |
| <i>Bosea yervamora</i> L. | Amaranthaaceae | Acc | Acc | Acc | Acc | AmUn | Syn | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Bothriochloa insculpta</i> (Hochst. ex A. Rich.) & A. Camus | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | 1 | | | | P | | | |
| <i>Bothriochloa ischaemum</i> (L.) Keng | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 16 | | | 1 | | | | | P | | | |
| <i>Bothriochloa pertusa</i> (L.) A. Camus | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | 1 | 1 | | | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orrham Crop |
|---|--------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Brachypodium arbuscula</i> (Gay ex St.-Yves) Gay ex St.-Yves | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | 1 | 1 | | | | A | S | | |
| <i>Brachypodium distachyon</i> (L.) P.Beauv. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 53 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Brachypodium glaucovirens</i> (Murb.) Sagorski | Poaceae | Acc | Acc | Acc | Syn | Acc | Acc | NL | 1 | | 1 | | | | | | | S | | |
| <i>Brachypodium phoenicoides</i> (L.) Roem. & Schult. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | | | | | | 1 | | | P | |
| <i>Brachypodium sylvaticum</i> (Huds.) P.Beauv. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | A | P | | |
| <i>Brassica bourgeauii</i> (Webb ex Christ) Kuntze | Brassicaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | | 1 | | A | S | | |
| <i>Brassica napus</i> L. | Brassicaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 28 | | | | | | 1 | | | P | C | |
| <i>Brassica nigra</i> (L.) K.Koch | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 24 | | | 1 | 1 | | | 1 | | P | C | |
| <i>Brassica oleracea</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 45 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | C | |
| <i>Briza maxima</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Briza media</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | | | 1 | 1 | | | | P | | |
| <i>Briza minor</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | | | | P | | |
| <i>Bromus catharticus</i> Vahl. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 44 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Bromus commutatus</i> Schrad. | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 4 | | 1 | | | | | | | P | | |
| <i>Bromus diandrus</i> Roth. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Bromus hordeaceus</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Bromus lanceolatus</i> Roth. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Bromus lepidus</i> Holmb. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | | | 1 | | | P | | |
| <i>Bromus madritensis</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 31 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Bromus rigidus</i> Roth. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Bromus rubens</i> L. | Poaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Bromus secalinus</i> L. | Poaceae | Syn | NL | Acc | Acc | Acc | Acc | Acc | 23 | | 1 | | | | | | | P | | |
| <i>Bromus squarrosus</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | | | | | 1 | | | P | | |
| <i>Bromus sterilis</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 23 | 1 | 1 | | | | | | | P | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orrham Crop |
|---|-----------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Bromus tectorum</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 23 | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Bryonia verrucosa</i> Aiton | Cucurbitaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | | |
| <i>Bufonia paniculata</i> Dubois | Caryophyllaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 4 | | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Buglossoides arvensis</i> (L.) I.M.Johnst. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | | | | 1 | 1 | 1 | 1 | P | | | |
| <i>Bupleurum handiense</i> (Bolle) G.Kunkel | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | | 1 | 1 | A | S | | |
| <i>Bupleurum lancifolium</i> Hornem. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | 1 | 1 | | | | | P | | |
| <i>Bupleurum salicifolium</i> R.Br. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | 1 | 1 | | | | S | | | |
| <i>Bupleurum semicompositum</i> L. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | | 1 | 1 | 1 | 1 | 1 | S | | | |
| <i>Bystropogon canariensis</i> (L.) L'Hér. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Bystropogon odoratissimus</i> Bolle | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | | | | T | S | | |
| <i>Bystropogon origanifolius</i> L'Hér. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | 1 | | | | A | S | | |
| <i>Bystropogon plumosus</i> (L.f.) L'Hér. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | 1 | | | | | T | S | | |
| <i>Bystropogon wildpretii</i> La Serna | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | | | P | S | | |
| <i>Cakile maritima</i> Scop. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 24 | | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Calamagrostis arenaria</i> (L.) Roth | Poaceae | Acc | Syn | Acc | Syn | Syn | Syn | NL | 8 | | | | | | 1 | | P | | | |
| <i>Calceolaria tripartita</i> Ruiz & Pav. | Calceolariaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 30 | 1 | | 1 | | | | | S | O | | |
| <i>Calendula arvensis</i> M.Bieb. | Asteraceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 28 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | | |
| <i>Calendula officinalis</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | | | S | C | | |
| <i>Calendula stellata</i> Cav. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | | 1 | 1 | | | S | | | |
| <i>Calendula suffruticosa</i> Vahl | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | P | | | |
| <i>Calendula tripterocarpa</i> Rupr. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Callitricha stagnalis</i> Scop. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | 1 | 1 | 1 | | | | P | | | |
| <i>Calotropis procera</i> (Aiton) Dryand. | Apocynaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | | 1 | 1 | | | | I | | | |
| <i>Calystegia soldanella</i> (L.) R.Br. | Convolvulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | | | | | 1 | | P | | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop |
|---|------------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Camelina microcarpa</i> Andr. ex DC. | Brassicaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 14 | | | | | 1 | | | | P | | |
| <i>Campanula dichotoma</i> L. | Campanulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | 1 | | 1 | 1 | | S | | | |
| <i>Campanula erinus</i> L. | Campanulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Camptoloma canariense</i> (Webb & Berthel.) Hilliard | Scrophulariaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | | 1 | | | C | S | | |
| <i>Campylanthus salsolooides</i> (L.f.) Roth | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Canaria tortuosa</i> (Webb & Berthel.) Jim.Mejías & P.Vargas | Apiaceae | Acc | Syn | Acc | NL | Acc | Acc | NL | 5 | 1 | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Canarina canariensis</i> (L.) Vatke | Campanulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Canna glauca</i> L. | Cannaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 18 | | 1 | | | | | | S | O | | |
| <i>Canna indica</i> L. | Cannaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 116 | | 1 | 1 | 1 | 1 | | | S | O | | |
| <i>Capparis spinosa</i> L. | Capparaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | | | | | | | S | C | | |
| <i>Capsella bursa-pastoris</i> (L.) Medik. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 237 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Capsella rubella</i> Reut. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | | | | | P | | | |
| <i>Capsicum annuum</i> L. | Solanaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 80 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Cardamine hirsuta</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 25 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Cardiospermum grandiflorum</i> Sw. | Sapindaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | 1 | 1 | 1 | 1 | | | I | O | | |
| <i>Cardiospermum halicacabum</i> L. | Sapindaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | 1 | | | S | O | | |
| <i>Carduus baeocephalus</i> Webb | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | 1 | | | C | S | | |
| <i>Carduus bourgaei</i> Kazmi | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | | | | 1 | | F | S | | |
| <i>Carduus clavulatus</i> Link | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Carduus pycnocephalus</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Carduus tenuiflorus</i> Curtis | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Carduus volatariooides</i> Reyes-Bet. | Asteraceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | | | 1 | | | | T | S | | |
| <i>Carex canariensis</i> Kük. | Cyperaceae | Acc | Acc | Acc | Syn | Acc | Acc | NL | 1 | | | | 1 | | | | A | S | | |
| <i>Carex demissa</i> Hornem. | Cyperaceae | Acc | Acc | Acc | | | | | | | | | 1 | | | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop |
|--|---------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Carex distachya</i> Desf. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | | | | | P | | | |
| <i>Carex distans</i> L. | Cyperaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | 1 | | | | | P | | | |
| <i>Carex divisa</i> Huds. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 34 | 1 | | | | | | | P | | | |
| <i>Carex divulsa</i> Stokes | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Carex leersii</i> F.W. Schultz | Cyperaceae | NL | Syn | Acc | Acc | Acc | Acc | Acc | 10 | | 1 | 1 | 1 | | | | P | | | |
| <i>Carex otrubae</i> Podp. | Cyperaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 8 | | 1 | 1 | 1 | | | | P | | | |
| <i>Carex pairae</i> F.W.Schultz | Cyperaceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | 1 | 1 | | | | P | | | |
| <i>Carex paniculata</i> L. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | 1 | | | | | S | | | |
| <i>Carex perraudieriana</i> (Kük. ex Bornm.) Gay ex Kük. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | | | | A | S | | | |
| <i>Carex pseudocyperus</i> L. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | P | | | |
| <i>Carica papaya</i> L. | Caricaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 31 | 1 | 1 | 1 | 1 | 1 | | | S | C | | |
| <i>Carlina canariensis</i> Pit. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | C | S | | |
| <i>Carlina falcata</i> Svent. | Asteraceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 1 | 1 | 1 | 1 | | | | A | S | | | |
| <i>Carlina salicifolia</i> (L.f.) Cav. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | | | | S | | | |
| <i>Carlina texedae</i> Marrero Rodr. | Asteraceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 0 | | | | 1 | | | | C | S | | |
| <i>Carlina xeranthemoides</i> L.f. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | T | S | | | |
| <i>Caroxylon tetrandrum</i> (Forssk.) Akhani & Roalson | Amaranthaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 5 | | | | | 1 | 1 | | P | | | |
| <i>Caroxylon vermiculatum</i> (L.) Akhani & Roalson | Amaranthaceae | Acc | Acc | Acc | Syn | Syn | Syn | Syn | 15 | | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Carpobrotus acinaciformis</i> (L.) L.Bolus | Aizoaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | 1 | | | | | I | O | | |
| <i>Carpobrotus edulis</i> (L.) N.E.Br. | Aizoaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | I | O | | |
| <i>Carrichtera annua</i> (L.) DC. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Carthamus caeruleus</i> L. | Asteraceae | Syn | Syn | Acc | Acc | Syn | Syn | Acc | 14 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Carthamus lanatus</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Carthamus tinctorius</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | | | | S | C | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Oriham Crop |
|--|---------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Cascabela thevetia</i> (L.) Lippold | Apocynaceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | | | | S | O | | |
| <i>Castanea sativa</i> Mill. | Fagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | | | I | C | | |
| <i>Castellia tuberculosa</i> (Moris) Bor | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Casuarina cunninghamiana</i> Miq. | Casuarinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | 1 | | | | | S | O | | |
| <i>Casuarina equisetifolia</i> L. | Casuarinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | 1 | 1 | | | S | O | | |
| <i>Casuarina glauca</i> Sieber ex Spreng. | Casuarinaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Catapodium marinum</i> (L.) C.E.Hubb. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 22 | | | | | | 1 | 1 | P | | | |
| <i>Catapodium rigidum</i> (L.) C.E.Hubb. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Catharanthus roseus</i> (L.) G. Don | Apocynaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Cedronella canariensis</i> (L.) Webb & Berthel. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Ceiba pentandra</i> (L.) Gaertn. | Malvaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 22 | | | 1 | | | | | S | C | | |
| <i>Celtis australis</i> L. | Ulmaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | 1 | 1 | | | | | S | O | | |
| <i>Cenchrus americanus</i> (L.) Morrone | Poaceae | NL | Syn | Acc | AmUn | Acc | Acc | Syn | 58 | 1 | 1 | 1 | 1 | | | | S | O | | |
| <i>Cenchrus ciliaris</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 20 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | O | |
| <i>Cenchrus clandestinus</i> (Hochst. ex Chiov.) Morrone | Poaceae | Acc | NL | Acc | NL | Acc | Acc | Syn | 3 | 1 | 1 | 1 | 1 | 1 | | | I | O | | |
| <i>Cenchrus divisus</i> (J.F.Gmel.) Verloove, Govaerts & Buttler | Poaceae | NL | NL | Acc | NL | Acc | Acc | NL | 9 | | | 1 | 1 | | | | S | O | | |
| <i>Cenchrus echinatus</i> L. | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 10 | | | 1 | | | | | I | O | | |
| <i>Cenchrus geniculatus</i> Thunb. | Poaceae | Acc | NL | Acc | Syn | Acc | Acc | NL | 12 | 1 | 1 | | | | | | S | O | | |
| <i>Cenchrus longisetus</i> M.C. Johnst. | Poaceae | Acc | Syn | Acc | Syn | Acc | Acc | Syn | 3 | 1 | 1 | 1 | | | | | S | O | | |
| <i>Cenchrus orientalis</i> (Rich.) Morrone | Poaceae | Acc | NL | Acc | Syn | Acc | Acc | Syn | 12 | 1 | 1 | 1 | | | | | I | O | | |
| <i>Cenchrus purpureus</i> (Schumach.) Morrone | Poaceae | Acc | Syn | Acc | AmUn | Acc | Acc | Syn | 13 | 1 | 1 | 1 | 1 | 1 | | | I | O | | |
| <i>Cenchrus setaceus</i> (Forssk.) Morrone | Poaceae | Acc | Syn | Acc | AmUn | Acc | Acc | Syn | 10 | 1 | 1 | 1 | 1 | 1 | 1 | | I | O | | |
| <i>Centaurea aspera</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | | | | | P | | | |
| <i>Centaurea bimorpha</i> Viv. | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | NL | 4 | | | | | | 1 | | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orrham Crop |
|---|------------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Centaurea calcitrapa</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Centaurea conocephala</i> Bolle | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | | | | | T | S | | |
| <i>Centaurea diluta</i> Aiton | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | 1 | | | | | | P | |
| <i>Centaurea eriophora</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | | | | | | | P | |
| <i>Centaurea gentilii</i> Braun-Blanq. & Maire | Asteraceae | Syn | Acc | Acc | Syn | Syn | Syn | Syn | 3 | | | | | | | | | | P | |
| <i>Centaurea melitensis</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Centaurium erythraea</i> Rafn | Gentianaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 36 | 1 | 1 | | 1 | 1 | | | | | P | |
| <i>Centaurium maritimum</i> (L.) Fritsch | Gentianaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | | | | | | | | | P | |
| <i>Centaurium pulchellum</i> (Sw.) Druce | Gentianaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 49 | 1 | 1 | 1 | 1 | 1 | 1 | | | | P | |
| <i>Centaurium tenuiflorum</i> (Hoffmanns. & Link) Fritsch | Gentianaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | |
| <i>Centratherum punctatum</i> Cass. | Asteraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 41 | | 1 | | | | | | | | S | |
| <i>Cerastium arvense</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 36 | | | 1 | 1 | 1 | | | | | P | |
| <i>Cerastium fontanum</i> Baumg. | Caryophyllaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 8 | 1 | | 1 | 1 | | | | | | P | |
| <i>Cerastium glomeratum</i> Thuill. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 33 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | |
| <i>Cerastium holosteoides</i> Fr. | Caryophyllaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 44 | | | | 1 | 1 | | | | | P | |
| <i>Cerastium sventenii</i> Jalas | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | 1 | 1 | | 1 | | | | A | S | | |
| <i>Ceratocapnos heterocarpa</i> Durand | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 2 | | | | | | | | | | P | |
| <i>Ceratonia siliqua</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | 1 | 1 | 1 | 1 | 1 | | | P | C |
| <i>Ceratophyllum demersum</i> L. | Ceratophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | | | | | | | S | |
| <i>Cereus hildmannianus</i> K.Schum. | Cactaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 33 | | | | 1 | | | | | | S | O |
| <i>Ceropegia dichotoma</i> Haw. | Asclepiadaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | | | | A | S | | |
| <i>Ceropegia fusca</i> Bolle | Asclepiadaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | 1 | | | | A | S | | |
| <i>Cestrum aurantiacum</i> Lindl. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | 1 | 1 | | | | | | S | |
| <i>Cestrum parqui</i> (Lam.) L'Hér. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 20 | | | 1 | | | 1 | | | | I | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orrham Crop |
|---|-----------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Chaenorhinum minus</i> (L.) Lange | Plantaginaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 10 | 1 | | | | | | | S | | | |
| <i>Chaetonychia cymosa</i> (L.) Sweet | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | | 1 | | | | P | | | |
| <i>Chamaecrista fasciculata</i> (Michx.) Greene | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 45 | 1 | | | | | | | S | O | | |
| <i>Chamaecytisus mollis</i> (Cav.) Greuter & Burdet | Fabaceae | Acc | NL | Acc | Acc | AmUn | Syn | NL | 5 | | | | 1 | | | | P | | | |
| <i>Chamaecytisus prolifer</i> (L.f.) Link | Fabaceae | Syn | Syn | Acc | Acc | Syn | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | | A | S | | | |
| <i>Chamaemelum fuscatum</i> (Brot.) Vasc. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | | | | S | | | |
| <i>Chamaerops humilis</i> L. | Arecaeae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | | | | S | O | | |
| <i>Chasmanthe aethiopica</i> (L.) N.E.Br. | Iridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | | | | I | O | | |
| <i>Chasmanthe bicolor</i> (Gasp.) N. E. Br. | Iridaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | | S | O | | |
| <i>Chasmanthe floribunda</i> (Salisb.) N. E. Br. | Iridaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | 1 | | | | S | O | | |
| <i>Cheilanthes tirajanae</i> T.S. Velazquez | Pteridaceae | Acc | Acc | AmUn | NL | Syn | Syn | NL | 0 | | | | 1 | | | | C | S | | |
| <i>Cheirolophus anagaensis</i> Santos | Asteraceae | NL | NL | NL | NL | AmUn | Acc | NL | | | | | 1 | | | | T | S | | |
| <i>Cheirolophus arboreus</i> (Webb & Berthel.) Holub | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | | | | | P | S | | |
| <i>Cheirolophus arbutifolius</i> (Svent.) G.Kunkel | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | C | S | | |
| <i>Cheirolophus burchardii</i> Susanna | Asteraceae | Syn | Acc | Acc | Acc | Acc | Acc | NL | 3 | | | 1 | | | | | T | S | | |
| <i>Cheirolophus canariensis</i> (Brouss. ex Willd.) Holub | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | 1 | | | | | T | S | | |
| <i>Cheirolophus dariasii</i> (Svent.) Bramwell | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 2 | | 1 | | | | | | G | S | | |
| <i>Cheirolophus duranii</i> (Burchard) Holub | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | 1 | | | | | | | H | S | | |
| <i>Cheirolophus falcisectus</i> Svent. ex Montelongo & Moraleda | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | C | S | | |
| <i>Cheirolophus ghomerythus</i> (Svent.) Holub | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | 1 | | | | | | G | S | | |
| <i>Cheirolophus junonianus</i> (Svent.) Holub | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | | | | | | P | S | | |
| <i>Cheirolophus metlesicsii</i> Parada | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | | | | | T | S | | |
| <i>Cheirolophus puntallanensis</i> A. Santos | Asteraceae | NL | Acc | NL | NL | Acc | Acc | NL | | 1 | | | | | | | P | S | | |
| <i>Cheirolophus santos-abreui</i> A.Santos | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | 1 | | | | | | | P | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orrham Crop |
|--|---------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| <i>Cheirolophus satarataensis</i> (Svent.) Holub | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | 1 | | | | | G | S | | |
| <i>Cheirolophus sventenii</i> (A.Santos) G.Kunkel | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | | | | | | P | S | | |
| <i>Cheirolophus tagananensis</i> (Svent.) Holub | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | 1 | | | | | T | S | | |
| <i>Cheirolophus teydis</i> (C.Sm.) G.López | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | 1 | | 1 | | | | A | S | | |
| <i>Cheirolophus webbianus</i> (Sch.Bip.) Holub | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 2 | | | 1 | | | | | T | S | | |
| <i>Chelidonium majus</i> L. | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | | 1 | 1 | | | | | S | | |
| <i>Chenopodium coronopus</i> (Moq.) S.Fuentes, Uotila & Borsch | Amaranthaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 2 | 1 | 1 | | 1 | 1 | | | A | S | | |
| <i>Chenopodium murale</i> (L.) S.Fuentes, Uotila & Borsch | Amaranthaceae | Acc | Acc | Acc | Syn | Acc | Acc | Acc | 19 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Chenopodium album</i> L. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 88 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Chenopodium giganteum</i> D.Don | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | 1 | 1 | 1 | | | P | | | |
| <i>Chenopodium nutans</i> (R.Br.) S.Fuentes & Borsch | Amaranthaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 6 | | 1 | | 1 | 1 | | | I | | | |
| <i>Chenopodium opulifolium</i> Schrad. ex W.D.J.Koch & Ziz | Amaranthaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 5 | | 1 | | | | | | S | | | |
| <i>Chenopodium probstii</i> Aellen | Amaranthaceae | Acc | NL | Syn | Syn | Acc | Acc | Syn | | | 1 | | 1 | | | | S | | | |
| <i>Chenopodium vulvaria</i> L. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | | | 1 | | | | P | | | |
| <i>Chloris barbata</i> Sw. | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | | | | S | | | |
| <i>Chloris gayana</i> Kunth | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | | | | P | | | |
| <i>Chloris pycnothrix</i> Trin. | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 10 | | 1 | | | | | | S | | | |
| <i>Chloris truncata</i> R.Br. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | P | | | |
| <i>Chlorophytum comosum</i> (Thunb.) Jacques | Asparagaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 31 | 1 | | 1 | 1 | | | | S | O | | |
| <i>Chondrilla juncea</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | | | 1 | | | | | P | | | |
| <i>Chrysanthemum odoratissimum</i> (L.) Banfi | Oleaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Cicer arietinum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | 1 | 1 | 1 | | S | | S | |
| <i>Cicer canariense</i> A.Santos & G.P.Lewis | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | 1 | | | | | A | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop |
|--|---------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Cichorium pumilum</i> Jacq. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Cirsium vulgare</i> (Savi) Ten. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | | 1 | | | | S | | | |
| <i>Cistanche phelypaea</i> (L.) Cout. | Orobanchaceae | Acc | Acc | Acc | Acc | AmUn | Acc | Acc | 10 | | | | 1 | 1 | 1 | | P | | | |
| <i>Cistus asper</i> Demoly & R.Mesa | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | 1 | | | | | | | H | S | | |
| <i>Cistus chinamadensis</i> Bañares & P.Romero | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | T | S | | |
| <i>Cistus grancanariae</i> Marrero Rodr., R.S.Almeida & C.Ríos | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | | | | C | S | | |
| <i>Cistus horrens</i> Demoly | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | | | | C | S | | |
| <i>Cistus ladanifer</i> L. | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | | 1 | 1 | | | | S | | |
| <i>Cistus monspeliensis</i> L. | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Cistus ochreatus</i> C. Sm. ex Buch | Cistaceae | Acc | Syn | Acc | NL | Syn | Syn | NL | 0 | | | | 1 | | | | C | S | | |
| <i>Cistus osbeckiiifolius</i> Webb ex Christ | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | T | S | | |
| <i>Cistus palmensis</i> Bañares & Demoly | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | 1 | | | | | | | P | S | | |
| <i>Cistus symphytifolius</i> Lam. | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | | | | | A | S | | |
| <i>Citrullus colocynthis</i> (L.) Schrad. | Cucurbitaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | C | |
| <i>Citrullus lanatus</i> (Thunb.) Matsum. & Nakai | Cucurbitaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Cladanthus mixtus</i> (L.) Chevall. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Cladium mariscus</i> (L.) Pohl | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | | P | | | |
| <i>Cleistocactus hyalacanthus</i> (K.Schum.) Rol.-Goss. | Cactaceae | NL | NL | Acc | Acc | Syn | Acc | Acc | 12 | | | | 1 | | | | S | O | | |
| <i>Cleistocactus strausii</i> (Heese) Backeb. | Cactaceae | NL | NL | Acc | Acc | Syn | Acc | Acc | 8 | | | | 1 | | | | S | O | | |
| <i>Clinopodium nepeta</i> (L.) Kuntze | Lamiaceae | Syn | NL | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | | | P | O | | |
| <i>Cneorum pulverulentum</i> Vent | Rutaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | | | A | P | | |
| <i>Coccoloba uvifera</i> (L.) L. | Polygonaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Codiaeum variegatum</i> (L.) Rumph. ex A.Juss. | Euphorbiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 5 | 1 | | | 1 | | | | S | O | | |
| <i>Coffea arabica</i> L. | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | 1 | | | | S | C | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Ornam Crop |
|--|----------------|----------|------|------|------|-----|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Coix lacryma-jobi</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | | 1 | 1 | 1 | | P | O |
| <i>Colchicum hierrense</i> (A.Santos) J.C.Manning & Vinn. | Liliaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 3 | 1 | 1 | 1 | | | | | A | S | |
| <i>Colchicum psammophilum</i> (Svent.) J.C.Manning & Vinn. | Liliaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 3 | | | | | | | 1 | 1 | A | S |
| <i>Coleostephus myconis</i> (L.) Rchb.f. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | | 1 | 1 | 1 | 1 | | P | |
| <i>Colocasia esculenta</i> (L.) Schott | Araceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 34 | 1 | 1 | 1 | 1 | | | | | I | C |
| <i>Combretum indicum</i> (L.) DeFilipps | Combretaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 15 | | | | | 1 | | | | S | O |
| <i>Commelina benghalensis</i> L. | Commelinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | | | | 1 | 1 | | | | S | |
| <i>Commelina diffusa</i> Burm.f. | Commelinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | | | | | S | |
| <i>Commelina latifolia</i> Hochst. ex A. Rich. | Commelinaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | | | | S | |
| <i>Commicarpus helenae</i> (J. A. Schult.) Meikle | Nyctaginaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 5 | | | | | | 1 | | | S | |
| <i>Conium maculatum</i> L. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | |
| <i>Convolvulus althaeoides</i> L. | Convolvulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | |
| <i>Convolvulus arvensis</i> L. | Convolvulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 39 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | |
| <i>Convolvulus canariensis</i> L. | Convolvulaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | |
| <i>Convolvulus caput-medusae</i> Lowe | Convolvulaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | | | | | 1 | 1 | | A | S | |
| <i>Convolvulus farinosus</i> L. | Convolvulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | | | | | P | |
| <i>Convolvulus floridus</i> L.f. | Convolvulaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | |
| <i>Convolvulus fruticosus</i> Desr. | Convolvulaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 1 | 1 | 1 | | 1 | | | | A | S | |
| <i>Convolvulus lopezsocasii</i> Svent. | Convolvulaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | | | | | | 1 | L | S | |
| <i>Convolvulus perraudieri</i> Coss. | Convolvulaceae | Acc | Acc | Syn | AmUn | Acc | Acc | Acc | | | | | 1 | 1 | | | A | S | |
| <i>Convolvulus scoparius</i> L. f. | Convolvulaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | |
| <i>Convolvulus siculus</i> L. | Convolvulaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Convolvulus subauriculatus</i> (Burchard) Linding. | Convolvulaceae | Acc | Acc | Syn | AmUn | Acc | Acc | NL | | | | 1 | | | | G | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|--|----------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Convolvulus tricolor</i> L. | Convolvulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | 1 | | | | P | | |
| <i>Convolvulus volubilis</i> Brouss. ex Link | Convolvulaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 2 | | | 1 | 1 | | | | A | S | | |
| <i>Corchorus depressus</i> (L.) Stocks | Malvaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | 1 | | | | | S | | |
| <i>Coriandrum sativum</i> L. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Coronilla valentina</i> L. | Fabaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 4 | | | | | 1 | 1 | 1 | | P | | |
| <i>Coronilla viminalis</i> Salisb. | Fabaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | 1 | 1 | | P | | | |
| <i>Cortaderia selloana</i> (Schult. & Schult.f.) Asch. & Graebn. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | | 1 | 1 | 1 | 1 | | I | O | |
| <i>Corymbia citriodora</i> (Hook.) K.D.Hill & L.A.S.Johnson | Myrtaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | 1 | | | | S | O | | |
| <i>Corymbia ficifolia</i> (F.Muell.) K.D.Hill & L.A.S.Johnson | Myrtaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Cosentinia vellea</i> (Aiton) Tod. | Pteridaceae | Acc | NL | Acc | Syn | Acc | Acc | Syn | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | | |
| <i>Cosmos bipinnatus</i> Cav. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | | 1 | 1 | | | | S | O | | |
| <i>Cota tinctoria</i> (L.) J.Gay | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | P | | | |
| <i>Cotula australis</i> (Sieber ex Spreng.) Hook.f. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Cotyledon macrantha</i> A.Berger | Crassulaceae | Acc | Acc | Syn | AmUn | Syn | Syn | Syn | | | | | 1 | | | | S | O | | |
| <i>Cotyledon orbiculata</i> L. | Crassulaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 14 | | 1 | 1 | 1 | | | | S | O | | |
| <i>Crambe arborea</i> Webb ex Christ | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | T | S | | | |
| <i>Crambe feuilleei</i> A.Santos ex Prina & Mart.-Laborde | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | 1 | | | | | | H | S | | | |
| <i>Crambe gomeraea</i> Webb ex Christ | Brassicaceae | Acc | Syn | Acc | Acc | Syn | Syn | Acc | 0 | | 1 | | | | | G | S | | | |
| <i>Crambe laevigata</i> DC. ex H.Christ | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | T | S | | | |
| <i>Crambe microcarpa</i> A.Santos | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | 1 | | | | | | P | S | | | |
| <i>Crambe pritzelii</i> Bolle | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | C | S | | | |
| <i>Crambe santosii</i> Bramwell | Brassicaceae | Acc | Acc | Acc | Acc | Syn | NL | Syn | 0 | 1 | | | | | | P | S | | | |
| <i>Crambe scaberrima</i> Webb ex Bramwell | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | T | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|---|----------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Crambe scoparia</i> Svent. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | | 1 | | | C | S | | |
| <i>Crambe strigosa</i> L'Hér. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Crambe sventenii</i> Pett. ex Bramwell & Sunding | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | | | | F | S | | |
| <i>Crambe tamadabensis</i> Prina & Marrero Rodr. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | | 1 | | | C | S | | |
| <i>Crambe wildpretii</i> Prina & Bramwell | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | | | | | G | S | | |
| <i>Crassula campestris</i> (Eckl. & Zeyh.) Endl. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Crassula multicava</i> Lem. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | | | I | O | | |
| <i>Crassula muscosa</i> L. | Crassulaceae | NL | Syn | Acc | Acc | Acc | Acc | Acc | 22 | 1 | 1 | 1 | 1 | 1 | | | I | O | | |
| <i>Crassula ovata</i> (Mill.) Druce | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Crassula tetragona</i> L. | Crassulaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 11 | | 1 | | 1 | | | | S | O | | |
| <i>Crassula tillaea</i> Lest.-Garl. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Crataegus monogyna</i> Jacq. | Rosaceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 84 | | | | | 1 | | | S | O | | |
| <i>Crepis bursifolia</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | | | | P | | | |
| <i>Crepis canariensis</i> (Sch.Bip. ex Sch.Bip.) Babc. ex Babc. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | | | | 1 | 1 | A | S | |
| <i>Crepis capillaris</i> (L.) Wallr. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 33 | | 1 | | 1 | 1 | | | P | | | |
| <i>Crepis foetida</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Crepis juvenalis</i> (Delile) Babc. | Asteraceae | Acc | Syn | Acc | Acc | Acc | Acc | NL | 2 | | | | 1 | | | | P | | | |
| <i>Crepis vesicaria</i> L. | Asteraceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | 1 | | | P | | | |
| <i>Cressa cretica</i> L. | Convolvulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | | 1 | | | | P | | | |
| <i>Critchmum maritimum</i> L. | Apiaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Cucurbita moschata</i> Duchesne | Cucurbitaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 14 | | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Cucurbita pepo</i> L. | Cucurbitaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 42 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Culcita macrocarpa</i> C. Presl | Dicksoniaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 2 | | | 1 | | | | | S | | | |
| <i>Cullen americanum</i> (L.) Rydb. in Britton | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | | | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orrham Crop |
|---|----------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Cuphea hyssopifolia</i> Kunth | Lythraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 5 | 1 | | 1 | 1 | | | | S | | | |
| <i>Cupressus sempervirens</i> L. | Cupressaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 24 | 1 | | 1 | 1 | | | | S | O | | |
| <i>Cuscuta approximata</i> Bab. | Cuscutaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | 1 | 1 | 1 | P | | | |
| <i>Cuscuta campestris</i> Yunck. | Cuscutaceae | Acc | Acc | Acc | Acc | Syn | Syn | Acc | 5 | | | | | 1 | | | P | | | |
| <i>Cuscuta planiflora</i> Ten. | Cuscutaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Cutandia dichotoma</i> (Forssk.) Trab. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | | | 1 | | P | | | |
| <i>Cutandia divaricata</i> (Desf.) Benth. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | | | 1 | | P | | | |
| <i>Cutandia maritima</i> (L.) Barbey | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | | | | 1 | 1 | P | | | |
| <i>Cutandia memphitica</i> (Spreng.) Benth. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | 1 | 1 | 1 | 1 | P | | | |
| <i>Cyclospermum leptophyllum</i> (Pers.) Sprague | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 28 | 1 | | 1 | 1 | 1 | 1 | | S | | | |
| <i>Cydonia oblonga</i> Mill. | Rosaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | 1 | | | 1 | | | | S | C | | |
| <i>Cylindropuntia bigelovii</i> (Engelm.) F.M. Knuth | Cactaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | 1 | | | | S | O | | |
| <i>Cylindropuntia fulgida</i> (Engelm.) F.M. Knuth | Cactaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 5 | | | | 1 | | | | I | O | | |
| <i>Cylindropuntia imbricata</i> (Haw.) F.M. Knuth | Cactaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 20 | | | | 1 | | | | S | O | | |
| <i>Cylindropuntia prolifera</i> (Engelm.) F.M. Knuth | Cactaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | 1 | 1 | | I | O | | |
| <i>Cylindropuntia tunicata</i> (Lehm.) F.M. Knuth | Cactaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 15 | | | 1 | | | | | I | O | | |
| <i>Cymbalaria muralis</i> P.Gaertn., B.Mey. & Scherb. | Antirrhinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | | |
| <i>Cymodocea nodosa</i> (Ucria) Ascherson | Cymodaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | | |
| <i>Cynanchum acutum</i> L. | Asclepiadaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | | 1 | 1 | | S | O | | |
| <i>Cynara cardunculus</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 24 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | | |
| <i>Cynara humilis</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | P | | | |
| <i>Cynodon dactylon</i> (L.) Pers. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 68 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | I | | | |
| <i>Cynoglossum creticum</i> Mill. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Cynomorium coccineum</i> L. | Balnophoraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | | 1 | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Oriental Crop |
|--|-----------------|----------|------|------|------|-----|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|---------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Cynosurus echinatus</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Cynosurus elegans</i> Desf. | Poaceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | | 1 | 1 | | | P | | | |
| <i>Cyperus alopecuroides</i> Rottb. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | | 1 | 1 | | | P | | | |
| <i>Cyperus alternifolius</i> L. | Cyperaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | | | I | O | | |
| <i>Cyperus brevifolius</i> (Rottb.) Hassk. | Cyperaceae | Acc | Acc | Acc | Syn | Acc | Acc | NL | 2 | | | 1 | 1 | | | P | O | | |
| <i>Cyperus capitatus</i> Vand. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | 1 | 1 | S | | | |
| <i>Cyperus eragrostis</i> Lam. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | 1 | 1 | 1 | | | P | O | | |
| <i>Cyperus esculentus</i> L. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 42 | 1 | | | | | | S | O | | |
| <i>Cyperus fuscus</i> L. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | 1 | | | | P | | | |
| <i>Cyperus gracilis</i> R.Br. | Cyperaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | P | | | |
| <i>Cyperus laevigatus</i> L. | Cyperaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Cyperus longus</i> L. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Cyperus michelianus</i> (L.) Delile | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | 1 | | | P | | | |
| <i>Cyperus mundii</i> (Nees) Kunth | Cyperaceae | Acc | NL | Acc | Syn | Acc | Acc | Syn | 2 | | | 1 | | | | P | O | | |
| <i>Cyperus polystachyos</i> Rottb. | Cyperaceae | Acc | NL | Acc | Syn | Acc | Acc | Acc | 3 | | 1 | | | | | P | O | | |
| <i>Cyperus rotundus</i> L. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 62 | 1 | 1 | 1 | 1 | 1 | 1 | S | O | | |
| <i>Cyperus rubicundus</i> Vahl | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | 1 | 1 | | | S | | | |
| <i>Cyrtomium falcatum</i> (L. f.) C. Presl | Dryopteridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | 1 | I | O | | |
| <i>Cysticapnos versicaria</i> (L.) Fedde | Papaveraceae | Syn | Syn | Acc | AmUn | Acc | Acc | Syn | 10 | | | | 1 | 1 | 1 | P | | | |
| <i>Cystopteris fragilis</i> (L.) Bernh. | Athyriaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Cytinus hypocistis</i> (L.) L. | Rafflesiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Cytinus ruber</i> (Fourr.) Fritsch | Rafflesiaceae | Acc | Acc | Acc | Acc | Syn | Acc | Acc | 1 | 1 | | 1 | 1 | | | P | | | |
| <i>Cytisus filipes</i> Webb | Fabaceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Cytisus scoparius</i> (L.) Link | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 28 | | 1 | 1 | | | | I | O | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop |
|---|---------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Cytisus supranubius</i> (L. f.) Kuntze | Fabaceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | | | | A | S | | | |
| <i>Dactylis glomerata</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | | 1 | 1 | | | P | | | |
| <i>Dactylis metlesicsii</i> P.Schönfelder & D.Ludw. | Poaceae | Acc | Acc | NL | Syn | Syn | Syn | NL | | | | | 1 | | | T | S | | | |
| <i>Dactylis smithii</i> Link. | Poaceae | Acc | NL | Acc | Syn | Acc | Acc | Syn | 7 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Daphne gnidium</i> L. | Thymelaeaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | 1 | | 1 | 1 | | | S | | | |
| <i>Dasispermum capense</i> (Lam.) Magee & B.-E.van Wyk | Apiaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Datura ferox</i> L. | Solanaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | S | O | | |
| <i>Datura innoxia</i> Mill. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Datura stramonium</i> L. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 29 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Daucus aureus</i> Desf. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | 1 | 1 | | | P | | | |
| <i>Daucus carota</i> L. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 47 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Daucus durieua</i> Lange | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | | | | | P | | | |
| <i>Daucus elegans</i> (Webb ex Bolle) Spalik, Banasiak & Reduron | Apiaceae | Acc | Syn | Acc | Syn | Acc | Acc | Syn | 2 | 1 | 1 | 1 | 1 | | | A | S | | | |
| <i>Daucus pumilus</i> (L.) Hoffmanns. & Link | Apiaceae | Acc | Syn | Acc | Syn | Acc | Acc | Syn | 18 | | | | | | 1 | | P | | | |
| <i>Davallia canariensis</i> (L.) Sm. | Davalliaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Delairea odorata</i> Lem. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | 1 | 1 | | | | I | O | | |
| <i>Delonix regia</i> (Hook.) Raf. | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Delosperma brunnthalieri</i> (A. Berger) Schwantes & H. Jacobsen | Aizoaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | | S | O | | |
| <i>Delphinium ajacis</i> L. | Ranunculaceae | Syn | Acc | Acc | Syn | Acc | Syn | Syn | 12 | 1 | 1 | 1 | | | | | S | O | | |
| <i>Delphinium consolida</i> L. | Ranunculaceae | Syn | Acc | Acc | Syn | Acc | Acc | Syn | 13 | 1 | | 1 | 1 | 1 | 1 | | S | | | |
| <i>Delphinium staphisagria</i> L. | Ranunculaceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | 1 | 1 | | | | P | O | | |
| <i>Dendriopoterium pulidoi</i> Svent. | Rosaceae | Acc | Acc | AmUn | AmUn | Acc | Acc | NL | 0 | | | | 1 | | | C | S | | | |
| <i>Descurainia artemisioides</i> Svent. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | C | S | | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop | |
|--|-----------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|--|
| | | | | | | | | | | | | | | | | | | | | | |
| <i>Descurainia bourgaeana</i> (E. Fourn.) Webb | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | T | S | | | |
| <i>Descurainia gilva</i> Svent. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | | | P | S | | | |
| <i>Descurainia gonzalezii</i> Svent. | Brassicaceae | Acc | Acc | Acc | Acc | AmUn | Acc | Syn | 0 | | | | 1 | | | | T | S | | | |
| <i>Descurainia lemsii</i> Bramwell | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | T | S | | | |
| <i>Descurainia millefolia</i> (Jacq.) Webb & Berthel. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | | | | | A | S | | | |
| <i>Descurainia piauxiana</i> (Webb) Webb ex O.E.Schulz | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | C | S | | | |
| <i>Desmanthus virgatus</i> (L.) Willd. | Fabaceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 18 | | | | 1 | 1 | | | | S | O | | |
| <i>Dianthus caryophyllus</i> L. | Caryophyllaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 18 | | | 1 | | | | | | S | O | | |
| <i>Dichanthium annulatum</i> (Forssk.) Stapf | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | | | | | P | | | | |
| <i>Dichanthium foveolatum</i> (Delile) Roberty | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | | |
| <i>Dicheranthus plocamoides</i> Webb | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | | | | | A | S | | | |
| <i>Dichondra micrantha</i> Urb. | Convolvulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | | | | S | O | | |
| <i>Digitalis canariensis</i> L. | Plantaginaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 3 | 1 | 1 | 1 | | | | | A | S | | | |
| <i>Digitalis chalcantha</i> (Svent. & O'Shan.) Albach, Bräuchler & Heubl | Plantaginaceae | Syn | Syn | Acc | AmUn | Acc | Acc | Syn | 1 | | | | 1 | | | | C | S | | | |
| <i>Digitalis isabelliana</i> (Webb) Linding. | Plantaginaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 2 | | | | 1 | | | | C | S | | | |
| <i>Digitalis purpurea</i> L. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | NL | Acc | 16 | 1 | 1 | 1 | | | | | | S | O | | |
| <i>Digitaria ciliaris</i> (Retz.) Koeler | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 50 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | | |
| <i>Digitaria ischaemum</i> (Schreb.) Muhl. | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 20 | 1 | | 1 | 1 | 1 | 1 | | P | | | | |
| <i>Digitaria nodosa</i> Parl. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | 1 | 1 | | | P | | | | |
| <i>Digitaria nuda</i> Schumach. | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 13 | 1 | | | | | | | P | | | | |
| <i>Digitaria radicosa</i> (J.Presl) Miq. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | | | 1 | | | | P | | | | |
| <i>Digitaria sanguinalis</i> (L.) Scop. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 53 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | I | | | | |
| <i>Digitaria setigera</i> Roth. | Poaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 20 | | | | 1 | | | | S | | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|--|----------------|----------|------|------|------|-----|------|-----|----------|----|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Digitaria violascens</i> Link | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 23 | | | | 1 | | | | | I | | |
| <i>Dimorphotheca ecklonis</i> DC. | Asteraceae | Syn | NL | Acc | Syn | Acc | Acc | Syn | 1 | 1 | 1 | 1 | 1 | 1 | | | | S | O | |
| <i>Dioscorea communis</i> (L.) Caddick & Wilkin | Dioscoreaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | 1 | 1 | 1 | 1 | 1 | | | | S | | |
| <i>Dipcadi serotinum</i> (L.) Medik. | Liliaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Diplachne fusca</i> (L.) P.Beauv. ex Roem. & Schult. | Poaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 5 | | | | | | 1 | | | | P | |
| <i>Diplazium caudatum</i> (Cac.) Jermy | Athyriaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 13 | 1 | 1 | 1 | 1 | | | | | S | | |
| <i>Diplotaxis catholica</i> (L.) DC. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | | | 1 | | | P | | |
| <i>Diplotaxis muralis</i> (L.) DC. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | | | | 1 | | | | | P | | |
| <i>Diplotaxis tenuifolia</i> (L.) DC. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | | | | 1 | 1 | | | | S | | |
| <i>Dipsacus fullonum</i> L. | Dipsacaceae | Acc | Acc | Acc | Acc | Syn | Acc | Acc | 18 | 1 | 1 | | | | | | | S | | |
| <i>Disocactus speciosus</i> (Cav.) Barthlott | Cactaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | NL | 43 | | | | | 1 | | | S | O | |
| <i>Disphyma crassifolium</i> (L.) L.Bolus | Aizoaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | 1 | 1 | | | | S | O | | |
| <i>Distimake tuberosus</i> (L.) A.R.Simões & Staples | Convolvulaceae | NL | Syn | Acc | Syn | Acc | Acc | Syn | 13 | | | 1 | 1 | | | | S | O | | |
| <i>Dittrichia viscosa</i> (L.) Greuter | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Draba verna</i> L. | Brassicaceae | Syn | NL | Acc | Syn | Acc | Acc | Acc | 104 | | | | 1 | | | | | P | | |
| <i>Dracaena draco</i> (L.) L. | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | | | S | | O | |
| <i>Dracaena tamaranae</i> Marrero Rodr., R.S.Almeira & M.Gonzales-Martin | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | C | S | | | |
| <i>Dracocephalum thymiflorum</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | 1 | 1 | | | | | | S | | |
| <i>Dracunculus canariensis</i> Kunth | Araceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Drimia hesperia</i> (Webb & Berthel.) J.C.Manning & Goldblatt | Hyacinthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | 1 | | | | T | S | | | |
| <i>Drimia maritima</i> (L.) Stearn | Hyacinthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | | | | 1 | 1 | | | S | | | |
| <i>Drimiopsis maculata</i> Lindl. & Paxton | Hyacinthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | | | | | | P | | | |
| <i>Drosanthemum floribundum</i> (Haw.) Schwantes | Aizoaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | | 1 | | | | I | O | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Ornam Crop |
|--|-----------------|----------|------|------|------|------|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Drosanthemum hispidum</i> (L.) Schwantes | Aizoaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | | | I | O | |
| <i>Drusa glandulosa</i> (Poir.) H.Wolff ex Engl. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Dryopteris abbreviata</i> (Lam. & DC.) Newman | Dryopteridaceae | Syn | Syn | Acc | Acc | Acc | Acc | Syn | 22 | | | 1 | 1 | | | | S | | |
| <i>Dryopteris aemula</i> (Aiton) Kuntze | Dryopteridaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | | | 1 | | | | | S | | |
| <i>Dryopteris guanchica</i> Gibby & Jermy | Dryopteridaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | 1 | | 1 | 1 | | | | S | | |
| <i>Dryopteris oligodonta</i> Pic.Serm. | Dryopteridaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Duranta erecta</i> L. | Verbenaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 46 | | | | | | 1 | 1 | | S | O |
| <i>Dysphania ambrosioides</i> (L.) Mosyakin & Clemants | Chenopodiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 53 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | |
| <i>Dysphania anthelmintica</i> (L.) Mosyakin & Clemants | Chenopodiaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 10 | | 1 | 1 | | 1 | | | S | | |
| <i>Dysphania multifida</i> L.) Mosyakin & Clemants | Chenopodiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | | 1 | 1 | 1 | | 1 | | S | | |
| <i>Ecballium elaterium</i> (L.) A.Rich. | Cucurbitaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 14 | | | | | | 1 | | I | | |
| <i>Echinocereus rigidissimus</i> (Engelm.) Hirscht | Cactaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | | | 1 | | | | | S | O | |
| <i>Echinochloa colonum</i> (L.) Link | Poaceae | Acc | Acc | Acc | Syn | NL | Acc | Acc | 45 | 1 | 1 | | 1 | | | | P | | |
| <i>Echinochloa crus-galli</i> (L.) P.Beauv. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 85 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Echinopsis huascha</i> (Web.) Friedrich & G.D.Rowley | Cactaceae | Syn | NL | Acc | Acc | Acc | Acc | Acc | 44 | | | 1 | | | | | S | O | |
| <i>Echinopsis lageniformis</i> (C.F.Först.) H.Friedrich & G.D.Rowley | Cactaceae | NL | NL | Acc | Syn | Acc | Acc | Acc | 12 | | | 1 | | | | | S | O | |
| <i>Echinopsis spachiana</i> (Lem.) Riccob. | Cactaceae | NL | NL | Acc | Acc | Syn | Acc | Acc | 6 | | | | 1 | | | | S | O | |
| <i>Echinopsis volliana</i> H.Friedrich & G.D.Rowley | Cactaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 12 | | | 1 | | | | | S | O | |
| <i>Echium acanthocarpum</i> Svent. | Boraginaceae | Acc | Acc | Acc | NL | Acc | Acc | Acc | 0 | | 1 | | | | | G | S | | |
| <i>Echium aculeatum</i> Poir. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | 1 | 1 | | | A | S | | |
| <i>Echium auberianum</i> Webb & Berthel. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | T | S | | |
| <i>Echium bethencourtii</i> A. Santos | Boraginaceae | Acc | Acc | Acc | Acc | AmUn | Acc | NL | 0 | 1 | | | | | | P | S | | |
| <i>Echium bonnetii</i> Coincy | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | 1 | 1 | 1 | 1 | A | S | | |
| <i>Echium brevirame</i> Sprague & Hutch. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | | P | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop |
|--|--------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Echium callithyrsum</i> Webb ex Bolle | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | 1 | | | C | S | | |
| <i>Echium decaisnei</i> Webb & Berthel. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | 1 | 1 | 1 | A | S | | |
| <i>Echium giganteum</i> L.f. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | T | S | | |
| <i>Echium handiense</i> Svent. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | | 1 | | | F | S | | |
| <i>Echium hierrense</i> Webb ex Bolle | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | | | H | S | | |
| <i>Echium horridum</i> Batt. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | | S | | |
| <i>Echium leucophaeum</i> Webb ex Sprague & Hutch. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | T | S | | |
| <i>Echium onosmifolium</i> Webb & Berthel. | Boraginaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | C | S | | |
| <i>Echium perezii</i> Sprague | Boraginaceae | Acc | Syn | Syn | AmUn | Acc | Syn | NL | 2 | | 1 | | | | | | P | S | | |
| <i>Echium pininana</i> Webb & Berthel. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | | | | | | P | S | | |
| <i>Echium pitardii</i> A. Chev. | Boraginaceae | Syn | Syn | Acc | Acc | Syn | Syn | NL | 2 | | | | | | 1 | L | S | | | |
| <i>Echium plantagineum</i> L. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Echium simplex</i> DC. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | T | S | 0 | |
| <i>Echium strictum</i> L.f. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Echium sventenii</i> Bramwell | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | | | | T | S | | |
| <i>Echium thyrsiflorum</i> Masson ex Link | Boraginaceae | Syn | Syn | Acc | Acc | Syn | Syn | NL | 2 | | 1 | | | | | | P | S | | |
| <i>Echium triste</i> Svent. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | 1 | | | | A | S | | |
| <i>Echium virescens</i> DC. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | T | S | | |
| <i>Echium webbii</i> Coincy | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | | | | | | P | S | | |
| <i>Echium wildpretii</i> H.Pearson ex Hook.f. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | T | S | | |
| <i>Eclipta prostrata</i> (L.) L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | NL | Acc | 107 | | | | 1 | | | | | S | | |
| <i>Ehrharta longifolia</i> Sm. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | | | S | | |
| <i>Eleocharis multicaulis</i> (Sm.) Desv. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | | | | | P | | | |
| <i>Eleocharis palustris</i> (L.) Roem. & Schult. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | 1 | 1 | 1 | | | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orrham Crop |
|--|------------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Eleusine africana</i> Kenn.-O'Byrne | Poaceae | Syn | NL | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | | | | | I | | | |
| <i>Eleusine indica</i> (L.) Gaertn. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 28 | 1 | 1 | 1 | 1 | 1 | | | I | | | |
| <i>Eleusine tristachya</i> (Lam.) Lam. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | | | | | | | S | | | |
| <i>Elionurus royleanus</i> Nees ex A.Rich. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | | 1 | | | S | | | |
| <i>Elodea canadensis</i> Michx. | Hydrocharitaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 30 | 1 | 1 | | | | | | I | | | |
| <i>Elymus repens</i> (L.) Gould | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | 1 | 1 | | | | | P | | | |
| <i>Enneapogon desvauxii</i> P.Beauv. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 20 | | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Ensete ventricosum</i> (Welw.) Cheesman | Musaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 32 | 1 | 1 | | | | | | S | O | | |
| <i>Ephedra altissima</i> Desf. | Ephedraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | 1 | | | | S | | | |
| <i>Ephedra fragilis</i> Desf. | Ephedraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Ephedra major</i> Host | Ephedraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | | | | | | S | | | |
| <i>Epilobium angustifolium</i> L. | Onagraceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 40 | | | 1 | | | | | P | | | |
| <i>Epilobium ciliatum</i> Lehm. | Onagraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 61 | 1 | 1 | | | | | | P | | | |
| <i>Epilobium glandulosum</i> Lehm. | Onagraceae | Acc | Acc | Acc | Syn | Syn | Syn | Syn | 24 | | | | | 1 | | | S | | | |
| <i>Epilobium hirsutum</i> L. | Onagraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | 1 | 1 | | | | | P | | | |
| <i>Epilobium obscurum</i> Schreb. | Onagraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | | | 1 | | | | | P | | | |
| <i>Epilobium palustre</i> L. | Onagraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 53 | | | 1 | | | | | P | | | |
| <i>Epilobium parviflorum</i> Schreb. | Onagraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Epilobium tetragonum</i> L. | Onagraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Equisetum ramosissimum</i> Desf. | Equisetaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Eragrostis barrelieri</i> Daveau | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Eragrostis papposa</i> (Roem. & Schult.) Steud. | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 7 | | | | | 1 | | | P | | | |
| <i>Eragrostis virescens</i> J. Presl | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Erica canariensis</i> Rivas Mart., Martin Osorio & Wildpret | Ericaceae | Acc | Syn | Acc | NL | Acc | NL | Syn | 0 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orrham Crop |
|--|--------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Erica platycodon</i> L. | Ericaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 1 | 1 | | 1 | 1 | | | | A | S | | |
| <i>Erigeron bonariensis</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 29 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | |
| <i>Erigeron calderae</i> A.Hansen | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | | T | S | | |
| <i>Erigeron canadensis</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 31 | | | | 1 | 1 | | | | S | | |
| <i>Erigeron floribundus</i> (Kunth) Sch.Bip. | Asteraceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | 1 | 1 | 1 | | | | | S | |
| <i>Erigeron gouanii</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Syn | Acc | Acc | 15 | | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Erigeron karvinskianus</i> DC. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | | 1 | 1 | 1 | 1 | I | O | | |
| <i>Erigeron sumatrensis</i> Retz. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | | | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Eriobotrya japonica</i> (Thunb.) Lindl. | Rosaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | 1 | 1 | 1 | 1 | | | S | C | |
| <i>Erodium botrys</i> (Cav.) Bertol. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Erodium brachycarpum</i> (Godr.) Thell. | Geraniaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 3 | 1 | | | 1 | | | | | P | | |
| <i>Erodium chium</i> (Burm.f.) Willd. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Erodium ciconium</i> (L.) L'Hér. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | 1 | | | | P | | |
| <i>Erodium cicutarium</i> (L.) L'Hér. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 41 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Erodium laciniatum</i> (Cav.) Willd. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Erodium malacoides</i> (L.) L'Hér. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Erodium maritimum</i> L'Hér. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | 1 | | | | P | | |
| <i>Erodium moschatum</i> (L.) L'Hér. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Erodium neuradifolium</i> Delile ex Godr. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Erodium pulverulentum</i> (Cav.) Willd. | Geraniaceae | NL | Acc | Acc | Syn | Syn | Syn | Syn | 8 | | | | | | | 1 | 1 | P | | |
| <i>Erodium salzmannii</i> Delile | Geraniaceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | 1 | | 1 | 1 | | P | | |
| <i>Erodium touchyanum</i> Delile ex Godr. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | | 1 | 1 | P | | |
| <i>Eruca vesicaria</i> (L.) Cav. | Brassicaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 43 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Erucastrum canariense</i> Web & Berthel. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Orram Crop |
|--|--------------|----------|------|------|-----|------|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Erucastrum cardaminoides</i> (Webb ex Christ) O.E.Schulz | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | S | | | |
| <i>Erysimum albescens</i> (Webb & Berthel.) Bramwell | Brassicaceae | NL | Acc | Syn | Acc | AmUn | Acc | Syn | | | | | | 1 | | C | S | | |
| <i>Erysimum bicolor</i> (Hornem.) DC. | Brassicaceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | |
| <i>Erysimum scorpiarium</i> (Brouss. ex Willd.) Wetst. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | | | | A | S | O | |
| <i>Erysimum virescens</i> (Webb ex Christ) Wetst. | Brassicaceae | Acc | NL | Acc | Syn | Syn | Syn | Syn | 1 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | |
| <i>Erythrina crista-galli</i> L. | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | | | | S | O | | |
| <i>Erythrostemon gilliesii</i> (Hook.) Klotzsch | Fabaceae | Syn | Syn | Acc | Syn | Syn | Syn | Acc | 4 | | 1 | 1 | 1 | 1 | 1 | S | O | | |
| <i>Eschscholzia californica</i> Cham. | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 108 | 1 | 1 | 1 | 1 | 1 | 1 | I | O | | |
| <i>Eupostoa melanostele</i> (Vaupel) Borg | Cactaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 9 | | | 1 | | | | S | O | | |
| <i>Eucalyptus blakelyi</i> Maiden | Myrtaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | | 1 | | S | O | | |
| <i>Eucalyptus camaldulensis</i> Dehnh. | Myrtaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | I | O | | |
| <i>Eucalyptus cladocalyx</i> F.Muell. | Myrtaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | | | | | S | O | | |
| <i>Eucalyptus conferruminata</i> D.J. Carr & S.G.M.Carr | Myrtaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | S | O | | |
| <i>Eucalyptus cornuta</i> Labill. | Myrtaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | S | O | | |
| <i>Eucalyptus diversicolor</i> F.Muell. | Myrtaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | 1 | | | S | O | | |
| <i>Eucalyptus dwyeri</i> Maiden & Blakely | Myrtaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | S | O | | |
| <i>Eucalyptus globulus</i> Labill. | Myrtaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | I | O | | |
| <i>Eucalyptus gomphocephala</i> A.Cunn. ex DC. | Myrtaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | | 1 | | S | O | | |
| <i>Eucalyptus lehmannii</i> (Schauer) Benth. | Myrtaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | S | O | | |
| <i>Eucalyptus moluccana</i> Roxb. | Myrtaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | S | O | | |
| <i>Eucalyptus ovata</i> Labill. | Myrtaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | S | O | | |
| <i>Eucalyptus robusta</i> Sm. | Myrtaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 4 | | | 1 | 1 | | | S | O | | |
| <i>Eucalyptus rufa</i> Endl. | Myrtaceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | S | O | | |
| <i>Eucalyptus sideroxylon</i> A.Cunn. ex Wools | Myrtaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | S | O | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Oriham Crop |
|--|-----------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Eucalyptus talyuberlup</i> D.J.Carr & S..G.M.Carr | Myrtaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | | 1 | | | | S | O | |
| <i>Eucalyptus viminalis</i> Labill. | Myrtaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | 1 | | | | S | O | |
| <i>Eudianthe coeli-rosa</i> (L.) Fenzl ex Endl. | Caryophyllaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 19 | | | | | 1 | | | | P | | |
| <i>Euphorbia aphylla</i> Brouss. ex Willd. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | 1 | 1 | | | | A | S | | |
| <i>Euphorbia atropurpurea</i> Brouss. ex Willd. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | | T | S | | |
| <i>Euphorbia balsamifera</i> Aiton | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Euphorbia berthelotii</i> Bolle ex Boiss. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | G | S | | |
| <i>Euphorbia bourgeana</i> J.Gay ex Boiss. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | 1 | | | | | A | S | | |
| <i>Euphorbia bravoana</i> Svent. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | | | | | | G | S | | |
| <i>Euphorbia calyptrata</i> Coss. & Kralik | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | | 1 | | | | P | | |
| <i>Euphorbia canariensis</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Euphorbia chamaesyce</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Euphorbia exigua</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Euphorbia granulata</i> Forssk. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | | 1 | 1 | | | | | P | | | |
| <i>Euphorbia handiensis</i> Burchard | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | 1 | | | F | S | | |
| <i>Euphorbia helioscopia</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Euphorbia heterophylla</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | 1 | 1 | | | | P | O | | |
| <i>Euphorbia hirsuta</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 22 | | | 1 | 1 | 1 | | | S | | | |
| <i>Euphorbia humifusa</i> Willd. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | 1 | | | | | P | | | |
| <i>Euphorbia hypericifolia</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | | | | | P | O | | |
| <i>Euphorbia inaequilatera</i> Sond. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | | 1 | | | | | P | | | |
| <i>Euphorbia lamarckii</i> Sweet | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | | | | A | S | | |
| <i>Euphorbia lathyris</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | | | | | P | | | |
| <i>Euphorbia leucocephala</i> Lotsy | Euphorbiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | | | S | O | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orrham Crop |
|---|---------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Euphorbia maculata</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | 1 | 1 | 1 | 1 | | | | | S | O | |
| <i>Euphorbia mellifera</i> Aiton | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | | | | A | S | | | |
| <i>Euphorbia miliif Des Moul.</i> | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | 1 | | | | S | O | | |
| <i>Euphorbia murielii</i> N.E.Br. | Euphorbiaceae | NL | NL | Acc | NL | Syn | Syn | Syn | 2 | 1 | 1 | 1 | 1 | 1 | | | S | O | | |
| <i>Euphorbia nutans</i> Lag. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | | | 1 | 1 | | | | P | | | |
| <i>Euphorbia paralias</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | 1 | 1 | 1 | 1 | 1 | S | | | | |
| <i>Euphorbia peplis</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 7 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | | |
| <i>Euphorbia peplus</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | | |
| <i>Euphorbia platyphyllos</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | 1 | | | P | | | | |
| <i>Euphorbia prostrata</i> Aiton | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | 1 | 1 | 1 | 1 | S | | | | |
| <i>Euphorbia pterococca</i> Brot. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | | 1 | 1 | | | P | | | | |
| <i>Euphorbia pulcherrima</i> Willd. ex Klotzsch | Euphorbiaceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | 1 | S | O | | | |
| <i>Euphorbia regis-jubae</i> J.Gay | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | | 1 | 1 | 1 | S | | | | |
| <i>Euphorbia scordiifolia</i> Jacq. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | | | | | | P | | | | |
| <i>Euphorbia segetalis</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | | | | 1 | P | | | | |
| <i>Euphorbia serpens</i> Kunth | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 28 | 1 | | 1 | 1 | 1 | 1 | P | | | | |
| <i>Euphorbia serrata</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | 1 | 1 | 1 | 1 | P | | | | |
| <i>Euphorbia sulcata</i> Lens ex Loisel. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | 1 | 1 | 1 | 1 | P | | | | |
| <i>Euphorbia taurinensis</i> All. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | | 1 | 1 | 1 | 1 | P | | | | |
| <i>Euphorbia terracina</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 36 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | | |
| <i>Euphorbia tirucalli</i> L. | Euphorbiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | S | O | | | |
| <i>Euphorbia variabilis</i> Ces. | Euphorbiaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | 1 | | | P | | | | |
| <i>Euryops chrysanthemoides</i> (DC.) B.Nord. | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | S | O | | | |
| <i>Fagopyrum esculentum</i> Moench | Polygonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 22 | | | | 1 | | | S | C | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orrham Crop |
|--|--------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Fallopia convolvulus</i> (L.) Å.Löve | Polygonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Farfugium japonicum</i> (L.) Kitam. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | 1 | | | 1 | | | S | O | | |
| <i>Felicia amoena</i> (Sch.Bip.) Levyns | Asteraceae | NL | NL | Acc | Acc | Acc | Acc | Syn | 0 | | 1 | | | | | | S | | | |
| <i>Ferocactus herrerae</i> J.G.Ortega | Cactaceae | Acc | NL | NL | NL | Acc | Syn | Acc | Syn | 2 | | | | 1 | 1 | | S | O | | |
| <i>Ferraria crispa</i> Burm. | Iridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | | | | | | S | O | | |
| <i>Ferula arnoldiana</i> S.Scholz & Reyes-Bet. | Apiaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | | | | | 1 | F | S | | | | |
| <i>Ferula communis</i> L. | Apiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Ferula lancerotensis</i> Parl. ex Hartung | Apiaceae | Acc | Syn | Acc | Acc | Acc | Acc | Syn | 0 | | | | | | 1 | 1 | A | S | | |
| <i>Ferula latipinna</i> A.Santos | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | 1 | 1 | | | | | A | S | | |
| <i>Festuca agustini</i> Linding. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Festuca alopecuros</i> Schousb. | Poaceae | Syn | Acc | Acc | Syn | Syn | Syn | Syn | 9 | | | | 1 | 1 | | | P | | | |
| <i>Festuca ambigua</i> Le Gall | Poaceae | Syn | NL | Acc | Syn | Syn | Acc | Syn | 15 | 1 | | 1 | 1 | | 1 | | P | | | |
| <i>Festuca bromoides</i> L. | Poaceae | Syn | Acc | Acc | Syn | Syn | Syn | Syn | 22 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Festuca geniculata</i> (L.) Lag. & Rodr. | Poaceae | Syn | Acc | Acc | Syn | Syn | Syn | Syn | 12 | | | | 1 | | | | P | | | |
| <i>Festuca maritima</i> L. | Poaceae | Syn | Syn | Acc | Syn | Syn | Acc | Syn | 48 | | 1 | | | | | | P | | | |
| <i>Festuca membranacea</i> (L.) Druce | Poaceae | Syn | Acc | Acc | Syn | Syn | Acc | Syn | 11 | 1 | | | | 1 | | | P | | | |
| <i>Festuca muralis</i> Kunth | Poaceae | Syn | Acc | Acc | Syn | Syn | Acc | Syn | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Festuca myuros</i> L. | Poaceae | Syn | Acc | Acc | Syn | Syn | Acc | Syn | 23 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Festuca rubra</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 144 | | 1 | | | 1 | | | P | | | |
| <i>Ficus carica</i> L. | Moraceae | Acc | Acc | Acc | Acc | Acc | NL | Acc | 29 | 1 | 1 | 1 | 1 | 1 | 1 | | P | C | | |
| <i>Ficus elastica</i> Roxb. ex Hornem. | Moraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Ficus microcarpa</i> L.f. | Moraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 24 | 1 | 1 | 1 | 1 | | | | S | O | | |
| <i>Ficus rubiginosa</i> Desf. ex Vent. | Moraceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 25 | 1 | 1 | 1 | | | | | S | O | | |
| <i>Filago arvensis</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Syn | Acc | Acc | 24 | | | | 1 | | | P | | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Orrham Crop |
|---|---------------|----------|------|------|------|-----|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Filago desertorum</i> Pomel | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | 1 | 1 | 1 | P | | |
| <i>Filago germanica</i> (L.) Huds. | Asteraceae | Acc | Syn | Acc | Acc | Syn | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Filago lutescens</i> Jord. | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 4 | 1 | | | 1 | 1 | | 1 | P | | |
| <i>Filago pygmaea</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | | 1 | 1 | | 1 | P | | |
| <i>Filago pyramidata</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 28 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Fimbristylis bisumbellata</i> (Forssk.) Bubani | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | | 1 | 1 | | | P | | |
| <i>Fimbristylis ferruginea</i> (L.) Vahl | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 40 | | | | 1 | 1 | | | P | | |
| <i>Fimbristylis turkestanica</i> (Regel) B.Fedtsch. | Cyperaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | 1 | | | P | | |
| <i>Foeniculum vulgare</i> Mill. | Apiaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 31 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | C | |
| <i>Forsskaolea angustifolia</i> Retz. | Urticaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | |
| <i>Fragaria vesca</i> L. | Rosaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 29 | 1 | | | 1 | | | | S | C | |
| <i>Frankenia boissieri</i> Reut. ex Boiss. | Frankeniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | 1 | 1 | | S | | |
| <i>Frankenia ericifolia</i> C.Sm. ex DC. | Frankeniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | |
| <i>Frankenia hirsuta</i> L. | Frankeniaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 18 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | |
| <i>Frankenia pulverulenta</i> L. | Frankeniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | | | 1 | 1 | 1 | 1 | P | | |
| <i>Fraxinus angustifolia</i> Vahl. | Oleaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | | | | | | P | | |
| <i>Freesia refracta</i> (Jacq.) Klatt | Iridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | | | | S | O | |
| <i>Fuchsia boliviiana</i> Carrière | Onagraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | 1 | 1 | | | S | O | |
| <i>Fuchsia coccinea</i> Aiton | Onagraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | 1 | | | | S | O | |
| <i>Fumaria agraria</i> Lag. | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | P | | |
| <i>Fumaria bastardii</i> Boreau | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Fumaria capreolata</i> L. | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | 1 | | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Fumaria coccinea</i> R.T.Lowe ex Pugsley | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | |
| <i>Fumaria montana</i> J.A.Schmidt | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Orrham Crop |
|---|--------------|----------|------|------|-----|-----|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Fumaria muralis</i> Sond. ex W.D.J.Koch | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Fumaria officinalis</i> L. | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | | | 1 | 1 | 1 | | P | | |
| <i>Fumaria parviflora</i> Lam. | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | | 1 | 1 | 1 | 1 | | | P | |
| <i>Fumaria vaillantii</i> Loisel. | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | 1 | 1 | 1 | | P | | |
| <i>Furcraea foetida</i> (L.) Haw. | Agavaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | | 1 | 1 | 1 | | | I | O | |
| <i>Furcraea hexapetala</i> (Jacq.) Urb. | Asparagaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 13 | | | 1 | | | | | I | O | |
| <i>Furcraea selloana</i> Koch | Asparagaceae | Acc | NL | Acc | Acc | Acc | Acc | Syn | 1 | | | 1 | 1 | | | | I | O | |
| <i>Galactites tomentosus</i> Moench | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Galinsoga parviflora</i> Cav. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | 1 | 1 | 1 | 1 | | | | S | | |
| <i>Galinsoga quadriradiata</i> Ruiz & Pav. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 30 | 1 | 1 | 1 | 1 | | | | S | | |
| <i>Galium aparine</i> L. | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 26 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Galium aschenbornii</i> Schauer | Rubiaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 7 | 1 | | | | 1 | | | P | | |
| <i>Galium elongatum</i> C. Presl | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | | P | | |
| <i>Galium murale</i> (L.) All. | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Galium parisiense</i> L. | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 24 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Galium scabrum</i> L. | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Galium setaceum</i> Lam. | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Galium spurium</i> L. | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | 1 | 1 | 1 | | P | | |
| <i>Galium tricornutum</i> Dandy | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Galium verrucosum</i> Huds. | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Gamochaeta antillana</i> (Urb.) Anderb. | Asteraceae | Acc | Acc | Acc | Syn | NL | Acc | Syn | 3 | 1 | 1 | | 1 | | | | S | | |
| <i>Gamochaeta pensylvanica</i> (Willd.) Cabrera | Asteraceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 6 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Gastridium phleoides</i> (Nees & Meyen) C.E.Hubb. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | | | 1 | | | P | | |
| <i>Gastridium ventricosum</i> (Gouan) Schinz & Thell. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 25 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop |
|--|----------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Gaudinia fragilis</i> (L.) P.Beauv. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 24 | | | | 1 | 1 | | | P | | | |
| <i>Gazania rigens</i> (L.) Gaertn. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | | | | | S | O | | |
| <i>Genista benehoavensis</i> (Bolle) del Arco | Fabaceae | Acc | Acc | Syn | AmUn | AmUn | Syn | NL | | | 1 | | | | | | P | S | | |
| <i>Gennaria diphyllea</i> (Link) Parl. | Orchidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Geranium dissectum</i> L. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Geranium molle</i> L. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Geranium purpureum</i> Vill. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Geranium pyrenaicum</i> Burm.f. | Geraniaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Geranium reuteri</i> Aedo & Munoz Garm. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Geranium robertianum</i> L. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Geranium rotundifolium</i> L. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Geropogon hybridus</i> (L.) Sch.Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | 1 | 1 | 1 | | | | P | | | |
| <i>Gesnouinia arborea</i> (L.f.) Gaudich. | Urticaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Gladiolus italicus</i> Mill. | Iridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Glaucium corniculatum</i> (L.) Rudolph | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Glaucium flavum</i> (Sm.) Fedde | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Glebionis coronaria</i> (L.) Cass. Ex Spach | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Glebionis segetum</i> (L.) Fourr. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | 1 | 1 | 1 | | | | P | | | |
| <i>Gleditsia triacanthos</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 23 | | | | 1 | | | | S | O | | |
| <i>Glinus lotoides</i> L. | Molluginaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 16 | | | | | | | | P | | | |
| <i>Globularia ascanii</i> Bramwell & Kunkel | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | | | | C | S | | |
| <i>Globularia salicina</i> Lam. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Globularia sarcophylla</i> Svent. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | | | | C | S | | |
| <i>Glyceria declinata</i> Breb. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | 1 | | | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|--|-----------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Gnidia polystachya</i> P.J.Bergius | Thymelaeaceae | Acc | Acc | Acc | Acc | AmUn | Syn | Syn | 5 | | | | | 1 | | | | S | O | |
| <i>Gomphocarpus fruticosus</i> (L.) W.T.Aiton | Apocynaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | |
| <i>Gonospermum canariense</i> (DC.) Less. | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | | | | | | P | S | | |
| <i>Gonospermum ferulaceum</i> (Webb) Feblez | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | NL | 3 | | | | | 1 | | | C | S | | |
| <i>Gonospermum fruticosum</i> Less. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | | | | A | S | | |
| <i>Gonospermum gomerae</i> Bolle | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | G | S | | |
| <i>Gonospermum oshanahanii</i> (Marrero Rodr., Feblez & C.Suarez) Feblez | Asteraceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 1 | | | | 1 | | | | C | S | | |
| <i>Gonospermum ptarmiciflorum</i> (Webb & Berthel.) Feblez | Asteraceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 3 | | | | 1 | | | | C | S | | |
| <i>Gonospermum revolutum</i> (C.Sm. ex Buch) Sch.Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | | T | S | | |
| <i>Gossypium barbadense</i> L. | Malvaceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 71 | | | | 1 | | | | S | O | | |
| <i>Gossypium herbaceum</i> L. | Malvaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 32 | 1 | | 1 | | | 1 | | S | O | | |
| <i>Grammitis querenda</i> Bolle | Polypodiaceae | Acc | NL | Acc | AmUn | NL | Acc | NL | 0 | | | 1 | | | | | S | | | |
| <i>Graptopetalum paraguayense</i> (N.E.Br.) E.Walther | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 6 | | | 1 | 1 | | | | S | O | | |
| <i>Grevillea robusta</i> A.Cunn ex. R.Br. | Proteaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | | 1 | 1 | | | | S | O | | |
| <i>Guizotia abyssinica</i> (L.f.) Casse | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | 1 | | 1 | 1 | | | | S | O | | |
| <i>Gymnocarpos decander</i> Forssk. | Caryophyllaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 7 | | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Gymnocarpos sclerocephalus</i> (Decne.) Dahlgren & Thulin | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | 1 | 1 | | | | P | | | |
| <i>Gymnosporia cassinooides</i> (L'Hér.) Maf. | Celastraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 5 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | | |
| <i>Gymnosporia cryptopetala</i> Reyes-Bet. & A.Santos | Celastraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | 1 | A | P | | | | |
| <i>Gypsophila elegans</i> M.Bieb | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | 1 | | | | | S | | | |
| <i>Gypsophila vaccaria</i> (L.) Sm. | Caryophyllaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 38 | | | 1 | 1 | 1 | | | P | | | |
| <i>Haageocereus multangularis</i> (Haw.) F. Ritter | Cactaceae | Syn | NL | NL | Acc | AmUn | Acc | NL | | | | 1 | | | | | S | O | | |
| <i>Habenaria tridactylites</i> Lindl. | Orchidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop |
|---|------------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Hainardia cylindrica</i> (Willd.) Greuter | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | 1 | | 1 | 1 | | 1 | | P | | | |
| <i>Halophila decipiens</i> Ostenfeld | Hydrocharitaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | | 1 | 1 | | | S | | | |
| <i>Harrisia tetracantha</i> (Labour) | Cactaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | S | O | | |
| <i>Heberdenia excelsa</i> Banks ex Schult. | Primulaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Hedera canariensis</i> Willd. | Araliaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Hedera helix</i> L. | Araliaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | 1 | 1 | 1 | 1 | | | S | O | |
| <i>Hedychium coronarium</i> J.Koenig | Zingiberaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 13 | | 1 | | | | | | S | | | |
| <i>Hedychium gardnerianum</i> Sheppard ex Ker Gawl. | Zingiberaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | 1 | | | | | I | O | | |
| <i>Hedypnois rhagadioloides</i> (L.) F.W.Schmidt | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 35 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Helianthemum aganae</i> Marrero Rodr. & R. Mesa | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | | | | | G | S | | |
| <i>Helianthemum aguloi</i> Marrero Rodr. & R. Mesa | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | | | | | G | S | | |
| <i>Helianthemum bramwelliorum</i> Marrero Rodr. | Cistaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | | | | | | | 1 | L | S | |
| <i>Helianthemum broussonetii</i> Dunal | Cistaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | | 1 | 1 | | | | | A | S | | |
| <i>Helianthemum bystropogophyllum</i> Svent. | Cistaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | | | | 1 | | | | C | S | | |
| <i>Helianthemum canariense</i> (Jacq.) Pers. | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Helianthemum cirae</i> A.Santos | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | 1 | | | | | | P | S | | |
| <i>Helianthemum gonzalezferreri</i> Marrero Rodr. | Cistaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | | | | | | | | 1 | L | S | |
| <i>Helianthemum inaguae</i> Marrero Rodr., Gonz-Mart & Gonz-Art | Cistaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | | | 1 | | | | C | S | | |
| <i>Helianthemum juliae</i> Wildpret | Cistaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | | 1 | | | | | T | S | | |
| <i>Helianthemum ledifolium</i> (L.) Mill. | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | | 1 | 1 | | | P | | | |
| <i>Helianthemum linii</i> A. Santos | Cistaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | | 1 | | | | | | P | S | | |
| <i>Helianthemum salicifolium</i> (L.) Mill. | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | 1 | 1 | | | | | P | | | |
| <i>Helianthemum teneriffae</i> Coss. | Cistaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | | 1 | | | | | T | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|---|--------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Helianthemum tholiforme</i> Bramwell, J. Ortega & B. Navarro | Cistaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | | | | 1 | | | C | S | | |
| <i>Helianthemum thymiphillum</i> Svent. | Cistaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | | | | | 1 | 1 | A | S | | | |
| <i>Helianthemum villosum</i> Thibaud | Cistaceae | Acc | Acc | Acc | Acc | AmUn | Acc | NL | 3 | | | | | 1 | | | P | | | |
| <i>Helianthus annuus</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 49 | 1 | 1 | 1 | 1 | | | | S | C | | |
| <i>Helichrysum alucense</i> Garcia-Cas. & al. | Asteraceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | 1 | | | | | | G | S | | |
| <i>Helichrysum gossypinum</i> Sch.Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | 1 | A | S | | | | |
| <i>Helichrysum luteoalbum</i> (L.) Rchb. | Asteraceae | Syn | Syn | Acc | Acc | Acc | Acc | Syn | 27 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Helichrysum monogynum</i> B.L.Burtt. & Sunding | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | | | 1 | L | S | | |
| <i>Helichrysum orientale</i> (L.) Gaertn. | Asteraceae | Acc | NL | Acc | AmUn | Acc | Acc | Acc | 8 | | | | 1 | 1 | | | S | | | |
| <i>Helichrysum petiolare</i> Hilliard & B.L.Burtt | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | | | | | S | | | |
| <i>Helichrysum teydeum</i> (Wildpret & Greuter) Raus | Asteraceae | Syn | Syn | Acc | Acc | Acc | Acc | Syn | 2 | | | 1 | | | | T | S | | | |
| <i>Helichrysum teydeum</i> (Wildpret & Greuter) Raus | Asteraceae | NL | Syn | Acc | Acc | Acc | Acc | Syn | 2 | | | 1 | | | | T | S | | | |
| <i>Helictochloa marginata</i> (Lowe) Romero Zarco | Poaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 40 | | 1 | 1 | | | | | P | | | |
| <i>Heliotropium arborescens</i> L. | Boraginaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 11 | | | 1 | 1 | | | | S | O | | |
| <i>Heliotropium crispum</i> Desf. | Boraginaceae | Syn | Syn | Acc | Acc | Syn | Syn | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Heliotropium curassavicum</i> L. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | | 1 | 1 | 1 | | | S | | | |
| <i>Heliotropium europaeum</i> L. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Heliotropium supinum</i> L. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | | | | | 1 | | P | | | |
| <i>Helminthotheca echooides</i> (L.) Holub | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Hemarthria altissima</i> (Poir.) Stapf & C.E.Hubb. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | 1 | 1 | 1 | | | | | I | | | |
| <i>Hemionitis gluckuk</i> Christenh. | Pteridaceae | NL | Syn | Acc | AmUn | Acc | Syn | NL | 7 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Hemionitis guanchica</i> (Bolle) Christenh. | Pteridaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Hemionitis pteridioides</i> (Reichard) Christenh. | Pteridaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 25 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Hemionitis pulchella</i> (Bory ex Willd.) Christenh. | Pteridaceae | Syn | Syn | Acc | NL | Syn | Syn | NL | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orrham Crop |
|--|-----------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Hemionitis tinaei</i> (Tod.) Christenh. | Pteridaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 5 | | | | 1 | | | | | S | | |
| <i>Herniaria canariensis</i> Chaudhri | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 1 | | | | 1 | | | | T | S | | |
| <i>Herniaria cinerea</i> DC. | Caryophyllaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 8 | 1 | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Herniaria fontanesii</i> J.Gay | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | 1 | 1 | 1 | | P | | | |
| <i>Hesperocyparis macrocarpa</i> (Hartw.) Bartel | Cupressaceae | Acc | Syn | Acc | Syn | Syn | Syn | Syn | 9 | 1 | | 1 | 1 | 1 | | | | S | O | |
| <i>Heteropogon contortus</i> (L.) P.Beauv. ex Roem. & Schult. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 32 | | 1 | 1 | 1 | | | | P | | | |
| <i>Hibiscus rosa-sinensis</i> L. | Malvaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Hibiscus schizopetalus</i> (Dyer) Hook.f. | Malvaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | 1 | | | | S | O | | |
| <i>Hibiscus trionum</i> L. | Malvaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 25 | | | | 1 | | | | S | | | |
| <i>Himantoglossum metlesicsianum</i> (W.P.Teschner) P.Delforge | Orchidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | 1 | 1 | | | A | S | | | |
| <i>Hippocrepis constricta</i> Kunze | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | | | | 1 | | | P | | | |
| <i>Hippocrepis multisiliquosa</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Hippocrepis salzmannii</i> Boiss. & Reut. | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | | 1 | 1 | | P | | | |
| <i>Hirschfeldia incana</i> (L.) Lagr.-Foss | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 27 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Hoffmannseggia glauca</i> (Ortega) Eifert | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 24 | | | | 1 | | | | S | | | |
| <i>Holcus annuus</i> Salzm. & C. A. Meyer | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | P | | | |
| <i>Holcus hierrensis</i> (Stierst.) Stierst. & M.Seq. | Poaceae | Syn | Acc | Acc | Syn | Acc | Acc | NL | 1 | 1 | | | | | | H | S | | | |
| <i>Holcus lanatus</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Hordeum distichon</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 36 | | | | 1 | 1 | | | P | | | |
| <i>Hordeum marinum</i> Huds. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Hordeum murinum</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Hordeum vulgare</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 129 | 1 | | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Hornungia procumbens</i> (L.) Hayek | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 44 | | | 1 | 1 | | | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|---|------------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Humulus lupulus</i> L. | Cannabaceae | Syn | NL | Acc | Acc | Acc | Acc | Acc | 8 | | | | | 1 | 1 | | | S | C | |
| <i>Hunnemannia fumariifolia</i> Sweet | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | | 1 | 1 | | | S | O | |
| <i>Hydrangea macrophylla</i> (Thunb.) Ser. | Hydrangeaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 30 | 1 | 1 | | | | | | | S | O | |
| <i>Hydrilla verticillata</i> (L.f.) Royle | Hydrocharitaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | 1 | 1 | | | | | | | I | | |
| <i>Hydrocotyle bowlesioides</i> Mathias & Constance | Apiaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | | 1 | | | | S | | |
| <i>Hydrocotyle microphylla</i> A. Cunn. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | | 1 | | | | S | | |
| <i>Hymenophyllum tunbrigense</i> (L.) Sm. | Hymenophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | | | | | | S | | |
| <i>Hymenophyllum wilsonii</i> Hook | Hymenophyllaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 0 | 1 | 1 | 1 | | | | | | P | | |
| <i>Hyoscyamus albus</i> L. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Hyoseris radiata</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | | | 1 | | | | S | | |
| <i>Hyparrhenia arrhenobasis</i> (Hochst. ex Steud.) Stapf | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | | 1 | | | | S | | |
| <i>Hyparrhenia hirta</i> (L.) Stapf | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 25 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Hyparrhenia rufa</i> (Nees) Stapf | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | | 1 | | | | S | | |
| <i>Hypecoum procumbens</i> L. | Papaveraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 6 | | | | | | | | | P | | |
| <i>Hypericum canariense</i> L. | Hypericaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Hypericum coadunatum</i> C.Sm. Ex Link. | Hypericaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | | | | | 1 | | | C | S | | |
| <i>Hypericum glandulosum</i> Aiton | Hypericaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Hypericum grandifolium</i> Choisy | Hypericaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Hypericum humifusum</i> L. | Hypericaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | | | | | | | | P | | |
| <i>Hypericum perfoliatum</i> L. | Hypericaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | | | 1 | | | | P | | |
| <i>Hypericum perforatum</i> L. | Hypericaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | | | | | | | P | | |
| <i>Hypericum reflexum</i> L.f. | Hypericaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 1 | | 1 | 1 | | | | | A | S | | |
| <i>Hypochaeris achyrophorus</i> L. | Asteraceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | | | | 1 | 1 | 1 | | P | | |
| <i>Hypochaeris glabra</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 33 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orrham Crop | |
|--|-----------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|--|
| | | | | | | | | | | | | | | | | | | | | | |
| <i>Hypochaeris oligocephala</i> (Svent. & Bramwell) Lack | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | T | S | | | |
| <i>Hypochaeris radicata</i> L. | Asteraceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 14 | 1 | 1 | 1 | 1 | | 1 | | | P | | | |
| <i>Iberis odorata</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | | | 1 | | | | P | O | |
| <i>Ifloga obovata</i> Bolle | Asteraceae | Syn | Acc | Acc | Acc | Acc | Acc | Syn | 1 | | | | 1 | 1 | 1 | A | S | | | | |
| <i>Ifloga spicata</i> (Forssk.) Sch.Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | | |
| <i>Ilex canariensis</i> Poir. | Aquifoliaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | | |
| <i>Ilex perado</i> Aiton | Aquifoliaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Illecebrum verticillatum</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | 1 | | | P | | | | |
| <i>Impatiens hawkeri</i> W.Bull. | Balsaminaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | | | 1 | | | S | O | | |
| <i>Impatiens sodenii</i> Engl. & Warb. | Balsaminaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | 1 | | 1 | 1 | | | | S | O | | |
| <i>Impatiens walleriana</i> Hook.f. | Balsaminaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | 1 | | 1 | 1 | | | | S | O | | |
| <i>Imperata cylindrica</i> (L.) Raeusch. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 32 | | | | | | 1 | 1 | | I | O | | |
| <i>Lochroma cyaneum</i> (Lindl.) M.L. Green | Solanaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 8 | | | | 1 | | | | | S | O | | |
| <i>Ipomoea batatas</i> (L.) Lam. | Convolvulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Ipomoea cairica</i> (L.) Sweet | Convolvulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 38 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | I | O | | |
| <i>Ipomoea corymbosa</i> (L.) Roth | Convolvulaceae | Syn | NL | Acc | Syn | Syn | Syn | Syn | 22 | | | | 1 | 1 | | | | S | O | | |
| <i>Ipomoea imperati</i> (Vahl) Griseb | Convolvulaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 33 | | | | | 1 | | | C | P | | O | |
| <i>Ipomoea indica</i> (Burm.) Merr. | Convolvulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 60 | 1 | 1 | 1 | 1 | 1 | 1 | | | I | O | | |
| <i>Ipomoea nil</i> (L.) Roth | Convolvulaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 39 | | | | | | | 1 | | S | O | | |
| <i>Ipomoea pes-caprae</i> (L.) R.Br. | Convolvulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 27 | | | | | | | 1 | | S | O | | |
| <i>Ipomoea purpurea</i> (L.) Roth. | Convolvulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 26 | 1 | | 1 | 1 | | | | | S | O | | |
| <i>Iris florentina</i> L. | Iridaceae | Syn | Syn | Acc | AmUn | Syn | Acc | Acc | 4 | | 1 | 1 | 1 | 1 | | | | S | O | | |
| <i>Iris foetidissima</i> L. | Iridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | | | | | | S | O | | |
| <i>Iris pallida</i> Lam. | Iridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | 1 | | | | | | S | O | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Orrham Crop |
|--|----------------|----------|------|------|-----|-----|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Iris x germanica</i> L. | Iridaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 36 | 1 | | | 1 | | | | S | O | |
| <i>Isatis tinctoria</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 26 | 1 | | | | | | | S | C | |
| <i>Isolepis cernua</i> (Vahl) Roem. & Schult. | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | | | 1 | 1 | | | P | | |
| <i>Ixanthus viscosus</i> (Aiton) Griseb. | Gentianaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | | | A | S | |
| <i>Jacaranda mimosifolia</i> D.Don | Bignoniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | 1 | 1 | 1 | 1 | | S | O | |
| <i>Jacobaea maritima</i> (L.) Pelsner & Meijden | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | | | 1 | 1 | | | S | | |
| <i>Juglans regia</i> L. | Juglandaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | | | 1 | | | | S | C | |
| <i>Juncus acutus</i> L. | Juncaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Juncus articulatus</i> L. | Juncaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | P | | |
| <i>Juncus bufonius</i> L. | Juncaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Juncus capitatus</i> Weigel | Juncaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Juncus effusus</i> L. | Juncaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | | | | P | | |
| <i>Juncus inflexus</i> L. | Juncaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | P | | |
| <i>Juncus maritimus</i> Lam. | Juncaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | | 1 | 1 | | | P | | |
| <i>Juniperus canariensis</i> Guyot & Mathou | Cupressaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 2 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Juniperus cedrus</i> Webb & Berthel. | Cupressaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | 1 | 1 | 1 | 1 | | | A | S | |
| <i>Justicia hyssopifolia</i> L. | Acanthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | 1 | | | | | A | | |
| <i>Kalanchoe daigremontiana</i> Raym.-Hamet & H. Perrier | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | | | | | S | O | |
| <i>Kalanchoe delagoensis</i> Eckl. & Zeyh. | Crassulaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 6 | 1 | 1 | 1 | 1 | | | | S | O | |
| <i>Kalanchoe fedtschenkoi</i> Raym.-Hamet & H.Perrier | Crassulaceae | NL | NL | Acc | Syn | Acc | Acc | Syn | 1 | 1 | | | | 1 | | | S | | |
| <i>Kalanchoe pinnata</i> (Lam.) Pers. | Crassulaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 14 | | 1 | | 1 | | | | S | O | |
| <i>Kalanchoe prolifera</i> (Bowie ex Hook.) Raym.-Hamet | Crassulaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 2 | 1 | | | 1 | | | | S | O | |
| <i>Kickxia commutata</i> (Bernh. Ex Rchb.) Fritsch | Plantaginaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | | | | | P | | |
| <i>Kickxia elatine</i> (L.) Dumort | Plantaginaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 20 | 1 | 1 | 1 | | | | | P | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|--|----------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Kickxia pendula</i> (G.Kunkel) G.Kunkel | Plantaginaceae | Acc | Acc | Acc | AmUn | Syn | Acc | NL | 2 | | | | | 1 | | | C | S | | |
| <i>Kickxia spuria</i> (L.) Dumort. | Plantaginaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 12 | 1 | | | | | | | | S | | |
| <i>Kleinia nerifolia</i> Haw. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | | |
| <i>Krubera peregrina</i> (L.) Lowe | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | 1 | 1 | 1 | | | | | P | | |
| <i>Kumara plicatilis</i> (L.) G.D.Rowley | Aphodelaceae | NL | NL | Acc | Syn | Acc | Acc | Acc | 9 | | | | 1 | | | | | S | O | |
| <i>Lablab purpureus</i> (L.) Sweet | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | | S | O | |
| <i>Lactuca palmensis</i> Bolle | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | | | | | | P | S | | |
| <i>Lactuca sativa</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Lactuca serriola</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 30 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Lactuca viminea</i> (L.) J.Presl & C.Presl. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | | | 1 | | | | P | | | |
| <i>Lagenaria siceraria</i> (Molina) Standl. | Cucurbitaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 27 | | | | | 1 | | | S | C | | |
| <i>Lagurus ovatus</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Lamarckia aurea</i> (L.) Moench | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Lamium amplexicaule</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Lamium purpureum</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | 1 | 1 | | | | S | | | |
| <i>Lampranthus stipulaceus</i> (L.) N.E. Br. | Aizoaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | | | | | S | O | | |
| <i>Lantana camara</i> L. | Verbenaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | I | O | | |
| <i>Lapsana communis</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | 1 | | | | | P | | | |
| <i>Lasiopogon muscoides</i> (Desf.) DC. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | | 1 | 1 | | P | | | |
| <i>Lathyrus angulatus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | | 1 | 1 | | | P | | | |
| <i>Lathyrus annuus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Lathyrus aphaca</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | | 1 | 1 | | | P | | | |
| <i>Lathyrus cicera</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | | | 1 | 1 | | P | | | |
| <i>Lathyrus clymenum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orrham Crop |
|---|---------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Lathyrus ochrus</i> (L.) DC. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | | 1 | 1 | | | | P | |
| <i>Lathyrus odoratus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | O | |
| <i>Lathyrus oleraceus</i> Lam. | Fabaceae | Syn | NL | Acc | Syn | Syn | Syn | Syn | 1 | | | | | | 1 | 1 | | S | | |
| <i>Lathyrus sativus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | |
| <i>Lathyrus setifolius</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | | | 1 | | | | P | | |
| <i>Lathyrus sphaericus</i> Retz. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Lathyrus tingitanus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Launaea arborescens</i> (Batt.) Murb. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | |
| <i>Launaea capitata</i> (Spreng.) Dandy | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | | | 1 | 1 | | P | | |
| <i>Launaea mucronata</i> (Forssk.) Muschl. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | | | 1 | | F | P | | |
| <i>Launaea nudicaulis</i> (L.) Hook f. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Laurus novocanariensis</i> Rivas Mart., Lousa, Fern.Prieto, E.Dias, J.C.Costa & C.Aguiar | Lauraceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Lavandula bramwellii</i> Upson & S.Andrews | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | 1 | | | C | S | | |
| <i>Lavandula buchii</i> Webb & Berthel. | Lamiaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | | 1 | | | T | S | | |
| <i>Lavandula canariensis</i> (L.) Mill. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Lavandula dentata</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | |
| <i>Lavandula minutolii</i> Bolle | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | 1 | | | A | S | | |
| <i>Lavandula pedunculata</i> (Mill.) Cav. | Lamiaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 1 | | | | | 1 | | | S | O | | |
| <i>Lavandula pinnata</i> Lundmark | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | | 1 | 1 | | S | | | |
| <i>Lavandula stoechas</i> L. | Lamiaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | 1 | | | S | O | | |
| <i>Legousia falcata</i> (Ten.) Fritsch ex Janch. | Campanulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Legousia hybrida</i> (L.) Delarbre | Campanulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | | | | 1 | 1 | 1 | | P | | | |
| <i>Lemna gibba</i> L. | Araceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Lemna minor</i> L. | Araceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orrham Crop |
|--|----------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Lemna minuta</i> Kunth | Araceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | 1 | | | | I | | |
| <i>Lens nigricans</i> (M.Bieb.) Godr. | Fabaceae | Acc | Acc | Syn | Acc | Acc | Acc | Acc | 0 | 1 | 1 | | | | | | | P | | |
| <i>Leonotis nepetifolia</i> (L.) R.Br. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | | 1 | 1 | | | | S | | |
| <i>Leontodon saxatilis</i> Lam. | Asteraceae | Syn | NL | Acc | Acc | Syn | Syn | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Leopoldia comosa</i> (L.) Parl. | Hyacinthaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 59 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Lepidium bonariense</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | 1 | 1 | 1 | | | | | S | | |
| <i>Lepidium coronopus</i> (L.) Al-Shehbaz | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 25 | | | | 1 | 1 | 1 | | | P | | |
| <i>Lepidium didymum</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 32 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Lepidium sativum</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | | | | 1 | | | | | S | | |
| <i>Lepidium virginicum</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 36 | | 1 | 1 | 1 | | | | | S | | |
| <i>Leucaena leucocephala</i> (Lam.) de Wit | Fabaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | I | | |
| <i>Leucanthemum maximum</i> (Ramond) DC. | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 11 | | | | 1 | | | | | P | O | |
| <i>Leuzea cynaroides</i> (C.Sm.) Font Quer ex G.López | Asteraceae | Syn | Syn | Acc | Syn | Acc | Syn | NL | 6 | | 1 | 1 | | | | | A | S | | |
| <i>Ligustrum lucidum</i> W.T.Aiton | Oleaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | | | | 1 | 1 | | | | S | O | |
| <i>Ligustrum vulgare</i> L. | Oleaceae | Acc | Acc | Acc | Acc | Acc | Syn | Acc | 11 | | | | 1 | | | | | S | O | |
| <i>Lilium candidum</i> L. | Liliaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | 1 | 1 | | | | | S | O | |
| <i>Limoniastrum monopetalum</i> (L.) Boiss. | Plumbaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | 1 | | | | S | | |
| <i>Limonium arboreum</i> Erben, A.Santos & Reyes-Bet. | Plumbaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Syn | 3 | | 1 | 1 | | | | | A | S | | |
| <i>Limonium benmageci</i> Marrero Rodr. | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | | | 1 | | | | C | S | | |
| <i>Limonium bollei</i> (Webb ex Wangerin) Erben | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 1 | | | | 1 | | | | F | S | | |
| <i>Limonium bourgeauii</i> (Webb ex Webb) Kuntze | Plumbaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | 1 | A | S | | | | |
| <i>Limonium brassicifolium</i> (Webb & Berthel.) Kuntze | Plumbaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | | | | | A | S | | | |
| <i>Limonium dendroides</i> Svent. | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | | | 1 | | | | G | S | | | |
| <i>Limonium frutescens</i> (Lem.) Erben, A.Santos & Reyes-Bet. | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 3 | | | 1 | | | | T | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop | |
|--|----------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|--|
| | | | | | | | | | | | | | | | | | | | | | |
| <i>Limonium imbricatum</i> (Webb ex Girard) F.T.Hubb. ex L.H.Bailey | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 1 | 1 | 1 | | | | | | A | S | | | |
| <i>Limonium lobatum</i> (L.f.) Chaz. | Plumbaginaceae | Syn | Syn | Acc | Acc | Syn | Syn | Acc | 11 | | | 1 | 1 | | | | P | | | | |
| <i>Limonium macrophyllum</i> (Willd. ex Spreng.) Kuntze | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 2 | | | 1 | | | | | T | S | | | |
| <i>Limonium ovalifolium</i> (Poir.) Kuntze | Plumbaginaceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | | | | | | 1 | 1 | | P | |
| <i>Limonium papillatum</i> (Webb & Berthel.) Kuntze | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 2 | | | | | | | | 1 | 1 | | S | |
| <i>Limonium pectinatum</i> (Aiton) Kuntze | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 7 | 1 | 1 | 1 | 1 | 1 | | | A | S | | | |
| <i>Limonium perezii</i> (Stapf) F.T. Hubb. | Plumbaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | T | S | | | |
| <i>Limonium preauxii</i> (Webb & Berthel.) Kuntze | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 1 | | | 1 | | | | | C | S | | | |
| <i>Limonium puberulum</i> (Webb ex Lindl.) Kuntze | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 1 | | | | | | | | 1 | 1 | A | S | |
| <i>Limonium redivivum</i> (Svent.) G.Kunkel & Sunding | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 1 | | 1 | | | | | | | G | S | | |
| <i>Limonium relicticum</i> R.Mesa & A.Santos | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | 1 | | | | | | | G | S | | |
| <i>Limonium sinuatum</i> (L.) Mill. | Plumbaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Limonium spectabile</i> (Svent.) G.Kunkel & Sunding | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 1 | | | 1 | | | | | T | S | | | |
| <i>Limonium sventenii</i> A.Santos & M.Fernandez | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | | | 1 | | | | | C | S | | | |
| <i>Limonium tuberculatum</i> (Boiss.) Kuntze | Plumbaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | 1 | | | | | | S | | | |
| <i>Limonium vigaroense</i> Marrero Rodr. & R.S.Almeida | Plumbaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | | 1 | | | | | C | S | | | |
| <i>Linaria arvensis</i> (L.) Desf. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Syn | Acc | 3 | | | 1 | 1 | | | | | P | | | |
| <i>Linaria micrantha</i> (Cav.) Hoffmanns. & Link | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Linaria simplex</i> Desf. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | 1 | | | | | P | | | |
| <i>Linaria spartea</i> (L.) Willd. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | 1 | | 1 | | | | | | P | | | |
| <i>Linum bienne</i> Mill. | Linaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 22 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Linum decumbens</i> Desf. | Linaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | 1 | | | | | | P | | | |
| <i>Linum strictum</i> L. | Linaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Linum trigynum</i> L. | Linaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 7 | | 1 | | | | | | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Ornam Crop |
|---|-----------------|----------|------|------|-----|------|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Linum usitatissimum</i> L. | Linaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | 1 | 1 | 1 | 1 | 1 | 1 | | P | C | |
| <i>Lippia alba</i> (Mill.) N.E.Br. ex Britton & P.Wilson | Verbenaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 37 | | | 1 | | | | | S | O | |
| <i>Lobelia erinus</i> L. | Campanulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 50 | 1 | | | 1 | | | | S | O | |
| <i>Lobularia canariensis</i> (DC.) L. Borgen | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | 1 | | | A | S | | |
| <i>Lobularia libyca</i> (Viv.) Webb & Berthel. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Lobularia maritima</i> (L.) Desv. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 26 | 1 | 1 | | 1 | 1 | | | P | | |
| <i>Loeflingia hispanica</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | | | 1 | 1 | | P | |
| <i>Logfia clementei</i> (Willk.) Holub | Asteraceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 5 | | | | | 1 | 1 | | P | | |
| <i>Logfia gallica</i> (L.) Coss. & Germ. | Asteraceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 10 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Logfia minima</i> (Sm.) Dumort. | Asteraceae | Syn | Syn | Acc | Acc | Acc | Acc | Syn | 11 | 1 | | | 1 | | | | P | | |
| <i>Lolium arundinaceum</i> (Schreb.) Darbysh. | Poaceae | Syn | Syn | Acc | Syn | Acc | Syn | Syn | 4 | | 1 | | 1 | 1 | 1 | | P | | |
| <i>Lolium atlanticum</i> (St.-Yves) Banfi, Galasso, Foggi, Kopecký & Ardenghi | Poaceae | Acc | Acc | Acc | NL | AmUn | Acc | NL | 4 | | 1 | | | | | | P | | |
| <i>Lolium canariense</i> Steud. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | |
| <i>Lolium edwardii</i> H.Scholz, Stierst. & Gaisberg | Poaceae | Acc | Acc | Syn | Syn | Syn | Syn | Syn | | 1 | | 1 | 1 | | | A | S | | |
| <i>Lolium interruptum</i> (Desf.) Banfi, Galasso, Foggi, Kopecký & Ardenghi | Poaceae | Acc | NL | Acc | NL | AmUn | Acc | NL | 4 | | 1 | | | | 1 | | P | | |
| <i>Lolium mediterraneum</i> Schreb. | Poaceae | Acc | NL | Acc | NL | AmUn | Acc | Syn | 9 | | 1 | | | | | | P | | |
| <i>Lolium multiflorum</i> Lam. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Lolium perenne</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 31 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Lolium remotum</i> Schrank | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | | 1 | 1 | | | P | | |
| <i>Lolium rigidum</i> Gaudin | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 29 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Lolium saxatile</i> H.Scholz & S.Scholz | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | 1 | 1 | | S | | |
| <i>Lolium temulentum</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 32 | 1 | | 1 | 1 | 1 | | | P | | |
| <i>Lonicera etrusca</i> Santi | Caprifoliaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | | | 1 | | | | | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|--|----------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Lonicera japonica</i> Thunb | Caprifoliaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | | | | 1 | | | | | I | O | |
| <i>Lonicera ligustrina</i> Wall. | Caprifoliaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 7 | | 1 | | 1 | | | | | S | O | |
| <i>Lophocereus schottii</i> (Engelm.) Britton & Rose | Cactaceae | Acc | NL | Acc | Acc | Syn | Syn | Acc | 25 | | | | 1 | | | | | S | O | |
| <i>Lotus angustissimus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 14 | 1 | | 1 | 1 | | | | | P | | |
| <i>Lotus arinagensis</i> Bramwell | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | | | | C | S | | |
| <i>Lotus berthelotii</i> Masf. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | 1 | | | | | T | S | | |
| <i>Lotus broussonetii</i> Choisy ex Ser. | Fabaceae | Syn | Syn | Acc | Acc | Acc | Acc | NL | 2 | | | 1 | 1 | | | | A | S | | |
| <i>Lotus callis-viridis</i> Bramwell & D.H.Davis | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | | | | C | S | | |
| <i>Lotus campylocladus</i> Webb & Berthel. | Fabaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | | 1 | | | | A | S | | |
| <i>Lotus corniculatus</i> L. | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | 1 | | S | | | |
| <i>Lotus creticus</i> L. | Fabaceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | 1 | | 1 | | | | P | | | |
| <i>Lotus dumetorum</i> R.P.Murray | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | | | | | T | S | | |
| <i>Lotus emeroides</i> R.P.Murray | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | 1 | | | | | | G | S | | |
| <i>Lotus eremiticus</i> A.Santos | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | 1 | | | | | | | P | S | | |
| <i>Lotus eriophthalmus</i> Webb & Berthel. | Fabaceae | Syn | Syn | Acc | Acc | Acc | Acc | NL | 1 | 1 | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Lotus glaucus</i> Sol. | Fabaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Lotus glinoides</i> Delile | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | | 1 | 1 | 1 | 1 | | | P | | |
| <i>Lotus gomerythus</i> A. Portero, J. Martín-Carbajal & R. Mesa | Fabaceae | Acc | NL | NL | NL | AmUn | Acc | NL | | | | 1 | | | | | G | S | | |
| <i>Lotus holosericeus</i> Webb & Berthel. | Fabaceae | Acc | Acc | Acc | Acc | AmUn | Acc | NL | 0 | | | 1 | | | | | C | S | | |
| <i>Lotus kunkelii</i> (Esteve) Bramwell & D.H.Davis | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | 1 | | | | | C | S | | |
| <i>Lotus lancerottensis</i> Webb & Berthel. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | | 1 | 1 | | S | | | |
| <i>Lotus maculatus</i> Breitf. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | 1 | 1 | | | | A | S | | |
| <i>Lotus mascaensis</i> Burchard | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | T | S | | |
| <i>Lotus ornithopodioides</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orrham Crop |
|---|--------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Lotus parviflorus</i> Desf. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | | 1 | 1 | | P | | | |
| <i>Lotus pedunculatus</i> Cav. | Fabaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | P | | | |
| <i>Lotus pyranthus</i> P.Perez | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | | | | | | P | S | | |
| <i>Lotus sessilifolius</i> DC. | Fabaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Lotus spartioides</i> Webb & Berthel. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | 1 | | | C | S | | |
| <i>Lotus spectabilis</i> Choisy ex Ser. | Fabaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | T | S | | |
| <i>Lotus tenellus</i> (Lowe) Sandral, A.Santos & D.D.Sokoloff | Fabaceae | Acc | Acc | Acc | AmUn | AmUn | Acc | NL | 1 | | | | 1 | 1 | | | A | S | | |
| <i>Lotus tetragonolobus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | | 1 | 1 | | | P | | | |
| <i>Lunaria annua</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | | | | S | O | | |
| <i>Lupinus albus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | | | S | O | | |
| <i>Lupinus angustifolius</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 32 | 1 | 1 | | 1 | 1 | | | S | O | | |
| <i>Lupinus luteus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 26 | | | 1 | | | | | S | O | | |
| <i>Lupinus pilosus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | 1 | | | | | P | | | |
| <i>Luzula canariensis</i> Poir. | Juncaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | 1 | | | | A | S | | |
| <i>Luzula elegans</i> Lowe | Juncaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Luzula forsteri</i> (Sm.) DC. | Juncaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | 1 | 1 | | | P | | | |
| <i>Luzula pilosa</i> (L.) Willd. | Juncaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | 1 | | | | | P | | | |
| <i>Lycium europaeum</i> L. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | 1 | 1 | 1 | | | | I | | | |
| <i>Lycium intricatum</i> Boiss. | Solanaceae | Acc | Acc | Acc | Syn | Syn | Syn | Acc | 0 | | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Lysimachia arvensis</i> (L.) U. Manns & Anderb. | Primulaceae | Acc | Syn | Acc | AmUn | Acc | Acc | Syn | 22 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Lysimachia foemina</i> (Mill.) U. Manns & Anderb. | Primulaceae | Acc | Syn | Acc | AmUn | Acc | Acc | Syn | 1 | | | 1 | | | | | P | | | |
| <i>Lysimachia linum-stellatum</i> L. | Primulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Lysimachia wildpretii</i> (Valdés) U.Manns & Anderb. | Primulaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 1 | 1 | 1 | | 1 | 1 | 1 | | S | | | |
| <i>Lythrum hyssopifolia</i> L. | Lythraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orrham Crop |
|---|---------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Lythrum junceum</i> Banks & Sol. | Lythraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | | | | | P | | |
| <i>Maclura pomifera</i> (Raf.) C.K.Schneid. | Moraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | | 1 | | | | | S | O | |
| <i>Macrochloa tenacissima</i> (L.) Kunth. | Poaceae | Acc | Acc | Acc | Syn | Syn | Syn | Syn | 2 | | | | | 1 | | | | S | | |
| <i>Maireana brevifolia</i> (R.Br.) Paul G. Wilson | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | | 1 | 1 | 1 | | | S | | |
| <i>Mairetis microsperma</i> (Boiss.) I.M.Johnst. | Boraginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 3 | | | 1 | 1 | 1 | 1 | | | S | | |
| <i>Malcolmia maritima</i> (L.) Aiton | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Malephora crocea</i> (Jacq.) Schwantes | Aizoaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | 1 | 1 | 1 | 1 | 1 | | | S | O | |
| <i>Malva acerifolia</i> (Cav.) Alef. | Malvaceae | Syn | NL | Acc | Syn | Acc | Acc | Syn | 5 | 1 | 1 | 1 | 1 | | | A | S | | | |
| <i>Malva alcea</i> L. | Malvaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | | | 1 | | | | | P | | |
| <i>Malva arborea</i> (L.) Webb & Berthel. | Malvaceae | Syn | Acc | Acc | Acc | AmUn | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | O | |
| <i>Malva durieui</i> Spach | Malvaceae | Syn | Syn | Acc | Acc | Syn | Syn | Acc | 6 | | | | 1 | | | | | S | | |
| <i>Malva longiflora</i> (Boiss. & Reut.) Soldano, Banfi & Galasso | Malvaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 2 | | | 1 | | | | | | S | | |
| <i>Malva multiflora</i> (Cav.) Soldano, Banfi & Galasso | Malvaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 25 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Malva neglecta</i> Wallr. | Malvaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | | | 1 | 1 | 1 | | | P | | |
| <i>Malva nicaeensis</i> All. | Malvaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Malva parviflora</i> L. | Malvaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Malva phoenicea</i> (Vent.) Alef. | Malvaceae | Syn | Syn | Acc | AmUn | Syn | Acc | NL | 6 | | | 1 | | | | T | S | | | |
| <i>Malva pusilla</i> Sm. | Malvaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | | | 1 | | | | | P | | |
| <i>Malvastrum corchorifolium</i> (Desr.) Britton ex Small | Malvaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | | | | | S | | |
| <i>Malvastrum coromandelianum</i> (L.) Garcke | Malvaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 30 | 1 | 1 | 1 | | | | | | S | | |
| <i>Malvaviscus arboreus</i> Cav. | Malvaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 44 | | | 1 | 1 | | | | | S | O | |
| <i>Mangifera indica</i> L. | Anacardiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 21 | 1 | 1 | 1 | | | | | | S | C | |
| <i>Marcketella moquiniana</i> (Webb & Berthel.) Svent. | Rosaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | 1 | 1 | 1 | | | A | S | | | |
| <i>Marcus-kochia littorea</i> (L.) Al-Shehbaz | Brassicaceae | Syn | Syn | Acc | Syn | NL | Acc | Syn | 11 | | | | | | 1 | P | | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orram Crop |
|---|----------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Marrubium vulgare</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Marsilea quadrifolia</i> L. | Marsilenaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | | | 1 | | | S | | | |
| <i>Matricaria chamomilla</i> Blanco | Asteraceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 49 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Matthiola bolleana</i> Webb ex Christ | Brassicaceae | Acc | NL | Acc | Syn | Acc | Acc | NL | 9 | | | | 1 | 1 | 1 | 1 | P | | | |
| <i>Matthiola incana</i> (L.) R.Br. | Brassicaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 36 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | | |
| <i>Matthiola parviflora</i> (Schousb.) R.Br. in W. T. Aiton | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Maurandya barclayana</i> Lindl. | Plantaginaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | | | | | S | O | | |
| <i>Maurandya scandens</i> (Cav.) Pers. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | | | | | S | O | | |
| <i>Medicago arabica</i> (L.) Huds. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Medicago arborea</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | | | | | | | S | | | |
| <i>Medicago intertexta</i> (L.) Mill. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | 1 | 1 | | P | | | |
| <i>Medicago laciniata</i> (L.) Mill. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Medicago littoralis</i> Loisel | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | | 1 | 1 | 1 | 1 | | S | | | |
| <i>Medicago lupulina</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 23 | 1 | 1 | | 1 | 1 | | | P | | | |
| <i>Medicago marina</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | | | | P | | | |
| <i>Medicago minima</i> (L.) L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 27 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Medicago monspeliaca</i> (L.) Trautv. | Fabaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 7 | | | | | 1 | | | P | | | |
| <i>Medicago orbicularis</i> (L.) Bartal. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | 1 | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Medicago polymorpha</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 69 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Medicago sativa</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | | 1 | 1 | 1 | | S | C | | |
| <i>Medicago soleirolii</i> Duby | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | 1 | | | P | | | |
| <i>Medicago tornata</i> (L.) Mill. | Fabaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 21 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Medicago truncatula</i> Gaertn. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Medicago turbinata</i> (L.) All. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | 1 | | | | | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Orrham Crop |
|---|---------------|----------|------|------|------|-----|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Megaskepasma erythrochlamys</i> Lindau | Acanthaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | | 1 | S | O | |
| <i>Megathyrsus maximus</i> (Jacq.) B.K.Simon & S.W.L.Jacobs | Poaceae | Acc | Acc | Acc | Syn | Syn | Syn | Syn | 33 | 1 | 1 | 1 | 1 | | | | S | | |
| <i>Melampodium montanum</i> Benth. | Asteraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | | | | | S | | |
| <i>Melia azedarach</i> L. | Meliaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 39 | 1 | 1 | | 1 | 1 | | | I | O | |
| <i>Melianthus comosus</i> Vahl | Melianthaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | 1 | | S | O | |
| <i>Melica canariensis</i> W.Hempel | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | 1 | 1 | 1 | S | | | |
| <i>Melica minuta</i> L. | Poaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 20 | | 1 | 1 | 1 | | 1 | S | | | |
| <i>Melica teneriffae</i> Hack. ex Christ | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | 1 | | 1 | A | S | | |
| <i>Melilotus albus</i> Medik. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 20 | 1 | | | | 1 | | | S | | |
| <i>Melilotus indicus</i> (L.) All. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 22 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Melilotus infestus</i> Guss. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | | | | | | | S | | |
| <i>Melilotus officinalis</i> (L.) Lam. | Fabaceae | Acc | NL | Acc | AmUn | Acc | Acc | Acc | 44 | | | | | 1 | | | S | | |
| <i>Melilotus segetalis</i> (Brot.) Ser. | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 6 | | | 1 | 1 | 1 | | P | | | |
| <i>Melilotus sulcatus</i> Desf. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Melinis minutiflora</i> P.Beauv. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Melinis repens</i> (Willd.) Zizka | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | | | | I | | |
| <i>Melissa officinalis</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | | | | S | C | |
| <i>Mentha aquatica</i> L. | Lamiaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 87 | | | 1 | 1 | | | | P | | |
| <i>Mentha arvensis</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 142 | 1 | | 1 | | | | | S | | |
| <i>Mentha longifolia</i> (L.) L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | | | | S | | |
| <i>Mentha pulegium</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 35 | 1 | 1 | 1 | 1 | | | | S | C | |
| <i>Mentha spicata</i> L. | Lamiaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | | | | S | | |
| <i>Mentha suaveolens</i> Ehrh. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | 1 | 1 | | | S | | |
| <i>Mercurialis annua</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|---|---------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Mercurialis canariensis</i> Obbard & S.A.Harris | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | | |
| <i>Mesembryanthemum cordifolium</i> L.f. | Aizoaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Mesembryanthemum crystallinum</i> L. | Aizoaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | P | O | | |
| <i>Mesembryanthemum nodiflorum</i> L. | Aizoaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | 1 | 1 | | P | O | | |
| <i>Mesembryanthemum theurkauffii</i> (Maire) Maire | Aizoaceae | Acc | Acc | Acc | Acc | Syn | Syn | Acc | 2 | | | | | | 1 | | P | O | | |
| <i>Micromeria benthamii</i> Webb & Berthel. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | | 1 | | C | S | | | |
| <i>Micromeria canariensis</i> (P. Pérez) Puppo | Lamiaceae | Acc | NL | Acc | NL | Acc | Acc | NL | 3 | | | | | 1 | | C | S | | | |
| <i>Micromeria densiflora</i> Benth. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | T | S | | | |
| <i>Micromeria ericifolia</i> (Roth) Bornm. | Lamiaceae | Acc | NL | Acc | NL | Syn | Syn | NL | 4 | | | | 1 | | | T | S | | | |
| <i>Micromeria glomerata</i> P.Pérez | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | T | S | | | |
| <i>Micromeria gomerensis</i> (P.Pérez) Puppo | Lamiaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 3 | | | 1 | | | | G | S | | | |
| <i>Micromeria helianthemifolia</i> Webb & Berthel. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | | | 1 | | C | S | | | |
| <i>Micromeria herpyllomorpha</i> Webb & Berthel. | Lamiaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | | | | | P | S | | | |
| <i>Micromeria hierrensis</i> (P. Perez) Puppo | Lamiaceae | Acc | NL | Acc | NL | Acc | Acc | NL | 3 | 1 | | | | | | H | S | | | |
| <i>Micromeria lachnophylla</i> Webb & Berthel. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | | | | T | S | | | |
| <i>Micromeria lanata</i> (C.Sm. Ex Link) Benth. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | C | S | | | |
| <i>Micromeria lasiophylla</i> Webb & Berthel. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | 1 | | | | A | S | | | |
| <i>Micromeria lepida</i> Webb & Berthel. | Lamiaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | | | | | G | S | | | |
| <i>Micromeria leucantha</i> Svent. ex P.Perez | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | C | S | | | |
| <i>Micromeria mahensis</i> Puppo | Lamiaceae | Acc | NL | NL | NL | AmUn | Acc | NL | | | | | | | 1 | 1 | A | S | | |
| <i>Micromeria pedro-luisii</i> Puppo | Lamiaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | | 1 | | | | | G | S | | | |
| <i>Micromeria pineolens</i> Svent. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | C | S | | | |
| <i>Micromeria rivas-martinezii</i> Wildpret | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | | | | | T | S | | | |
| <i>Micromeria rupestris</i> (Webb & Berthel.) Puppo | Lamiaceae | NL | Acc | Acc | Syn | Syn | Syn | NL | 0 | | | | 1 | 1 | A | S | | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|--|-----------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Micromeria teneriffae</i> (Poir.) Benth. Ex G.Don | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | | 1 | | | | T | S | | |
| <i>Micromeria tenuis</i> (Link) Webb & Berthel. | Lamiaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | C | S | | |
| <i>Micromeria tragothymus</i> Webb & Berthel. | Lamiaceae | Acc | NL | Acc | Acc | Acc | Acc | NL | 3 | | | | 1 | | | | T | S | | |
| <i>Mirabilis jalapa</i> L. | Nyctaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 33 | 1 | 1 | 1 | 1 | 1 | 1 | | | I | O | |
| <i>Misopates calycinum</i> (Lange) Rothm. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | | | | | P | | | |
| <i>Misopates orontium</i> (L.) Raf. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Misopates salvagense</i> D.A.Sutton | Plantaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | 1 | | | | | | | S | | | |
| <i>Moehringia pentandra</i> J.Gay | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Momordica charantia</i> L. | Cucurbitaceae | Acc | NL | Acc | Acc | AmUn | Acc | Acc | 22 | 1 | 1 | | | | | | | S | C | |
| <i>Monanthes anagensis</i> Praeger | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | | | | T | S | | |
| <i>Monanthes brachycaulos</i> (Webb. & Berth.) R. Lowe | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | 1 | | | A | S | | |
| <i>Monanthes dasyphylla</i> Svent. | Crassulaceae | NL | NL | Acc | Syn | Syn | Syn | NL | 0 | | | 1 | | | | | T | S | | |
| <i>Monanthes icterica</i> (Webb & Bolle) Christ | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 2 | | 1 | 1 | | | | | A | S | | |
| <i>Monanthes laxiflora</i> (DC.) Bolle ex Bornmuller | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Monanthes minima</i> (Bolle) Christ | Crassulaceae | Acc | NL | Acc | Acc | Acc | Acc | NL | 1 | | | 1 | | | | | T | S | | |
| <i>Monanthes muralis</i> (Webb ex Bolle) Hook.f. | Crassulaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 1 | 1 | 1 | | | | | | A | S | | |
| <i>Monanthes pallens</i> (Webb in Christ) Christ | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | 1 | | | | | A | S | | |
| <i>Monanthes polyphylla</i> (Aiton) Haw. | Crassulaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | | | | | | A | S | | |
| <i>Monanthes polyphylla</i> (Aiton) Haw. | Crassulaceae | Acc | Acc | NL | Syn | Acc | Acc | NL | | | 1 | 1 | | | | | A | S | | |
| <i>Monanthes purpurascens</i> (Bolle & Webb) Christ | Crassulaceae | NL | NL | Acc | AmUn | Acc | Syn | NL | 1 | | | | | 1 | | | C | S | | |
| <i>Monanthes subcrassicaulis</i> (Kuntze) Praeger | Crassulaceae | Syn | NL | Acc | Acc | Syn | Syn | Syn | 0 | 1 | 1 | | | | | | A | S | | |
| <i>Monanthes subrosulata</i> Bañares & A. Acev.-Rodr. | Crassulaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | | 1 | | | | | | P | S | | |
| <i>Monanthes wildpretii</i> Bañares & S.Scholz | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | | | | | T | S | | |
| <i>Montanoa bipinnatifida</i> (Kunth) K.Koch | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | | | | | | S | O | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orrham Crop |
|---|------------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| <i>Morella rivas-martinezii</i> A.Santos & J.Herb. | Myricaceae | Acc | Acc | AmUn | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | | | | A | S | | | |
| <i>Moricandia arvensis</i> (L.) DC. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | | | 1 | 1 | | | S | | | |
| <i>Morus alba</i> L. | Moraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 40 | 1 | 1 | | | 1 | | | S | C | | |
| <i>Morus nigra</i> L. | Moraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Musa acuminata</i> Colla | Musaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Myoporum laetum</i> G. Forst. | Scrophulariaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | 1 | 1 | 1 | | I | O | | |
| <i>Myoporum tenuifolium</i> G. Forst. | Scrophulariaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | | S | O | | |
| <i>Myosotis discolor</i> Pers. | Boraginaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Myosotis latifolia</i> Poir. | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Myosotis ramosissima</i> Rochel | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | | 1 | 1 | 1 | | P | | | |
| <i>Myrica faya</i> Aiton | Myricaceae | Syn | Syn | Acc | Acc | Syn | Syn | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Myriophyllum spicatum</i> L. | Haloragaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | | 1 | 1 | | | S | | | |
| <i>Myriopus candidulus</i> (Miers) Feuillet | Boraginaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 2 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | | |
| <i>Myrtus communis</i> L. | Myrtaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | 1 | | | | S | O | | |
| <i>Najas marina</i> L. | Hydrocharitaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | 1 | | | P | | | |
| <i>Nanorrhinum sagittatum</i> (Poir.) Yousefi & Zarre; | Plantaginaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 3 | | | 1 | 1 | 1 | 1 | | S | | | |
| <i>Nanorrhinum scoparium</i> (Brouss. ex Spreng.) Yousefi & Zarre | Plantaginaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 6 | 1 | 1 | 1 | 1 | | | A | S | | | |
| <i>Nanorrhinum urbanii</i> (Pit.) Yousefi & Zarre | Plantaginaceae | NL | Syn | Acc | Syn | Acc | Acc | NL | 3 | | | 1 | 1 | | 1 | A | S | | | |
| <i>Narcissus tazetta</i> L. | Amaryllidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | 1 | | | P | O | | | |
| <i>Nassella neesiana</i> (Trin. & Rupr.) Barkworth | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 27 | 1 | 1 | 1 | 1 | 1 | 1 | | I | | | |
| <i>Nasturtium officinale</i> R.Br. | Brassicaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 31 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Neatostema apulum</i> (L.) I.M.Johnst. | Boraginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 7 | | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Nemesia melissifolia</i> Benth. | Scrophulariaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | S | | | |
| <i>Neotinea maculata</i> (Desf.) Stearn | Orchidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 31 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop |
|---|------------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Nepeta teydea</i> Webb & Berthel. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | | | | A | S | | | |
| <i>Nephrolepis cordifolia</i> (L.) C.Presl. | Nephrolepidaceae | Acc | NL | Acc | Acc | AmUn | Acc | Acc | 25 | 1 | 1 | 1 | | | | | S | O | | |
| <i>Nephrolepis exaltata</i> (L.) Schott | Nephrolepidaceae | Acc | Acc | Acc | Acc | AmUn | Acc | Acc | 3 | 1 | 1 | 1 | 1 | | | | S | O | | |
| <i>Nerium oleander</i> L. | Apocynaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 22 | 1 | 1 | 1 | 1 | | | | P | O | | |
| <i>Neurada procumbens</i> L. | Neuradaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | | 1 | | | I | | | |
| <i>Nicandra physalodes</i> (L.) Gaertn. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Nicotiana alata</i> Link & Otto | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | | | | | S | O | | |
| <i>Nicotiana glauca</i> Graham | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | I | O | | |
| <i>Nicotiana glutinosa</i> L. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | | | | S | O | | |
| <i>Nicotiana paniculata</i> L. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | | | | I | O | | |
| <i>Nicotiana rustica</i> L. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 22 | | | | 1 | | | | S | C | | |
| <i>Nicotiana tabacum</i> L. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 53 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Nigella damascena</i> L | Ranunculaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | 1 | 1 | | | | P | C | | |
| <i>Nothoscordum gracile</i> (Aiton) Stearn | Amaryllidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | P | O | | |
| <i>Notobasis syriaca</i> (L.) Cass. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | | 1 | 1 | | | S | | | |
| <i>Notoceras bicornе</i> (Aiton) Amo | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Ocimum basilicum</i> L. | Lamiaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 25 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Ocotea foetens</i> (Aiton) Baill. | Lauraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Odontites hollianus</i> (Lowe) Benth. | Orobanchaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | 1 | | | | | | | P | | | |
| <i>Oenothera biennis</i> L. | Onagraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 119 | | | | 1 | | | | S | | | |
| <i>Oenothera glazioviana</i> Micheli | Onagraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 49 | 1 | 1 | | | | | | S | | | |
| <i>Oenothera indecora</i> Cambess. | Onagraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | | | | | | | P | | | |
| <i>Oenothera jamesii</i> Torr. & A. Gray | Onagraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | | | | | | S | | | |
| <i>Oenothera parodiana</i> Munz | Onagraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | | | | | | | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Orram Crop |
|--|--------------|----------|------|------|------|------|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Oenothera rosea</i> L'Her. Ex Aiton | Onagraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Oenothera stricta</i> Ledeb. ex Link | Onagraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | | 1 | | | | | | S | | |
| <i>Ogastemma pusillum</i> (Coss. & Durieu ex Bonnet & Barratte) Brummitt | Boraginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | | 1 | | | P | | |
| <i>Olea europaea</i> L. | Oleaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | C |
| <i>Oligomeris linifolia</i> (Vahl ex Hornem.) J.F.Macbr. | Resedaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | | | 1 | 1 | 1 | 1 | | S | | |
| <i>Oloptum miliaceum</i> (L.) Röser & Hamasha | Poaceae | Syn | Syn | Acc | Syn | Acc | Syn | Syn | 29 | | 1 | 1 | 1 | | | | P | | |
| <i>Ononis angustissima</i> Lam. | Fabaceae | Acc | NL | Acc | Syn | Syn | Syn | Acc | 0 | | 1 | 1 | 1 | 1 | | | S | | |
| <i>Ononis catalinae</i> Reyes-Bet. & S.Scholz | Fabaceae | Acc | Acc | Acc | AmUn | AmUn | Acc | NL | 0 | | | | 1 | 1 | A | S | | | |
| <i>Ononis christii</i> Bolle | Fabaceae | Acc | Acc | Acc | AmUn | AmUn | Acc | Acc | 0 | | | | | 1 | | F | S | | |
| <i>Ononis dentata</i> Sol. ex Lowe | Fabaceae | Acc | Acc | Acc | Syn | Syn | Acc | Syn | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Ononis diffusa</i> Ten. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Ononis hebecarpa</i> Webb & Berthel. | Fabaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | | | | | 1 | 1 | A | S | | |
| <i>Ononis hesperia</i> (Maire) H. Förther & D. Podlech | Fabaceae | Acc | NL | Syn | Acc | Acc | Syn | NL | | | | | 1 | 1 | 1 | 1 | | S | |
| <i>Ononis laxiflora</i> Desf. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | 1 | 1 | 1 | 1 | | P | |
| <i>Ononis mitissima</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Ononis pendula</i> Desf. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | 1 | 1 | | S | | |
| <i>Ononis reclinata</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Ononis serrata</i> Forssk. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Ononis sicula</i> Guss. | Fabaceae | Acc | Acc | Acc | Syn | Acc | Syn | Syn | 4 | | | | | 1 | 1 | | P | | |
| <i>Ononis tournefortii</i> Coss. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | 1 | 1 | 1 | 1 | | P | | |
| <i>Ononis variegata</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | | 1 | | | P | | |
| <i>Ononis viscosa</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | | | 1 | 1 | 1 | P | | |
| <i>Onopordum carduelium</i> Bolle | Asteraceae | Acc | Acc | Acc | Acc | AmUn | Acc | NL | 0 | | | | 1 | | C | S | | | |
| <i>Onopordum micropterum</i> Pau | Asteraceae | Acc | Acc | Acc | Acc | AmUn | Syn | Acc | 3 | | | | | 1 | F | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orram Crop |
|--|-----------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Ophioglossum azoricum</i> C. Presl | Ophioglossaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | | 1 | 1 | 1 | 1 | S | | | |
| <i>Ophioglossum lusitanicum</i> L. | Ophioglossaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Ophioglossum polyphyllum</i> A. Braun ex Schub. | Ophioglossaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | | 1 | 1 | 1 | 1 | S | | | |
| <i>Ophrys bombyliflora</i> Link | Orchidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | 1 | | | P | | | |
| <i>Oplismenus hirtellus</i> (L.) P.Beauv. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 69 | | | | 1 | | | | S | O | | |
| <i>Opuntia basilaris</i> Engelm. & J.M. Bigelow | Cactaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 21 | | | | 1 | | | | S | O | | |
| <i>Opuntia dillenii</i> (Ker Gawl.) Haw. | Cactaceae | Acc | Acc | Acc | Acc | Syn | Syn | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | I | O | | |
| <i>Opuntia elatior</i> Mill. | Cactaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 24 | | | | 1 | | | | S | O | | |
| <i>Opuntia ficus-indica</i> (L.) Mill. | Cactaceae | NL | Syn | Acc | Acc | Acc | Acc | Acc | 30 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | O | | |
| <i>Opuntia leucotricha</i> DC. | Cactaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | 1 | | | 1 | | | S | O | | |
| <i>Opuntia macrocentra</i> Engelm. | Cactaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | S | O | | |
| <i>Opuntia maxima</i> Mill. | Cactaceae | Acc | Acc | Acc | Acc | AmUn | Acc | Acc | 16 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | O | | |
| <i>Opuntia microdasys</i> (Lehm.) Pfeiff. | Cactaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 8 | | | | 1 | 1 | 1 | | S | O | | |
| <i>Opuntia monacantha</i> (Willd.) Haw. | Cactaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 12 | | 1 | 1 | 1 | 1 | 1 | 1 | S | O | | |
| <i>Opuntia pilifera</i> F.A.C. Weber | Cactaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | 1 | | | S | O | | |
| <i>Opuntia robusta</i> J.C. Wendl. | Cactaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | 1 | | 1 | 1 | | | S | O | | |
| <i>Opuntia tomentosa</i> Salm-Dyck | Cactaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | I | O | | |
| <i>Opuntia tuna</i> (L.) Mill. | Cactaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | | | 1 | | | S | O | | |
| <i>Orchis canariensis</i> Lindl. | Orchidaceae | Acc | Syn | Acc | Syn | Syn | Syn | NL | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Orchis mascula</i> (L.) L. | Orchidaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | | | | | | S | | | |
| <i>Oreocereus pseudofossulatus</i> D.R.Hunt | Cactaceae | Acc | NL | Acc | Syn | Acc | Acc | Syn | 1 | | | | 1 | | | | S | O | | |
| <i>Origanum vulgare</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | P | C | | |
| <i>Ornithogalum arabicum</i> L. | Asparagaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 16 | | | | 1 | | | | P | | | |
| <i>Ornithogalum carbonense</i> L. | Asparagaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 14 | | 1 | 1 | 1 | 1 | 1 | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orram Crop |
|--|---------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Ornithogalum pyrenaicum</i> L. | Asparagaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 14 | | | | | 1 | | | | P | | |
| <i>Ornithopus compressus</i> L. | Fabaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Ornithopus perpusillus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | | | | 1 | 1 | 1 | | | S | | |
| <i>Ornithopus pinnatus</i> (Mill.) Druce | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | | 1 | | | | | P | | |
| <i>Orobanche amethystea</i> Thuill. | Orobanchaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 10 | | | | 1 | | 1 | | | P | | |
| <i>Orobanche artemisiae-campestris</i> Vaucher ex Gaudin | Orobanchaceae | Syn | NL | Acc | Acc | Acc | Acc | Acc | 10 | | | | | 1 | 1 | | | P | | |
| <i>Orobanche calendulae</i> Pomel | Orobanchaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | | | 1 | | | P | | |
| <i>Orobanche cernua</i> Loefl. | Orobanchaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 20 | 1 | | 1 | 1 | 1 | 1 | A | P | | | |
| <i>Orobanche crenata</i> Forssk. | Orobanchaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | 1 | | | 1 | 1 | 1 | | | P | | |
| <i>Orobanche gratiosa</i> (Webb & Berthel.) Lindig. | Orobanchaceae | Syn | Acc | Acc | AmUn | AmUn | Syn | NL | 2 | | | | 1 | 1 | 1 | A | S | | | |
| <i>Orobanche hederae</i> Duby | Orobanchaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | | 1 | 1 | 1 | | | | | P | | |
| <i>Orobanche lavandulacea</i> (Rchb.) Pomel | Orobanchaceae | Syn | NL | Acc | Acc | Syn | Acc | Acc | 7 | | | 1 | 1 | | | | | P | | |
| <i>Orobanche minor</i> Sm. | Orobanchaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 33 | 1 | 1 | | | 1 | 1 | 1 | | P | | |
| <i>Orobanche mutellii</i> F.W.Schultz | Orobanchaceae | Syn | Acc | Acc | Acc | Syn | Syn | Acc | 22 | 1 | | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Orobanche nana</i> Noe ex Rchb. | Orobanchaceae | Syn | Acc | Acc | Acc | Syn | Syn | Acc | 10 | 1 | 1 | | 1 | 1 | 1 | | | P | | |
| <i>Orobanche purpurea</i> Jacq. | Orobanchaceae | Syn | Acc | Acc | Acc | Syn | Acc | Acc | 18 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Orobanche ramosa</i> L. | Orobanchaceae | Syn | Acc | Acc | Acc | Syn | Acc | Acc | 16 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Orobanche schultzii</i> Mutel | Orobanchaceae | Syn | Acc | Acc | Acc | Syn | Syn | Acc | 11 | | | | | 1 | | | | P | | |
| <i>Orobanche trichocalyx</i> (Webb & Berthel.) Beck | Orobanchaceae | NL | Acc | NL | Acc | Syn | Syn | NL | | | | | 1 | 1 | | A | S | | | |
| <i>Orobanche variegata</i> Wallr. | Orobanchaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 13 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Oropetium capense</i> Stapf | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 8 | | | | 1 | | | C | S | | | |
| <i>Oryza sativa</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | | | 1 | | | | | S | C | | |
| <i>Osyris lanceolata</i> Hochst. & Steud. | Santalaceae | Acc | Acc | Acc | Acc | Syn | Acc | Acc | 21 | 1 | 1 | 1 | | | | | S | | | |
| <i>Oxalis adenophylla</i> Gillies ex Hook. & Arn. | Oxalidaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | 1 | | | | | | | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Orrham Crop |
|--|----------------|----------|------|------|-----|------|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Oxalis bowiei</i> W.T.Aiton ex G.Don | Oxalidaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 4 | | | | | 1 | | | P | | |
| <i>Oxalis corniculata</i> L. | Oxalidaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 64 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Oxalis debilis</i> Kunth | Oxalidaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 20 | | 1 | 1 | 1 | 1 | | | S | | |
| <i>Oxalis latifolia</i> Kunth | Oxalidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 25 | | 1 | 1 | 1 | 1 | 1 | | I | | |
| <i>Oxalis pes-caprae</i> L. | Oxalidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 20 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | I | | |
| <i>Oxalis purpurea</i> L. | Oxalidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 24 | | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Oxalis stricta</i> L. | Oxalidaceae | Acc | Acc | Acc | Acc | Syn | Syn | Acc | 67 | | | | | 1 | | | S | | |
| <i>Oxybasis glauca</i> (L.) S.Fuentes, Uotila & Borsch | Chenopodiaceae | Acc | Acc | Acc | Syn | Acc | Acc | Acc | 18 | | | | | 1 | 1 | | P | | |
| <i>Oxybasis urbica</i> (L.) S.Fuentes, Uotila & Borsch | Chenopodiaceae | Acc | Acc | Acc | Syn | Acc | Acc | Acc | 10 | | | | | 1 | 1 | | P | | |
| <i>Pallenis hierochuntica</i> (Michon) Greuter | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | | | 1 | | S | | |
| <i>Pallenis maritima</i> (L.) Greuter | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | | 1 | 1 | | P | | |
| <i>Pallenis spinosa</i> (L.) Cass. | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Pancratium canariense</i> Ker Gawl. | Amaryllidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | |
| <i>Pancratium maritimum</i> L. | Amaryllidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | | | | | 1 | 1 | P | O | |
| <i>Panicum capillare</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | | | | 1 | | | S | | |
| <i>Panicum miliaceum</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 23 | 1 | | | | 1 | 1 | | S | C | |
| <i>Panicum repens</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | 1 | 1 | 1 | | | | P | | |
| <i>Papaver argemone</i> L. | Papaveraceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 13 | | | | | 1 | 1 | | P | | |
| <i>Papaver dodecandrum</i> (Forssk.) Medik. | Papaveraceae | NL | NL | Acc | Acc | AmUn | Syn | Syn | 28 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Papaver dubium</i> L. | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 32 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Papaver pinnatifidum</i> Moris | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Papaver rhoes</i> L. | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 59 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Papaver somniferum</i> L. | Papaveraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 26 | 1 | 1 | 1 | 1 | 1 | 1 | | P | O | |
| <i>Parapholis incurva</i> (L.) C.E.Hubb. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | | | | | 1 | 1 | | P | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orrham Crop |
|--|-----------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Parapholis pycnantha</i> (Hack.) C. E. Hubb. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | 1 | 1 | | P | | | |
| <i>Paraserianthes lophantha</i> (Willd.) I.C.Nielsen | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | I | | | |
| <i>Parentucellia latifolia</i> (L.) Caruel | Orobanchaceae | Acc | Syn | Acc | AmUn | Acc | Acc | Acc | 18 | | | | 1 | 1 | | | P | | | |
| <i>Parentucellia viscosa</i> (L.) Caruel | Orobanchaceae | Acc | Syn | Acc | Acc | Syn | Syn | Acc | 11 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Parietaria debilis</i> G.Forst. | Urticaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 32 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Parietaria filamentosa</i> Webb & Bertel. | Urticaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 1 | 1 | 1 | 1 | | | | A | S | | | |
| <i>Parietaria judaica</i> L. | Urticaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Parietaria mauritanica</i> Durieu | Urticaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | | | 1 | | 1 | | P | | | |
| <i>Parkinsonia aculeata</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | 1 | 1 | | S | O | | |
| <i>Parolinia aridanae</i> A. Santos | Brassicaceae | NL | Acc | NL | NL | AmUn | Acc | NL | | 1 | | | | | | | P | S | | |
| <i>Parolinia filifolia</i> Kunk. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | | | | C | S | | |
| <i>Parolinia glabriuscula</i> Montelongo & Bramwell | Brassicaceae | Acc | Acc | Acc | AmUn | AmUn | Acc | NL | 0 | | | | 1 | | | | C | S | | |
| <i>Parolinia intermedia</i> Svent. & Bramwell | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | T | S | | |
| <i>Parolinia ornata</i> Webb | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | C | S | | |
| <i>Parolinia platypetala</i> G. Kunkel | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | 1 | | | | C | S | | |
| <i>Parolinia schizogynoides</i> Svent. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | | | G | S | | |
| <i>Paronychia argentea</i> Lam. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | | | | 1 | | | P | | | |
| <i>Paronychia canariensis</i> (L.f.) Link | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Paronychia capitata</i> (L.) Lam. | Caryophyllaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 14 | | | | | 1 | | | C | S | | |
| <i>Paronychia echinulata</i> Chater | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | 1 | | | | P | | | |
| <i>Parthenocissus tricuspidata</i> (Siebold & Zucc.) Planch. | Vitaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | | | | 1 | | | | S | O | | |
| <i>Pascalia glauca</i> Ortega | Asteraceae | NL | NL | Acc | Acc | Acc | Acc | NL | 10 | 1 | | | | | | | S | | | |
| <i>Paspalum dilatatum</i> Poir. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | 1 | | | | | S | | | |
| <i>Paspalum distichum</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 29 | 1 | 1 | 1 | 1 | | | | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orrham Crop |
|---|----------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Paspalum notatum</i> Flüggé | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 6 | | | 1 | | | | | S | | | |
| <i>Paspalum urvillei</i> Steud. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | | | | | | | S | | | |
| <i>Paspalum vaginatum</i> Sw. | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 27 | 1 | 1 | 1 | | | | | I | | | |
| <i>Passiflora caerulea</i> L. | Passifloraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | | | | | | S | O | | |
| <i>Passiflora edulis</i> Sims | Passifloraceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | | 1 | | | | | S | O | | |
| <i>Passiflora mollissima</i> (Kunth) L. H. Bailey | Passifloraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | | | | | | | S | O | | |
| <i>Passiflora morifolia</i> Mast. | Passifloraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 5 | | 1 | 1 | | | | | S | O | | |
| <i>Passiflora suberosa</i> L. | Passifloraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 32 | 1 | | 1 | | | | | S | O | | |
| <i>Patellifolia procumbens</i> (C.Sm.) A.J.Scott, Ford-Lloyd & J.T.Williams | Amaranthaceae | Acc | Acc | Acc | Acc | Syn | Syn | Acc | 16 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Pavonia sepioides</i> Fryxell & Krapov. | Malvaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | | | | | | S | O | | |
| <i>Pelargonium capitatum</i> (L.) L'Her. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | | | | | | | I | O | | |
| <i>Pelargonium cucullatum</i> (L.) L'Hér. | Geraniaceae | Acc | NL | Acc | Acc | Acc | Acc | Syn | 16 | 1 | | | | | | | S | O | | |
| <i>Pelargonium graveolens</i> L'Her. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | | | | S | O | | |
| <i>Pelargonium inquinans</i> (L.) L'Her. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | | | | I | O | | |
| <i>Pelargonium peltatum</i> (L.) L'Her. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | 1 | 1 | | | | | S | O | | |
| <i>Pelargonium quercifolium</i> (L. f.) L'Her. | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | 1 | 1 | | | | | S | O | | |
| <i>Pelargonium zonale</i> (L.) L'Her. ex Aiton | Geraniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 34 | | 1 | 1 | | | | | I | O | | |
| <i>Pericallis appendiculata</i> (L.f.) B.Nord. | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | | | | | A | S | | |
| <i>Pericallis cruenta</i> Webb & Berthel. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | | | | A | S | | |
| <i>Pericallis echinata</i> (L.f.) B.Nord. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | 1 | | | | | | T | S | | |
| <i>Pericallis hadrosoma</i> (Svent.) B.Nord. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | 1 | | | | | C | S | | |
| <i>Pericallis hansenii</i> (G.Kunkel) Sunding | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | 1 | | | | | | G | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop | |
|---|-----------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|--|
| | | | | | | | | | | | | | | | | | | | | | |
| <i>Pericallis hillebrandii</i> (Christ) Barquín & Voggenreiter ex Beierkuhnlein, Walentowitz & Weiss; Basionym <i>Senecio hillebrandii</i> Christ | Asteraceae | NL | NL | Syn | Syn | Syn | Acc | NL | | 1 | | | | | | | P | S | | | |
| <i>Pericallis lanata</i> (L'Hér) B.Nord. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | 1 | | | | | T | S | | | |
| <i>Pericallis multiflora</i> (L'Hér.) B.Nord. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | | | | | T | S | | | |
| <i>Pericallis murrayi</i> (Bornm.) B.Nord. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | | | | | | H | S | | | |
| <i>Pericallis papyracea</i> (DC.) B.Nord. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | 1 | | | | | | P | S | | | |
| <i>Pericallis steetzii</i> (Bolle) B.Nord. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | G | S | | | |
| <i>Pericallis tussilaginis</i> (L'Hér.) D.Don. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | 1 | | | | A | S | | | |
| <i>Pericallis webbii</i> (Sch.Bip.) Bolle | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | | C | S | | | |
| <i>Periploca laevigata</i> Aiton | Apocynaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | | |
| <i>Persea americana</i> Mill. | Lauraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 29 | 1 | 1 | 1 | | | | | | S | C | | |
| <i>Persea barbujana</i> (Cav.) Mabb. & Nieto | Lauraceae | Syn | NL | Acc | Syn | Syn | Syn | Syn | 13 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | | |
| <i>Persea indica</i> (L.) Spreng. | Lauraceae | Acc | Acc | Acc | Acc | Syn | Syn | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | | |
| <i>Persicaria capitata</i> (Buch.-Ham. ex D.Don) H.Gross | Polygonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | | | | S | | | | |
| <i>Persicaria decipiens</i> (R.Br.) K.L.Wilson | Polygonaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 27 | | 1 | 1 | 1 | | | | P | | | | |
| <i>Persicaria maculosa</i> Gray | Polygonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 68 | 1 | | 1 | 1 | | | | P | | | | |
| <i>Petrea volubilis</i> L. | Verbenaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 34 | 1 | | 1 | | | | | S | O | | | |
| <i>Petrorhagia dubia</i> (Raf.) G.López & Romo | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | | | | 1 | | | P | | | | |
| <i>Petrorhagia nanteuillii</i> (Burnat) P.W.Ball & Heywood | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | | |
| <i>Petroselinum crispum</i> (Mill.) Fuss. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 61 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | | |
| <i>Petunia axillaris</i> (Lam.) Britton, Sterns & Poggenb. | Solanaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 8 | | | 1 | | 1 | | | S | O | | | |
| <i>Phacelia tanacetifolia</i> Benth. | Boraginaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 8 | | 1 | | | 1 | 1 | | S | C | | | |
| <i>Phagnalon purpurascens</i> Sch.Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | | |
| <i>Phagnalon rupestre</i> (L.) DC. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Orrham Crop |
|--|-----------------|----------|------|------|-----|-----|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Phagnalon saxatile</i> (L.) Cass. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Phagnalon umbelliforme</i> DC. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | |
| <i>Phalaris aquatica</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | | 1 | 1 | | | P | | |
| <i>Phalaris brachystachys</i> Link | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Phalaris canariensis</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | |
| <i>Phalaris coerulescens</i> Desf. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Phalaris minor</i> Retz. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Phalaris paradoxa</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Phaseolus acutifolius</i> A. Gray | Fabaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | | | 1 | | S | C | |
| <i>Phaseolus vulgaris</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 48 | | | | | | 1 | | S | C | |
| <i>Phillyrea angustifolia</i> L. | Oleaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | | | | | | 1 | 1 | S | | |
| <i>Phillyrea latifolia</i> L. | Oleaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 60 | | | | | | | 1 | S | O | |
| <i>Phlebodium aureum</i> (L.) J.Sm. | Polypodiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | | 1 | 1 | | | | | S | O | |
| <i>Phlomis purpurea</i> L. | Lamiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | | 1 | | | P | | |
| <i>Phoenix canariensis</i> Chabaud | Arecaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | |
| <i>Phoenix dactylifera</i> L. | Arecaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | 1 | 1 | 1 | 1 | 1 | 1 | I | C | |
| <i>Phormium tenax</i> J.R.Forst. & G.Forst. | Xanthorrhoeceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | S | O | |
| <i>Phragmites australis</i> (Cav.) Trin. ex Steud. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Phyla nodiflora</i> (L.) Greene | Verbenaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | 1 | 1 | 1 | | | | S | O | |
| <i>Phyllanthus tenellus</i> Roxb. | Phyllanthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | S | | |
| <i>Phyllis nobla</i> L. | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Phyllis viscosa</i> Webb ex Christ | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | 1 | 1 | | | A | S | | |
| <i>Physalis peruviana</i> L. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | |
| <i>Phytolacca americana</i> L. | Phytolaccaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | | 1 | 1 | | | I | O | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|--|----------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Phytolacca dioica</i> L. | Phytolaccaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | | | | S | O | | |
| <i>Picconia excelsa</i> (Aiton) DC. | Oleaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Picnomon acarna</i> (L.) Cass. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | | | | | 1 | | P | | |
| <i>Picris hieracioides</i> L. | Asteraceae | Acc | NL | Acc | AmUn | Acc | Acc | Acc | 2 | | | | | | | | | P | | |
| <i>Pilea microphylla</i> (L.) Liebm. | Urticaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 22 | 1 | 1 | | | | | | | S | | |
| <i>Pilosocereus pachycladus</i> F.Ritter | Cactaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 23 | | | 1 | | 1 | | | S | O | | |
| <i>Pimpinella anagodendron</i> Bolle | Apiaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 1 | | | 1 | | | | | T | S | | |
| <i>Pimpinella cumbrae</i> Link. | Apiaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 3 | 1 | 1 | | | | | | A | S | | |
| <i>Pimpinella dendroselinum</i> Webb | Apiaceae | Syn | Acc | Acc | AmUn | Acc | Acc | Syn | 2 | 1 | 1 | | | | | | A | S | | |
| <i>Pimpinella junionae</i> Ceballos & Ortuno | Apiaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Syn | 0 | | 1 | | | | | | G | S | | |
| <i>Pinus canariensis</i> C.Sm. | Pinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Pinus halepensis</i> Mill. | Pinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Pinus nigra</i> J.F.Arnold | Pinaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | | | | 1 | | S | C | |
| <i>Pinus pinaster</i> Aiton | Pinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | 1 | | | | S | C | | |
| <i>Pinus pinea</i> L. | Pinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | | 1 | | | | I | C | | |
| <i>Pinus radiata</i> D.Don | Pinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | | I | C | | |
| <i>Pinus sylvestris</i> L. | Pinaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | | | S | C | | |
| <i>Piptatherum coerulescens</i> (Desf.) P.Beauv. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Pistacia atlantica</i> Desf. | Anacardiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | | | S | O | | |
| <i>Pistacia lentiscus</i> L. | Anacardiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Pistacia terebinthus</i> L. | Anacardiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 6 | 1 | | 1 | 1 | | | | P | O | | |
| <i>Pistia stratiotes</i> L. | Araceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 27 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Pittosporum coriaceum</i> Aiton | Pittosporaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | T | S | | |
| <i>Pittosporum tobira</i> (Thunb.) W.T.Aiton | Pittosporaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | | | 1 | 1 | | | | S | O | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Ornam Crop |
|---|----------------|----------|------|------|------|------|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Pittosporum undulatum</i> Vent. | Pittosporaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | 1 | 1 | | | I | O |
| <i>Plantago afra</i> L. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | |
| <i>Plantago albicans</i> L. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | | 1 | 1 | 1 | 1 | | P | |
| <i>Plantago amplexicaulis</i> Cav. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | |
| <i>Plantago arborescens</i> Poir. | Plantaginaceae | Acc | NL | Acc | AmUn | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | | | A | S | |
| <i>Plantago asphodeloides</i> Svent. | Plantaginaceae | Acc | NL | Acc | AmUn | Acc | Acc | Acc | 0 | | | 1 | 1 | | | | A | S | |
| <i>Plantago bellardii</i> All. | Plantaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 10 | 1 | | | 1 | | | | | P | |
| <i>Plantago ciliata</i> Desf. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | | 1 | 1 | | | P | |
| <i>Plantago coronopus</i> L. | Plantaginaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 26 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | A | P | |
| <i>Plantago famarae</i> Svent. | Plantaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 1 | | | | | | | | 1 | L | S |
| <i>Plantago lagopus</i> L. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | |
| <i>Plantago lanceolata</i> L. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 59 | 1 | | 1 | 1 | | | | | P | |
| <i>Plantago loeflingii</i> L. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | | 1 | 1 | 1 | | | | P | |
| <i>Plantago major</i> L. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 99 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | |
| <i>Plantago ovata</i> Forssk. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 24 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | |
| <i>Plantago phaeostoma</i> Boiss. & Heldr. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | | 1 | 1 | | | P | |
| <i>Plantago webbii</i> Barneoud | Plantaginaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 2 | 1 | | 1 | 1 | | | | A | S | |
| <i>Platycapnos spicatus</i> (L.) Bernh. | Papaveraceae | Acc | Acc | Acc | Acc | AmUn | Acc | NL | 3 | | | 1 | 1 | | | | P | | |
| <i>Platycerium bifurcatum</i> (Cav.) C.Chr. | Polypodiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | | | | | I | O | |
| <i>Pleiomeris canariensis</i> (Wild.) A.Dc. | Primulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | | | | A | S | |
| <i>Plerandra elegantissima</i> (H.J.Veitch ex Mast.) Lowry, G.M.Plunkett & Frodin | Araliaceae | NL | NL | Acc | Syn | Acc | Acc | Syn | 5 | 1 | | 1 | | | | | | S | |
| <i>Plocama pendula</i> Aiton | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | |
| <i>Pluchea carolinensis</i> (Jacq.) D.Don | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | | | | | S | |
| <i>Pluchea dioscoridis</i> (L.) DC. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | | 1 | | | | | | S | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|--|-----------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Pluchea ovalis</i> (Pers.) DC. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | | 1 | | | | | I | | |
| <i>Plumbago auriculata</i> Lam. | Plumbaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | | | | | S | O | |
| <i>Plumeria obtusa</i> L. | Apocynaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 24 | 1 | 1 | 1 | | | | | | S | O | |
| <i>Plumeria rubra</i> L. | Apocynaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 34 | 1 | | | 1 | | | | | S | O | |
| <i>Poa angustifolia</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | 1 | 1 | 1 | | | | | | P | | |
| <i>Poa annua</i> L. | Poaceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 25 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Poa bulbosa</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 22 | 1 | | | 1 | 1 | | | | S | | |
| <i>Poa infirma</i> Kunth | Poaceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Poa leptoclada</i> Hochst. ex A.Rich. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | | 1 | | | | | | P | | |
| <i>Poa pitardiana</i> H.Scholz | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | 1 | | | | A | S | | |
| <i>Poa pratensis</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 77 | | | | 1 | 1 | | | | P | | |
| <i>Poa trivialis</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 34 | | | 1 | | | 1 | | | P | | |
| <i>Podranea ricasoliana</i> (Tanfani) Sprague | Bignoniaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | | | | | | S | O | |
| <i>Polycarphaea aristata</i> (Aiton) C.Sm. Ex DC: | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 3 | 1 | 1 | 1 | | | | | A | S | | |
| <i>Polycarphaea carnosa</i> C.Sm. Ex Buch | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 1 | | 1 | 1 | | | | | A | S | | |
| <i>Polycarphaea corymbosa</i> (L.) Lam. | Caryophyllaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 22 | | 1 | 1 | 1 | | | | A | S | | |
| <i>Polycarphaea divaricata</i> (Aiton) Poir. ex Steud. | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | | |
| <i>Polycarphaea latifolia</i> (Willd.) Poir. | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 3 | | 1 | 1 | 1 | | | | A | S | | |
| <i>Polycarphaea nivea</i> (Aiton) Webb | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | 1 | | 1 | 1 | 1 | 1 | | | S | | |
| <i>Polycarphaea robusta</i> (Pit.) G.Kunkel | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | | | | | | | 1 | L | S | |
| <i>Polycarphaea smithii</i> Link | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 2 | 1 | 1 | 1 | | | | | A | S | | |
| <i>Polycarphaea tenuis</i> Webb ex Christ | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | 1 | | 1 | | | | | A | S | | |
| <i>Polycarpon alsinifolium</i> (Biv.) Arcang. | Caryophyllaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 5 | | | | | | 1 | | P | | | |
| <i>Polycarpon tetraphyllum</i> (L.) L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 37 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orrham Crop |
|---|-----------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Polygonum arenastrum</i> Boreau | Polygonaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 28 | 1 | | | | | | | S | | | |
| <i>Polygonum aviculare</i> L. | Polygonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 98 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Polygonum balansae</i> Boiss. | Polygonaceae | Acc | NL | Acc | AmUn | Acc | Acc | NL | 0 | | | | 1 | 1 | | | S | | | |
| <i>Polygonum equisetiforme</i> Sm. | Polygonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | | | 1 | 1 | | P | | | |
| <i>Polygonum maritimum</i> L. | Polygonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | | 1 | 1 | 1 | 1 | 1 | S | | | |
| <i>Polygonum rurivagum</i> Jord. et Boreau | Polygonaceae | Syn | NL | Acc | Acc | Syn | Syn | Acc | 5 | 1 | | | | | | | S | | | |
| <i>Polypodium macaronesicum</i> A.E. Bobrov | Polypodiaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | | |
| <i>Polypogon fugax</i> Nees ex Steud. | Poaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Polypogon maritimus</i> Willd. | Poaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 11 | | | | 1 | 1 | 1 | 1 | P | | | |
| <i>Polypogon monspeliensis</i> (L.) Desf. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 31 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Polypogon viridis</i> (Gouan) Breistr. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 26 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Polystichum aculeatum</i> (L.) Roth ex Mert. | Dryopteridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 27 | 1 | 1 | 1 | | | | | S | | | |
| <i>Polystichum setiferum</i> (Forssk.) Moore ex Woyn | Dryopteridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | | | | S | | | |
| <i>Pontederia crassipes</i> Mart. | Pontederiaceae | NL | NL | Acc | Syn | Syn | Acc | Syn | 9 | 1 | 1 | | | | | | S | | | |
| <i>Populus alba</i> L. | Salicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 28 | 1 | 1 | 1 | 1 | 1 | | | I | O | | |
| <i>Populus nigra</i> L. | Salicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 36 | | | | 1 | | | | S | O | | |
| <i>Portulaca canariensis</i> Danin & Reyes-Bet. | Portulaccaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | 1 | 1 | A | S | | | | |
| <i>Portulaca granulatostellulata</i> (Poelln.) Ricceri & Arrigoni | Portulaccaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Portulaca nicaraguensis</i> (Danin & H.G.Baker) Danin | Portulaccaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | 1 | 1 | | | | | | S | | | |
| <i>Portulaca nitida</i> (Danin & H.G.Baker) Ricceri & Arrigoni | Portulaccaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | | | 1 | | S | | | |
| <i>Portulaca oleracea</i> L. | Portulaccaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 33 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | C | | |
| <i>Portulaca papillatostellulata</i> (Danin & H.G.Baker) Danin | Portulaccaceae | Acc | Syn | Acc | Acc | Syn | Syn | Acc | 1 | 1 | 1 | | | | | | S | | | |
| <i>Portulacaria afra</i> Jacq. | Didieraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orram Crop |
|---|------------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Potamogeton nodosus</i> Poir. | Potamogetonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 33 | | | 1 | 1 | 1 | | | | P | | |
| <i>Potamogeton pusillus</i> L. | Potamogetonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 43 | | | 1 | 1 | | | | | P | | |
| <i>Potamogeton trichoides</i> Cham. & Schltdl. | Potamogetonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | 1 | | | | | P | | |
| <i>Potentilla indica</i> (Andrews) Th.Wolf | Rosaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 15 | | | 1 | | | | | | S | | |
| <i>Potentilla reptans</i> L. | Rosaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | | 1 | | | | | | | S | | |
| <i>Prasium majus</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | 1 | | | | | | S | | |
| <i>Prosopis juliflora</i> (Sw.) DC. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | | | | | | I | O | |
| <i>Prunella vulgaris</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | 1 | 1 | | | | | S | | |
| <i>Prunus cerasus</i> L. | Rosaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 33 | 1 | | 1 | 1 | | | | | S | C | |
| <i>Prunus domestica</i> L. | Rosaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | | | 1 | 1 | 1 | 1 | | | | S | C | |
| <i>Prunus dulcis</i> (Mill.) D.A.Webb | Rosaceae | Acc | Acc | Syn | Acc | Acc | Acc | Acc | | 1 | 1 | 1 | 1 | 1 | 1 | | | I | C | |
| <i>Prunus lusitanica</i> L. | Rosaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Pseudosasa japonica</i> (Steud.) Makino | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | 1 | | 1 | | | | | S | O | |
| <i>Psidium guajava</i> L. | Myrtaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 29 | 1 | | 1 | | | | | | S | C | |
| <i>Psilotum nudum</i> (L.) P. Beauv. | Psilotaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 20 | 1 | | 1 | | | 1 | | | S | | |
| <i>Pteranthus dichotomus</i> Forssk. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | | | 1 | 1 | | P | | |
| <i>Pteridium aquilinum</i> (L.) Kuhn | Dennstaedtiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 45 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Pteris cretica</i> L. | Pteridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | | S | | |
| <i>Pteris incompleta</i> Cav. | Pteridaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | | | | S | | |
| <i>Pteris multifida</i> Poir. | Pteridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | | | | | | | | S | | |
| <i>Pteris tremula</i> R.Br. | Pteridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | 1 | 1 | | | | | S | | |
| <i>Pteris vittata</i> L. | Pteridaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | | | | | S | O | |
| <i>Pterocephalus dumetorum</i> (Brouss. ex Willd.) Coult. | Caprifoliaceae | Acc | Acc | Acc | AmUn | AmUn | Acc | Syn | 2 | 1 | | 1 | 1 | | | | A | S | | |
| <i>Pterocephalus lasiospermus</i> Link | Caprifoliaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 2 | | | 1 | | | | | T | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orrham Crop |
|---|----------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| <i>Pterocephalus porphyranthus</i> Svent. | Caprifoliaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | 1 | | | | | | | P | S | | |
| <i>Pterocephalus virens</i> Webb & Berthel. | Caprifoliaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 1 | | | 1 | | | | | T | S | | |
| <i>Puccinellia maritima</i> (Huds.) Parl. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 29 | | | 1 | | | | | P | | | |
| <i>Pulicaria arabica</i> (L.) Cass. | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 17 | | 1 | 1 | | | | | P | | | |
| <i>Pulicaria burchardii</i> Hutch. | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | | | | | 1 | | S | |
| <i>Pulicaria canariensis</i> Bolle | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | | | | 1 | 1 | A | S |
| <i>Pulicaria odora</i> (L.) Rchb. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | | | | | P | | | |
| <i>Pulicaria paludosa</i> Link. | Asteraceae | Syn | Acc | Acc | AmUn | Acc | Acc | Syn | 1 | | | 1 | | | | | P | | | |
| <i>Pulicaria undulata</i> (L.) C.A.Mey. | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | | | | | P | | | |
| <i>Punica granatum</i> L. | Lythraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Pyrostegia venusta</i> (Ker Gawl.) Miers | Bignoniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | | 1 | 1 | 1 | | | | S | O | | |
| <i>Pyrus communis</i> L. | Rosaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 26 | | | | | | | | S | C | | |
| <i>Quercus ilex</i> L. | Fagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 28 | | 1 | 1 | 1 | 1 | | | S | O | | |
| <i>Quercus robur</i> L. | Fagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | 1 | | | | S | O | | |
| <i>Quercus rotundifolia</i> Lam. | Fagaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 16 | | | | | | | | 1 | | S | O |
| <i>Quercus suber</i> L. | Fagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | 1 | | | S | O | | |
| <i>Radiola linoides</i> Roth | Linaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | | 1 | 1 | | | P | | | |
| <i>Ranunculus aquatilis</i> L. | Ranunculaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 59 | | | 1 | | | | | P | | | |
| <i>Ranunculus arvensis</i> L. | Ranunculaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | | | | 1 | | | | P | | | |
| <i>Ranunculus baudotii</i> Godr. | Ranunculaceae | NL | NL | Acc | Syn | Syn | Acc | Syn | 12 | | | | 1 | | | | P | | | |
| <i>Ranunculus cortusifolius</i> Willd. | Ranunculaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Ranunculus ficaria</i> L. | Ranunculaceae | Syn | Acc | Acc | Syn | Syn | Syn | Syn | 24 | | | 1 | | | | | P | | | |
| <i>Ranunculus fluitans</i> Lam. | Ranunculaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | | 1 | | | | | P | | | |
| <i>Ranunculus muricatus</i> L. | Ranunculaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | 1 | 1 | 1 | 1 | 1 | | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orram Crop |
|---|---------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Ranunculus ololeucus</i> J.Lloyd | Ranunculaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | | | 1 | | | | S | | |
| <i>Ranunculus ophioglossifolius</i> Vill. | Ranunculaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | | | | 1 | | | | P | | |
| <i>Ranunculus parviflorus</i> Loefl. | Ranunculaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | | | | P | | |
| <i>Ranunculus peltatus</i> Schrank | Ranunculaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | | | | 1 | | | | P | | |
| <i>Ranunculus penicillatus</i> (Dumort.) Bab. | Ranunculaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | | 1 | | | | S | | |
| <i>Ranunculus repens</i> L. | Ranunculaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 23 | | | | | 1 | | | | P | | |
| <i>Ranunculus sardous</i> Crantz | Ranunculaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 24 | | | | | 1 | 1 | | | P | | |
| <i>Ranunculus trichophyllus</i> Chair ex Vill. | Ranunculaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 68 | | | | | 1 | 1 | | | P | | |
| <i>Ranunculus trilobus</i> Desf. | Ranunculaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Raphanus raphanistrum</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 28 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Rapistrum rugosum</i> (L.) All. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 41 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Ravenala madagascariensis</i> Sonn. | Musaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 4 | 1 | | 1 | 1 | 1 | | | | S | O | |
| <i>Reichardia crystallina</i> (Sch.Bip. Ex Sch.Bip.) Bramwell | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | 1 | | | A | S | | |
| <i>Reichardia famarae</i> Bramwell & G.Kunkel ex M.J.Gallego & Talavera | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | | 1 | 1 | A | S | | |
| <i>Reichardia intermedia</i> (Sch.Bip) Samp. | Asteraceae | NL | NL | Acc | Acc | Syn | Acc | Acc | 4 | 1 | 1 | | 1 | 1 | 1 | 1 | | P | | |
| <i>Reichardia ligulata</i> (Vent.) G.Kunkel & Sundig | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Reichardia picroides</i> (L.) Roth | Asteraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 22 | | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Reichardia tingitana</i> (L.) Roth | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Reseda lancerotae</i> Webb ex Del. | Resedaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 1 | | | | | 1 | 1 | 1 | A | S | | |
| <i>Reseda lutea</i> L. | Resedaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 28 | | | | | | 1 | | | P | | |
| <i>Reseda luteola</i> L. | Resedaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | | 1 | 1 | 1 | 1 | | P | | |
| <i>Reseda scoparia</i> Brouss. ex Willd. | Resedaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | | | | A | S | | |
| <i>Retama monosperma</i> (L.) Boiss. | Fabaceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Orram Crop |
|---|-----------------|----------|------|------|------|-----|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Retama raetam</i> (Forssk.) Webb & Berthel. | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Syn | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Rhagadiolus stellatus</i> (L.) Gaertn. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Rhamnus alaternus</i> L. | Rhamnaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 26 | | | | 1 | | | | I | | |
| <i>Rhamnus crenulata</i> Aiton | Rhamnaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | |
| <i>Rhamnus glandulosa</i> Aiton | Rhamnaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 1 | | 1 | 1 | 1 | 1 | | | S | | |
| <i>Rhamnus integrifolia</i> DC. | Rhamnaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 2 | | | 1 | | | | T | S | | |
| <i>Rhodalsine geniculata</i> (Poir.) F.N.Williams | Caryophyllaceae | Acc | Syn | Acc | Syn | Acc | Acc | Syn | 36 | | | | 1 | 1 | 1 | | P | | |
| <i>Rhus coriaria</i> L. | Anacardiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | |
| <i>Rhynchosia caribaea</i> (Jacq.) DC. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | | 1 | | | | | S | | |
| <i>Ricinus communis</i> L. | Euphorbiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 77 | 1 | 1 | 1 | 1 | 1 | 1 | | I | O | |
| <i>Ridolfia segetum</i> (L.) Moris | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | | 1 | 1 | 1 | | | S | | |
| <i>Robinia pseudoacacia</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 45 | | | 1 | | | | | S | O | |
| <i>Roldana petasitis</i> (Sims) H.Rob. & Brettell | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | 1 | 1 | | | | S | | |
| <i>Romulea columnae</i> Sebast. & Mauri | Iridaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Rosa canina</i> L. | Rosaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 78 | 1 | 1 | 1 | 1 | 1 | | | P | O | |
| <i>Rosa micrantha</i> Borrer ex Sm. | Rosaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 15 | 1 | | | | | | | P | O | |
| <i>Rosa rubiginosa</i> L. | Rosaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 15 | | | | 1 | | | | P | O | |
| <i>Rostraria cristata</i> (L.) Tzvelev | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 67 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Rostraria pumila</i> (Desf.) Tzvelev | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | 1 | 1 | | 1 | 1 | 1 | | P | | |
| <i>Rubia fruticosa</i> Aiton | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Rubia occidens</i> Capelo, M.Seq. & H.Schaef. | Rubiaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Rubia peregrina</i> L. | Rubiaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 18 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Rubus bollei</i> Focke | Rosaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Rubus palmensis</i> A.Hansen | Rosaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | 1 | 1 | 1 | 1 | | | A | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Oriental Crop |
|--|----------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|---------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Rubus ulmifolius</i> Schott | Rosaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 62 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Ruellia bourgaei</i> Hemsl. | Acanthaceae | Syn | NL | Acc | Acc | Acc | Acc | Acc | | | | | | | | | S | O | | |
| <i>Rumex acetosella</i> L. | Polygonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 20 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Rumex bipinnatus</i> L.f. | Polygonaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | | | | | P | | | |
| <i>Rumex bucephalophorus</i> L. | Polygonaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Rumex conglomeratus</i> Murray | Polygonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 25 | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Rumex crispus</i> L. | Polygonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | 1 | 1 | 1 | 1 | | 1 | | P | | | |
| <i>Rumex cristatus</i> DC. | Polygonaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 4 | 1 | | 1 | | | | | S | | | |
| <i>Rumex induratus</i> Boiss. Reut. | Polygonaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 1 | | | 1 | 1 | | | | P | | | |
| <i>Rumex lunaria</i> L. | Polygonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | | |
| <i>Rumex maderensis</i> Lowe | Polygonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Rumex obtusifolius</i> L. | Polygonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Rumex palustris</i> Sm. | Polygonaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | | | | | P | | | |
| <i>Rumex pulcher</i> L. | Polygonaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Rumex spinosus</i> L. | Polygonaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Rumex vesicarius</i> L. | Polygonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Ruppia maritima</i> L. | Ruppiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 36 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Ruscus aculeatus</i> L. | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | 1 | | 1 | | | S | | | |
| <i>Ruscus hypoglossum</i> L. | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | 1 | | | | | S | | | |
| <i>Russelia equisetiformis</i> Schlechl. & Cham. | Plantaginaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | 1 | 1 | | | | S | O | | |
| <i>Ruta chalepensis</i> L. | Rutaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Ruta graveolens</i> L. | Rutaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | | | 1 | | | | S | C | | |
| <i>Ruta microcarpa</i> Svent. | Rutaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | | 1 | | | | | G | S | | | |
| <i>Ruta oreojasme</i> Webb & Berthel. | Rutaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | | | 1 | | | | C | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orrham Crop |
|---|-----------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Ruta pinnata</i> L.f. | Rutaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 1 | 1 | 1 | 1 | | | | A | S | | | |
| <i>Rutheopsis herbanica</i> (Bolle) A.Hansen & G.Kunkel | Apiaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 2 | | | | | 1 | 1 | A | S | | | |
| <i>Sabulina mediterranea</i> (Ledeb. ex Link) Rchb. | Caryophyllaceae | Syn | Syn | Acc | AmUn | Syn | Acc | Syn | 14 | | 1 | | | | | | | S | | |
| <i>Saccharum officinarum</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | 1 | 1 | | | | | | S | C | |
| <i>Sagina apetala</i> Ard. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 37 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Sagina maritima</i> G.Don | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | | 1 | | | | | P | | | |
| <i>Sagina procumbens</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | 1 | 1 | | 1 | 1 | | | P | | | |
| <i>Salicornia perennis</i> Mill. | Amaranthaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 12 | | | | | 1 | 1 | 1 | S | | | |
| <i>Salix fragilis</i> L. | Salicaceae | NL | Acc | Acc | Syn | Acc | Acc | Acc | 33 | 1 | | 1 | 1 | 1 | | | | S | O | |
| <i>Salix pedicellata</i> (C.Sm. ex Link) A.K.Skvortsov | Salicaceae | Syn | Syn | Acc | Acc | Syn | Syn | Acc | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Salpichroa organifolia</i> (Lam.) Baill. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | | 1 | 1 | 1 | | | S | | | |
| <i>Salsola divaricata</i> Masson ex Link | Amaranthaceae | Acc | Acc | Acc | Acc | Syn | Acc | NL | 3 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | | |
| <i>Salsola kali</i> L. | Amaranthaceae | Acc | Acc | Acc | Acc | Syn | Syn | Acc | 18 | | | 1 | 1 | 1 | | | P | | | |
| <i>Salsola longifolia</i> Forssk. | Amaranthaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 8 | | | 1 | | | | | P | | | |
| <i>Salsola oppositifolia</i> Desf. | Amaranthaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | 1 | | 1 | 1 | | P | | | |
| <i>Salvia aegyptiaca</i> L. | Lamiaceae | Syn | Acc | Acc | Acc | Syn | Acc | Acc | 7 | | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Salvia africana</i> L. | Lamiaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 10 | 1 | | | | | | | S | | | |
| <i>Salvia broussonetii</i> Benth. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | T | S | | | |
| <i>Salvia canariensis</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | | |
| <i>Salvia coccinea</i> Buc'hoz ex Etl. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Salvia fruticosa</i> Mill. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | 1 | | | 1 | | | | S | | | |
| <i>Salvia herbanica</i> A.Santos & M.Fernandez | Lamiaceae | Syn | Acc | Acc | Acc | Acc | Syn | NL | 1 | | | | | 1 | | F | S | | | |
| <i>Salvia hispanica</i> L. | Lamiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 5 | | | | 1 | | | | S | | | |
| <i>Salvia leucantha</i> Cav. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | | | S | O | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orram Crop |
|---|----------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Salvia microphylla</i> Kunth | Lamiaceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | 1 | | | | S | | |
| <i>Salvia officinalis</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | 1 | | | | S | C | |
| <i>Salvia rosmarinus</i> Schleid. | Lamiaceae | Acc | Syn | Acc | Syn | Acc | Acc | Syn | 19 | 1 | 1 | 1 | 1 | 1 | | | | S | C | |
| <i>Salvia verbenaca</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 81 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | C | |
| <i>Salvinia molesta</i> D.S. Mitch | Salviniaceae | Acc | NL | Acc | Syn | Acc | Acc | Syn | 1 | | | | | 1 | | | | I | O | |
| <i>Salvinia natans</i> (L.) All. | Salviniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | | 1 | 1 | | | S | O | | |
| <i>Sambucus canadensis</i> L. | Adoxaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 30 | | | | | 1 | | | | S | O | |
| <i>Sambucus palmensis</i> Link | Adoxaceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | | | A | S | | | |
| <i>Samolus valerandi</i> L. | Primulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Sanguisorba megacarpa</i> (Lowe) Munoz Garm. & C.Navarro | Rosaceae | Acc | Syn | Acc | AmUn | Syn | Syn | NL | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Sanguisorba menendezii</i> Svent. | Rosaceae | Syn | Syn | Acc | AmUn | Syn | Syn | Acc | 2 | | | | | 1 | | C | S | | | |
| <i>Saxifraga stolonifera</i> Curtis | Saxifragaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | | | | | 1 | | | S | | | |
| <i>Scabiosa atropurpurea</i> L. | Caprifoliaceae | Acc | Acc | Acc | Acc | Syn | Syn | Acc | 11 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Scandix brachycarpa</i> Guss. | Apiaceae | Syn | Acc | Syn | Acc | Acc | Acc | Syn | | | | | 1 | | | | P | | | |
| <i>Scandix pecten-veneris</i> L. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Schefflera actinophylla</i> (Endl.) Harms | Araliaceae | Acc | Acc | Syn | Acc | Acc | Acc | Acc | | 1 | 1 | 1 | | | | | S | O | | |
| <i>Schenkia spicata</i> (L.) G.Mans. | Gentianaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 13 | | 1 | | | | | | P | | | |
| <i>Schinus molle</i> L. | Anacardiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Schinus terebinthifolia</i> Raddi | Anacardiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | | 1 | 1 | 1 | | | S | C | | |
| <i>Schismus arabicus</i> Nees ex Steud. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Schismus barbatus</i> (L.) Thell. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 22 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Schizogyne glaberrima</i> DC. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | 1 | | | A | S | | | |
| <i>Schizogyne sericea</i> (L.f.) DC. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Schoenoplectiella supina</i> (L.) Lye | Cyperaceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 18 | | | 1 | | | | P | | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orram Crop |
|---|------------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Schoenoplectus triquetus</i> (L.) Palla in Verh | Cyperaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 22 | | | | | | | | P | | | |
| <i>Scilla haemorrhoidalis</i> Webb & Berthel. | Asparagaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | | |
| <i>Scilla latifolia</i> Willd. ex Schult. & Schult.f. | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Scilla peruviana</i> L. | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 41 | | | | 1 | | | | | S | | |
| <i>Scirpoides holoschoenus</i> (L.) Soják | Cyperaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Scleranthus annuus</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 137 | | | | 1 | 1 | | | P | | | |
| <i>Sclerophylax spinescens</i> Miers | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | 1 | 1 | | | S | | |
| <i>Scolymus grandiflorus</i> Desf. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | | P | | | |
| <i>Scolymus hispanicus</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | 1 | 1 | 1 | | | P | | | |
| <i>Scolymus maculatus</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Scorpiurus muricatus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Scorpiurus vermiculatus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | | 1 | 1 | | | | | S | | |
| <i>Scorzoneroides laciniata</i> L. | Asteraceae | Syn | Acc | Acc | Syn | Acc | Acc | Acc | 2 | | | | 1 | 1 | 1 | 1 | | P | | |
| <i>Scorzoneroides palisiae</i> (Iuzq.) Greuter & Talavera | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | | 1 | | | | P | | | |
| <i>Scrophularia arguta</i> Aiton | Scrophulariaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Scrophularia auriculata</i> L. | Scrophulariaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | | | | | S | | |
| <i>Scrophularia calliantha</i> Webb & Berthel. | Scrophulariaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | | | | 1 | | | | C | S | | |
| <i>Scrophularia glabrata</i> Aiton | Scrophulariaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 1 | 1 | | 1 | | | | A | S | | | |
| <i>Scrophularia parviflora</i> Wooton & Standl. | Scrophulariaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | 1 | | | | A | S | | | |
| <i>Scrophularia scorodonia</i> L. | Scrophulariaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | | 1 | | | | | | S | | |
| <i>Scrophularia smithii</i> Hornem | Scrophulariaceae | Acc | NL | Acc | AmUn | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Searsia albida</i> (Schousb.) Moffett | Anacardiaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | | | 1 | | | P | | | |
| <i>Secale cereale</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | 1 | | 1 | 1 | 1 | | P | C | | |
| <i>Sedum dendroideum</i> Moc. & Sessé ex D.C. | Crassulaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | | | | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Oriental Crop |
|---|-----------------|----------|------|------|------|-----|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|---------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Sedum lancerottense</i> R.P. Murray | Crassulaceae | Syn | Acc | Acc | AmUn | Acc | Acc | Syn | 1 | | | | | | | 1 | L | S | |
| <i>Sedum mexicanum</i> Britton | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | | S | |
| <i>Sedum nudum</i> Aiton | Crassulaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | | | | 1 | S | | |
| <i>Sedum rubens</i> L. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Selaginella denticulata</i> (L.) Spring | Selaginellaceae | Acc | Acc | Acc | Syn | Acc | Acc | NL | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | |
| <i>Selaginella kraussiana</i> (Kunze) A.Braun | Selaginellaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | 1 | 1 | | | S | | |
| <i>Selaginella selaginoides</i> (L.) P. Beauv. ex Schrank & Mart. | Selaginellaceae | Acc | Acc | Acc | Acc | Syn | Acc | Acc | 5 | 1 | | | | | | | S | | |
| <i>Selenicereus triangularis</i> (L.) D.R.Hunt | Cactaceae | NL | NL | Acc | Acc | Acc | Acc | NL | 23 | | | | 1 | | | | S | O | |
| <i>Selenicereus undatus</i> (Haw.) D.R.Hunt | Cactaceae | Syn | Syn | Acc | Syn | Acc | Syn | Syn | 7 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | |
| <i>Semele androgyna</i> (L.) Kunth | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Semele gayae</i> (Webb & Berthel.) Svent. & Kunkel | Asparagaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | | 1 | | | C | S | | |
| <i>Senecio angulatus</i> L.f. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | | 1 | 1 | | | S | O | |
| <i>Senecio bollerii</i> Sundig & G.Kunkel | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | 1 | F | S | | |
| <i>Senecio flavus</i> (Decne) Sch.Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | 1 | 1 | 1 | 1 | P | | | |
| <i>Senecio glaucus</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | 1 | 1 | 1 | 1 | P | | | |
| <i>Senecio ilsae</i> A.Santos & Reyes-Bet. | Asteraceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 2 | | 1 | | | | | G | S | | |
| <i>Senecio incrassatus</i> Lowe | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | 1 | 1 | | | | | S | | | |
| <i>Senecio leucanthemifolius</i> Poir. | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Senecio massaicus</i> (Maire) Maire | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | 1 | 1 | 1 | P | | | |
| <i>Senecio teneriffae</i> Sch. Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | S | | | |
| <i>Senecio vulgaris</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Senna bicapsularis</i> (L.) Roxb. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | |
| <i>Senna corymbosa</i> (Lam.) H.S.Irwin & Barneby | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | 1 | | | | S | O | | |
| <i>Senna didymobotrya</i> (Fresen.) H.S.Irwin & Barneby | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | 1 | 1 | | S | O | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|--|---------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Senna multiglandulosa</i> (Jacq.) H.S.Irwin & Barneby | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | | | | | 1 | | S | O | |
| <i>Senna occidentalis</i> (L.) Link | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | | | | | | | 1 | | S | O | |
| <i>Senna spectabilis</i> (DC.) H.S.Irwin & Barneby | Fabaceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | | | | 1 | | S | O | |
| <i>Serapias parviflora</i> Parl. | Orchidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | | 1 | 1 | 1 | | S | | | |
| <i>Sesleria albicans</i> Kit. | Poaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 13 | | 1 | | | | | | | P | | |
| <i>Sesuvium portulacastrum</i> (L.) L. | Aizoaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 31 | | | | | | | 1 | 1 | I | O | |
| <i>Sesuvium verrucosum</i> Raf. | Aizoaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | | | | 1 | | S | O | |
| <i>Setaria geminata</i> (Forssk.) Veldkamp | Poaceae | Syn | Syn | Acc | Syn | Acc | Acc | NL | 24 | | | | | | | 1 | | P | | |
| <i>Setaria italica</i> (L.) P.Beauv. | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 70 | | | | | | | 1 | | P | | |
| <i>Setaria megaphylla</i> (Steud.) T. Durant & Schinz | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | | 1 | 1 | | | | | | S | | |
| <i>Setaria parviflora</i> (Poir.) M. Kerguelen | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 107 | | 1 | 1 | 1 | 1 | | | | P | | |
| <i>Setaria pumila</i> (Poir.) Roem. & Schult. | Poaceae | Acc | Acc | Acc | Acc | Syn | Syn | Acc | 26 | | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Setaria verticillata</i> (L.) P.Beauv. | Poaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 41 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Setaria viridis</i> (L.) P.Beauv. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 54 | | | | 1 | 1 | | | | P | | |
| <i>Sherardia arvensis</i> L. | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Sicyos edulis</i> Jacq. | Cucurbitaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 5 | | 1 | | | | | 1 | | S | C | |
| <i>Sida acuta</i> Burm.f. | Malvaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 38 | | | | | | | 1 | 1 | | S | |
| <i>Sida rhombifolia</i> L. | Malvaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 37 | | 1 | 1 | 1 | 1 | | | | S | | |
| <i>Sida spinosa</i> L. | Malvaceae | Acc | NL | Acc | Acc | Acc | NL | Acc | 27 | 1 | 1 | | | | | | | S | | |
| <i>Sidastrum paniculatum</i> (L.) Fryxell | Malvaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | | | | | | 1 | | S | O | |
| <i>Sideritis amagroi</i> Marrero Rodr. & B.Navarro | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | | | 1 | | C | S | |
| <i>Sideritis barbellata</i> Mend.-Heuer | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | | | | | | | P | S | |
| <i>Sideritis bolleana</i> Bornm. | Lamiaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | | | | | | | P | S | |
| <i>Sideritis brevicaulis</i> Mend.-Heuer | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | | 1 | | T | S | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop |
|--|------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Sideritis canariensis</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | | 1 | | | A | S | | | |
| <i>Sideritis cretica</i> L. | Lamiaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | T | S | | | |
| <i>Sideritis cystosiphon</i> Svent. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | T | S | | | |
| <i>Sideritis dasygnaphala</i> (Webb & Berthel.) Clos | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | C | S | | | |
| <i>Sideritis dendrochahorra</i> Bolle | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | T | S | | | |
| <i>Sideritis discolor</i> Willd. ex Bolle | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | C | S | | | |
| <i>Sideritis eriocephala</i> Marrero Rodr. ex Negrín & P.Pérez | Lamiaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 1 | | | 1 | | | | T | S | | | |
| <i>Sideritis ferrensis</i> P.Pérez & Négrin | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | | H | S | | | |
| <i>Sideritis gomeraea</i> de Noé ex Bolle | Lamiaceae | Acc | NL | Acc | Syn | Acc | Acc | Acc | 1 | | 1 | | | | | G | S | | | |
| <i>Sideritis guayedrae</i> Marrero Rodr. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | | | | C | S | | | |
| <i>Sideritis infernalis</i> Bolle | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | T | S | | | |
| <i>Sideritis kuegleriana</i> Bornm. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | 1 | | | | T | S | | | |
| <i>Sideritis lotsyi</i> (Pit.) Ceballos & Ortúñoz | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | | | | | G | S | | | |
| <i>Sideritis macrostachyos</i> Poir. | Lamiaceae | Acc | Acc | Acc | Acc | AmUn | Acc | NL | 1 | | | 1 | | | | T | S | | | |
| <i>Sideritis marmorea</i> Bolle | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | | | | | G | S | | | |
| <i>Sideritis mascaensis</i> (Svent.) Marrero Rodr. | Lamiaceae | Acc | Acc | Acc | Syn | NL | Acc | NL | 2 | | | 1 | | | | T | S | | | |
| <i>Sideritis nervosa</i> (Christ) Linding. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | NL | Acc | 2 | | | 1 | | | | T | S | | | |
| <i>Sideritis nutans</i> Svent. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | | | | | G | S | | | |
| <i>Sideritis oroteneriffae</i> Négrin & P.Pérez | Lamiaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | T | S | | | |
| <i>Sideritis pumila</i> (Christ) Mendoza-Heuer | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | 1 | | A | S | | | |
| <i>Sideritis santosii</i> Marrero Rodr. | Lamiaceae | Acc | Acc | Acc | NL | AmUn | Acc | NL | 0 | | | 1 | | | | T | S | | | |
| <i>Sideritis soluta</i> Clos | Lamiaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | T | S | | | |
| <i>Sideritis sventenii</i> (G.Kunkel) Mend.-Heuer | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | C | S | | | |
| <i>Sideroxylon canariense</i> Leyens, Lobin & A.Santos | Sapotaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orrham Crop |
|---|-----------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Sigesbeckia orientalis</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | 1 | 1 | 1 | | | | | S | | | |
| <i>Silene apetala</i> Willd. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 20 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Silene behen</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | | 1 | 1 | 1 | 1 | P | | | |
| <i>Silene bellidifolia</i> Juss. ex Jacq. | Caryophyllaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 12 | | | 1 | | | 1 | | P | | | |
| <i>Silene berthelotiana</i> Webb ex Christ | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | 1 | | | 1 | | | | A | S | | |
| <i>Silene bourgauei</i> Webb ex Christ | Caryophyllaceae | Acc | Acc | Acc | AmUn | AmUn | Acc | Syn | 0 | | | 1 | | | | | G | S | | |
| <i>Silene canariensis</i> Spreng. | Caryophyllaceae | Acc | NL | Acc | AmUn | AmUn | Acc | NL | 0 | | | 1 | 1 | | | | A | S | | |
| <i>Silene colorata</i> Poir. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | | | | | | 1 | 1 | | P | | |
| <i>Silene conica</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | | 1 | | | | P | | | |
| <i>Silene conoidea</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | 1 | | | | | P | | | |
| <i>Silene cretica</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | 1 | 1 | 1 | | | | P | | | |
| <i>Silene diversifolia</i> Otth | Caryophyllaceae | NL | Syn | Acc | Acc | Syn | Syn | Acc | 2 | | | | | | 1 | | P | | | |
| <i>Silene gallica</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 68 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Silene gracilis</i> DC. | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 2 | | | | | | 1 | 1 | P | | | |
| <i>Silene inaperta</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | 1 | 1 | | | | P | | | |
| <i>Silene lagunensis</i> C.Sm. ex Link | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | | | 1 | | | | | T | S | | |
| <i>Silene muscipula</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | | | 1 | | P | | | |
| <i>Silene nocteolens</i> Webb & Berthel. | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Syn | 0 | | | 1 | | | | | T | S | | |
| <i>Silene nocturna</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Silene nutans</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 29 | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Silene pogonocalyx</i> (Svent.) Bramwell | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 1 | 1 | 1 | | | | | | A | S | | |
| <i>Silene rubella</i> L. | Caryophyllaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 9 | | | | | | 1 | | P | | | |
| <i>Silene sabinosae</i> Pit. | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | 1 | | | | | | | H | S | | |
| <i>Silene tamaranae</i> Bramwell | Caryophyllaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 0 | | | | 1 | | | | C | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|---|-----------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Silene tridentata</i> Desf. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Silene vulgaris</i> (Moench) Garcke | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 101 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Silybum marianum</i> (L.) Gaertn. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Simmondsia chinensis</i> (Link) C.K. Schneid. | Simmondsiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | | | | 1 | S | | | |
| <i>Sinapis alba</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | C | |
| <i>Sinapis arvensis</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 36 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Sinapis flexuosa</i> Poir. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | 1 | | 1 | | | P | | | |
| <i>Sinapis pubescens</i> L. | Brassicaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | | | | | | P | | | |
| <i>Sisymbrium erysimoides</i> Desf. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Sisymbrium irio</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 20 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Sisymbrium officinale</i> (L.) Scop. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Sisymbrium orientale</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Smilax aspera</i> L. | Smilacaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 27 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | | | |
| <i>Smilax canariensis</i> Willd. | Smilacaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Smyrnium olusatrum</i> L. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | | 1 | 1 | | | S | | | |
| <i>Solandra grandiflora</i> Sw. | Solanaceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Solandra maxima</i> (Moc. & Sessé ex Dunal) P.S. Green | Solanaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Solanum abutiloides</i> (Griseb.) Bitter & Lillo | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | | 1 | | | | S | | | |
| <i>Solanum alatum</i> Moench | Solanaceae | NL | Acc | Acc | Syn | Syn | Acc | NL | 6 | | 1 | | | | | | S | | | |
| <i>Solanum americanum</i> Mill. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 51 | | | | | | 1 | | S | | | |
| <i>Solanum betaceum</i> Cav. | Solanaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 7 | | | 1 | 1 | | | | S | | | |
| <i>Solanum bonariense</i> L. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | | 1 | 1 | | | | S | | | |
| <i>Solanum chenopodioides</i> Lam. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | 1 | 1 | 1 | 1 | | | | S | | | |
| <i>Solanum chrysotrichum</i> Schlechl. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | 1 | | | | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Orrham Crop |
|--|-------------|----------|------|------|-----|-----|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Solanum decipiens</i> Opiz | Solanaceae | NL | NL | Syn | Syn | Acc | Acc | Acc | | 1 | | | | | | | S | | |
| <i>Solanum giganteum</i> Jacq. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | | | 1 | | | | S | | |
| <i>Solanum hoehnei</i> C.V.Morton | Solanaceae | NL | Syn | Acc | Acc | Acc | Acc | Acc | 3 | 1 | | | 1 | 1 | 1 | | P | | |
| <i>Solanum laxum</i> Spreng. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | | | 1 | 1 | | | S | | |
| <i>Solanum lidii</i> Sundig | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | C | S | | |
| <i>Solanum lycopersicum</i> L. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 65 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Solanum marginatum</i> L.f. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | | 1 | 1 | | | S | | |
| <i>Solanum mauritianum</i> Scop. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | | 1 | | | | | S | | |
| <i>Solanum nava</i> Webb & Berthel. | Solanaceae | Syn | Acc | Acc | Acc | Acc | Acc | Syn | 2 | | | | 1 | 1 | | A | S | | |
| <i>Solanum nigrum</i> L. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 58 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Solanum pseudocapsicum</i> L. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 40 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Solanum robustum</i> H.L. Wendl. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | | 1 | 1 | | | S | | |
| <i>Solanum seaforthianum</i> Andrews | Solanaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 9 | 1 | | | 1 | | | | S | | |
| <i>Solanum tuberosum</i> L. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 362 | | 1 | 1 | 1 | 1 | 1 | | S | C | |
| <i>Solanum vespertilio</i> Aiton | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | T | S | | |
| <i>Solanum villosum</i> Mill. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 44 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Soleirolia soleirolii</i> (Req.) Dandy | Urticaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | 1 | 1 | | | | S | O | |
| <i>Solenopsis laurentia</i> (L.) C.Presl | Lobeliaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | 1 | 1 | | | | P | | |
| <i>Soliva stolonifera</i> (Brot.) R.Br. ex G.Don | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Sonchus acaulis</i> Dum.Cours | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | 1 | | | A | S | | |
| <i>Sonchus arboreus</i> DC. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | | 1 | | | | A | S | | |
| <i>Sonchus asper</i> (L.) Hill | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 25 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Sonchus bornmuelleri</i> Pit. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | | P | S | | |
| <i>Sonchus bourgeau</i> Sch.Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | 1 | 1 | | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|---|------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Sonchus brachylobus</i> Webb & Berthel. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | | | | 1 | C | S | | |
| <i>Sonchus bupleuroides</i> (Font Quer) N.Kilian & Greuter | Asteraceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | | 1 | C | S | | |
| <i>Sonchus canariensis</i> (Sch.Bip.) Boulos | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | 1 | | | A | S | | |
| <i>Sonchus capillaris</i> Svent. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | 1 | 1 | 1 | | | A | S | | |
| <i>Sonchus congestus</i> Willd. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | 1 | | | A | S | | |
| <i>Sonchus esperanzae</i> N.Kilian & Greuter | Asteraceae | Syn | Acc | Acc | Acc | Acc | Acc | NL | 3 | 1 | | | | | | | P | S | | |
| <i>Sonchus fauces-orci</i> Knoche | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | | | 1 | | | T | S | | |
| <i>Sonchus gandogerii</i> Pit. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | | | H | S | | |
| <i>Sonchus gomeraensis</i> Boulos | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Syn | 1 | | | 1 | | | | | G | S | | |
| <i>Sonchus gummifer</i> Link | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | | | 1 | | | T | S | | |
| <i>Sonchus hierrensis</i> (Pit.) Boulos | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | | | | | A | S | | |
| <i>Sonchus leptcephalus</i> Cass. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Sonchus lidii</i> Boulos | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | 1 | | | | | | | H | S | | |
| <i>Sonchus microcarpus</i> (Boulos) U.Reifenb. & A.Reifenb. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | | T | S | | |
| <i>Sonchus oleraceus</i> (L.) L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 36 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Sonchus ortunoi</i> Svent. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | G | S | | |
| <i>Sonchus palmensis</i> Boulos | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | | | | | | P | S | | |
| <i>Sonchus pendulus</i> (Sch.Bip.) Sennikov | Asteraceae | Syn | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | | 1 | | | C | S | | |
| <i>Sonchus pinnatifidus</i> Cav. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | | | | 1 | 1 | | S | |
| <i>Sonchus pitardii</i> Boulos | Asteraceae | Acc | Syn | Acc | Acc | Acc | Acc | NL | 0 | 1 | | | | | | | H | S | | |
| <i>Sonchus platylepis</i> Webb | Asteraceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 3 | | | | | 1 | | | C | S | | |
| <i>Sonchus radicatus</i> Aiton | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | T | S | | |
| <i>Sonchus regis-jubae</i> Pit. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 2 | 1 | 1 | 1 | 1 | | | | A | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop | |
|---|-----------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|--|
| | | | | | | | | | | | | | | | | | | | | | |
| <i>Sonchus sventenii</i> U.Reifenb. & A.Reifenb. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | 1 | | | | | G | S | | | |
| <i>Sonchus tectifolius</i> Svent. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | | T | S | | | |
| <i>Sonchus tenerimus</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | | |
| <i>Sonchus tuberifer</i> Svent. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | T | S | | | |
| <i>Sonchus webbii</i> Sch.Bip. | Asteraceae | Syn | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | | | | | | | P | S | | | |
| <i>Sonchus wildpretii</i> U.Reifenb. & A.Reifenb. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | | | | | | G | S | | | |
| <i>Sorghum bicolor</i> (L.) Moench. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 177 | 1 | 1 | 1 | | | | | | P | C | | |
| <i>Sorghum halepense</i> (L.) Pers. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 34 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Spartium junceum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | 1 | 1 | 1 | 1 | | | I | O | | |
| <i>Spathodea campanulata</i> P.Beauv. | Bignoniaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | O | | |
| <i>Spergula arvensis</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Spergula pentandra</i> L. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Spergularia bocconei</i> (Scheele) Asch. & Graebn. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Spergularia bourgaei</i> Lebel | Caryophyllaceae | Acc | NL | Acc | Acc | AmUn | Acc | NL | 1 | | | 1 | | | | | T | S | | | |
| <i>Spergularia diandra</i> (Guss.) Heldr. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 24 | | | | 1 | 1 | 1 | 1 | | P | | | |
| <i>Spergularia fimbriata</i> Boiss. & Reut. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 3 | | | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Spergularia flaccida</i> (Madden) I.M.Turner | Caryophyllaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 9 | 1 | | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Spergularia marina</i> (L.) Besser | Caryophyllaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 76 | 1 | | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Spergularia media</i> (L.) C.Presl | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 47 | | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Sphenopus divaricatus</i> (Gouan) Rchb. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | | | | | | 1 | | | P | | | |
| <i>Spinacia oleracea</i> L. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | 1 | 1 | | | | | S | C | | |
| <i>Spirobassia hirsuta</i> (L.) Freitag & G. Kadereit | Amaranthaaceae | Acc | Acc | Acc | Syn | Acc | Acc | Syn | 20 | | | | | | 1 | | | P | | | |
| <i>Spirodela punctata</i> (G.Mey.) C.H.Thomps. | Araceae | Syn | NL | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | | | | | | I | | | | |
| <i>Sporobolus africanus</i> (Poir.) Robyns & Tournay | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 11 | 1 | | | | | | | P | | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop | |
|--|-----------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|--|
| | | | | | | | | | | | | | | | | | | | | | |
| <i>Sporobolus copei</i> Verloove | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | T | S | | | |
| <i>Sporobolus diandrus</i> (Retz.) P.Beauv. | Poaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | | | | | P | | | |
| <i>Sporobolus indicus</i> (L.) R.Br. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 23 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Stachys arvensis</i> (L.) L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Stachys germanica</i> L. | Lamiaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | 1 | | | | P | | | |
| <i>Stachys ocymastrum</i> (L.) Briq. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Stellaria apetala</i> Ucria | Caryophyllaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 8 | 1 | | | 1 | 1 | | | | P | | | |
| <i>Stellaria media</i> (L.) Vill. | Caryophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 59 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Stenocereus dumortieri</i> (Scheidew.) Buxb. | Cactaceae | NL | NL | Acc | Syn | Syn | Syn | Syn | 4 | | | | 1 | | | | S | | O | | |
| <i>Stenocereus pruinosus</i> (Otto ex Pfeiff.) Buxb. | Cactaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 19 | | | | 1 | | | | S | | O | | |
| <i>Stenotaphrum secundatum</i> (Walter) Kuntze | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | | 1 | 1 | 1 | 1 | | | S | | S | |
| <i>Stipagrostis ciliata</i> (Desf.) De Winter | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | | | 1 | 1 | | | | P | | | |
| <i>Stipellula capensis</i> (Thunb.) Röser & Hamasha | Poaceae | Acc | Acc | Acc | Syn | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Streptosolen jamesonii</i> (Benth.) Miers | Solanaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | 1 | 1 | | | | | S | | | |
| <i>Suaeda ifniensis</i> Caball. ex Maire | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | 1 | 1 | | | P | | | |
| <i>Suaeda maritima</i> (L.) Dumort. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 64 | | | | 1 | 1 | 1 | 1 | | S | | | |
| <i>Suaeda spicata</i> (Willd.) Moq. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | | | 1 | | | P | | | |
| <i>Suaeda vera</i> Forssk. ex J.F.Gmel. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Suaeda vermiculata</i> Forssk. ex J.F.Gmel. | Amaranthaceae | Acc | Acc | Acc | Acc | Syn | Syn | Acc | 16 | | | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Succowia balearica</i> (L.) Medik. | Brassicaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | | | | | P | | | |
| <i>Symphyotrichum laeve</i> (L.) Å.Löve & D.Löve | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 34 | 1 | | 1 | | | | | | S | O | | |
| <i>Symphyotrichum lanceolatum</i> (Willd.) G.L.Nesom | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | | S | O | | |
| <i>Symphyotrichum subulatum</i> (Michx.) G.L.Nesom | Asteraceae | NL | Syn | Acc | Syn | Acc | Acc | NL | 12 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Syzygium cumini</i> (L.) Skeels | Myrtaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 43 | 1 | | | 1 | | | | | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Orrham Crop |
|--|--------------|----------|------|------|------|------|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Syzygium jambos</i> (L.) Alston | Myrtaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 19 | 1 | 1 | | | | | | S | O | |
| <i>Taeniatherum caput-medusae</i> (L.) Nevski | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 25 | | | 1 | | | | | P | | |
| <i>Tagetes erecta</i> L. | Asteraceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | |
| <i>Tagetes minuta</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | | | S | O | |
| <i>Tamarix africana</i> Poir. | Tamaricaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 18 | | | 1 | 1 | 1 | 1 | | S | | |
| <i>Tamarix boveana</i> Bunge | Tamaricaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | | | | 1 | | S | | |
| <i>Tamarix canariensis</i> Willd. | Tamaricaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Tanacetum parthenium</i> (L.) Sch. Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 49 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | |
| <i>Tara spinosa</i> (Molina) Britton & Rose | Fabaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 15 | | | 1 | 1 | 1 | | | P | O | |
| <i>Taraxacum canarensis</i> Soest | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | NL | 0 | | 1 | 1 | | | | A | S | | |
| <i>Taraxacum degelii</i> G. E. Haglund | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | | | S | | |
| <i>Taraxacum duplidentifrons</i> Dahlst. ex Johnston | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | | | | | | S | | |
| <i>Taraxacum duriense</i> Soest | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | NL | 0 | | | | | 1 | | | S | | |
| <i>Taraxacum gelertii</i> Raunk. | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | S | | |
| <i>Taraxacum guanchicum</i> A. Galán, E. Linares & V. Orell. | Asteraceae | Acc | NL | Acc | NL | Acc | Acc | NL | 0 | | 1 | 1 | | | | A | S | | |
| <i>Taraxacum lidianum</i> Soest | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | NL | 0 | 1 | | | | | | | S | | |
| <i>Taraxacum lucidum</i> Dahlst. | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | S | | |
| <i>Taraxacum officinale</i> F.H.Wigg | Asteraceae | Syn | Syn | Acc | Syn | AmUn | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Tecoma stans</i> (L.) Juss. ex Kunth | Bignoniaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | |
| <i>Tecomaria capensis</i> (Thunb.) Spach | Bignoniaceae | Acc | Acc | Acc | Acc | Syn | Syn | Syn | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | |
| <i>Teline canariensis</i> (L.) Webb & Berthel. | Fabaceae | Acc | Acc | Syn | Syn | Syn | Acc | Syn | 22 | | | 1 | 1 | | | A | S | | |
| <i>Teline microphylla</i> P.E.Gibbs & Dingwall | Fabaceae | Acc | Acc | Syn | Syn | Acc | Acc | Syn | 4 | | | | 1 | | | C | S | | |
| <i>Teline nervosa</i> (Esteve) Hansen & Sund. | Fabaceae | Acc | Acc | Syn | AmUn | NL | Acc | Syn | 1 | | | | 1 | | | C | S | | |
| <i>Teline osyrioides</i> (Svent.) P.E.Gibbs & Ding | Fabaceae | Acc | Acc | Syn | AmUn | NL | Acc | Acc | 1 | | | 1 | | | | T | S | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orram Crop | |
|---|------------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|--|
| | | | | | | | | | | | | | | | | | | | | | |
| <i>Teline pallida</i> (Poir.) G. Kunkel | Fabaceae | Acc | NL | Syn | Syn | Syn | Syn | NL | 0 | | | 1 | 1 | | | | A | S | | | |
| <i>Teline rosmarinifolia</i> Webb & Berthel. | Fabaceae | Acc | Acc | Syn | Syn | Syn | Acc | NL | | | | | | 1 | | | C | S | | | |
| <i>Teline salsolooides</i> del Acro & Acebes | Fabaceae | Acc | Acc | AmUn | AmUn | NL | Acc | NL | 0 | | | | 1 | | | | T | S | | | |
| <i>Teline splendens</i> (Webb & Berthel.) del Arco | Fabaceae | Acc | Acc | Syn | AmUn | Syn | Acc | NL | 1 | | 1 | | | | | | P | S | | | |
| <i>Teline stenopetala</i> (Webb & Berthel.) Webb & Berthel. | Fabaceae | Acc | Acc | Syn | Syn | NL | Acc | Syn | 4 | 1 | 1 | 1 | 1 | 1 | | | | S | | | |
| <i>Tephrocactus articulatus</i> (Pfeiff.) Backeb. | Cactaceae | Acc | NL | Acc | Syn | Syn | Acc | Acc | 45 | | | | 1 | | | | | S | O | | |
| <i>Tetraclinis articulata</i> (Vahl) Mast. | Cupressaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | | 1 | | | | | S | O | | |
| <i>Tetragonia echinata</i> Aiton | Aizoaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | | S | | | |
| <i>Tetragonia tetragonoides</i> (Pall.) Kuntze | Aizoaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | | | | S | | | |
| <i>Tetrapogon villosus</i> Desf. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Teucrium heterophyllum</i> L'Hér | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | 1 | 1 | 1 | | | | S | | | |
| <i>Teucrium spinosum</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | 1 | 1 | | | | | S | | | |
| <i>Theligonum cynocrambe</i> L. | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | | | | | P | | | |
| <i>Thelocactus hastifer</i> (Werderm. et Boed.) F.M.Knuth | Cactaceae | NL | NL | Acc | Acc | Acc | Acc | NL | 2 | | | 1 | | | | | | S | O | | |
| <i>Thelypteris dentata</i> (Forssk.) E.P.St.John | Thelypteridaceae | Syn | Syn | Acc | Syn | Acc | Syn | Syn | 62 | 1 | 1 | 1 | 1 | | | | | C | S | | |
| <i>Thesium canariensis</i> (Stearn) J.C.Manning & F.Forest | Santalaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 1 | | | | 1 | | | | | C | S | | |
| <i>Thesium humile</i> Vahl. | Santalaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Thesium psilotocladium</i> Svent. | Santalaceae | Syn | Syn | Acc | AmUn | Acc | Acc | NL | 1 | | | 1 | | | | | T | S | | | |
| <i>Thesium retamoides</i> (A.Santos) J.C.Manning & F.Forest | Santalaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 1 | 1 | 1 | | | | | | A | S | | | |
| <i>Thesium subsucculentum</i> (Kämmer) J.C.Manning & F.Forest | Santalaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 1 | | | 1 | | | | | T | S | | | |
| <i>Thlaspi arvense</i> L. | Brassicaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | 1 | | | | | | P | | | |
| <i>Thunbergia alata</i> Bojer ex Sims | Acanthaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | | | | | S | O | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Oriham Crop |
|---|---------------|----------|------|------|-----|-----|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Thunbergia grandiflora</i> (Roxb. ex Rottl.) Roxb. | Acanthaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | | 1 | | | | S | O | |
| <i>Thymus origanoides</i> Webb & Berthel. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | | 1 | L | S | | | |
| <i>Thymus vulgaris</i> L. | Lamiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | | S | C | |
| <i>Tillandsia bergeri</i> Mez. | Bromeliaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | S | O | |
| <i>Tipuana tipu</i> (Benth.) Kuntze | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | P | O | |
| <i>Tithonia diversifolia</i> (Hemsl.) A.Gray | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | | | | | | S | O | |
| <i>Todaroa aurea</i> (Sol.) Parl. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Tolpis barbata</i> (L.) Gaertn. | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 15 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Tolpis calderae</i> Bolle | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | 1 | | | | | | P | S | |
| <i>Tolpis coronopifolia</i> (Desf.) Bif. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 6 | 1 | | 1 | 1 | | | A | S | | |
| <i>Tolpis crassiuscula</i> Svent. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | T | S | | |
| <i>Tolpis glabrescens</i> Kämmer | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 0 | | | 1 | | | | T | S | | |
| <i>Tolpis laciniata</i> (Sch.Bip.) Webb | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Tolpis lagopoda</i> C.Sm. ex Link. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | 1 | 1 | | | A | S | | |
| <i>Tolpis proustii</i> Pit. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | 1 | | | | A | S | | |
| <i>Tolpis santosii</i> D.J.Crawford, Mort & J.K.Archibald | Asteraceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | | 1 | | | | | P | S | | |
| <i>Tolpis umbellata</i> Bertol. | Asteraceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Tolpis webbii</i> Sch.Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | 1 | | | | T | S | | |
| <i>Torilis arvensis</i> (Huds.) Link | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 22 | | | | | | 1 | | P | | |
| <i>Torilis elongata</i> (Hoffmanns. & Link) Samp. | Apiaceae | Acc | Acc | Acc | Syn | Syn | Acc | NL | 12 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Torilis leptophylla</i> (L.) Rchb.f. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Torilis nodosa</i> (L.) Gaertn. | Apiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Torilis webbii</i> Bianca | Apiaceae | Syn | Syn | Syn | Acc | Syn | Acc | Acc | | | | 1 | 1 | 1 | | P | | | |
| <i>Tradescantia cerinthoides</i> Kunth | Commelinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | S | O | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|--|------------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Tradescantia fluminensis</i> Vell. | Commelinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | | | | I | O | | |
| <i>Tradescantia pallida</i> (Rose) D.R.Hunt | Commelinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | | | | S | O | | |
| <i>Tradescantia sillamontana</i> Matuda | Commelinaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | | | | | | S | | | |
| <i>Tradescantia spathacea</i> Sw. | Commelinaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | | | | S | | | |
| <i>Tradescantia zebrina</i> Bosse | Commelinaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | 1 | 1 | | | | S | O | | |
| <i>Traganum moquinii</i> Webb ex Moq. | Amaranthaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Tragopogon porrifolius</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Tragus racemosus</i> (L.) All. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Tribulus terrestris</i> L. | Zygophyllaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 22 | 1 | | 1 | 1 | 1 | | | P | | | |
| <i>Trichocereus macrogonus</i> (Salm-Dyck) Riccob. | Cactaceae | NL | NL | Acc | Syn | NL | Acc | NL | 14 | | | | 1 | | | | S | | O | |
| <i>Tricholaena teneriffae</i> (L.f.) Link | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |
| <i>Trichomanes speciosum</i> Willd. | Hymenophyllaceae | Syn | Syn | Acc | AmUn | Syn | Syn | Acc | 8 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Trifolium angustifolium</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Trifolium arvense</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Trifolium aureum</i> Pollich | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | | 1 | | P | | | |
| <i>Trifolium bocconeii</i> Savi | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | | | | P | | | |
| <i>Trifolium campestre</i> Schreb. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Trifolium cernuum</i> Brot. | Fabaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 5 | | | | 1 | | | | P | | | |
| <i>Trifolium cherleri</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Trifolium dubium</i> Sibth. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Trifolium fragiferum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | 1 | | | | P | | | |
| <i>Trifolium gemellum</i> Willd. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | 1 | | | | | P | | | |
| <i>Trifolium glomeratum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | | |
| <i>Trifolium hirtum</i> All. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | 1 | | | | | P | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Endemic Status | | | | | | | Native | Non native | Ornam Crop |
|--|------------|----------|------|------|-----|-----|------|-----|----------|----------------|---|---|---|---|---|---|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | |
| <i>Trifolium lappaceum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | | | | 1 | P | | |
| <i>Trifolium ligusticum</i> Loisel. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Trifolium micranthum</i> Viv. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | 1 | | | | | | P | | |
| <i>Trifolium obscurum</i> Savi | Fabaceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | | 1 | | | P | | |
| <i>Trifolium occidentale</i> Coombe | Fabaceae | NL | NL | Acc | Syn | Syn | Acc | Syn | 2 | | 1 | | | | | | S | | |
| <i>Trifolium pratense</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | 1 | 1 | | S | | |
| <i>Trifolium repens</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | | 1 | 1 | 1 | | S | | |
| <i>Trifolium resupinatum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | 1 | 1 | | | P | | |
| <i>Trifolium scabrum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Trifolium spumosum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | | | | 1 | | P | | |
| <i>Trifolium squamosum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | | 1 | 1 | | | | | P | | |
| <i>Trifolium squarrosum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | 1 | 1 | | | P | | |
| <i>Trifolium stellatum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | 1 | 1 | 1 | 1 | 1 | P | | |
| <i>Trifolium striatum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Trifolium subterraneum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Trifolium suffocatum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | | 1 | 1 | | | P | | |
| <i>Trifolium tomentosum</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Trigonella anguina</i> Delile | Fabaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 4 | | | 1 | | 1 | 1 | | P | | |
| <i>Trigonella stellata</i> Forrsk. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | | | 1 | 1 | 1 | 1 | | S | | |
| <i>Triplachne nitens</i> (Guss.) Link | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | 1 | 1 | 1 | | S | | |
| <i>Tripleurospermum inodorum</i> (L.) Sch.Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 36 | | | | | 1 | | | S | | |
| <i>Trisetaria lapalmae</i> H.Scholz | Poaceae | Acc | NL | Syn | Syn | Syn | Syn | NL | | 1 | 1 | | 1 | 1 | 1 | A | S | | |
| <i>Trisetaria loefflingiana</i> (L.) Paunero | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | | 1 | | | 1 | 1 | | P | | |
| <i>Trisetaria panicea</i> (Lam.) Paunero | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 22 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orrham Crop |
|---|----------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Trisetum tamonanteae</i> Marrero Rodr. & S. Scholz | Poaceae | Acc | Acc | Acc | NL | Acc | Acc | NL | 0 | | | | | | | 1 | F | S | | |
| <i>Triticum aestivum</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | | | 1 | 1 | | | | S | C | |
| <i>Triticum turgidum</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 59 | | | | | | 1 | | | S | C | |
| <i>Tropaeolum majus</i> L. | Tropaeolaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 20 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | I | O | |
| <i>Tuberaria guttata</i> (L.) Fourr. | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 48 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Tuberaria lignosa</i> (Sweet) Samp. | Cistaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | | 1 | | | | | | P | | |
| <i>Turnera ulmifolia</i> L. | Passifloraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | | 1 | 1 | 1 | 1 | 1 | | S | O | |
| <i>Typha domingensis</i> Pers. | Typhaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 28 | | 1 | 1 | 1 | 1 | | | | P | | O |
| <i>Ulex europaeus</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | | I | | |
| <i>Ulmus minor</i> Mill. | Ulmaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 61 | 1 | | 1 | 1 | 1 | | | | S | | |
| <i>Umbilicus heylandianus</i> Webb & Berthel. | Crassulaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 8 | 1 | | | 1 | | | | | P | | |
| <i>Umbilicus horizontalis</i> (Guss.) DC. | Crassulaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Urochloa mutica</i> (Forssk.) T.Q. Nguyen | Poaceae | Acc | NL | Acc | Syn | Syn | Syn | Syn | 14 | 1 | | | 1 | | | | | I | | |
| <i>Urochloa plantaginea</i> (Link) R.D.Webster | Poaceae | Acc | NL | Acc | Syn | Syn | Syn | Syn | 6 | | | | 1 | | | | | I | | |
| <i>Urochloa subquadripila</i> (Trin.) R.D.Webster | Poaceae | NL | NL | Acc | Syn | Syn | Acc | Syn | 5 | | | 1 | | | | | | S | | |
| <i>Urospermum picroides</i> (L.) Scop. ex F.W.Schmidt | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Urtica membranacea</i> Poir. ex Savigny | Urticaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Urtica morifolia</i> Poir. | Urticaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Urtica stachyoides</i> Webb & Berthel. | Urticaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | | 1 | 1 | | | A | S | | |
| <i>Urtica urens</i> L. | Urticaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Vachellia farnesiana</i> (L.) Wight & Arn. | Fabaceae | Syn | Syn | Acc | Syn | Acc | Acc | Acc | 4 | 1 | | 1 | 1 | 1 | 1 | 1 | | I | O | |
| <i>Valantia hispida</i> L. | Rubiaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Valeriana calcitrapae</i> L. | Caprifoliaceae | Syn | Syn | Acc | Syn | NL | Syn | Syn | 13 | 1 | 1 | 1 | 1 | 1 | | | | P | | |
| <i>Valeriana carinata</i> (Loisel.) Christenh. & Byng | Caprifoliaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 8 | | | 1 | | | | | | P | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orram Crop |
|--|------------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Valeriana coronata</i> (L.) Mill. | Caprifoliaceae | Syn | Syn | Acc | Syn | Syn | Acc | Syn | 12 | | | | | 1 | | | | P | | |
| <i>Valeriana dentata</i> (L.) All. | Caprifoliaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 21 | 1 | | | | | | | | P | | |
| <i>Valeriana discoidea</i> (L.) Willd. | Caprifoliaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 8 | | | | | 1 | | | | P | | |
| <i>Valeriana eriocarpa</i> (Desv.) Christenh. & Byng | Caprifoliaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 10 | | | | 1 | 1 | | | | P | | |
| <i>Valeriana locusta</i> L. | Caprifoliaceae | Syn | Syn | Acc | Syn | Syn | Acc | Syn | 18 | | | | 1 | 1 | | | | P | | |
| <i>Valeriana rubra</i> L. | Caprifoliaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 8 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | I | | | |
| <i>Valerianella abyssinica</i> Fresen. | Caprifoliaceae | Syn | NL | Acc | Syn | Acc | Acc | Syn | 0 | | 1 | 1 | | | | | | P | | |
| <i>Valerianella muricata</i> (Steven ex M.Bieb.) W.H.Baxter | Caprifoliaceae | Acc | Acc | Acc | Acc | Syn | Acc | Acc | 6 | | | | 1 | | | | | P | | |
| <i>Verbascum creticum</i> (L.f.) Cav. | Scrophulariaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | | | 1 | | | | S | | |
| <i>Verbascum sinuatum</i> L. | Scrophulariaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | | | | | 1 | | | | S | | |
| <i>Verbascum thapsus</i> L. | Scrophulariaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 32 | | | | 1 | | | | | I | | |
| <i>Verbascum virgatum</i> Stokes | Scrophulariaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | | | | | S | | |
| <i>Verbena bonariensis</i> L. | Verbenaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | | | | | S | C | |
| <i>Verbena officinalis</i> L. | Verbenaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | C | |
| <i>Verbena supina</i> L. | Verbenaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | 1 | 1 | 1 | 1 | | | | S | C | |
| <i>Verbesina encelioides</i> (Cav.) Benth. & Hook. ex A.Gray | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 14 | | | | 1 | | | | | S | O | |
| <i>Veronica agrestis</i> L. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | | 1 | 1 | 1 | | | | | S | | |
| <i>Veronica anagallis-aquatica</i> L. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 26 | | | | 1 | 1 | | | | P | | |
| <i>Veronica arvensis</i> L. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | P | | |
| <i>Veronica beccabunga</i> L. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | 1 | 1 | 1 | 1 | | | | | P | | |
| <i>Veronica hederifolia</i> L. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | 1 | 1 | | | | P | | | |
| <i>Veronica persica</i> Poir. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 19 | 1 | 1 | 1 | 1 | | | | | P | | |
| <i>Veronica polita</i> Fries | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | 1 | 1 | 1 | | | | | P | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|---|----------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Veronica serpyllifolia</i> L. | Plantaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 26 | | | | | 1 | | | | P | | |
| <i>Viburnum rugosum</i> Pers. | Adoxaceae | Acc | Syn | Acc | Syn | Syn | Syn | Syn | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | A | S | | |
| <i>Vicia aphylla</i> C. Sm. ex Buch | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 3 | 1 | 1 | 1 | 1 | 1 | | | A | S | | |
| <i>Vicia articulata</i> Hornem. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 16 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | | |
| <i>Vicia benghalensis</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Vicia chaetocalyx</i> Webb & Berthel. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 1 | | | | | 1 | | | C | S | | |
| <i>Vicia disperma</i> DC. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Vicia ervilia</i> (L.) Willd. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 6 | | | | 1 | 1 | | | | P | | |
| <i>Vicia faba</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | | | | 1 | 1 | | | | S | C | |
| <i>Vicia filicaulis</i> Webb & Berthel. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | | 1 | | | C | S | | |
| <i>Vicia hirsuta</i> (L.) Gray | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 15 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Vicia lens</i> (L.) Coss. & Germ. | Fabaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | C | |
| <i>Vicia lutea</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Vicia monantha</i> Retz. | Fabaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Vicia nataliae</i> U.Reifenb. & U.Reifenb. | Fabaceae | Acc | Acc | Acc | AmUn | AmUn | Acc | NL | 0 | | 1 | 1 | | | | | A | S | | |
| <i>Vicia pannonica</i> Crantz | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 11 | 1 | | | 1 | 1 | | | | P | | |
| <i>Vicia parviflora</i> Cav | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Vicia pubescens</i> (DC.) Link. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Vicia sativa</i> L. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | | | | | P | | |
| <i>Vicia scandens</i> R.P.Murray | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | T | P | | |
| <i>Vicia tenoi</i> Marrero Rodr. | Fabaceae | Acc | NL | NL | NL | AmUn | Acc | NL | | | | | 1 | | | | T | S | | |
| <i>Vicia tenuifolia</i> Roth | Fabaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | | P | | |
| <i>Vicia tetrasperma</i> (L.) Schreb. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | 1 | 1 | 1 | 1 | 1 | 1 | | | P | | |
| <i>Vicia villosa</i> Roth | Fabaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | | | | | | | P | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Orrham Crop |
|--|------------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Vicia voggenreiteriana</i> Gil, R. Mesa & M. L. Gil | Fabaceae | Acc | Acc | Acc | NL | AmUn | Acc | NL | 0 | | | 1 | | | | | G | S | | |
| <i>Vicia vulcanorum</i> J.Gil & M.L.Gil | Fabaceae | Acc | Acc | Acc | NL | AmUn | Acc | NL | 0 | 1 | | | | | | 1 | 1 | A | S | |
| <i>Vieraea laevigata</i> (Willd.) Webb ex Sch.Bip. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | | | 1 | | | | | T | S | | |
| <i>Vinca difformis</i> Pourr. | Apocynaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | | | | | | S | O | |
| <i>Vinca major</i> L. | Apocynaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | | | | P | O | |
| <i>Viola anagae</i> Gilli | Violaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 0 | | | 1 | | | | | T | S | | |
| <i>Viola arvensis</i> Murray | Violaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | 1 | 1 | 1 | | | | | | P | | |
| <i>Viola cheiranthifolia</i> Bonpl. | Violaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 3 | | | 1 | | | | | T | S | | |
| <i>Viola guaxarensis</i> M. Marrero, Docito Díaz & Martín Esquivel | Violaceae | Acc | NL | NL | NL | AmUn | NL | NL | | | | 1 | | | | | T | S | | |
| <i>Viola kitaibeliana</i> Schult. | Violaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 3 | | | 1 | | | | | | S | | |
| <i>Viola odorata</i> L. | Violaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 36 | 1 | 1 | 1 | 1 | | | | | S | | |
| <i>Viola palmensis</i> (Webb & Berthel.) Sauer | Violaceae | Acc | Acc | Acc | AmUn | Acc | Acc | NL | 2 | 1 | | | | | | | P | S | | |
| <i>Viola plantaginea</i> Webb ex Christ | Violaceae | Acc | NL | Syn | Acc | Syn | Syn | Syn | 0 | | | 1 | | | | | G | S | | |
| <i>Viola riviniana</i> Rchb. | Violaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | 1 | 1 | 1 | 1 | | | | | P | | |
| <i>Viola tricolor</i> L. | Violaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 59 | 1 | 1 | 1 | | | | | | S | | |
| <i>Visnaga daucoides</i> Gaertn. | Apiaceae | Syn | Syn | Acc | Syn | Acc | Acc | Syn | 10 | 1 | | | 1 | | | | | P | | |
| <i>Visnea mocanera</i> L.f. | Pentaphylacaceae | Acc | Acc | Acc | AmUn | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Vitis vinifera</i> L. | Vitaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 45 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | | |
| <i>Volutaria bollei</i> (Sch.Bip. ex Bolle) A.Hansen & G.Kunkel | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 3 | | | | | | | 1 | 1 | A | S | |
| <i>Volutaria canariensis</i> Wagenitz | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | A | S | | |
| <i>Volutaria lippii</i> (L.) Cass. | Asteraceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | 1 | | | | P | | | |
| <i>Volutaria tubuliflora</i> (Murb.) Sennen | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | NL | 4 | 1 | | 1 | 1 | 1 | | | P | | | |
| <i>Wahlenbergia lobelioides</i> (L.f.) Link. | Campanulaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | 1 | 1 | 1 | | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Orrham Crop |
|--|------------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|-------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Waltheria indica</i> L. | Malvaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 20 | 1 | | | | | | | S | | | |
| <i>Wigandia urens</i> (Ruiz & Pav.) Kunth | Boraginaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 29 | | | | 1 | 1 | | | S | O | | |
| <i>Withania aristata</i> (Aiton) Pauquy | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Withania frutescens</i> (L.) Pauq. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | | | | | | 1 | 1 | P | | | |
| <i>Withania somnifera</i> (L.) Dunal. | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 20 | 1 | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Wolffia arrhiza</i> (L.) Horkel ex Wimm. | Araceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 7 | | | | 1 | | | | S | | | |
| <i>Woodwardia radicans</i> (L.) Sm. | Blechnaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | 1 | | | S | | | |
| <i>Xanthium spinosum</i> L. | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 2 | 1 | | 1 | 1 | 1 | 1 | 1 | S | | | |
| <i>Xanthium strumarium</i> L. | Asteraceae | Syn | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | 1 | 1 | 1 | S | | | |
| <i>Xerochrysum bracteatum</i> (Svent.) Tzvelev | Asteraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 30 | | | 1 | | | | | S | O | | |
| <i>Youngia japonica</i> (L.) DC. | Asteraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 29 | | | | 1 | | | | I | | | |
| <i>Zannichellia palustris</i> L. | Potamogetonaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | 1 | 1 | 1 | | | P | | | |
| <i>Zantedeschia aethiopica</i> (L.) Spreng. | Araceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 8 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | O | | |
| <i>Zea mays</i> L. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | S | C | | |
| <i>Zostera noltii</i> Hornemann | Zosteraceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 10 | | | | | 1 | 1 | 1 | S | | | |
| <i>Zoysia matrella</i> (L.) Merr. | Poaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | | | | | | | P | | | |
| <i>Zygophyllum creticum</i> (L.) Christenh. & Byng | Zygophyllaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 8 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | P | | | |
| <i>Zygophyllum fontanesii</i> Webb & Berthel. | Zygophyllaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | 2 | 1 | | 1 | 1 | 1 | 1 | 1 | S | | | |
| <i>Zygophyllum gaetulum</i> Emb. & Maire | Zygophyllaceae | Syn | Syn | Acc | NL | Syn | Syn | Syn | 2 | | | | 1 | 1 | | | S | | | |

3 Hybrids

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|---|------------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Alstroemeria x hybrida</i> hort. | Alstroemeriaceae | NL | Acc | NL | NL | AmUn | Acc | NL | | | | | 1 | 1 | | | | S | O | |
| <i>Bromus x ferroni</i> Mabille | Poaceae | NL | NL | Acc | NL | Syn | NL | Syn | 2 | | | | | 1 | | | S | | | |
| <i>Bromus x pseudothominei</i> P.M. Sm. | Poaceae | NL | Syn | Syn | Acc | AmUn | Syn | NL | | | | | 1 | | | | S | | | |
| <i>Brugmansia x candida</i> | Solanaceae | NL | NL | NL | NL | Syn | Syn | Acc | 7 | | | 1 | | | | | S | O | | |
| <i>Brugmansia x insignis</i> (Barb.Rodr.) Lockwood ex E.Wade Davis | Solanaceae | NL | NL | NL | NL | Acc | Acc | Acc | 5 | | | | | | | | S | O | | |
| <i>Citrus x aurantium</i> L. | Rutaceae | Acc | Acc | Acc | Acc | AmUn | Acc | Acc | 122 | 1 | 1 | 1 | | | | | S | C | | |
| <i>Citrus x limon</i> (L.) Osbeck | Rutaceae | NL | NL | Acc | Syn | Syn | Acc | Syn | 24 | | | 1 | 1 | | | | S | C | | |
| <i>Crocosmia x crocosmiiflora</i> (Lemoine) N.E.Br. | Iridaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | | | | S | O | | |
| <i>Dombeya x cayeuxii</i> André | Malvaceae | NL | NL | Acc | AmUn | NL | Acc | Acc | 1 | | | | 1 | | | | S | O | | |
| <i>Kalanchoe x houghtonii</i> D.B.Ward. | Crassulaceae | NL | Acc | Acc | AmUn | AmUn | Syn | NL | 1 | 1 | 1 | 1 | | | | | S | O | | |
| <i>Kalanchoe x laetivirens</i> Desc. | Crassulaceae | Syn | NL | Acc | NL | Acc | NL | NL | 1 | | | | | | | | S | O | | |
| <i>Lotus berthelotii x maculatus</i> | Fabaceae | NL | Acc | NL | NL | AmUn | NL | NL | | 1 | 1 | 1 | 1 | | | A | S | | | |
| <i>Micromeria x angosturae</i> P.Pérez | Lamiaceae | NL | NL | Acc | Acc | AmUn | Acc | NL | 1 | | | | 1 | | | | S | | | |
| <i>Micromeria x ayamosnae</i> Puppo & P.Pérez | Lamiaceae | NL | NL | Acc | NL | AmUn | Acc | NL | 0 | | | 1 | | | | | S | | | |
| <i>Micromeria x benthamineolens</i> Sven | Lamiaceae | NL | NL | Acc | Acc | AmUn | Acc | NL | 1 | | | | | | | | S | | | |
| <i>Micromeria x broussonetii</i> A.Santos, A.Acev.-Rodr. & Reyes-Bet. | Lamiaceae | NL | Acc | Acc | NL | AmUn | Acc | NL | 0 | | | | | | | | S | | | |
| <i>Micromeria x confusa</i> G.Kunkel & P.Pérez | Lamiaceae | NL | NL | Acc | Acc | AmUn | Acc | NL | 1 | | | 1 | | | | | S | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|---|----------------|----------|------|------|------|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Micromeria x garajonayii</i> Puppo & P.Pérez | Lamiaceae | NL | NL | Acc | NL | AmUn | Acc | NL | 0 | | | 1 | | | | | S | | | |
| <i>Micromeria x intermedia</i> G.Kunkel & P.Pérez | Lamiaceae | NL | NL | Acc | Acc | AmUn | Acc | NL | 1 | | | | | 1 | | | S | | | |
| <i>Micromeria x nogalesii</i> Puppo | Lamiaceae | NL | NL | Acc | Acc | AmUn | Acc | NL | 1 | | | | | 1 | 1 | | S | | | |
| <i>Micromeria x perez-pazii</i> G.Kunkel | Lamiaceae | NL | NL | Acc | Acc | AmUn | Acc | NL | 1 | | | | | 1 | | | S | | | |
| <i>Micromeria x preauxii</i> Webb & Berthel. | Lamiaceae | NL | NL | Acc | Acc | AmUn | Acc | NL | 1 | | | | | 1 | | | S | | | |
| <i>Micromeria x tagananensis</i> P.Pérez | Lamiaceae | NL | NL | Acc | Acc | AmUn | Acc | NL | 1 | | | 1 | | | | | S | | | |
| <i>Micromeria x tolimensis</i> Puppo & P.Pérez | Lamiaceae | NL | NL | Acc | NL | AmUn | Acc | NL | 0 | | 1 | | | | | | S | | | |
| <i>Micromeria x wildpretii</i> P.Pérez | Lamiaceae | NL | Acc | Acc | Acc | AmUn | Acc | NL | 1 | | | 1 | | | | | S | | | |
| <i>Petunia x atkinsiana</i> (Sweet) D.Don ex W.H.Baxter | Solanaceae | NL | NL | Acc | AmUn | Syn | Acc | Acc | 8 | 1 | 1 | 1 | | | | | S | O | | |
| <i>Populus x canadensis</i> Moench | Salicaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 15 | | | 1 | | | | | S | O | | |
| <i>Tecoma x smithii</i> Hort. | Bignoniaceae | NL | Acc | NL | AmUn | AmUn | Acc | NL | | | | 1 | | | | | S | O | | |
| <i>Veronica x andersonii</i> Lindl. & Paxton | Plantaginaceae | NL | NL | Acc | Acc | NL | Acc | Syn | 1 | | | | | | | | S | O | | |

4 Garden Plants Only

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|---|------------------|----------|------|------|-----|------|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Acalypha brachystachya</i> Hornem. | Euphorbiaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | | | | | | S | O | | |
| <i>Acalypha hispida</i> Burm.f. | Euphorbiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | | | | S | O | | |
| <i>Acalypha wilkesiana</i> Müll.Arg. | Euphorbiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Acanthus spinosus</i> L. | Acanthaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | | | S | O | | |
| <i>Acoelorraphe wrightii</i> (Griseb. & H.Wendl.) H.Wendl. ex Becc. | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 13 | | | | 1 | | | | S | O | | |
| <i>Actinidia chinensis</i> Planch. var. <i>delicosa</i> (A.Chev.) A.Chev. | Actinidiaceae | NL | NL | Acc | Acc | Syn | Acc | NL | 8 | 1 | 1 | 1 | | | | | S | C | | |
| <i>Adenium obesum</i> (Forssk.) Roem. & Schult. | Apocynaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 6 | | | | | 1 | | | S | O | | |
| <i>Agave xylonacantha</i> Salm-Dyck | Asparagaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 9 | | | 1 | | | | | S | O | | |
| <i>Ajania pacifica</i> (Nakai) K.Bremer & Humphries | Asteraceae | NL | NL | Acc | Acc | Acc | Acc | NL | 3 | | | 1 | | | | | S | O | | |
| <i>Albizia julibrissin</i> Durazz. | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 4 | | 1 | | | | | | S | O | | |
| <i>Aleurites moluccanus</i> (L.) Willd. | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 21 | | 1 | 1 | | | | | S | O | | |
| <i>Allamanda cathartica</i> L. | Apocynaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 10 | | | 1 | 1 | | | | S | O | | |
| <i>Allamanda schottii</i> Pohl | Apocynaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 5 | | 1 | 1 | 1 | | | | S | O | | |
| <i>Allium cepa</i> L. | Amaryllidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 21 | 1 | 1 | 1 | 1 | 1 | | | P | C | | |
| <i>Allium sativum</i> L. | Amaryllidaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 10 | | | 1 | | | | | P | C | | |
| <i>Alocasia odora</i> (G.Lodd.) Spach | Araceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 6 | | | 1 | | | | | S | O | | |
| <i>Alpinia zerumbet</i> (Pers.) B.L.Burtt & R.M.Sm. | Zingiberaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 13 | | 1 | 1 | | | | | S | O | | |
| <i>Alstroemeria ligtu</i> L. | Alstroemeriaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 0 | 1 | | 1 | | | | | S | O | | |
| <i>Alstroemeria pelegrina</i> L. | Alstroemeriaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 5 | | 1 | | | | | | S | O | | |
| <i>Alstroemeria x hybrida</i> hort. | Alstroemeriaceae | NL | Acc | NL | NL | AmUn | Acc | NL | | | 1 | 1 | | | | | S | O | | |
| <i>Alternanthera brasiliiana</i> (L.) Kuntze | Amaranthaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 28 | | | 1 | | | | | S | O | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|---|------------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Amphilophium crucigerum</i> (L.) L.G.Lohmann | Bignoniaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 39 | | | | | | | | S | O | | |
| <i>Angelonia biflora</i> Benth. | Asparagaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | | | S | O | | |
| <i>Araucaria bidwillii</i> Hook | Auracariaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | | | | | S | O | | |
| <i>Araucaria cunninghamii</i> Mudie | Auracariaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | | | | | S | O | | |
| <i>Araucaria heterophylla</i> (Salisb.) Franco | Auracariaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Archontophoenix alexandrae</i> (F.Muell.) H.Wendl. & Drude | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 7 | | | | | | | | S | O | | |
| <i>Archontophoenix cunninghamiana</i> (H.Wendl.) H.Wendl. & Drude | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 5 | | | | | | | | S | O | | |
| <i>Aristolochia gigantea</i> Mart. & Zucc. not Hook | Aristolochiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | 1 | | | | | | | S | O | | |
| <i>Aristolochia grandiflora</i> Sw. | Aristolochiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | | | | | S | O | | |
| <i>Artemisia absinthium</i> L. | Asteraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 16 | | | | | | | | S | O | | |
| <i>Artocarpus altilis</i> (Parkinson) Fosberg | Moraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 20 | 1 | 1 | 1 | 1 | | | | S | C | | |
| <i>Artocarpus heterophyllus</i> Lam. | Moraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 7 | | | | | | | | S | C | | |
| <i>Asparagus densiflorus</i> L. | Asparagaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 4 | | | | | | | | S | O | | |
| <i>Bauhinia forficata</i> Link | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 14 | | | | | | | | S | O | | |
| <i>Bauhinia purpurea</i> L. | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 14 | | | | | | | | S | O | | |
| <i>Bauhinia variegata</i> L. | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 13 | 1 | 1 | 1 | | | | | S | O | | |
| <i>Beaucarnea recurvata</i> (K.Koch & Fintelm.) Lem. | Asparagaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 7 | | | | | | | | S | O | | |
| <i>Billbergia nutans</i> H.Wendl. ex Regel | Bromeliaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 7 | | | | | | | | S | O | | |
| <i>Bismarckia nobilis</i> Hildebr. & H. Wendl. | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | | | S | O | | |
| <i>Borassus aethiopum</i> Mart. | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | | | S | O | | |
| <i>Bougainvillea glabra</i> Choisy | Nyctaginaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 12 | | 1 | 1 | | | | | S | O | | |
| <i>Bougainvillea spectabilis</i> Willd. | Nyctaginaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 11 | 1 | 1 | 1 | 1 | | | | S | O | | |
| <i>Brachychiton acerifolius</i> (A.Cunn. ex G.Don) F.Muell. | Malvaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | 1 | 1 | | S | O | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|--|------------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Brachychiton discolor</i> F.J.Muell. | Malvaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 5 | 1 | 1 | | 1 | 1 | 1 | | S | O | | |
| <i>Brachychiton diversifolius</i> R.Br. | Malvaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | | | | | S | O | | |
| <i>Brachychiton populneus</i> (Schott & Endl.) R.Br. | Malvaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 5 | | 1 | 1 | 1 | | | | S | O | | |
| <i>Brahea armata</i> S.Watson | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 11 | | | | 1 | 1 | | | S | O | | |
| <i>Breynia disticha</i> J.R.Forst. & G.Forst. | Phyllanthaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | 1 | | | | S | O | | |
| <i>Brugmansia arborea</i> (L.) Sweet | Solanaceae | NL | NL | Acc | Acc | Acc | Syn | Acc | 8 | | | 1 | 1 | | | | S | O | | |
| <i>Brugmansia sanguinea</i> (Ruiz & Pav.) D.Don | Solanaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 5 | | | | 1 | | | | S | O | | |
| <i>Brugmansia suaveolens</i> (Willd.) Sweet | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 5 | | 1 | 1 | | | | | S | O | | |
| <i>Brugmansia versicolor</i> Lagerh. | Solanaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | 1 | | | S | O | | |
| <i>Brugmansia x candida</i> | Solanaceae | NL | NL | NL | NL | Syn | Syn | Acc | 7 | | | | 1 | | | | S | O | | |
| <i>Brugmansia x insignis</i> (Barb.Rodr.) Lockwood ex E.Wade Davis | Solanaceae | NL | NL | NL | NL | Acc | Acc | Acc | 5 | | | | | | | | S | O | | |
| <i>Buddleja daviddii</i> Franch. | Scrophulariaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 5 | 1 | | | | | | | S | O | | |
| <i>Butia capitata</i> (Mart.) Becc. | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 10 | | | 1 | | | | | S | O | | |
| <i>Caesalpinia pulcherrima</i> (L.) Sw. | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 11 | | 1 | 1 | 1 | | | | S | O | | |
| <i>Calibrachoa parviflora</i> (Juss.) D'Arcy | Solanaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 17 | | | | 1 | | | | S | O | | |
| <i>Calliandra haematocephala</i> Hassk. | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | | S | O | | |
| <i>Calliandra tweediei</i> Benth. | Fabaceae | Acc | Acc | Acc | Acc | Acc | Syn | NL | 5 | | 1 | 1 | 1 | | | | S | O | | |
| <i>Callianthe megapotamica</i> (A. Spreng.) Dorr | Malvaceae | NL | NL | Syn | Acc | Acc | NL | Acc | 4 | | | 1 | | | | | S | O | | |
| <i>Callistemon viminalis</i> (Sol. ex Gaertn.) G.Don | Myrtaceae | Acc | NL | Syn | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | | S | O | | |
| <i>Camellia japonica</i> L. | Theaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 13 | 1 | | | | | | | S | O | | |
| <i>Campsis radicans</i> (L.) Seem. | Bignoniaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 11 | | | 1 | 1 | | | | S | O | | |
| <i>Carissa macrocarpa</i> (Eckl.) A.DC. | Apcynaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 9 | | | 1 | 1 | 1 | 1 | | S | O | | |
| <i>Carnegiea gigantea</i> (Engelm.) Britton & Rose | Cactaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | | | | | S | O | | |
| <i>Caryota mitis</i> Lour. | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | | | | | | S | O | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|--|----------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Caryota urens</i> L. | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | 1 | | | | S | O | |
| <i>Casimiroa edulis</i> La Llave | Rutaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 11 | | | | 1 | | | | | S | C | |
| <i>Castanospermum australe</i> A.Cunn. ex Mudie | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 5 | | | | 1 | | | | | S | O | |
| <i>Ceiba speciosa</i> (A.St.-Hil., A.Juss. & Cambess.) Ravenna | Malvaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | | | | | S | O | |
| <i>Celosia argentea</i> L. | Amaranthaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 33 | | | | 1 | 1 | | | | S | O | |
| <i>Cercis siliquastrum</i> L. | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | | S | O | |
| <i>Cestrum elegans</i> (Brongn. ex Neumann) Schltdl. | Solanaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 13 | | | | 1 | | | | | S | O | |
| <i>Cestrum nocturnum</i> L. | Solanaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 8 | | | | 1 | 1 | | | | S | O | |
| <i>Chamaedorea costaricana</i> Oerst | Arecaeae | NL | NL | Acc | Acc | Acc | Acc | Acc | 7 | | | | 1 | | | | | S | O | |
| <i>Chamaedorea elegans</i> Mart. | Arecaeae | NL | NL | Acc | Acc | Acc | Acc | Acc | 10 | | | | 1 | | | | | S | O | |
| <i>Chamaedorea ernesti-augusti</i> H.Wendl. | Arecaeae | NL | NL | Acc | Acc | Acc | Acc | Acc | 7 | | | | 1 | | | | | S | O | |
| <i>Chamaedorea metallica</i> O.F.Cook ex H.E.Moore | Arecaeae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | | S | O | |
| <i>Chamaedorea seifrizii</i> Burret | Arecaeae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | | S | O | |
| <i>Chambevonia macrocarpa</i> (Brongn.) Vieill. ex Becc. | Arecaeae | NL | NL | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | | | | | S | O | |
| <i>Cibotium schiedei</i> Schltdl. & Cham. | Cyatheaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | | S | O | |
| <i>Cichorium endivia</i> L. | Asteraceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | 1 | | | | | S | C | |
| <i>Citharexylum spinosum</i> L. | Verbenaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 11 | | | | 1 | | | | | S | O | |
| <i>Clerodendrum speciosissimum</i> Van Geert ex Drapiez | Lamiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 7 | 1 | | | 1 | | | | | S | O | |
| <i>Clerodendrum splendens</i> G.Don | Lamiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 4 | | 1 | | | | | | | S | O | |
| <i>Clivia miniata</i> (Lindl.) Verschaff. | Amaryllidaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | 1 | | | | S | O | |
| <i>Coccothrinax barbadensis</i> (Lodd. ex Mart.) Becc. | Arecaeae | NL | NL | Acc | Acc | Acc | Acc | Acc | 15 | | | | 1 | | | | | S | O | |
| <i>Cocos nucifera</i> L. | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | | | | | | S | O | |
| <i>Coleus scutellarioides</i> (L.) Benth. | Lamiaceae | NL | NL | Acc | Syn | Acc | Acc | Syn | 62 | | | | 1 | | | | | S | O | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|--|-----------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Colletia paradoxa</i> (Spreng.) Escal. | Rhamnaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 5 | | | | 1 | 1 | | | | S | O | |
| <i>Copernicia alba</i> Morong | Arecaeeae | NL | NL | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | | | | | S | O | |
| <i>Coprosma repens</i> A. Rich. | Rubiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | | | S | O | |
| <i>Cordia sebestena</i> L. | Boraginaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 6 | | | | 1 | | | | | S | O | |
| <i>Cordyline australis</i> (G.Forst.) Endl. | Asparagaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 13 | | | | 1 | | | | | S | O | |
| <i>Corynocarpus laevigatus</i> J.R.Forst. & G.Forst. | Corynocarpaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | | | | | 1 | | | | | S | O | |
| <i>Crassula lactea</i> Aiton | Crassulaceae | NL | NL | Acc | Acc | Acc | Acc | NL | 1 | | | | 1 | | | | | S | O | |
| <i>Crescentia cujete</i> L. | Bignoniaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 10 | | 1 | | | | | | | S | O | |
| <i>Crinum asiaticum</i> L. var. <i>pedunculatum</i> (R.Br.) Fosberg & Sachet | Amaryllidaceae | NL | NL | Acc | Acc | Acc | Acc | NL | 2 | | | | 1 | | | | | S | O | |
| <i>Crinum moorei</i> Hook f. | Amaryllidaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 8 | | | | 1 | | | | | S | O | |
| <i>Cryptostegia madagascariensis</i> Bojer ex Decne. | Apocynaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | | S | O | |
| <i>Cucumis melo</i> L. | Cucurbitaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 104 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | S | C | |
| <i>Cucumis sativus</i> L. | Cucurbitaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 7 | | 1 | 1 | 1 | 1 | 1 | | | S | C | |
| <i>Cuphea ignea</i> A.DC. | Lythraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 7 | | | | 1 | 1 | | | | S | O | |
| <i>Cycas circinalis</i> L. | Cycadaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | | S | O | |
| <i>Cycas revoluta</i> Thunb. | Cycadaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | | 1 | | | | | S | O | |
| <i>Cyperus papyrus</i> L. | Cyperaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | 1 | | | | | | S | O | |
| <i>Dictyosperma album</i> (Bory) Scheff. | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | 1 | | | | S | O | |
| <i>Dombeya wallichii</i> (Lindl.) K.Schum. | Malvaceae | NL | NL | Acc | Acc | Syn | Acc | NL | 5 | | 1 | 1 | 1 | | | | | S | O | |
| <i>Dombeya x cayeuxii</i> André | Malvaceae | NL | NL | Acc | AmUn | NL | Acc | Acc | 1 | | | | 1 | | | | | S | O | |
| <i>Dovyalis caffra</i> (Hook.f. & Harv.) Warb. | Salicaceae | NL | NL | Acc | Syn | Acc | Acc | Acc | 2 | | | | 1 | | | | | S | O | |
| <i>Dracaena reflexa</i> Lam. | Asparagaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | | | | | S | O | |
| <i>Dracaena stuckyi</i> (God.-Leb.) Byng & Christenh. | Asparagaceae | NL | NL | Acc | Syn | NL | Syn | Syn | 3 | | | | 1 | | | | | S | O | |
| <i>Dracaena trifasciata</i> (Prain) Mabb. | Asparagaceae | Syn | Syn | Acc | Syn | Acc | NL | Syn | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | O | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|--|---------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Dypsis decaryi</i> (Jum.) Beentje & J.Dransf. | Arecaeeae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | | | | S | 0 | | |
| <i>Dypsis leptochelos</i> (Hodel) Beentje & J.Dransf. | Arecaeeae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | | | | | | S | 0 | | |
| <i>Dypsis lutescens</i> (H.Wendl.) Beentje & J.Dransf. | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | 1 | | | | | S | 0 | | |
| <i>Echium nervosum</i> W.T.Aiton | Boraginaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | S | 0 | | |
| <i>Elaeis guineensis</i> Jacq. | Arecaeeae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | | | | | | S | 0 | | |
| <i>Epipremnum aureum</i> (Linden & André) G.S.Bunting | Araceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 4 | | 1 | | | | | | S | 0 | | |
| <i>Erythrina caffra</i> Thunb. | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 7 | | 1 | 1 | | | | | S | 0 | | |
| <i>Euphorbia lanata</i> (Kunth) Britton & Rose | Cactaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 23 | | | 1 | | | | | S | 0 | | |
| <i>Eugenia uniflora</i> L. | Myrtaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 42 | 1 | 1 | 1 | | | | | S | 0 | | |
| <i>Euphorbia ingens</i> E.Mey. ex Boiss. | Euphorbiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | | 1 | 1 | 1 | | S | 0 | | |
| <i>Euphorbia lactea</i> Haw. | Euphorbiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | S | 0 | | |
| <i>Euphorbia resinifera</i> O.Berg | Euphorbiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | 1 | | | | | S | 0 | | |
| <i>Euryops pectinatus</i> Cass. | Asteraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | S | 0 | | |
| <i>Feijoa sellowiana</i> (O.Berg) O.Berg | Myrtaceae | NL | NL | Acc | Syn | Acc | Acc | Syn | 8 | 1 | 1 | | | | | | S | 0 | | |
| <i>Ficus altissima</i> Blume | Moraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 6 | | | 1 | | | | | S | 0 | | |
| <i>Ficus aspera</i> G. Forst. | Moraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | | 1 | | | | | | S | 0 | | |
| <i>Ficus auriculata</i> Lour. | Moraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 11 | | 1 | | | | | | S | 0 | | |
| <i>Ficus benghalensis</i> L. | Moraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 13 | | | 1 | | | | | S | 0 | | |
| <i>Ficus benjamina</i> L. | Moraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 27 | | | 1 | 1 | | | | S | 0 | | |
| <i>Ficus lyrata</i> Warb. | Moraceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | | | | | S | 0 | | |
| <i>Ficus macrophylla</i> Pers. | Moraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 9 | | 1 | 1 | | | | | S | 0 | | |
| <i>Ficus nymphaeifolia</i> Mill. | Moraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 8 | | | 1 | | | | | S | 0 | | |
| <i>Ficus pandurata</i> Hance | Moraceae | NL | Acc | Acc | Acc | Acc | Acc | Acc | 0 | | 1 | | | | | | S | 0 | | |
| <i>Ficus pumila</i> L. | Moraceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 11 | | | 1 | | | | | S | 0 | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|--|----------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Ficus saussureana</i> DC. | Moraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 14 | | | | | | | 1 | | S | O | |
| <i>Ficus sycomorus</i> L. | Moraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 13 | | | | | | | 1 | | S | O | |
| <i>Gardenia cornuta</i> Hemsl. | Rubiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | | | | 1 | | S | O | |
| <i>Gardenia thunbergia</i> Thunb. | Rubiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 9 | | | | | | | 1 | | S | O | |
| <i>Gaussia maya</i> (O.F.Cook) H.J.Quero & Read | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | | 1 | | S | O | |
| <i>Ginkgo biloba</i> L. | Ginkgoaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 8 | 1 | | | | | | 1 | | S | O | |
| <i>Gossypium hirsutum</i> L. | Malvaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 65 | 1 | | | | | | 1 | | S | O | |
| <i>Grevillea banksii</i> R.Br. | Proteaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | | | | | | | 1 | | S | O | |
| <i>Helichrysum italicum</i> (Roth) G.Don | Asteraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | | 1 | | S | O | |
| <i>Heliconia bihai</i> (L.) L. | Musaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 11 | | | | | | | 1 | | S | O | |
| <i>Heliconia psittacorum</i> L.f. | Musaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 17 | | | | | | | 1 | | S | O | |
| <i>Heptapleurum arboricola</i> Hayata | Araliaceae | NL | NL | Acc | Syn | Syn | Syn | Syn | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | O | |
| <i>Howea belmoreana</i> (C.Moore & F.Muell.) Becc. | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | | | | 1 | 1 | | S | O |
| <i>Howea forsteriana</i> (F.Muell.) Becc. | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | | | | | | | S | O | |
| <i>Hura crepitans</i> L. | Euphorbiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 8 | 1 | | | | | | 1 | | S | O | |
| <i>Hymenocallis littoralis</i> (Jacq.) Salisb. | Amaryllidaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 32 | | | | | | | 1 | 1 | | S | O |
| <i>Hyophorbe lagenicaulis</i> (L.H.Bailey) H.E.Moore | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | | | | 1 | | S | O | |
| <i>Hyophorbe verschaffeltii</i> H.Wendl. | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | | | | 1 | 1 | | S | O |
| <i>Hyphaene coriacea</i> Gaertn. | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 16 | | | | | | | 1 | | S | O | |
| <i>Ipomoea horsfalliae</i> Hook. | Convolvulaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | | 1 | | S | O | |
| <i>Iresine diffusa</i> Humb. & Bonpl. ex Willd. | Amaranthaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 49 | | | | | | | 1 | | S | O | |
| <i>Ixora coccinea</i> L. | Rubiaceae | NL | NL | Acc | NL | Acc | Acc | Acc | 2 | | | | | | | 1 | | S | O | |
| <i>Jasminum azoricum</i> L. | Oleaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | | | | 1 | | S | O | |
| <i>Jasminum mesnyi</i> Hance | Oleaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | | | | 1 | | S | O | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|--|----------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Jasminum polyanthum</i> Franch. | Oleaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | | | | | | S | O | | |
| <i>Jubaea chilensis</i> (Moll.) Baill. | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 4 | | 1 | | | | | | S | O | | |
| <i>Justicia aurea</i> Schlechtend. | Acanthaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 14 | | 1 | | | | | | S | O | | |
| <i>Justicia floribunda</i> (J.J.Veitch) Wassh. | Acanthaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 7 | | 1 | | | | | | S | O | | |
| <i>Kalanchoe beharensis</i> Drake | Crassulaceae | NL | NL | Acc | NL | Acc | Acc | Acc | 1 | 1 | 1 | | | | | | S | O | | |
| <i>Kalanchoe marmorata</i> Baker | Crassulaceae | NL | NL | Acc | NL | Acc | Acc | Acc | 4 | | 1 | | | | | | S | O | | |
| <i>Kalanchoe x laetivirens</i> Desc. | Crassulaceae | Syn | NL | Acc | NL | Acc | NL | NL | 1 | | | | | | | | S | O | | |
| <i>Kigelia africana</i> (Lam.) Benth. | Bignoniaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | | | | | | S | O | | |
| <i>Kroenleinia grusonii</i> (Hildm.) Lodé | Cactaceae | NL | NL | Acc | Syn | Syn | Syn | Syn | 3 | 1 | 1 | 1 | 1 | | | | S | O | | |
| <i>Lagunaria patersonia</i> (Andr.) G.Don. | Malvaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 5 | | | 1 | 1 | | | | S | O | | |
| <i>Latania loddigesii</i> Mart. | Arecaeeae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | 1 | | | | | S | O | | |
| <i>Latania lontaroides</i> (Gaertn.) H.E.Moore | Arecaeeae | NL | NL | Acc | Acc | Acc | Acc | Acc | 5 | | 1 | | | | | | S | O | | |
| <i>Latania verschaffeltii</i> Lem. | Arecaeeae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | | | | | | S | O | | |
| <i>Laurus nobilis</i> L. | Lauraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | 1 | 1 | | | | | | S | O | | |
| <i>Leucospermum cordifolium</i> (Salisb. ex Knight) Fourc. | Proteaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 8 | | 1 | | | | | | S | O | | |
| <i>Licuala spinosa</i> Wurmb. | Arecaeeae | NL | NL | Acc | Acc | Acc | Acc | Acc | 4 | | 1 | | | | | | S | O | | |
| <i>Livistona australis</i> (R.Br.) Mart. | Arecaeeae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | | | | | | S | O | | |
| <i>Livistona chinensis</i> (Jacq.) R.Br. ex Mart. | Arecaceae | NL | NL | Acc | Acc | Acc | NL | Acc | 7 | 1 | 1 | 1 | | | | | S | O | | |
| <i>Livistona decora</i> (W.Bull) Dowe | Arecaeeae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | | 1 | | | | | | S | O | | |
| <i>Lonicera hildebrandtiana</i> Collett & Hemsl. | Caprifoliaceae | NL | NL | Acc | Acc | NL | Acc | NL | 1 | | | 1 | | | | | S | O | | |
| <i>Lycianthes rantonnetii</i> (Carrière) Bitter | Solanaceae | NL | NL | Acc | Acc | Acc | Syn | Syn | 9 | 1 | 1 | 1 | | | | | S | O | | |
| <i>Lycianthes virgata</i> (Lam.) Bitter | Solanaceae | Syn | NL | Acc | Acc | Acc | Acc | Acc | 7 | | 1 | | | | | | S | O | | |
| <i>Macadamia integrifolia</i> Maiden et Betche. | Proteaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | | | | | | S | C | | |
| <i>Mackaya bella</i> Harv. | Acanthaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | | | | | | S | O | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|---|----------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Malephora lutea</i> Haw.) Schwantes | Aizoaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | | 1 | | | S | O | | |
| <i>Mammea americana</i> L. | Calophyllaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | | 1 | | | S | O | | |
| <i>Mandevilla laxa</i> (Ruiz & Pav.) Woodson | Apocynaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 10 | | | | | 1 | | | S | O | | |
| <i>Mansoa alliacea</i> (Lam.) A.H.Gentry | Bignoniaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 13 | | 1 | | | | | | S | O | | |
| <i>Melaleuca glauca</i> (DC.) Craven | Myrtaceae | NL | NL | Acc | Acc | Acc | Acc | Syn | 10 | | | | | 1 | | | S | O | | |
| <i>Melaleuca linearis</i> Schrad. & J.C.Wendl. | Myrtaceae | NL | NL | Acc | Syn | Syn | Syn | Syn | 2 | | | | 1 | 1 | | S | O | | | |
| <i>Melaleuca viminalis</i> (Sol. ex Gaertn.) Byrnes | Myrtaceae | Syn | Syn | Acc | Syn | Syn | Syn | Syn | | | | | 1 | 1 | | S | O | | | |
| <i>Metrosideros collina</i> (J.R.Forst. & G.Forst.) A.Gray | Myrtaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | | 1 | | S | O | | | |
| <i>Metrosideros excelsa</i> Sol. ex Gaertn. | Myrtaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | | 1 | | S | O | | | |
| <i>Monstera deliciosa</i> Liebm. | Araceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 7 | 1 | 1 | 1 | | 1 | | S | O | | | |
| <i>Montanoa hibiscifolia</i> Benth. | Asteraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 4 | | | | | 1 | | S | O | | | |
| <i>Musa rubra</i> Wall. ex Kurz | Musaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | | 1 | | S | O | | | |
| <i>Nandina domestica</i> Thunb. | Berberidaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 4 | | | | | 1 | | S | O | | | |
| <i>Ochna serrulata</i> (Hochst.) Walp. | Ochnaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | 1 | | | | | S | O | | | |
| <i>Odontonema callistachyum</i> (Schltdl. & Cham.) Kuntze | Acanthaceae | NL | NL | Acc | Acc | Syn | Acc | Acc | 16 | | | | 1 | | | S | O | | | |
| <i>Odontonema tubaeforme</i> (Bertol.) Kuntze | Acanthaceae | NL | NL | Acc | Acc | Syn | Acc | Acc | 12 | | | | | 1 | | S | O | | | |
| <i>Oenothera lindheimeri</i> (Engelm. & A.Gray) W.L.Wagner & Hoch | Arecaeae | NL | NL | Acc | Syn | Acc | Acc | Syn | 1 | | | | | 1 | | S | O | | | |
| <i>Oreopanax nymphaeifolius</i> (Hibberd) Decne. & Planch. ex G.Nicholson | Araliaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | | 1 | | S | O | | | |
| <i>Pachycereus pringlei</i> (S.Watson) Britton & Rose | Cactaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 10 | | | | | 1 | | S | O | | | |
| <i>Pachypodium lamerei</i> Drake | Apocynaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | | 1 | | S | O | | | |
| <i>Pandanus utilis</i> Bory | Pandanaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 16 | 1 | 1 | 1 | | | | S | O | | | |
| <i>Pandorea pandorana</i> (Andrews) Steenis | Bignoniaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | | | | | 1 | | S | O | | | |
| <i>Passiflora trifasciata</i> Lem. | Passifloraceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | S | O | | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|---|--------------|----------|------|------|-----|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Pavonia sepium</i> A.St.-Hil. | Malvaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 13 | | | | 1 | | | | | S | 0 | |
| <i>Pavonia strictiflora</i> (Hook.) G.L.Esteves | Malvaceae | NL | NL | Acc | Syn | Acc | Acc | Acc | 1 | | | | 1 | | | | | S | 0 | |
| <i>Pelargonium crispum</i> (L.) L'Hér. | Geraniaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 9 | | 1 | | 1 | | | | | S | 0 | |
| <i>Phoenix reclinata</i> Jacq. | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | | | | | S | 0 | |
| <i>Phoenix roebelenii</i> O'Brien. | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | | S | 0 | |
| <i>Phoenix theophrasti</i> Greuter | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | | S | 0 | |
| <i>Phyllostachys aurea</i> Rivière & C.Rivière | Poaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | | | S | 0 | |
| <i>Phymosia umbellata</i> (Cav.) Kearney | Malvaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | | | | | S | 0 | |
| <i>Pithecellobium dulce</i> (Roxb.) Benth. | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 17 | | | | 1 | | | | | S | 0 | |
| <i>Platycladus orientalis</i> (L.) Franco | | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | | | S | 0 | |
| <i>Podranea brycei</i> (N.E.Br.) Sprague | Bignoniaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | | | | 1 | | | | | S | 0 | |
| <i>Polygala myrtifolia</i> L. | Polygalaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 8 | 1 | | 1 | 1 | | | | S | 0 | | |
| <i>Polyscias guilfoylei</i> (W.Bull) L.H.Bailey | Araliaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 8 | | | | 1 | | | | | S | 0 | |
| <i>Pritchardia hillebrandii</i> Becc. | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 4 | 1 | 1 | 1 | | | | | | S | 0 | |
| <i>Pritchardia pacifica</i> Seem. & H.Wendl. | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | | S | 0 | |
| <i>Pritchardia thurstonii</i> F.Muell. & Drude | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | | S | 0 | |
| <i>Prunus laurocerasus</i> L. | Rosaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 6 | | | | 1 | | | | | S | 0 | |
| <i>Pseuderanthemum maculatum</i> (G.Lodd.) I.M.Turner | Acanthaceae | NL | NL | Acc | Syn | Acc | Acc | Syn | 30 | | | | 1 | | | | | S | 0 | |
| <i>Pseudobombax ellipticum</i> (Kunth) Dugand | Malvaceae | NL | NL | NL | Acc | Acc | Acc | Acc | 5 | | | | 1 | | | | | S | 0 | |
| <i>Psidium cattleyanum</i> Sabine | Psilotaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 25 | 1 | | | | | | | | S | 0 | |
| <i>Ptychosperma elegans</i> (R.Br.) Blume | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 12 | | 1 | 1 | | | | | | S | 0 | |
| <i>Ravenea rivularis</i> Jum.& H.Perrier | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | 1 | | | | | S | 0 | | |
| <i>Rhaphiolepis indica</i> (L.) Lindl. | Rosaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 50 | | 1 | 1 | | | | | | S | 0 | |
| <i>Rhipis excelsa</i> (Thunb.) A.Henry | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 8 | | 1 | 1 | | | | | | S | 0 | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | H | P | G | T | C | F | L | Endemic Status | Native | Non native | Ornam Crop |
|--|----------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | | | | | | | | | | | |
| <i>Rhipis humilis</i> Blume | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 5 | | | | 1 | | | | S | O | | |
| <i>Roystonea oleracea</i> (Jacq.) O.F.Cook | Arecaeae | NL | NL | Acc | Acc | Acc | Acc | Acc | 11 | | | | 1 | | | | S | O | | |
| <i>Roystonea regia</i> (Kunth.) O.F. Cook | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 10 | | | | 1 | 1 | | | S | O | | |
| <i>Ruellia simplex</i> Wright | Acanthaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | | | | S | O | | |
| <i>Ruttya fruticosa</i> Lindau | Acanthaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | 1 | | | S | O | | |
| <i>Sabal minor</i> (Jacq.) Pers. | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 20 | | | | 1 | | | | S | O | | |
| <i>Sanguisorba minor</i> Scop. | Rosaceae | NL | NL | Acc | Acc | Syn | Acc | Acc | 18 | 1 | 1 | 1 | 1 | | | | S | | | |
| <i>Sapindus mukorossi</i> Gaertn. | Sapindaceae | NL | NL | Acc | Acc | Acc | NL | Acc | 8 | | | | 1 | | | | S | O | | |
| <i>Scadoxus puniceus</i> (L.) Friis & Nordal | Amaryllidaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 10 | | | | 1 | | | | S | O | | |
| <i>Scaevola humilis</i> R.Br. | Goodeniaceae | NL | NL | Acc | AmUn | Acc | Acc | Acc | 2 | | | | 1 | | | | S | O | | |
| <i>Schotia latifolia</i> Jacq. | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | 1 | | | S | O | | |
| <i>Sideritis candicans</i> Aiton | Lamiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 5 | | | | 1 | | | | S | O | | |
| <i>Sideroxylon foetidissimum</i> Jacq. | Sapotaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | S | O | | |
| <i>Solanum wendlandii</i> Hook f. | Solanaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 4 | 1 | | | | | | | S | O | | |
| <i>Sphaeropteris cooperi</i> (Hook. ex F.Muell.) R.M.Tryon | Cyatheaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 9 | | | | 1 | | | | S | O | | |
| <i>Stenocereus griseus</i> (Haw.) Buxb. | Cactaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 25 | | | | 1 | | | | S | O | | |
| <i>Stephanotis floribunda</i> Jacques | Apocynaceae | NL | NL | Acc | Syn | Acc | Acc | Syn | 1 | | | | 1 | | | | S | O | | |
| <i>Strelitzia alba</i> (L.f.) Skeels | Strelitziaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | | | | S | O | | |
| <i>Strelitzia nicolai</i> Regel & Körn. | Strelitziaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | 1 | 1 | 1 | 1 | | | | S | O | | |
| <i>Strelitzia reginae</i> Banks | Strelitziaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | 1 | 1 | 1 | 1 | 1 | | | S | O | | |
| <i>Syagrus romanzoffiana</i> (Cham.) Glassman | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 19 | | | | 1 | 1 | | | S | O | | |
| <i>Syagrus weddelliana</i> (H.Wendl.) Becc. | Arecaceae | NL | NL | Acc | Syn | Acc | Acc | Syn | 11 | | | | | | | | S | O | | |
| <i>Syngonium podophyllum</i> Schott | Araceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | S | O | | |
| <i>Syzygium malaccense</i> (L.) Merr. & L.M.Perry | Myrtaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 16 | | | | 1 | | | | S | O | | |

| Species Name | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | | | | | | | | Endemic Status | Native | Non native | Ornam Crop |
|---|----------------|----------|------|------|------|-----|------|-----|----------|---|---|---|---|---|---|---|----------------|--------|------------|------------|
| | | | | | | | | | | H | P | G | T | C | F | L | | | | |
| <i>Tabebuia heterophylla</i> (DC.) Britton | Bignoniaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 25 | | | | | 1 | | | | S | O | |
| <i>Tamarindus indica</i> L. | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 6 | | | | 1 | | | | | S | O | |
| <i>Terminalia catappa</i> L. | Combretaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 16 | | | | 1 | | | | | S | O | |
| <i>Tetrapanax papyrifer</i> (Hook.) K.Koch | Araliaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 6 | | | | 1 | | | | | S | O | |
| <i>Thaumatophyllum bipinnatifidum</i> (Schott ex Endl.) Sakur., Calazans & Mayo | Araceae | NL | NL | Acc | Syn | NL | Acc | Syn | 4 | 1 | | | 1 | | | | | S | O | |
| <i>Thaumatophyllum xanadu</i> (Croat, J.Boos & Mayo) Sakur., Calazans & Mayo | Araceae | NL | NL | Acc | Syn | NL | Acc | Syn | 1 | | | | 1 | | | | | S | O | |
| <i>Thespesia populneoides</i> (Roxb.) Kostel. | Malvaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | | | | | S | O | |
| <i>Thrinax radiata</i> Lodd. ex Schult. & Schult.f. | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 14 | | | | 1 | | | | | S | O | |
| <i>Thunbergia coccinea</i> Wall. ex D.Don | Acanthaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 6 | | | | 1 | | | | | S | O | |
| <i>Trachycarpus fortunei</i> (Hook.) H.Wendl. | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | 1 | | | | S | O | |
| <i>Trithrinax brasiliensis</i> Mart. var. <i>acanthocoma</i> (Drude) Mattos | Arecaceae | NL | NL | Acc | Syn | Acc | Acc | Acc | 1 | | | | 1 | 1 | | | | S | O | |
| <i>Tulbaghia violacea</i> Harv. | Amaryllidaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | | | | | S | O | |
| <i>Vachellia karroo</i> (Hayne) Banfi & Galasso | Fabaceae | NL | NL | Acc | AmUn | Acc | Acc | Acc | 8 | | | | 1 | | | | | S | O | |
| <i>Veronica x andersonii</i> Lindl. & Paxton | Plantaginaceae | NL | NL | Acc | Acc | NL | Acc | Syn | 1 | | | | | | | | | S | O | |
| <i>Verschaffeltia splendida</i> H.Wendl. | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 3 | | | | 1 | 1 | | | | S | O | |
| <i>Wallichia disticha</i> T.Anderson | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | | S | O | |
| <i>Washingtonia filifera</i> H. Wendl. ex de Bary | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | O | |
| <i>Washingtonia robusta</i> H.Wendl. | Arecaceae | Acc | Acc | Acc | Acc | Acc | Acc | Acc | 9 | 1 | 1 | 1 | 1 | 1 | 1 | | | S | O | |
| <i>Wodyetia bifurcata</i> A.K.Irvine | Arecaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | | | | 1 | | | | | S | O | |
| <i>Yucca aloifolia</i> L. | Asparagaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 25 | 1 | 1 | 1 | | | | | | S | O | |
| <i>Yucca gloriosa</i> L. | Asparagaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | | | | 1 | 1 | | | | S | O | |
| <i>Zamia furfuracea</i> L.f. ex Aiton | Zamiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 4 | | | | 1 | | | | | S | O | |

5 Deleted Taxa

| Species Names | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Reason for Exclusion |
|--|----------------|----------|------|------|-----|------|------|-----|----------|---|
| <i>Adenocarpus foliolosus</i> (Aiton) DC. var. <i>villosus</i> Webb et Berth. | Fabaceae | NL | Acc | NL | NL | AmUn | Acc | NL | | Not listed only in Muer and no publications |
| <i>Agrostis stolonifera</i> L. subsp. <i>filiifolia</i> (Link) H.Scholz | Poaceae | Acc | Acc | Syn | NL | Syn | Syn | Syn | 0 | Synonym |
| <i>Aira caryophyllea</i> L. subsp. <i>multiculmis</i> (Dumort.) Hegi | Poaceae | NL | Syn | NL | Syn | Syn | Syn | NL | | Synonym or not listed in all data sources |
| <i>Allium triquetrum</i> L. | Amaryllidaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 4 | Erroneous record |
| <i>Asplenium ceterach</i> L. | Aspleniaceae | Acc | NL | Acc | Syn | Acc | Acc | Syn | 9 | Erroneous record |
| <i>Astragalus mareoticus</i> Delile subsp. <i>handiensis</i> (Bolle) G. Kunkel | Fabaceae | NL | Acc | Syn | Acc | Syn | Syn | Syn | 0 | Synonym |
| <i>Avena barbata</i> Pott ex Link subsp. <i>lusitanica</i> (Tab.Morais) Romero Zarco | Poaceae | Acc | NL | Syn | Syn | Syn | Syn | Syn | 0 | Synonym |
| <i>Avena fatua</i> L. subsp. <i>meridionalis</i> Malzev | Poaceae | Acc | Syn | NL | Syn | Syn | Syn | Syn | | Synonym |
| <i>Bromus commutatus</i> Schrad. subsp. <i>decipiens</i> (Bomble & H. Scholz) H. Scholz | Poaceae | Acc | NL | Syn | Acc | Acc | Syn | NL | 4 | Synonym |
| <i>Callistemon viminalis</i> (Sol. ex Gaertn.) G.Don | Myrtaceae | Acc | NL | Syn | Acc | Acc | Acc | Acc | 2 | Synonym |
| <i>Carex muricata</i> L. | Cyperaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 2 | Synonym |
| <i>Cenchrus caudatus</i> (Schrad.) Kuntze | Poaceae | NL | NL | Acc | Syn | Syn | Syn | Syn | 27 | Synonym or not listed in all sources except one |
| <i>Ceroppegia dichotoma</i> Haw. subsp. <i>hians</i> Svent. | Asclepiadaceae | NL | Acc | NL | Syn | Acc | Acc | NL | | Not listed in POWO and Atlantis |
| <i>Chamaecytisus prolifer</i> (L.f.) Link var. <i>canariae</i> (H.Christ) G. Kunkel | Fabaceae | NL | NL | NL | NL | NL | Syn | Syn | | Not listed or synonym |
| <i>Chamaecytisus prolifer</i> (L.f.) Link var. <i>hierrensis</i> (Pit.) Acebes | Fabaceae | NL | NL | NL | NL | NL | Syn | Syn | | Not listed or synonym |
| <i>Cistus ladanifer</i> L. subsp. <i>maculatus</i> Dunal ex DC. | Cistaceae | Acc | NL | NL | Syn | Syn | Syn | NL | | Not listed or synonym in all sources except one |
| <i>Clinopodium menthifolium</i> (Host) Stace | Lamiaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 2 | Not listed in any local database |
| <i>Cystopteris diaphana</i> (Bory) Blasdell | Athyriaceae | Acc | NL | Syn | Syn | Acc | Acc | NL | | Synonym |
| <i>Cystopteris diaphana</i> (Bory) Blasdell subsp. <i>cleoae</i> (A. Peroni & G. Peroni) A. Peroni & G. Peroni | Athyriaceae | Acc | NL | NL | NL | Acc | Acc | NL | | Synonym |

| Species Names | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Reason for Exclusion |
|--|-----------------|----------|------|------|------|------|------|-----|----------|---|
| <i>Cystopteris fragilis</i> (L.) Bernh. subsp. <i>canariensis</i> Christ | Athyriaceae | NL | NL | NL | Acc | AmUn | Acc | NL | | Not listed in local databases and POWO |
| <i>Ecballium elaterium</i> (L.) A.Rich. subsp. <i>dioicum</i> (Batt.) Costich | Cucurbitaceae | NL | Acc | Acc | AmUn | Acc | Acc | Syn | 0 | Synonym |
| <i>Echinochloa crus-galli</i> (L.) P.Beauv. subsp. <i>spiralis</i> (Vasinger) Tzvelev | Poaceae | Acc | NL | NL | Syn | Syn | Syn | NL | | Not listed or synonym in all sources except one |
| <i>Echium x bondspraguei</i> Sprague & Hutch. | Boraginaceae | NL | Syn | AmUn | AmUn | AmUn | Acc | NL | 0 | Not accepted in any source except gbif |
| <i>Eragrostis barrelieri</i> Daveau subsp. <i>pygmea</i> (Daveau) Portal & Scholz | Poaceae | Acc | Acc | NL | Syn | AmUn | Syn | NL | | Synonym |
| <i>Euphorbia lamarckii</i> Sweet subsp. <i>broussonetii</i> (Willd. ex Link) Molero & Rovira | Euphorbiaceae | Syn | Acc | NL | NL | AmUn | Acc | NL | | Not listed or synonym in most sources |
| <i>Euphorbia lambii</i> Svent. | Euphorbiaceae | NL | Syn | NL | NL | AmUn | Syn | Acc | | Not listed or synonym in all sources |
| <i>Euphorbia peplus</i> L. subsp. <i>minima</i> DC. | Euphorbiaceae | NL | NL | NL | Acc | Acc | Acc | Syn | | Not listed in local databases and POWO |
| <i>Foeniculum vulgare</i> Mill. var. <i>piperitum</i> (C.Presl) Ball | Apiaceae | Acc | Syn | NL | Syn | Syn | Syn | NL | | Synonym |
| <i>Furcraea tuberosa</i> (Mill.) Aiton | Asparagaceae | Syn | NL | Acc | Acc | Acc | Acc | Acc | 9 | Synonym |
| <i>Geranium palustre</i> L. | Geraniaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 3 | Erroneous record |
| <i>Herniaria hartungii</i> Parl. | Caryophyllaceae | Acc | NL | Syn | AmUn | Syn | Syn | Syn | 0 | Not accpeted in sources except one |
| <i>Holcus mollis</i> L. | Poaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 10 | Erroneous record |
| <i>Hyparrhenia rufa</i> (Nees) Stapf subsp. <i>altissima</i> (Stapf) B. K. Simon | Poaceae | Acc | NL | Syn | Syn | Syn | Syn | NL | | Not accepted in sources except one |
| <i>Hyparrhenia sinaica</i> (Delile) G.Lopez | Poaceae | Acc | Acc | Syn | Syn | Syn | Syn | Syn | | Only accepted in local databases |
| <i>Juniperus turbinata</i> Guss | Cupressaceae | Acc | Syn | Acc | Syn | Syn | Syn | Syn | 8 | Synonyme in most datasources |
| <i>Lathyrus articulatus</i> L. | Fabaceae | NL | Acc | Acc | Syn | Syn | Syn | Acc | 8 | Not accepted in most databases |
| <i>Lolium lowei</i> Menezes | Poaceae | Acc | NL | Syn | Syn | Syn | Syn | Syn | | Not accepted in sources except one |
| <i>Lolium parabolicae</i> Sennen | Poaceae | Acc | Acc | Syn | Syn | Syn | Syn | Syn | | Synonym |
| <i>Lycium shawii</i> Roem. & Schult. | Solanaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 16 | Synonym |
| <i>Malva acerifolia</i> (Cav.) Alef. var. <i>hariensis</i> Svent. | Malvaceae | NL | Syn | NL | NL | NL | Acc | Syn | | Synonym |

| Species Names | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Reason for Exclusion |
|---|--------------|----------|------|------|-----|------|------|-----|----------|--|
| <i>Malva pseudolavatera</i> Webb & Berthel. | Malvaceae | NL | Acc | Syn | Acc | Syn | Syn | Syn | | Synonym |
| <i>Matthiola fruticulosa</i> (L.) Maire | Brassicaceae | Syn | NL | Acc | Acc | Acc | Acc | Acc | 22 | Synonym |
| <i>Matthiola fruticulosa</i> (L.) Maire subsp. <i>fruticulosa</i> | Brassicaceae | Syn | NL | NL | Syn | Acc | Acc | NL | | Synonym |
| <i>Matthiola fruticulosa</i> (L.) Maire subsp. <i>bolleana</i> | Brassicaceae | Syn | Syn | NL | NL | Syn | Syn | NL | | Synonym |
| <i>Matthiola fruticulosa</i> (L.) Maire subsp. <i>morocera</i> | Brassicaceae | Syn | Syn | NL | NL | AmUn | Acc | NL | | Synonym |
| <i>Medicago italicica</i> (Mill.) Fiori | Fabaceae | NL | Acc | Syn | Acc | Syn | Acc | Syn | | Synonym |
| <i>Melica minuta</i> L. subsp. <i>latifolia</i> L. (Coss.) W.Hempel | Poaceae | NL | NL | Syn | Acc | Syn | Syn | NL | 0 | Synonym |
| <i>Micromeria helianthemifolia</i> P.Pérez & Kunkel var. <i>helianthemifolia</i> | Lamiaceae | NL | NL | NL | NL | AmUn | Syn | NL | | Synonym |
| <i>Micromeria helianthemifolia</i> P.Pérez & Kunkel var. <i>mary-annae</i> P.Pérez & G.Kunkel | Lamiaceae | NL | NL | Syn | Acc | Syn | Syn | NL | 0 | Synonym |
| <i>Micromeria hyssopifolia</i> Webb & Berthel. | Lamiaceae | Acc | Acc | Syn | Acc | Acc | Acc | Acc | 0 | Synonym |
| <i>Micromeria hyssopifolia</i> Webb & Berthel. var. <i>hyssopifolia</i> | Lamiaceae | NL | NL | NL | Syn | Acc | Acc | NL | | Not listed in local databases and POWO |
| <i>Micromeria hyssopifolia</i> Webb & Berthel. var. <i>glabrescens</i> | Lamiaceae | NL | NL | AmUn | Acc | Acc | Acc | NL | 1 | Synonym |
| <i>Micromeria hyssopifolia</i> Webb & Berthel. var. <i>kuegleri</i> | Lamiaceae | NL | NL | AmUn | Acc | Acc | Acc | Acc | 2 | Not listed in local databases and unresolved in POWO |
| <i>Micromeria lasiophylla</i> Webb & Berthel. subsp. <i>palmensis</i> (Bolle) P.Pérez | Lamiaceae | NL | NL | Syn | Acc | Syn | Syn | NL | 0 | Synonym |
| <i>Micromeria maderensis</i> Puppo & Bräuchler | Lamiaceae | NL | NL | Acc | NL | Syn | Syn | NL | 0 | Synonym |
| <i>Micromeria teneriffae</i> P.Pérez var. <i>cordifolia</i> P.Pérez | Lamiaceae | NL | NL | Syn | Acc | Syn | Syn | NL | 0 | Synonym |
| <i>Micromeria varia</i> Benth. | Lamiaceae | NL | Acc | Syn | Acc | Syn | Acc | Acc | | Synonym |
| <i>Micromeria varia</i> Benth. subsp. <i>varia</i> P.Pérez | Lamiaceae | Acc | NL | NL | NL | Syn | Syn | NL | | Synonym |
| <i>Micromeria varia</i> Benth. subsp. <i>canariensis</i> P.Pérez | Lamiaceae | NL | Syn | Syn | Acc | Syn | Syn | NL | | Synonym |
| <i>Micromeria varia</i> Benth. subsp. <i>gomerensis</i> P.Pérez | Lamiaceae | NL | Syn | Syn | Acc | Syn | Syn | NL | | Synonym |
| <i>Micromeria varia</i> Benth. subsp. <i>hierrensis</i> P.Pérez | Lamiaceae | NL | NL | Syn | Acc | Syn | Syn | NL | | Synonym |

| Species Names | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Reason for Exclusion |
|---|-----------------|----------|------|------|------|------|------|-----|----------|----------------------|
| <i>Micromeria varia</i> Benth. subsp. <i>meridialis</i> P.Pérez | Lamiaceae | NL | Syn | Syn | Acc | Syn | Syn | NL | | Synonym |
| <i>Micromeria varia</i> Benth. subsp. <i>rupestris</i> (Webb & Berthel) P. Pérez | Lamiaceae | NL | Syn | Syn | Acc | Syn | Syn | NL | | Synonym |
| <i>Micromeria varia</i> Benth. subsp. <i>thymoides</i> (Sol. ex Lowe) P.Pérez | Lamiaceae | NL | NL | Syn | Acc | Syn | Syn | NL | | Synonym |
| <i>Monanthes nipophila</i> Svent. | Crassulaceae | NL | NL | Acc | Syn | Syn | Syn | Syn | 1 | Synonym |
| <i>Monanthes praegeri</i> Bramwell | Crassulaceae | NL | NL | Acc | Syn | Syn | Syn | Syn | 1 | Synonym |
| <i>Monanthes silensis</i> (Praeger) Svent. | Crassulaceae | NL | NL | Acc | Syn | Syn | Syn | Syn | 0 | Synonym |
| <i>Ononis natrix</i> Lam. | Fabaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 1 | Erroneous record |
| <i>Ononis natrix</i> Lam. subsp. <i>angustissima</i> (Lam.) Siri. | Fabaceae | Syn | NL | Syn | AmUn | Acc | Acc | Syn | | Synonym |
| <i>Ononis natrix</i> Lam. subsp. <i>hesperia</i> Maire | Fabaceae | Syn | Syn | Acc | Syn | Acc | Acc | NL | 1 | Synonym |
| <i>Orobanche lavandulacea</i> (Rchb.) Pomel subsp. <i>trichocalyx</i> (Webb) Carlón, G. Gómez, Laínz, Moreno Mor., Ó. Sánchez & Schneew | Orobanchaceae | Syn | NL | NL | AmUn | AmUn | Acc | NL | | Synonym |
| <i>Panicum miliaceum</i> L. subsp. <i>agricola</i> H. Scholz & Mikolás | Poaceae | Acc | Acc | NL | Syn | AmUn | Syn | NL | | Synonym |
| <i>Papaver hybridum</i> L. | Papaveraceae | Acc | Syn | Acc | Acc | Acc | Acc | Acc | 6 | Synonym |
| <i>Paspalidium geminatum</i> (Forssk.), Stapf in D. Oliver & auct. | Poaceae | Acc | NL | Syn | Acc | Syn | NL | Acc | | Synonym |
| <i>Patellifolia patellaris</i> (Moq.) A.J.Scott, Ford-Lloyd & J.T.Williams | Amaranthaceae | Acc | Acc | Syn | Syn | Syn | Syn | Syn | | Synonym |
| <i>Patellifolia webbiana</i> (Moq.) A.J.Scott, Ford-Lloyd & J.T.Williams | Amaranthaceae | Acc | Acc | Syn | Syn | Syn | Syn | Syn | | Synonym |
| <i>Pimpinella rupicola</i> Svent. | Apiaceae | Acc | Acc | Syn | AmUn | Acc | Acc | NL | | Synonym |
| <i>Pulicaria arabica</i> (L.) Cass. subsp. <i>hispanica</i> (Boiss.) Murb. | Asteraceae | Acc | Syn | NL | Acc | Syn | Acc | Acc | | Synonym |
| <i>Quercus faginea</i> Lam. | Fagaceae | NL | NL | Acc | Acc | Acc | Acc | Acc | 0 | Erroneous record |
| <i>Rhodalsine platyphylla</i> (J.Gay ex Christ) McNeil | Caryophyllaceae | NL | Syn | Syn | AmUn | Syn | Syn | NL | | Synonym |
| <i>Rhodalsine webbii</i> McNeill & Bramwell | Caryophyllaceae | NL | Syn | Syn | AmUn | NL | Acc | NL | | Synonym |

| Species Names | Family | Atlantis | Muer | POWO | WFO | COL | GBIF | TRY | POWO Syn | Reason for Exclusion |
|--|-----------------|----------|------|------|------|------|------|-----|----------|--------------------------|
| <i>Rubia agostinhoi</i> Dans. & P.Silva | Rubiaceae | NL | Syn | Acc | Acc | Acc | Acc | Acc | 1 | Synonym |
| <i>Rubia peregrina</i> L. subsp. <i>longifolia</i> (Poir.) O. Bolós | Rubiaceae | Acc | Acc | NL | Syn | Syn | Syn | NL | | Synonym |
| <i>Rumex acetosella</i> L. subsp. <i>pyrenaicus</i> (Pourr. Ex Lapeyr.) Akeroyd | Polygonaceae | NL | Syn | Acc | Acc | AmUn | Syn | Acc | 5 | Erroneous record |
| <i>Sambucus nigra</i> L. | Adoxaceae | Acc | NL | Acc | Acc | Acc | Acc | Acc | 24 | Erroneous record |
| <i>Scleranthus polycarpos</i> L. | Caryophyllaceae | Syn | Acc | Syn | Syn | Acc | Acc | Syn | | Listed under its synonym |
| <i>Sideritis roteneriffae</i> Négrin & P.Pérez var. <i>arayae</i> Négrin & P.Pérez | Lamiaceae | NL | Acc | Syn | NL | Syn | Syn | NL | | Synonym |
| <i>Silene latifolia</i> Poir. | Caryophyllaceae | Syn | Syn | Acc | Acc | Acc | Acc | Acc | 14 | Synonym |
| <i>Silene vulgaris</i> (Moench) Garcke subsp. <i>angustifolia</i> Hayek | Caryophyllaceae | Acc | NL | NL | Acc | Syn | Syn | Acc | | Synonym |
| <i>Solanum villosum</i> Mill. subsp. <i>miniatum</i> (Bernh. ex Willd.) Edmonds | Solanaceae | Acc | NL | Syn | Syn | Acc | Acc | Acc | 0 | Synonym |
| <i>Spergularia fimbriata</i> Boiss. & Reut. var. <i>interclusa</i> Svent. | Caryophyllaceae | NL | Acc | NL | NL | Acc | Acc | NL | | Synonym |
| <i>Taraxacum campyloides</i> G.E.Haglund | Asteraceae | Syn | NL | Acc | Acc | Acc | Acc | Acc | 0 | Synonym |
| <i>Torilis arvensis</i> (Huds.) Link subsp. <i>arvensis</i> | Apiaceae | Acc | Acc | NL | NL | Acc | Acc | Acc | | Erroneous record |
| <i>Torilis pseudonodosa</i> Bianca | Apiaceae | Acc | Acc | NL | NL | Acc | Acc | Acc | | Synonym |
| <i>Trifolium oxalooides</i> Bunge ex Nyman | Fabaceae | Syn | NL | NL | AmUn | AmUn | Syn | Syn | | Synonym |
| <i>Tritium aestivum</i> L. subsp. <i>hadropyrum</i> (Flaksb.) Tzvelev | Poaceae | Acc | Acc | NL | Syn | AmUn | Syn | NL | | Synonym |
| <i>Viola kitaibeliana</i> Schult. var. <i>brevicalcarata</i> Font Quer & Svent | Violaceae | NL | Acc | NL | NL | Syn | NL | Acc | | Synonym |

6 Synonyms

Official name followed by common synonyms

- Abutilon grandifolium* (Willd.) Sweet
- *Abutilon grandiflorum* [Deviating spelling]
Acalypha brachystachya Hornem.
- *Acalypha supera* Forssk.
Achillea maritima (L.) Ehrend. & Y.P.Guo
- *Otanthus maritimus* subsp. *maritimus*
Achyranthes aspera L. var. *sicula* L.
- *Achyranthes sicula* (L.) All.
Acoelorrhaphe wrightii (Griseb. & H.Wendl.)
H.Wendl. ex Becc.
- *Acoelorrhaphé wrightii* (Griseb. & H.Wendl.)
H.Wendl. ex Becc. [Deviating spelling]
Actinidia chinensis Planch. var. *deliciosa* (A.Chev.)
A.Chev.
- *Actinidia chinensis* var. *hispida* C.F. Liang
- *Actinidia deliciosa* (A.Chev.) C.F.Liang &
A.R.Ferguson
Adenocarpus viscosus (Willd.) Webb & Berthel.
subsp. *spartioides* (Webb & Berthel.) Rivas
Mart. & Belmonte
- *Adenocarpus viscosus* (Willd.) Webb &
Berthel.
Aegilops biuncialis Vis.
- *Aegilops lorentii* Hochst.
Aeonium arboreum Webb & Berthel. subsp.
arboreum
- *Aonium arboreum* Webb & Berthel.
Aeonium canariense (L.) Webb & Berthel. subsp.
latifolium (Burchard) Bañares
- *Aeonium canariense* var. *subplanum* (Praeger)
H.Y.Liu
Aeonium dodrantale (Willd.) T.H.M.Mes
- *Aeonium dodrentale* (Willd.) T.Mes
- *Greenovia dodratalis* (Willd.) Webb ex
Berthel.
Aeonium palmense Webb ex Christ
- *Aeonium canariense* subsp. *christii* (Webb ex
Christ) H.Y.Liu
- *Aeonium canariense* (L.) Webb & Berthel.
subsp. *palmense* (Webb ex Christ) H.Y.Liu
Aeonium pseudourbicum Bañares
- *Aeonium urbicum* (C.Sm. ex Hornem.) Webb &
Berthel.
Aeonium rubrolineatum Svent.
- *Aeonium arboreum* Webb & Berthel. var.
rubrolineatum (Svent.) H.Y.Liu
Aeonium tabuliforme (Haw.) Webb & Berthel.
- *Aeonium tabulaeforme*
Aeonium urbicum (C.Sm. ex Hornem.) Webb &
Berthel. subsp. *meridionale* (Bañares) Bañares
- *Aeonium urbicum* (C.Sm. ex Hornem.) Webb &
Berthel.
Aeonium virgineum Webb ex Christ
- *Aeonium canariense* subsp. *virgineum* (Webb
ex Christ) Bañares
- *Aeonium canariense* var. *virgineum* (Webb ex
Christ) H.Y.Liu
Agave americana L. var. *franzosini* Sprenger
- *Agave beaulueriana* Jacobi
- *Agave franzosini* Baker
- *Agave franzosinii* (Sprenger) P.Sewell
Agave salmiana Otto ex Salm-Dyck var. *ferox*
(K.Koch) Gentry
- *Agave ferox* K.Koch
Agave tequilana F.A.C.Weber
- *Agave aff. tequilana* F.A.C.Weber
Agrostis pourretii Willd.
- *Neoschischkinia pourretii* (Willd.) Valdés & H.
Scholz
Agrostis stolonifera L. subsp. *filifolia* (Link)
H.Scholz
- *Agrostis stolonifera* L.
Agrostis stolonifera L. subsp. *stolonifera*
- *Agrostis stolonifera* L.
Aichryson dichotomum (DC.) Webb & Berthel.
- *Aichryson laxum* (Haw.) Bramwell
Aichryson laxum (Haw.) Bramwell subsp.
latipetalum (Bañares & M.A. Marrero) Bañares
- *Aichryson laxum* (Haw.) Bramwell
Aichryson pachycaulon Bolle subsp.
gonzalezhernandezii (G.Kunkel) Bramwell
- *Aichryson pachycaulon* gonzalez-hernandezii
(G. Kunkel) Bramwell
Aichryson tortuosum (Aiton) Webb & Berthel.
subsp. *bethencourtianum* (Bolle) Bañares
- *Aichryson bethencourtianum* Bolle
- *Aichryson tortuosum* (Aiton) Webb & Berthel.
var. *bethencourtianum* (Bolle) Bañares & S.
Scholz
Aichryson tortuosum (Aiton) Webb & Berthel. var.
tortuosum
- *Aichryson tortuosum* (Aiton) Webb & Berthel.
subsp. *tortuosum*
Aira caryophyllea L. subsp. *caryophyllea*
- *Aira caryophyllea* L.
Aira caryophyllea L. subsp. *multiculmis* (Dumort.)
Hegi
- *Aira multiculmis* Dum.

Aira caryophyllea L. subsp. *plesiantha* Jord. ex Boreau
 - *Aira multiculmis* Dum.
Aira elegans Willd. ex Roem. & Schult.
 - *Aira elegantissima* Schur.
Aizoanthemopsis hispanica (L.) Klak
 - *Aizoanthemum hispanicum* (L.) H.E.K.Hartmann
 - *Aizoon hispanicum* L.
Ajuga iva (L.) Schreb.
 - *Ajuga pseudoiva* Robill. & Castagne ex DC.
Alchemilla microcarpa Boiss. & Reut.
 - *Alchemilla inexpectata* Boiss. & Reut.
 - *Aphanes australis* Rydb.
 - *Aphanes microcarpa* (Boiss. & Reut.) Rothm.
Allagopappus canariensis (Willd.) Greuter
 - *Allagopappus dichotomus* Cass.
Allamanda schottii Pohl
 - *Allamanda nerifolia* Hook.
Allium canariense (Regel) N.Friesen & P. Schönfelder subsp. *obtusitepetalum* (Svent.) N.Friesen & P.Schönfelder
 - *Allium subhirsutum* L. subsp. *obtusitepalum* (Svent.) G. Kunkel
Allium neapolitanum Cirillo
 - *Allium subhirsutum* L.
Allium paniculatum L. subsp. *pallens* (L.) K.Richt.
 - *Allium pallens* L.
Allium sphaerocephalon L.
 - *Allium sphaerocephalum* L. non sphaerocephalon
Allium vineale L.
 - *Allium sphaerocephalum* Crome ex Schltdl.
Aloe maculata All.
 - *Aloe maculata* Forssk.
Aloe vera (L.) Burm.f.
 - *Aloe maculata* Forssk.
Aloiampeles ciliaris (Haw.) Klopper & Gideon F.Sm.
 - *Aloe ciliaris* Haw.
Alstroemeria pelegrina L.
 - *Alstroemeria pulchella* L.f.
Alyssum simplex Rudolph
 - *Alyssum minus* Rothm.
Amaranthus blitum L. subsp. *blitum*
 - *Amaranthus blitum* L.
Amaranthus blitum L. subsp. *emarginatus* (Salzm. ex Uline & Bray) Carretero, Muñoz Garm. & Pedrol
 - *Amaranthus blitum* subsp. *polygonoides* (Zoll. ex Moq.) Carretero
 - *Amaranthus emarginatus* Salzm. ex Uline & Bray
Amaranthus blitum L.
 - *Amaranthus lividus* L.

Amaranthus graecizans L. subsp. *silvestris* (Vill.) Brenan
 - *Amaranthus graecizans* L.
Amaranthus hybridus L. subsp. *hybridus*
 - *Amaranthus hybridus* L.
Ammi procerum Lowe
 - *Ammi majus* L. subsp. *procerum* (Lowe) Menezes
Ammodaucus leucotrichus Coss. subsp. *nanocarpus* Beltrán-Tej.
 - *Ammodaucus nanocarpus* (Beltrán) P. Pérez & Velasco
Amphilophium buccinatorium (DC.) L.G.Lohmann
 - *Distictis buccinatoria* (DC.) A.H.Gentry
Amphilophium crucigerum (L.) L.G.Lohmann
 - *Pithecoctenium echinatum* (Jacq.) Baill.
Anacyclus radiatus Loisel. subsp. *radiatus*
 - *Anacyclus radiatus* Loisel.
Andryala pinnatifida Aiton subsp. *pinnatifida*
 - *Andryala pinnatifida* Aiton
Andryala pinnatifida Aiton subsp. *webbii* (Sch.Bip. ex Christ) G. Kunkel
 - *Andryala webbii* Sch. Bip. ex Webb & Bertel
Andryala rothia Pers.
 - *Andryala laxiflora* DC
Andryala webbii Christ
 - *Andryala pinnatifida* Aiton subsp. *webbii* (Sch.Bip. ex Christ) G.Kunkel
Anthoxanthum aristatum Boiss.
 - *Anthoxanthum puelii* Lecoq & Lamotte
Apium nodiflorum (L.) Lag.
 - *Heliosciodium nodiflorum* (L.) W. D. J. Koch
 - *Helosciadium nodiflorum* (L.) W. D. J. Koch
Apium repens (Jacq.) Lag.
 - *Helosciadium repens* (Jacq.) W. D. J. Koch
Apteranthes burchardii (N.E.Br.) Plowes subsp. *burchardii*
 - *Caralluma burchardii* N.E.Br. subsp. *burchardii*
Apteranthes burchardii (N.E.Br.) Plowes
 - *Caralluma burchardii* N.E.Br.
Arabis caucasica Willd.
 - *Arabis alpina* L. subsp. *caucasica* (Willd.) Briq.
Arabis nova Vill.
 - *Arabis auriculata* Lam.
Arabis recta Vill.
 - *Arabis auriculata* Lam.
Arenaria serpyllifolia L. subsp. *leptoclados* (Rchb.) Nyman
 - *Arenaria leptoclados* (Rchb.) Guss.
Argyranthemum adauctum (Link) Humphries subsp. *adauctum*
 - *Argyranthemum adauctum* (Link) Humphries
Argyranthemum adauctum (Link) Humphries subsp. *jacobiiifolium* (Sch.Bip.) Humphries

- *Argyranthemum adauctum* (Link) Humphries
subsp. *jacobaeifolium* (Sch. Bip.) Humphries
- Argyranthemum broussonetii* (Pers.) Humphries
subsp. *broussonetii*
 - *Argyranthemum broussonetii* (Pers.)
Humphries
- Argyranthemum callichrysum* (Svent.) Humphries
subsp. *gomerensis* O.W. White
 - *Argyranthemum broussonetii* (Pers.)
Humphries subsp. *gomerensis* Humphries
- Argyranthemum frutescens* (L.) Sch.Bip. subsp.
frutescens
 - *Argyranthemum frutescens* (L.) Sch.Bip.
- Aria edulis* (Willd.) M. Roem.
 - *Sorbus aria* (L.) Crantz
- Aristida adscensionis* L. subsp. *adscensionis*
 - *Aristida adscensionis* L.
- Aristida adscensionis* L. subsp. *coeruleascens* (Desf.) Bourreil & Trouin ex Auquier & J. Duvign.
 - *Aristida coeruleascens* Desf.
- Arthrocaulon macrostachyum* (Moric.) Piirainen & G.Kadereit
 - *Arthrocneum macrostachyum* (Moric.) K.Koch
- Asparagus nesiotes* Svent. subsp. *nesiotes*
 - *Asparagus nesiotes* Svent.
- Asparagus umbellatus* Link subsp. *umbellatus*
 - *Astragalus umbellatus* Link.
- Asperula gemella* Airy Shaw & Turrill
 - *Galium geminiflorum* Lowe
- Asphodelus ramosus* L. subsp. *ramosus*
 - *Asphodelus ramosus* L.
- Asplenium aethiopicum* (Burm. f.) Bech. subsp. *dodecaploideum* A.F.Braithw.
 - *Asplenium aethiopicum* subsp. *braithwaitii* Ormonde
- Asplenium aethiopicum* (Burm. f.) Bech. subsp. *filare* (Forssk.) A.F. Braithw.
 - *Asplenium filare* (Forssk) Aiton
- Asplenium aethiopicum* (Burm. f.) Bech.
 - *Asplenium filare* (Forssk) Aiton
- Asplenium aureum* Cav.
 - *Ceterach aureum* (Cav.) Buch
- Asplenium ceterach* L.
 - *Ceterach officinarum* Willd.
- Asplenium obovatum* Viv. subsp. *billotii* (F. W. Schultz) O. Bolòs, Vigo, Masalles & Ninot
 - *Asplenium billotii* F.W.Schultz
- Asplenium sulcatum* Lam.
 - *Asplenium marinum* L.
- Asplenium trichomanes* L. subsp. *quadrivalens* D.E.Mey.
 - *Asplenium quadrivalens* (D.E. Meyer) Landolt
- Asteriscus graveolens* (Forssk.) Less. subsp. *stenophyllus* (Link) Greuter
 - *Asteriscus stenophyllus* Kuntze
- Astragalus mareoticus* Delile subsp. *handiensis* (Bolle) G. Kunkel
 - *Astragalus mareoticus* Delile
- Athamanta cervariifolia* (DC.) DC.
 - *Tinguarra cervariaefolia* (DC.) Parl.
 - *Tinguarra cervariifolia* (DC.) Parl.
- Athamanta montana* (Webb ex Christ) Spalik & Wojew. & S.R.Downie
 - *Tinguarra montana* (Webb ex Christ)
B.D.Jacks.
- Atocion armeria* (L.) Raf.
 - *Silene armeria* L.
- Atractylis arbuscula* Svent & Michaelis subsp. *arbuscula*
 - *Atractylis arbuscula* Svent. & Michaelis
- Atractylis arbuscula* Svent & Michaelis subsp. *schizogynophylla* (Svent. & Kahne) Marrero Rodr. & Caujapé
 - *Atractylis arbuscula* Svent & Michaelis
- Atriplex portulacoides* L.
 - *Halimione portulacoides* (L.) Aellen
- Avellinia festucoides* (Link) Valdés & H.Scholz
 - *Rostraria festucoides* (Link) Romero Zarco
- Avena barbata* Pott ex Link subsp. *barbata*
 - *Avena barbata* Pott ex Link
- Avena barbata* Pott ex Link subsp. *lusitanica* (Tab.Morais) Romero Zarco
 - *Avena barbata* Pott ex Link
- Avena canariensis* B.R.Baum, Rajhathy & D.R.Sampson
 - *Avena barbata* Pott ex Link
- Avena fatua* L. subsp. *meridionalis* Malzev
 - *Avena fatua* L.
- Avena sativa* L. subsp. *sativa*
 - *Avena sativa* L.
- Avena sterilis* L. subsp. *atherantha* (C. Presl) H. Scholz
 - *Avena atheranthera* C.Presl
 - *Avena barbata* Pott ex Link
- Avena sterilis* L. subsp. *ludoviciana* (Durieu) Gillet & Magne
 - *Avena ludoviciana* Dur.
- Avena sterilis* L. subsp. *sterilis*
 - *Avena sterilis* L.
- Avena strigosa* Schreb.
 - *Avena hispanica* Ard.
- Barbarea verna* (Mill.) Asch.
 - *Chenopodium hirsutum*
 - *Kochia hirsuta*
 - *Salsola hirsuta*
 - *Spirobassia hirsuta* (L.) Freitag & G.Kadereit

- *Suaeda albida*
- *Suaeda crassifolia*
- Bassia scoparia* (L.) A.J.Scott
 - *Kochia scoparia*
- Bassia tomentosa* (Lowe) Maire & Weiller
 - *Chenoleoides tomentosa* (Lowe) Botsch.
- Begonia subvillosa* Klotzsch
 - *Begonia schmidtiana* Regel
- Bellardia trixago* (L.) All.
 - *Bartisa trixago* L.
- Bethencourtia hermosae* (Pit.) G.Kunkel
 - *Senecio hermosae* Pit.
- Bethencourtia palmensis* (Nees) Choisy ex Link
 - *Senecio palmensis* C.Sm.
- Bethencourtia rupicola* (B.Nord.) B.Nord
 - *Canariothamnus rupicola* B.Nord.
- Biancaea decapetala* (Roth) O.Deg.
 - *Caesalpinia decapetala* (Roth) Alston
- Biserrula pelecinus* L.
 - *Astragalus pelecinus* (L.) Barneby
- Blechnum spicant* (L.) Sm.
 - *Struthiopteris spicant* (L.) F.W. Weiss
- Bosea yervamora* L.
 - *Bosea yermavora* L.
- Brachypodium distachyon* (L.) P.Beauv.
 - *Trachynia distachya*
- Brachypodium glaucovirens* (Murb.) Sagorski
 - *Brachypodium sylvaticum* (Huds.) P.Beauv.
 - subsp. *glaucovirens* Murb.
- Bromus catharticus* Vahl.
 - *Bromus willdenowii* Kunth
 - *Ceratochloa cathartica* (Vall.) Herter
- Bromus commutatus* Schrad. subsp. *decipiens*
 - (Bomble & H. Scholz) H. Scholz
 - *Bromus secalinus* L.
- Bromus hordeaceus* L. subsp. *hordeaceus*
 - *Bromus parvispiculatus* H. Scholz
- Bromus hordeaceus* L.
 - *Bromus hordeaceus* L. subsp. *molliformis* (J. Lloyd) & Maire
- Bromus rubens* L. subsp. *kunkelii* (H.Scholz)
 - H.Scholz
 - *Bromus kunkelii* (H. Scholz) H. Scholz
- Bromus rubens* L.
 - *Anisantha rubens* L.
- Bromus secalinus* L.
 - *Bromus commutus* Schrad. subsp. *decipiens*
 - (Bomble & H. Scholz) H. Scholz
- Bromus x ferroni* Mabille
 - *Bromus ferronii* Mabille
 - *Bromus hordeaceus* subsp. *ferronii* (Mabille) P.M.Sm.
 - *Bromus x pseudothominei*
- Bromus x pseudothominei* P.M. Sm.
 - *Bromus hordeaceus* subsp. *pseudothominii*
- (P.M.Sm.) H.Scholz
- *Bromus pseudothominei* Sm.
- *Bromus x ferronii* Mabille
- Brugmansia arborea* (L.) Sweet
 - *Brugmansia arborea* (L.) Steud.
- Brugmansia sanguinea* (Ruiz & Pav.) D.Don
 - *Datura sanguinea*
- Brugmansia x candida*
 - *Brugmansia arborea* (L.) Steud.
- Bufonia paniculata* Dubois subsp. *teneriffae*
 - Kunkel
 - *Bufonia teneriffae* Christ
- Buglossoides arvensis* (L.) I.M.Johnst.
 - *Lithospermum arvense* L.
- Bystropogon origanifolius* L'Hér. var. *origanifolius*
 - *Bystropogon origanifolius* L'Hér.
- Calamagrostis arenaria* (L.) Roth
 - *Ammophila arenaria* (L.) Link
 - *Calamagrostis littoralis* (P.B.) G.H. Loos
- Calendula arvensis* M.Bieb.
 - *Calendula aegyptiaca* Desf.
 - *Calendula arvensis* (Vaill.) L.
 - *Calendula bicolor* Raf.
- Callianthe megapotamica* (A. Spreng.) Dorr
 - *Abutilon megapotamicum* (A.Spreng.) A.St.- Hil. & Naudin
- Callistemon viminalis* (Sol. ex Gaertn.) G.Don
 - *Melaleuca viminalis* (Sol. ex Gaertn.) Byrnes
- Camelina microcarpa* Andrz. ex DC.
 - *Camelina sativa* Boiss.
- Campsis radicans* (L.) Seem.
 - *Campsis radicans* (L.) Bureau
- Canaria tortuosa* (Webb & Berthel.) Jim.Mejías & P.Vargas
 - *Seseli webbii* Coss
- Carduus baeocephalus* Webb subsp. *baeocephalus*
 - *Carduus baeocephalus* Webb
- Carex demissa* Hornem. subsp. *cedercreutzii*
 - (Fagerstr.) Jac.Koopman
 - *Carex viridula* Michx. subsp. *oedocarpa* (Andersson) B. Schmid
- Carex demissa* Hornem.
 - *Carex viridula* Michx.
- Carex divulsa* Stokes subsp. *divulsa* (Stokes) Celak.
 - *Carex divulsa* Stokes
- Carex leersii* F.W. Schultz
 - *Carex cuprina* (Sándor ex Heuff.) Nendtv. ex A.Kern.
 - *Carex guestphalica* (Boenn. ex Rchb.) Boenn. ex Lange
 - *Carex polypylla*
- Carex muricata* L.
 - *Carex pairae* F.W.Schultz

- Carex otrubae* Podp.
 - *Carex cuprina* (Sándor ex Heuff.) Nendtv. ex A.Kern.
- Carex pairae* F.W.Schultz
 - *Carex muricata* L. subsp. *pairae* (F. W. Schultz) Čelak.
- Carlina falcata* Svent.
 - *Carlina salicifolia* (L.f.) Cav.
- Carlina salicifolia* (L.f.) Cav. subsp. *salicifolia*
 - *Carlina salicifolia* (L.f.) Cav.
- Carlina texedae* Marrero Rodr.
 - *Carlina canariensis* Pit.
- Caroxylon tetrandrum* (Forssk.) Akhani & Roalson
 - *Salsola tetrandra* Forssk.
- Caroxylon vermiculatum* (L.) Akhani & Roalson
 - *Salsola vermiculata* L.
- Carthamus caeruleus* L.
 - *Carduncellus caeruleus* C. Presl
- Catapodium rigidum* (L.) C.E.Hubb. subsp. *rigidum*
 - *Catapodium rigidum* (L.) C.E.Hubb.
- Ceiba speciosa* (A.St.-Hil., A.Juss. & Cambess.) Ravenna
 - *Chorisia speciosa* A.St.-Hil., A.Juss. & Cambess.
- Celosia argentea* L.
 - *Celosia cristata* L.
- Cenchrus americanus* (L.) Morrone
 - *Pennisetum glaucum* (L.) R.Br.
- Cenchrus caudatus* (Schrad.) Kuntze
 - *Cenchrus macrourus* (Trin.) Morrone
 - *Pennisetum macrourum* Trin.
- Cenchrus clandestinus* (Hochst. ex Chiov.) Morrone
 - *Kikuyuochloa clandestina* (Hochst. ex Chiov.) H.Scholz
 - *Pennisetum clandestinum* Hochst. ex Chiov.
- Cenchrus divisus* (J.F.Gmel.) Verloove, Govaerts & Buttler
 - *Pennisetum divisum* (Forssk. Ex J.F.Gmel.) Hennard
- Cenchrus geniculatus* Thunb.
 - *Pennisetum thunbergii* Kunth
- Cenchrus longisetus* M.C. Johnst.
 - *Pennisetum villosum* Fresen.
- Cenchrus orientalis* (Rich.) Morrone
 - *Pennisetum orientale* Rich.
- Cenchrus purpureus* (Schumach.) Morrone
 - *Pennisetum purpureum* Schumach.
- Cenchrus setaceus* (Forssk.) Morrone
 - *Pennisetum setaceum* (Forssk.) Chiov.
- Centaurea gentilii* Braun-Blanq. & Maire
 - *Centaurea aspera* L. subsp. *gentilii* (Braun-Blanq. & Maire) Dobignard
- Cerastium holosteoides* Fr.
 - *Cerastium fontanum* subsp. *vulgare* (Hartm.) Greuter & Burdet
- Ceropegia dichotoma* Haw. subsp. *hians* Svent.
 - *Ceropegia hians* Svent.
- Ceropegia dichotoma* Haw.
 - *Ceropegia hians* Svent.
- Chamaecytisus prolifer* (L.f.) Link subsp. *angustifolius* (Kuntze) G. Kunkel
 - *Chamaecytisus proliferus* (L.f.) Link subsp. *angustifolius* (Kuntze) G. Kunkel
 - *Cytisus proliferus* L.f. *angustifolius* Kuntze
- Chamaecytisus prolifer* (L.f.) Link subsp. *meridionalis* Acebes
 - *Chamaecytisus proliferus* (L.f.) Link subsp. *meridionalis* Acebes
 - *Cytisus proliferus* L.f. subsp. *meridionalis* Acebes
- Chamaecytisus prolifer* (L.f.) Link subsp. *palmensis* H.Christ
 - *Chamaecytisus proliferus* var. *palmensis* H.Christ
 - *Chamaecytisus proliferus* (L.f.) Link subsp. *palmensis* (Christ) Hans. & Sunding
 - *Cytisus proliferus* L.f. subsp. *palmensis* Christ
- Chamaecytisus prolifer* (L.f.) Link subsp. *prolifer*
 - *Chamaecytisus proliferus* (L.f.) Link
 - *Cytisus proliferus* L.f.
- Chamaecytisus prolifer* (L.f.) Link var. *canariae* (H.Christ) G. Kunkel
 - *Chamaecytisus proliferus* (L.f.) Link
 - *Cytisus proliferus* L.f.
- Chamaecytisus prolifer* (L.f.) Link var. *hierrensis* (Pit.) Acebes
 - *Chamaecytisus proliferus* (L.f.) Link
 - *Cytisus proliferus* L.f.
- Chamaecytisus prolifer* (L.f.) Link
 - *Chamaecytisus proliferus* (L.f.) Link
 - *Cytisus proliferus* L.f.
- Cheilanthes tirajanae* T.S. Velazquez
 - *Oeoporangium tirajanae* (T.S.Velázquez)
- Cheirolophus burchardii* Susanna
 - *Cheirolophus canariensis* (Willd.) Holub var. *subexpinnata* (Burch.) A.Hans. & Sund.
 - *Cheirolophus canariensis* (Willd.) subsp. *subexpinnatus* (Burch.) G.Kunkel
- Cheirolophus junonianus* (Svent.) Holub subsp. *isoplexiphyllus* (Svent.) G.Kunkel
 - *Cheirolophus junonianus* (Svent.) Holub var. *isoplexifolius* (Svent.) Kunkel
- Cheirolophus junonianus* (Svent.) Holub subsp. *junionianus*
 - *Cheirolophus junonianus* (Svent.) Holub var. *junionianus*
- Cheirolophus sventenii* (A.Santos) G.Kunkel subsp. *sventenii*
 - *Cheirolophus sventenii* (A.Santos) G.Kunkel

- Chenopodiastrum coronopus* (Moq.) S.Fuentes, Uotila & Borsch
 - *Chenopodium coronopus* Moq.
- Chenopodiastrum murale* (L.) S.Fuentes, Uotila & Borsch
 - *Chenopodium murale* L.
- Chenopodium nutans* (R.Br.) S.Fuentes & Borsch
 - *Einadia nutans* (R.Br.) A.J.Scott
- Chenopodium probstii* Aellen
 - *Chenopodium album* L.
- Chrysosplenium odoratissimum* (L.) Banfi
 - *Jasminum odoratissimum* L.
- Cistus ladanifer* L. subsp. *maculatus* Dunal ex DC.
 - *Cistus ladanifer* L.
- Cistus monspeliensis* L. subsp. *canariensis* Rivas-Mart., Martín-Osorio & Wildpret
 - *Cistus monspeliensis* L.
- Cistus ochreatus* C. Sm. ex Buch
 - *Cistus ocreatus* [Deviating spelling]
- Cistus osbeckiifolius* Webb ex Christ subsp. *tomentosus* Bañares & Demoly
 - *Cistus osbeckiifolius* Webb
- Citrus x aurantium* L.
 - *Citrus aurantium* L.
- Citrus x limon* (L.) Osbeck
 - *Citrus x limon* (L.) Burm. fil.
 - *Citrus limon* (L.) Osbeck
- Cleistocactus hyalacanthus* (K.Schum.) Rol.-Goss.
 - *Cleistocactus hyalacanthus* Backeb.
- Cleistocactus strausii* (Heese) Backeb.
 - *Borzicactus straussii* A. Berger
- Clerodendrum speciosissimum* Van Geert ex Drapiez
 - *Clerodendrum speciosissimum* Drapiez
- Clinopodium menthifolium* (Host) Stace subsp. *ascendens* (Jord.) Govaerts
 - *Calamintha ascendens*
- Clinopodium nepeta* (L.) Kuntze subsp. *nepeta*
 - *Calamintha nepeta* (L.) Roth var. *nepeta*
- Clinopodium nepeta* (L.) Kuntze
 - *Calamintha nepeta* (L.) Roth
- Cneorum pulverulentum* Vent
 - *Neochamaelea pulverulenta* (Vent.) Erdtman
- Colchicum hierrense* (A.Santos) J.C.Manning & Vinn.
 - *Androcymbium hierrense* A. Santos
- Colchicum psammophilum* (Svent.) J.C.Manning & Vinn.
 - *Androcymbium psammophilum* Svent.
- Coleus scutellarioides* (L.) Benth.
 - *Plectranthus scutellarioides* (L.) R.Br.
- Colletia paradoxa* (Spreng.) Escal.
 - *Colletia cruciata* Gillies & Hook.
- Combretum indicum* (L.) DeFilipps
 - *Quisqualis indica* L.
- Commicarpus helenae* (J. A. Schult.) Meikle
 - *Boerhavia helenae* (Roem. & Schult.) Meikle
- Convolvulus fruticulosus* Desr. subsp. *fruticulosus*
 - *Convolvulus subauriculatus* (Burchard) Linding.
- Convolvulus fruticulosus* Desr. subsp. *glandulosus* (Webb) J.R.I.Wood & Scotland
 - *Convolvulus glandulosus* (Webb) Hallier f.
- Convolvulus perraudieri* Coss.
 - *Convolvulus fruticulosus* Desr. subsp. *fruticulosus*
- Convolvulus siculus* L. subsp. *elongatus* Batt.
 - *Convolvulus siculus* L. subsp. *agrestis* (Hochst. ex Schweinf.) Verdc.
- Convolvulus subauriculatus* (Burchard) Linding.
 - *Convolvulus fruticulosus* Desr. subsp. *fruticulosus*
- Corymbia citriodora* (Hook.) K.D.Hill & L.A.S.Johnson
 - *Corymbia variegata* (F.Muell.) K.D. Hill & L.A.S. Johnson
- Corymbia ficifolia* (F.Muell.) K.D.Hill & L.A.S.Johnson
 - *Eucalyptus ficifolia* F.Muell.
- Cosentinia vellea* (Aiton) Tod. subsp. *bivalens* (Reichstein) Rivas Mart. & Salvo
 - *Cheilanthes vellea* (Aiton) F.Muell. subsp. *bivalens* (Reichst.) Rivas Mart. & Salvo
 - *Cosentinia bivalens* (Reichst.) Hansen & Sunding
- Cosentinia vellea* (Aiton) Tod.
 - *Cheilanthes vellea* (Aiton) F.Muell.
- Cotyledon macrantha* A.Berger
 - *Cotyledon orbiculata* L.
- Crambe gomeraea* Webb ex Christ subsp. *gomeraea*
 - *Crambe gomerae* [Deviating spelling]
- Crambe gomeraea* Webb ex Christ subsp. *hirsuta* A.Prina
 - *Crambe gomerae* [Deviating spelling]
- Crambe gomeraea* Webb ex Christ
 - *Crambe gomerae* [Deviating spelling]
- Crambe santosii* Bramwell
 - *Crambe gigantea* (Ceballos & Ortuño) Bramwell
- Crassula muscosa* L.
 - *Crassula lycopodioides* Lam.
- Crepis juvenalis* (Delile) Babc.
 - *Crepis juvenalis* F.W.Schult
- Crepis vesicaria* L. subsp. *taraxacifolia* (Thuill.) Thell.
 - *Crepis taraxifolia* Thuill.
 - *Crepis vesicaria* var. *taraxacifolia* (Thuill.) Boivin

- Crepis vesicaria* L.
 - *Crepis taraxifolia* Thuill.
 - *Crepis vesicaria* var. *taraxacifolia* (Thuill.) Boivin
- Crinum asiaticum* L. var. *pedunculatum* (R.Br.) Fosberg & Sachet
 - *Crinum pedunculatum* R.Br.
- Crocosmia x crocosmiiflora* (Lemoine) N.E.Br.
 - *Crocosmia crocosmiiflora* (Lemoine) N.E.Br.
- Curio talinoides* (DC.) P.V.Heath var. *aizoides* (DC.) P.V.Heath
 - *Kleinia aizoides* DC.
- Cuscuta campestris* Yunck.
 - *Cuscuta pentagona* Engelm.
- Cyclospermum leptophyllum* (Pers.) Sprague
 - *Cyclospermum leptophyllum* (Pers.) Sprague
- Cylindropuntia imbricata* (Haw.) F.M. Knuth subsp. *rosea* (DC.) M.A.Baker
 - *Cylindropuntia pallida* (Rose) F.M. Knuth
 - *Cylindropuntia rosea* (DC.) Backeb.
- Cynomorium coccineum* L. subsp. *coccineum*
 - *Cynomorium coccineum* L.
- Cynosurus elegans* Desf.
 - *Cynosurus effusus* Link in Schrad
- Cyperus alternifolius* L. subsp. *flabelliformis* Kük.
 - *Cyperus involucratus* Rottb.
- Cyperus alternifolius* L.
 - *Cyperus involucratus* Rottb.
- Cyperus brevifolius* (Rottb.) Hassk.
 - *Kyllinga brevifolia* Rottb.
- Cyperus laevigatus* L. subsp. *distachyos* (All.) Ball
 - *Cyperus distachyos* All.
- Cyperus laevigatus* L. subsp. *laevigatus*
 - *Cyperus laevigatus* L.
- Cyperus mundii* (Nees) Kunth
 - *Pycreus mundii* Nees
- Cyperus polystachyos* Rottb.
 - *Pycreus polystachyos* (Rottb.) P.Beauv.
- Cysticapnos versicaria* (L.) Fedde
 - *Corydalis vesicaria* (L.) Pers.
 - *Cysticapnos vesicarius* [Deviating spelling]
- Cystopteris diaphana* (Bory) Blasdell subsp. *cleoae* (A. Peroni & G. Peroni) A. Peroni & G. Peroni
 - *Cystopteris fragilis* subsp. *diaphana* (Bory) Litard.
- Cystopteris diaphana* (Bory) Blasdell
 - *Cystopteris fragilis* subsp. *diaphana* (Bory) Litard.
- Cystopteris fragilis* (L.) Bernh. subsp. *diaphana* (Bory) Litard
 - *Cystopteris diaphana* (Bory) Blasdell
 - *Cystopteris fragilis* (L.) Bernh.
 - *Cystopteris viridula* (Desv.) Desv.
- Cystopteris fragilis* (L.) Bernh.
 - *Cystopteris viridula* (Desv.) Desv.
- Cytisus filipes* Webb
 - *Spartocytisus filipes*
- Cytisus supranubius* (L. f.) Kuntze
 - *Spartocytisus supranubius* (L. f.) Christ ex G. Kunkel
- Dactylis glomerata* L. subsp. *hispanica* (Roth) Nyman
 - *Dactylis hispanica* Roth
- Dactylis metlesicsii* P.Schönfelder & D.Ludw.
 - *Dactylis glomerata* L.
- Dactylis smithii* Link. subsp. *hyloides* P. F. Parker
 - *Dactylis glomerata* L.
- Dactylis smithii* Link.
 - *Dactylis glomerata* subsp. *smithii*
 - *Dactylis smithii* Link in Buch
- Dasispermum capense* (Lam.) Magee & B.-E.van Wyk
 - *Torilis africana* (Thunb.) Spreng.
- Datura innoxia* Mill.
 - *Datura inoxia* Mill.
- Daucus carota* L. subsp. *maximus* (Desf.) Ball
 - *Daucus maximus* Desf.
- Daucus elegans* (Webb ex Bolle) Spalik, Banasiak & Reduron
 - *Cryptotaenia elegans* Webb ex Bolle
- Daucus pumilus* (L.) Hoffmanns. & Link
 - *Pseudorlaya pumila* (L.) Grande
- Delairea odorata* Lem.
 - *Senecio mikanioides* Otto ex Walp.
- Delphinium ajacis* L.
 - *Consolida ajacis* (L.) Schur
- Delphinium consolida* L.
 - *Consolida regalis* Gray
- Descurainia gonzalezii* Svent.
 - *Desirainia gonzalezi* [Deviating spelling]
- Desmanthus virgatus* (L.) Willd.
 - *Desmanthus pernambucanus* (L.) Thell.
- Digitalis canariensis* L.
 - *Isoplexis canariensis* (L.) Loudon
- Digitalis chalcantha* (Svent. & O'Shan.) Albach, Bräuchler & Heubl
 - *Isoplexis chalcantha* Svent. & O'Shan.
- Digitalis isABELIANA* (Webb) Linding.
 - *Isoplexis isABELIANA* (Webb & Berthel.) Mansf.
- Dimorphotheca ecklonis* DC.
 - *Osteospermum ecklonis* Thunb. (DC.) Norl.
- Diplachne fusca* (L.) P.Beauv. ex Roem. & Schult.
 subsp. *uninervia* (J.Presl) P.M.Peterson & N.Snow
 - *Leptochloa fusca* (L.) Kunth subsp. *uninervia* (J. Presl) P. M. Peterson & N. Snow
- Diplachne fusca* (L.) P.Beauv. ex Roem. & Schult.
 - *Leptochloa fusca* (L.) Kunth
- Dipsacus fullonum* L.
 - *Dipsacus sativus* (L.) Honck.

- Distimake tuberosus* (L.) A.R.Simões & Staples
 - *Merremia tuberosa* (L.) Rendle
- Dombeya wallichii* (Lindl.) K.Schum.
 - *Dombeya wallichii* (Lindl.) Benth. & Hook. fil.
- Dovyalis caffra* (Hook.f. & Harv.) Warb.
 - *Dovyalis caffra* (Hook.f. & Harv.) Sim
- Draba verna* L.
 - *Erophila verna* (L.) Chevall.
- Dracaena draco* (L.) L. subsp. *draco*
 - *Dracaena draco* (L.) L.
- Dracaena stuckyi* (God.-Leb.) Byng & Christenh.
 - *Sansevieria stuckyi* God.-Leb.
- Dracaena trifasciata* (Prain) Mabb.
 - *Sansevieria trifasciata* Prain
- Dryopteris abbreviata* (Lam. & DC.) Newman
 - *Dryopteris affinis* (Lowe) Fraser-Jenk.
- Dryopteris oligodonta* Pic.Serm.
 - *Echinocereus rigidissimus* (Engelm.) F.Haage
- Duranta erecta* L.
 - *Duranta repens* L.
- Dypsis lutescens* (H.Wendl.) Beentje & J.Dransf.
 - *Chrysalidocarpus lutescens* H.Wendl.
- Dysphania ambrosioides* (L.) Mosyakin & Clemants
 - *Chenopodium ambrosioides* L.
- Dysphania anthelmintica* (L.) Mosyakin & Clemants
 - *Dysphania ambrosioides* (L.) Mosyakin & Clemants
- Dysphania multifida* L. Mosyakin & Clemants
 - *Chenopodium multifidum* L.
- Ecballium elaterium* (L.) A.Rich. subsp. *dioicum* (Batt.) Costich
 - *Ecballium elaterium* (L.) A.Rich. var. *dioicum* Batt.
- Echinocereus rigidissimus* (Engelm.) Hirscht
 - *Echinocereus rigidissimus* (Engelm.) F.Haag
- Echinochloa colonum* (L.) Link
 - *Echinochloa colona* (L.) Link
- Echinochloa crus-galli* (L.) P.Beauv. subsp. *crus-galli*
 - *Echinochloa crus-galli* (L.) P.Beauv.
- Echinochloa crus-galli* (L.) P.Beauv. subsp. *spiralis* (Vasinger) Tzvelev
 - *Echinochloa crus-galli* (L.) P.Beauv.
- Echinopsis huascha* (Web.) Friedrich & G.D.Rowley
 - *Trichocereus huascha* (F.A.C. Weber) Britton & Rose
- Echinopsis lageniformis* (C.F.Först.) H.Friedrich & G.D.Rowley
 - *Echinopsis bridgesii* Salm-Dyck
 - *Trichocereus bridgesii* (Salm-Dyck) Britton & Rose
- Echinopsis spachiana* (Lem.) Riccob.
 - *Echinopsis spachiana* (Lem.) H. Friedrich & G.
- D. Rowley
- *Trichocereus spachianus* (Lem.) Riccob.
- Echinopsis volliana* H.Friedrich & G.D.Rowley
 - *Trichocereus vollianus* Backeb.
- Echium decaisnei* Webb & Berthel. subsp. *purpureum* Bramwell
 - *Echium famarae* Lems & Holzapfel
- Echium perezii* Sprague
 - *Echium wildpretii* H.Pearson ex Hook.f. subsp. *trichosiphon* (Svent.) Bramwell
- Echium pitardii* A. Chev.
 - *Echium lancerottense* Lems & Holzapfel
- Echium thrysiflorum* Masson ex Link
 - *Echium decaisnei* Webb & Berthel.
- Echium gentianoides* Webb ex Coincy
- Echium x bondspraguei* Sprague & Hutch.
 - *Echium x bond-spraguei* Sprague & Hutch.
- Eleusine africana* Kenn.-O'Byrne
 - *Eleusine indica* (L.) Gaertn. subsp. *africana* (Kenn.-O'Byrne) S.M. Phillips
- Eleusine indica* (L.) Gaertn. subsp. *indica*
 - *Eleusine indica* (L.) Gaertn.
- Epilobium angustifolium* L.
 - *Chamaenerion angustifolium*
- Epilobium glandulosum* Lehm.
 - *Epilobium ciliatum* subsp. *glandulosum* (Lehm.) Hoch & P.H.Raven
- Epilobium tetragonum* L. subsp. *lamyi* (F.W.Schultz) Nyman
 - *Epilobium lamyi* F.W.Schultz
- Epilobium tetragonum* L. subsp. *tetragonum*
 - *Epilobium tetragonum* L.
- Eragrostis barrelieri* Daveau subsp. *pygmaea* (Daveau) Portal & Scholz
 - *Eragrostis barrelieri* Daveau
- Erica canariensis* Rivas Mart., Martin Osorio & Wildpret
 - *Erica arborea* L.
- Erica platycodon* L. subsp. *platycodon*
 - *Erica platycodon* (Webb & Berthel.) Rivas Mart. & al.
- Erica platycodon* L.
 - *Erica scoparia* L. subsp. *platycodon* (Webb & Berthel.) A.Hansen & G.Kunkel
 - *Erica scoparia* L.
- Erigeron bonariensis* L.
 - *Conyzza bonariensis*
- Erigeron floribundus* (Kunth) Sch.Bip.
 - *Conyzza floribunda* Kunth.
- Erigeron floribundum* Humb., Bonpl. & Kunth
- Erigeron sumatrensis* Retz.
 - *Conyzza sumatrensis* (Retz.) E. H. Walker
- Erodium pulverulentum* (Cav.) Willd.
 - *Erodium laciniatum* (Cav.) Willd. subsp. *pulverulentum* (Cav.) Batt.

- Eruca vesicaria* (L.) Cav.
 - *Eruca sativa* Mill.
- Erysimum albescens* (Webb & Berthel.) Bramwell
 - *Erysimum scorarium* (Brouss. ex Willd.)
 Wettst.
- Erysimum bicolor* (Hornem.) DC.
 - *Dichroanthus virescens* Webb ex Hohenest. &
 Welss
- Erysimum virescens* (Webb ex Christ) Wettst.
 - *Erysimum mutabile* [Deviating spelling]
 - *Erysimum mutabile* Boiss. & Heldr.
- Erythrostemon gilliesii* (Hook.) Klotzsch
 - *Caesalpinia gilliesii* (Hook.) D.Dietr.
- Eucalyptus camaldulensis* Dehnh. subsp.
 camaldulensis
 - *Eucalyptus camaldulensis* Dehnh.
- Eucalyptus lehmannii* (Schauer) Benth. subsp.
 lehmannii
 - *Eucalyptus lehmannii* (Schauer) Benth.
- Eudianthe coeli-rosa* (L.) Fenzl ex Endl.
 - *Eudianthe coeli-rosa* (L.) Endl.
 - *Silene coeli-rosa* (L.) Godr.
- Euphorbia balsamifera* Aiton subsp. *balsamifera*
 - *Euphorbia balsamifera* Aiton
- Euphorbia bourgeana* J.Gay ex Boiss.
 - *Euphorbia lambii* Svent.
- Euphorbia heterophylla* L. var. *cyathophora*
 (Murray) Griseb.
 - *Euphorbia cyathophora* Murray
- Euphorbia hirsuta* L.
 - *Euphorbia pubescens* Vahl
- Euphorbia lamarckii* Sweet subsp. *broussonetii*
 (Willd. ex Link) Molero & Rovira
 - *Euphorbia lamarckii* Sweet subsp. *wildpretii*
 (Molero & Rovira) Rivas Mart. & Gaisberg
- Euphorbia lambii* Svent.
 - *Euphorbia bourgeana* J.Gay ex Boiss.
- Euphorbia murielii* N.E.Br.
 - *Euphorbia candelabrum* Trémaux ex Kotschy
- Euphorbia peplus* L. subsp. *minima* DC.
 - *Euphorbia peplus* var. *minima*
- Feijoa sellowiana* (O.Berg) O.Berg
 - *Acca sellowiana* (O.Berg) Burret
- Felicia amoena* (Sch.Bip.) Levyns
 - *Ferula amoena* subsp. *amoena*
- Ferocactus herrerae* J.G.Ortega
 - *Ferocactus wislizenii* subsp. *herrerae* (J. G.
 Ortega) Pilbeam & Bowdery
- Ferula communis* L. subsp. *linkii* (Webb) Reduron
 & Dobignard
 - *Ferula linkii* Webb
- Ferula lancerotensis* Parl. ex Hartung
 - *Ferula lancerottensis* Parl.
- Festuca alopecuros* Schousb.
 - *Vulpia alopecuros* (Schousb.) Link
- Festuca ambigua* Le Gall
 - *Vulpia ciliata* Dumort.
- Festuca bromoides* L.
 - *Vulpia bromoides* (L.) Gray
- Festuca geniculata* (L.) Lag. & Rodr.
 - *Vulpia geniculata* (L.) Link
- Festuca maritima* L.
 - *Festuca unilateralis* (L.) Schrad.
 - *Vulpia unilateralis* (L.) Stace
- Festuca membranacea* (L.) Druce
 - *Vulpia membranacea* (L.) Dumort.
- Festuca muralis* Kunth
 - *Vulpia muralis* (Kunth.) Nees
- Festuca myuros* L. subsp. *myuros*
 - *Vulpia myuros* (L.) C.C.Gmel. subsp. *myuros*
- Festuca myuros* L.
 - *Vulpia myuros* (L.) C.C.Gmel.
- Ficus lyrata* Warb.
 - *Ficus pandurata* Hort. Sander
- Filago germanica* (L.) Huds.
 - *Filago vulgaris* Lam.
- Foeniculum vulgare* Mill. var. *piperitum* (C.Presl)
 Ball
 - *Foeniculum vulgare* Mill. subsp. *piperitum*
 (Ucria) Coutinho
 - *Foeniculum vulgare* Mill.
- Frankenia hirsuta* L.
 - *Frankenia capitata* Webb & Berthel.
- Fumaria muralis* Sond. ex W.D.J.Koch subsp. *boreai*
 (Jord.) Pugsley
 - *Fumaria boreai* Jord.
- Furcraea hexapetala* (Jacq.) Urb.
 - *Agave vivipara* Arruda non A.viv. L.
- Furcraea selloana* Koch
 - *Furcraea selloa* [Deviating spelling]
- Furcraea tuberosa* (Mill.) Aiton
 - *Agave angustifolia* Haw.
 - *Agave tuberosa* Mill.
- Galium aschenbornii* Schauer
 - *Galium geminiflorum* M. Martens & Galeotti
- Gamochaeta antillana* (Urb.) Anderb.
 - *Gamochaeta antillana* (Urb.) Anderb.
 [Deviating spelling]
 - *Gnaphalium antillanum* Urb.
- Gamochaeta pensylvanica* (Willd.) Cabrera
 - *Gnaphalium pensylvanicum* Willd.
- Genista benehoavensis* (Bolle) del Arco
 - *unspecified*
- Geranium palustre* L.
 - *Geranium purpureum* Gilib.
- Geranium purpureum* Vill.
 - *Geranium palustre* L.
- Glebionis coronaria* (L.) Cass. Ex Spach
 - *Chrysanthemum coronarium* L.

- Gnidia polystachya* P.J.Bergius
 - *Gnidia squarrosa* (L.) Druce
- Gonospermum ferulaceum* (Webb) Febles var.
 ferulaceum
 - *Gonospermum ferulaceum* (Webb & Berthel.)
 Fble
- Gonospermum revolutum* (C.Sm. ex Buch) Sch.Bip.
 - *Lugoa revoluta* (C.Sm. ex Buchinger) DC.
- Gymnocarpos decander* Forssk.
 - *Gymnocarpos decandrus*
- Gymnocarpos sclerocephalus* (Decne.) Dahlgren &
 Thulin
 - *Sclerocephalus arabicus* (Desn.) Boiss.
- Gypsophila vaccaria* (L.) Sm.
 - *Vaccaria hispanica* (Mill.) Rauschert
- Haageocereus multangularis* (Haw.) F. Ritter
 - *Haageocereus kageneckii* (C.C.Gmel.) Mottram
- Hedypnois rhagadioloides* (L.) F.W.Schmidt
 - *Hedypnois cretica* (L.) Dum.Cours.
- Helichrysum luteoalbum* (L.) Rchb.
 - *Laphangium luteoalbum* (L.) Tzelev
- Helichrysum teydeum* (Wildpret & Greuter) Raus
Helichrysum teydeum (Wildpret & Greuter) Raus
 - *Laphangium teydeum* Wildpret & Greuter
 - *Laphangium teydeum* Wildpret & Greuter
- Heliotropium arborescens* L.
 - *Heliotropium peruvianum* L.
- Heliotropium crispum* Desf.
 - *Heliotropium erosum* Lehm.
 - *Heliotropium ramosissimum* (Lehm.) Sieber ex
 DC.
- Helminthotheca echooides* (L.) Holub
 - *Picris echooides* L.
- Hemionitis gluckuk* Christenh.
 - *Notholaena subcordata* (Cav.) Desv.
 - *Paragymnopteris marantae* (L.) K.H.Shing
- Hemionitis guanchica* (Bolle) Christenh.
 - *Allosorus guanchicus* (Bolle) Christenh.
 - *Cheilanthes guanchica* Bolle
- Hemionitis pteridioides* (Reichard) Christenh.
 - *Allosorus pteridioides* Reichard & Christenh.
 - *Cheilanthes maderensis* Lowe
 - *Cheilanthes pteridioides* C.Chr.
- Hemionitis pulchella* (Bory ex Willd.) Christenh.
 - *Allosorus fragilis* Christenh.
- Hemionitis tinaei* (Tod.) Christenh.
 - *Allosorus tinaei* (Tod.) Christenh.
 - *Cheilanthes tinaei* Tod.
- Heptapleurum arboricola* Hayata
 - *Schefflera arboricola* (Hayata) Merr.
- Herniaria cinerea* DC.
 - *Herniaria hirsuta* L. subsp. *cinerea* (DC.) Cout.
- Herniaria hartungii* Parl.
 - *Herniaria cinerea* DC.
- Hesperocyparis macrocarpa* (Hartw.) Bartel
 - *Cypressus macrocarpa* Hartw.
- Holcus hierrensis* (Stierst.) Stierst. & M.Seq.
 - *Holcus mollis* L. subsp. *hierrensis* Stierst.
- Hordeum murinum* L. subsp. *glaucum* (Steud)
 Tzvelev
 - *Hordeum glaucum* Steud.
- Hordeum murinum* L. subsp. *leporinum* (Link)
 Arcang.
 - *Hordeum leporinum* Link
- Hymenophyllum wilsonii* Hook
 - *Hymenophyllum peltatum* (Poir) Desv. (ACC in
 POWO! dh nicht syn!)
- Hyparrhenia hirta* (L.) Stapf
 - *Hyparrhenia sinaica* (Delile) G.Lopez
- Hyparrhenia rufa* (Nees) Stapf subsp. *altissima*
 (Stapf) B. K. Simon
 - *Hyparrhenia rufa* (Nees) Stapf var. *rufa*
- Hyparrhenia sinaica* (Delile) G.Lopez
 - *Hyparrhenia hirta* (L.) Stapf
- Hypocharis achyrophorus* L.
 - *Achyrophorus valdesii* F.J. Jimenez, M.A. Ortiz
 & M. Talavera
- Ifloga obovata* Bolle
 - *Ifloga spicata* (Forssk.) Sch. Bip. subsp.
 obovata (Bolle) G. Kunkel
- Impatiens sodenii* Engl. & Warb.
 - *Impatiens oliveri* C.H.Wright ex W.Watson
- Ipomoea corymbosa* (L.) Roth
 - *Turbina corymbosa* (L.) Raf.
- Ipomoea imperati* (Vahl) Griseb
 - *Ipomoea arenaria* Roem. & Schult.
 - *Pharbitis preauxii* Webb & Berthel.
- Ipomoea indica* (Burm.) Merr.
 - *Ipomoea acuminata* (Vahl) Roem. & Schult.
- Ipomoea nil* (L.) Roth
 - *Ipomoea hederacea* Jacq.
- Iresine diffusa* Humb. & Bonpl. ex Willd.
 - *Iresine herbstii* Hook.
- Iris florentina* L.
 - *Iris albicans* Lange
 - *Iris germanica* L.
- Iris x germanica* L.
 - *Iris germanica* L.
- Jacobsaea maritima* (L.) Pelser & Meijden subsp.
 maritima
 - *Jacobsaea maritima* (L.) Pelser & Meijden
- Jasminum mesnyi* Hance
 - *Jasminum primulinum* Hensl.
- Juncus acutus* L. subsp. *acutus*
 - *Juncus acutus* L.
- Juniperus canariensis* Guyot & Mathou
 - *Juniperus phoenicea* var. *turbinata* (Guss.)
 Parl.

- Juniperus turbinata* Guss
 - *Juniperus phoenicea* L. var. *turbinata*
- Justicia floribunda* (J.J.Veitch) Wassh.
 - *Justicia rizzinii* Wassh.
- Kalanchoe delagoensis* Eckl. & Zeyh.
 - *Bryophyllum delagoense* (Eckl. & Zeyh.) Druce
- Kalanchoe fedtschenkoi* Raym.-Hamet & H.Perrier
 - *Bryophyllum fedtschenkoi* (Raym.-Hamet & H.Perrier) Lauz.-March.
- Kalanchoe pinnata* (Lam.) Pers.
 - *Bryophyllum pinnatum* (Lam.) Oken
- Kalanchoe prolifera* (Bowie ex Hook.) Raym.-Hamet
 - *Bryophyllum proliferum* Bowie ex Hook.
- Kalanchoe x laetivirens* Desc.
 - *Kalanchoe laetivirens* Desc.
- Kickxia elatine* (L.) Dumort subsp. *elatine*
 - *Kickxia elatine* (L.) Dumort.
- Kroenleinia grusonii* (Hildm.) Lodé
 - *Echinocactus grusonii* Hildm.
- Kumara plicatilis* (L.) G.D.Rowley
 - *Aloe plicatilis* (L.) Burm.f.
- Lactuca viminea* (L.) J.Presl & C.Presl. subsp. *ramosissima* (All.) Arcang.
 - *Lactuca ramosissima* (All.) Gren. & Godr.
 - *Lactuca viminea* subsp. *ramosissima* (Gren. & Godr.) Bonnier
- Lathyrus articulatus* L.
 - *Lathyrus clymenum* L.
- Lathyrus oleraceus* L. subsp. *elatius* (M.Bieb.) Asch. & Graebn.
 - *Pisum elatius* M.Bieb.
 - *Pisum sativum* L. subsp. *elatius* (M.Bieb.) Asch. & Graebn.
- Lathyrus oleraceus* Lam.
 - *Pisum sativum* L.
- Lavandula buchii* Webb & Berthel. var. *buchii*
 - *Lavandula buchii* Webb & Berthel.
- Lavandula canariensis* (L.) Mill. subsp. *canariensis*
 - *Lavandula canariensis* (L.) Mill.
- Lavandula pedunculata* (Mill.) Cav.
 - *Lavandula stoechas* subsp. *pedunculata* (Mill.) Samp. ex Rozeira
- Lavandula stoechas* L. subsp. *stoechas*
 - *Lavandula stoechas* L.
- Lens nigricans* (M.Bieb.) Godr.
 - *Lens nigricans* (M.Bieb.) Webb & Berthel.
 - *Vicia lentoides* (Ten.) Coss. & Germ.
- Leontodon saxatilis* Lam. subsp. *rothii* Maire
 - *Thrinacia hispida* Roth.
- Leontodon saxatilis* Lam.
 - *Leontodon taraxacoides* (Vill.) Mérat
 - *Loentodon longirostis* (Finch & P.D.Sell)
- Talavera
 - *Thrinacia hispida* Roth.
- Leopoldia comosa* (L.) Parl.
 - *Muscaria comosum* (L.) Mill.
- Lepidium didymum* L.
 - *Coronopus didymus* (L.) Sm.
- Leucaena leucocephala* (Lam.) de Wit subsp. *glabrata* (Rose) Zarate
 - *Leucaena glabrata* Rose
- Leuzea cynaroides* (C.Sm.) Font Quer ex G.López
 - *Rhaponticum canariense* DC.
- Limonium arboreum* Erben, A.Santos & Reyes-Bet.
 - *Limonium arborescens* [Deviating spelling]
- Limonium brassicifolium* (Webb & Berthel.) Kuntze subsp. *macropterum* (Webb & Berthel.) G. Kunkel
 - *Limonium macropterum* (Webb & Berthel.) Kuntze
- Limonium lobatum* (L.f.) Chaz.
 - *Limonium thouinii* (Viv.) Kuntze
- Limonium ovalifolium* (Poir.) Kuntze subsp. *canariense* Pignatti
 - *Limonium bollei* (Webb ex Wangerin) Erben
- Limonium ovalifolium* (Poir.) Kuntze
 - *Limonium gallicum* (Pignatti) Domina
- Limonium sinuatum* (L.) Mill. subsp. *beaumierianum* (Coss. ex Maire) Sauvage & Vindt
 - *Limonium beaumierianum* (Coss. ex Maire) Maire
- Lobularia canariensis* (DC.) L. Borgen subsp. *canariensis*
 - *Lobularia canariensis* (DC.) L. Borgen
- Logfia clementei* (Willk.) Holub
 - *Filago clementei* Willk.
- Logfia gallica* (L.) Coss. & Germ.
 - *Filago gallica* (L.) L.
- Logfia minima* (Sm.) Dumort.
 - *Filago minima* (Sm.) Pers.
- Lolium arundinaceum* (Schreb.) Darbysh. subsp. *arundinaceum*
 - *Festuca arundinacea* Schreb.
- Lolium arundinaceum* (Schreb.) Darbysh.
 - *Festuca arundinacea* Schreb.
 - *Schedonurus arundinaceus* (Schreb.) Dumort.
- Lolium atlanticum* (St.-Yves) Banfi, Galasso, Foggi, Kopecký & Ardenghi
 - *Festuca arundinacea* Schreb. subsp. *atlantigena* (St.-Yves) Auquier
- Lolium edwardii* H.Scholz, Stierst. & Gaisberg
 - *Lolium canariense* Steud.
- Lolium lowei* Menezes
 - *Lolium rigidum* Gaudin
- Lolium mediterraneum* Schreb.
 - *Festuca arundinacea* Schreb. mediterranea (Hack.) Franco & Rocha Afonso

- Lolium parabolicae* Sennen
 - *Lolium rigidum* Gaudin
- Lolium rigidum* Gaudin
 - *Lolium lowei* Menezes
 - *Lolium subulatum* Vis
- Lonicera hildebrandtiana* Collett & Hemsl.
 - *Lonicera hildebrandiana* [Deviating spelling]
- Lonicera ligustrina* Wall.
 - *Lonicera nitida* E.H. Wilson
 - *Lonicera pileata* Oliv.
- Lotus broussonetii* Choisy ex Ser.
 - *Dorycnium broussonetii* (Choisy ex Ser. in DC.) Webb & Berthel.
- Lotus campylocladus* Webb & Berthel. subsp.
 hillebrandii (Christ) Sandral & D.D.Sokoloff
 - *Lotus hillebrandii* H. Christ
- Lotus eriophthalmus* Webb & Berthel.
 - *Dorycnium eriophthalmum* Webb & Berthel.
- Lotus glaucus* Sol.
 - *Lotus glaucus* Dryand. in Aiton
- Lotus spectabilis* Choisy ex Ser.
 - *Dorycnium spectabile* (Choisy ex Ser. in DC.) Webb & Berthel.
- Lotus tenellus* (Lowe) Sandral, A.Santos &
 D.D.Sokoloff
 - *Lotus leptophyllus* (Lowe) K.Larsen
- Lupinus angustifolius* L.
 - *Lupinus varius* L.
- Lycianthes rantonnetii* (Carrière) Bitter
 - *Lycianthes rantonnei* [Deviating spelling]
- Lycianthes virgata* (Lam.) Bitter
 - *Solanum virgatum* Lam.
- Lycium intricatum* Boiss.
 - *Lycium schweinfurthii* Dammer
 - *Lycium shawii* Roem. & Schult.
- Lycium shawii* Roem. & Schult.
 - *Lycium intricatum* Boiss.
- Lysimachia arvensis* (L.) U. Manns & Anderb.
 - *Anagallis arvensis* L.
- Lysimachia foemina* (Mill.) U. Manns & Anderb.
 - *Anagallis arvensis* L. subsp. *foemina* (Mill.) Schinz & Thell.
- Lysimachia linum-stellatum* L.
 - *Asterolinon linum-stellatum* (L.) Duby in DC.
- Macrochloa tenacissima* (L.) Kunth.
 - *Stipa tenacissima* L.
- Malephora crocea* (Jacq.) Schwantes
 - *Malephora crocera*
- Malva acerifolia* (Cav.) Alef. var. *acerifolia*
 - *Lavatera acerifolia* Cav.
 - *Malva caneriensis* M.F.Ray
- Malva acerifolia* (Cav.) Alef. var. *hariensis* Svent.
 - *Lavatera acerifolia* Cav.
 - *Malva caneriensis* M.F.Ray
- Malva acerifolia* (Cav.) Alef.
 - *Lavatera acerifolia* Cav.
 - *Malva caneriensis* M.F.Ray
- Malva arborea* (L.) Webb & Berthel.
 - *Lavatera arborea* L.
- Malva durieui* Spach
 - *Lavatera mauritanica* Durieu
 - *Malva davaei* subsp. *mauritanica* (Durieu)
 Valdés
- Malva longiflora* (Boiss. & Reut.) Soldano, Banfi &
 Galasso
 - *Althaea longiflora* Boiss. & Reut.
- Malva multiflora* (Cav.) Soldano, Banfi & Galasso
 - *Lavatera cretica* L.
 - *Malva pseudolavatera* Webb & Berthel.
- Malva phoenicea* (Vent.) Alef.
 - *Lavatera brachyfolia* Walp
 - *Navaea phoenicea* (Vent.) Webb & Berthel.
- Malva pseudolavatera* Webb & Berthel.
 - *Malva multiflora*
- Malvastrum coromandelianum* (L.) Garcke subsp.
 coromandelianum
 - *Malvastrum coromandelianum* (L.) Garcke
- Marcus-kochia littorea* (L.) Al-Shehbaz
 - *Malcolmia littorea* (L.) Aiton
 - *Malcolmia littorea* (L.) R.Br.
- Marsilea quadrifolia* L.
 - *Marsilea minuta* L.
- Matthiola bolleana* Webb ex Christ subsp. *bolleana*
 - *Matthiola fruticulosa* (L.) Maire
 - *Matthiola longipetala* (Vent.) DC.
- Matthiola bolleana* Webb ex Christ subsp.
 morocera (Christ) Reyes-Betancort
 - *Matthiola livida* var. *morocera* Christ
 - *Matthiola longipetala* (Vent.) DC. subsp. *livida*
- Matthiola bolleana* Webb ex Christ subsp. *viridis*
 (Conti) Reyes-Bet.
 - *Matthiola longipetala* (Vent.) DC. (Delile)
 subsp. *viridis* (Conti) Maire
- Matthiola bolleana* Webb ex Christ
 - *Matthiola fruticulosa* (L.) Maire
 - *Matthiola longipetala* (Vent.) DC.
- Matthiola fruticulosa* (L.) Maire subsp. *bolleana*
 - *Matthiola bolleana* Webb ex Christ
- Matthiola fruticulosa* (L.) Maire subsp. *fruticulosa*
 - *Matthiola bolleana* Webb ex Christ subsp.
 bolleana
- Matthiola fruticulosa* (L.) Maire subsp. *morocera*
 - *Matthiola bolleana* Webb ex Christ subsp.
 morocera (Christ) Reyes-Bet.
- Matthiola fruticulosa* (L.) Maire
 - *Matthiola bolleana* Webb ex Christ
- Matthiola incana* (L.) R.Br. subsp. *incana*
 - *Matthiola incana* (L.) R.Br.

- Maurandya barclayana* Lindl.
 - *Maurandya barclaiana* Lindl.
- Medicago intertexta* (L.) Mill. subsp. *ciliaris* (L.) Ponert
 - *Medicago ciliaris* (L.) Krock.
- Medicago italicica* (Mill.) Fiori
 - *Medicago tornata* subsp. *helix* (Willd.) Ooststr. & Reichg.
- Medicago monspeliaca* (L.) Trautv.
 - *Trigonella monspeliaca* L.
- Medicago tornata* (L.) Mill.
 - *Medicago italicica* (Mill.) Grande
- Megathyrsus maximus* (Jacq.) B.K.Simon & S.W.L.Jacobs
 - *Panicum maximum* Jacq.
- Melaleuca glauca* (DC.) Craven
 - *Callistemon speciosus* (Sims) Colvill ex Sweet
- Melaleuca linearis* Schrad. & J.C.Wendl.
 - *Callistemon linearis* (Schrad. & J.C.Wendl.) Colv. ex Sweet
 - *Callistemon rigidus* R.Br.
- Melaleuca viminalis* (Sol. ex Gaertn.) Byrnes
 - *Callistemon viminalis* (Sol. ex Gaertn.) G.Don
- Melica minuta* L. subsp. *latifolia* L. (Coss.) W.Hempel
 - *Melica minuta* L.
- Melilotus officinalis* (L.) Lam.
 - *Melilotus officinalis* (L.) Pall.
- Melinis repens* (Willd.) Zizka subsp. *repens*
 - *Melinis repens* (Willd.) Zizka
- Mesembryanthemum theurkauffii* (Maire) Maire
 - *Mesembryanthemum cryptanthum* Hook.fil.
- Micromeria ericifolia* (Roth) Bornm.
 - *Micromeria hyssopifolia* P.Pérez subsp. *hyssopifolia*
- Micromeria helianthemifolia* P.Pérez & Kunkel var. *helianthemifolia*
 - *Micromeria helianthemifolia* Webb & Berthel.
- Micromeria helianthemifolia* P.Pérez & Kunkel var. *mary-annae* P.Pérez & G.Kunkel
 - *Micromeria helianthemifolia* Webb & Berthel.
- Micromeria hyssopifolia* Webb & Berthel. var. *glabrescens*
 - *Micromeria ericifolia* (Roth) Bornm. var. *ericifolia*
- Micromeria hyssopifolia* Webb & Berthel. var. *hyssopifolia*
 - *Micromeria ericifolia* (Roth) Bornm. var. *ericifolia*
- Micromeria hyssopifolia* Webb & Berthel. var. *kuegleri*
 - *Micromeria ericifolia* (Roth) Bornm. var. *ericifolia*
- Micromeria hyssopifolia* Webb & Berthel. var. *ericifolia*
- Micromeria hyssopifolia* Webb & Berthel.
- Monanthes dasypylla* Svent.
 - *Monanthes minima* (Bolle) Svent.
- Monanthes niphophila* Svent.
 - *Monanthes brachycaulos* (Webb. & Berth.) R. Lowe
- Monanthes polypylla* (Aiton) Haw. subsp. *amydros*
 - *Monanthes amydros* Svent.
- Micromeria hyssopifolia* Webb & Berthel.
- Micromeria ericifolia* (Roth) Bornm. var. *ericifolia*
- Micromeria ericifolia* (Roth) Bornm. var. *ericifolia*
- Micromeria lasiophylla* Webb & Berthel. subsp. *lasiophylla* (Bolle) P.Pérez
 - *Micromeria lasiophylla* Webb & Berthel.
- Micromeria lasiophylla* Webb & Berthel. subsp. *palmensis* (Bolle) P.Pérez
 - *Micromeria herpyllomorpha* subsp. *palmensis* (Bolle) Puppo
- Micromeria lepida* Webb & Berthel. subsp. *levida* P.Pérez
 - *Micromeria lepida* Webb & Berthel.
- Micromeria maderensis* Puppo & Bräuchler
 - *Micromeria varia* Benth. subsp. *thymoides* (Sol. ex Lowe) P.Pérez
- Micromeria rupestris* (Webb & Berthel.) Puppo
 - *Micromeria varia* Benth. subsp. *rupestris* (Webb & Berthel) P. Pérez
- Micromeria teneriffae* P.Pérez var. *cordifolia* P.Pérez
 - *Micromeria teneriffae* (Poir.) Benth. ex G.Don
- Micromeria teneriffae* P.Pérez var. *teneriffae*
 - *Micromeria teneriffae* (Poir.) Benth. ex G.Don
- Micromeria tenuis* (Link) Webb & Berthel. subsp. *tenuis* P. Pérez
 - *Micromeria tenuis* (Link) Webb & Berthel.
- Micromeria varia* Benth. subsp. *canariensis* P.Pérez
 - *Micromeria canariensis* (P.Perez) Puppo subsp. *canariensis*
- Micromeria varia* Benth. subsp. *gomerensis* P.Pérez
 - *Micromeria gomerensis* (P.Perez) Puppo
- Micromeria varia* Benth. subsp. *hierrensis* P.Pérez
 - *Micromeria hierrensis* (P. Perez) Puppo
- Micromeria varia* Benth. subsp. *meridialis* P.Pérez
 - *Micromeria canariensis* (P.Perez) Puppo subsp. *meridialis* (P.Perez) Puppo
- Micromeria varia* Benth. subsp. *rupestris* (Webb & Berthel) P. Pérez
 - *Micromeria rupestris* (Webb & Berthel.) Puppo
- Micromeria varia* Benth. subsp. *thymoides* (Sol. ex Lowe) P.Pérez
 - *Micromeria maderensis* Puppo & Bräuchler
- Micromeria varia* Benth.
 - *Micromeria ericifolia* (Roth) Bornm.
- Monanthes minima* (Bolle) Svent.
- Monanthes amydros*

- Monanthes polyphylla* (Aiton) Haw. subsp.
polyphylla
 - *Monanthes polyphylla* (Aiton) Haw.
- Monanthes polyphylla* (Aiton) Haw.
- Monanthes polyphylla* (Aiton) Haw.
- Monanthes praegeri* Bramwell
 - *Monanthes brachycaulos* (Webb. & Berth.) R. Lowe
- Monanthes purpurascens* (Bolle & Webb) Christ
 - *Monanthes x purpurascens* (Bole & Webb) Christ
- Monanthes silensis* (Praeger) Svent.
 - *Monanthes pallens* (Webb. in Christ) Christ
- Monanthes subcrassicaulis* (Kuntze) Praeger
 - *Monanthes muralis* (Webb ex Bolle) Christ
- Morella rivas-martinezii* A.Santos & J.Herb.
 - *Myrica rivas-martinezii* A.Santos
- Myrica faya* Aiton
 - *Morella faya* (Aiton) Wilbur
- Myriopus candidulus* (Miers) Feuillet
 - *Ceballosia fruticosa* (L.f. ex G.Kunkel) G.Kunkel ex Förther
 - *Tournefortia candidula* (Miers) I.M.Johnst.
- Nanorrhinum sagittatum* (Poir.) Yousefi & Zarre;
 - *Kickxia sagittata* (Poir.) Rothm.
- Nanorrhinum scoparium* (Brouss. ex Spreng.) Yousefi & Zarre
 - *Kickxia scoparia* (Brouss. ex Spreng.) G.Kunkel & Sunding
- Nanorrhinum urbanii* (Pit.) Yousefi & Zarre
 - *Kickxia urbanii* (Pit.) K.Larsen
 - *Nanorrhinum urbani* [Deviating spelling]
- Nasturtium officinale* R.Br.
 - *Rorippa nasturtium-aquaticum* (L.) Hayek
- Odontonema callistachyum* (Schltdl. & Cham.) Kuntze
 - *Thrysacanthus callistachyus* (Cham. & Schltdl.) Nees
- Odontonema tubaeforme* (Bertol.) Kuntze
 - *Odontonema strictum* (Nees) Kuntze
 - *Thrysacanthus tubaeformis* (Bertol.) Nees
- Oenothera lindheimeri* (Engelm. & A.Gray)
 W.L.Wagner & Hoch
 - *Gaura lindheimeri* Engelm. & A.Gray
- Ogastemma pusillum* (Coss. & Durieu ex Bonnet & Barratte) Brummitt
 - *Megastoma pusillum* Coss. & Durieu
- Olea europaea* L. subsp. *europaea*
 - *Olea europaea* L.
- Olea europaea* L. subsp. *guanchica* P. Vargas & al.
 - *Olea cerasiformis* Rivas Mart. & del Arco
- Oloptum miliaceum* (L.) Röser & Hamasha
 - *Achnatherum miliaceum* (L.) P.Beauv.
 - *Piptatherum miliaceum* (L.) Coss.
- Ononis angustissima* Lam.
 - *Ononis natrix* Lam. subsp. *angustissima* (Lam.) Sirj.
- Ononis dentata* Sol. ex Lowe
 - *Ononis reclinata* (Lowe) Lainz subsp. *dentata* (Lowe) Lainz
- Ononis hesperia* (Maire) H. Förther & D. Podlech
 - *Ononis natrix* subsp. *hesperia* Maire
- Ononis natrix* Lam. subsp. *angustissima* (Lam.) Siri.
 - *Ononis angustissima* Lam.
- Ononis natrix* Lam. subsp. *hesperia* Maire
 - *Ononis hesperia* (Maire) H. Förther & D. Podlech
 - *Ononis natrix* subsp. *hesperia* (Maire) Förther & Podl.
- Ononis reclinata* L. subsp. *mollis* (Savi) Bég.
 - *Ononis mollis* Savi
- Ononis sicula* Guss.
 - *Ononis viscosa* L. subsp. *sicula* (Guss.) Hub.- Mor.
- Onopordum micropterum* Pau
 - *Onopordum nogalesii* Svent.
- Opuntia engelmannii* Salm-Dyck ex Engelm. var.
lindheimeri (Engelm.) B.D.Parfitt & Pinkava
 - *Opuntia lindheimeri* Engelm.
- Opuntia ficus-indica* (L.) Mill.
 - *Opuntia vulgaris* Mill.
- Opuntia monacantha* (Willd.) Haw.
 - *Opuntia ficus-indica*
 - *Opuntia vulgaris*
- Orchis canariensis* Lindl.
 - *Orchis patens* subsp. *canariensis* (Lindl.) Asch. & Graebn.
- Orchis mascula* (L.) L. subsp. *lapalmensis* Leibbach & Ruedi Peter
 - *Orchis mascula* (L.) L.
- Oreocereus pseudofossulatus* D.R.Hunt
 - *Oreocereus fossulatus* (Labour.) Backeb.
- Origanum vulgare* L. subsp. *virens* (Hoffmanns. & Link) Ietsw.
 - *Origanum virens* Hoffmanns. & Link
- Ornithogalum arabicum* L.
 - *Melomphis arabica* (L.) Raf.
- Ornithogalum narbonense* L.
 - *Loncomelos narbonense* (L.) Raf.
- Ornithogalum pyrenaicum* L.
 - *Loncomelos pyrenaicum* (L.) J. Holub
- Orobanche amethystea* Thuill.
 - *Orobanche castellana* (Reuter) Rouy
- Orobanche artemisiae-campestris* Vaucher ex Gaudin
 - *Orobanche artemisiaecampestris* Vaucher ex Gaudin
- Orobanche cernua* Loefl.
 - *Orobanche berthelotii* Webb & Berthel.

- Orobanche gratiosa* (Webb & Berthel.) Linding.
 - *Phelipanche gratiosa* (Webb) Carlón
- Orobanche lavandulacea* (Rchb.) Pomel subsp.
 trichocalyx (Webb) Carlón, G. Gómez, Laínz,
 Moreno Mor., Ó. Sánchez & Schneew
 - *Phelipanche lavandulacea* Webb & Berthel.
- Orobanche lavandulacea* (Rchb.) Pomel
 - *Phelipanche lavandulacea* Webb & Berthel.
- Orobanche mutelii* F.W.Schultz
 - *Phelipanche mutelii* (F. W. Schultz) Pomel
- Orobanche nana* Noe ex Rchb.
 - *Phelipanche nana* (Reut.) Soják
- Orobanche purpurea* Jacq.
 - *Phelipanche purpurea* (Jacq.) Soják
- Orobanche ramosa* L.
 - *Phelipanche ramosa* (L.) Pomel
- Orobanche schultzii* Mutel
 - *Phelipanche schultzii* (Mutel) Pomel
- Orobanche trichocalyx* (Webb & Berthel.) Beck
 - *Orobanche lavandulacea* Rchb.
 - *Phelipanche lavandulacea* Webb & Berthel.
- Oxalis corniculata* L.
 - *Oxalis corniculatus* [Deviating spelling]
 - *Oxalis repens* Thunb.
- Oxalis debilis* Kunth
 - *Oxalis corymbosa* DC.
 - *Oxalis debilis* var. *corymbosa* (DC.) Lourteig
- Oxybasis glauca* (L.) S.Fuentes, Uotila & Borsch
 - *Chenopodium glaucum* L.
- Oxybasis urbica* (L.) S.Fuentes, Uotila & Borsch
 - *Chenopodium urbicum* L.
- Pallenis spinosa* (L.) Cass. subsp. *maroccana*
 (Aurich & Podlech) Greuter
 - *Pallenis spinosa* subsp. *maroccanus* Aurich &
 Podlech
- Pallenis spinosa* (L.) Cass.
 - *Asteriscus spinosus* (L.) Sch.Bip.
- Panicum miliaceum* L. subsp. *agricola* H. Scholz &
 Mikolás
 - *Panicum miliaceum* L.
- Panicum miliaceum* L. subsp. *miliaceum*
 - *Panicum miliaceum* L.
- Papaver argemone* L.
 - *Roemeria argemone* (L.) C.Morales, R.Mend. &
 Romero García
- Papaver dodecandrum* (Forssk.) Medik.
 - *Papaver hybridum* L.
 - *Roemeria hybrida* (L.) DC.
- Papaver hybridum* L.
 - *Papaver dodecandrum* (Forssk.) Medik.
 - *Roemeria hybrida* (L.) DC.
- Papaver somniferum* L. subsp. *setigerum* (DC.)
 Arcang.
 - *Papaver setigerum* DC.
- Paraserianthes lophantha* (Willd.) I.C.Nielsen
 - *Albizia lophantha* (Willd.) I.C. Nielsen
- Parentucellia latifolia* (L.) Caruel
 - *Bellardia latifolia* (L.) Cuatrec.
- Parentucellia viscosa* (L.) Caruel
 - *Bellardia viscosa* (L.) Fisch. & C.A.Mey.
- Paspalidium geminatum* (Forssk.), Stapf in D.
 Oliver & auct.
 - *Setaria geminata* (Forssk.) Veldkamp
- Patellifolia patellaris* (Moq.) A.J.Scott, Ford-Lloyd
 & J.T.Williams
 - *Patellifolia procumbens* (C.Sm.) A.J.Scott,
 Ford-Lloyd & J.T.Williams
- Patellifolia procumbens* (C.Sm.) A.J.Scott, Ford-
 Lloyd & J.T.Williams
 - *Beta procumbens* Chr.P.Sm.
- Patellifolia webbiana* (Moq.) A.J.Scott, Ford-Lloyd
 & J.T.Williams
 - *Patellifolia procumbens* (C.Sm.) A.J.Scott,
 Ford-Lloyd & J.T.Williams
- Pavonia strictiflora* (Hook.) G.L.Esteves
 - *Goethea strictiflora* Hook.
 - *Pavonia strictiflora* (Hook.) Fryxell
- Pericallis appendiculata* (L.f.) B.Nord. var.
 appendiculata
 - *Pericallis appendiculata* (L.f.) B.Nord.
- Pericallis hillebrandii* (Christ) Barquín &
 Voggenreiter ex Beierkuhnlein, Walentowitz &
 Welss; Basionym *Senecio hillebrandii* Christ
 - *Pericallis papyracea* (DC.) B.Nord.
 - *Senecio hillebrandii* Christ
- Persea barbujana* (Cav.) Mabb. & Nieto subsp.
 barbujana
 - *Apollonias barbujana* (Cav.) A. Br. subsp.
 barbujana
- Persea barbujana* (Cav.) Mabb. & Nieto subsp.
 ceballosi (Svent.) G.Kunkel
 - *Apollonias barbujana* (Cav.) Bornm. subsp.
 ceballosi (Svent.) G.Kunkel
- Persea barbujana* (Cav.) Mabb. & Nieto
 - *Apollonias barbujana* (Cav.) A. Br.
 - *Laurus barbujana* Cav.
 - *Persea barbujana* (Cav.) Mabb. & Nieto Fel.
- Persicaria decipiens* (R.Br.) K.L.Wilson
 - *Persicaria salicifolia* (Brouss. Ex Willd.)
 Assenov
- Petunia x atkinsiana* (Sweet) D.Don ex W.H.Baxter
 - *Petunia* × *atkinsiana* D. Don ex Loudon
 - *Petunia* × *hybrida* (Hook.) Regel
- Phagnalon rupestre* (L.) DC. subsp. *Illyricum* DC
 (H.Lindb.) Ginzb.
 - *Phagnalon rupestre* subsp. *rupestre* (L.) DC.
- Phagnalon rupestre* (L.) DC. subsp. *rupestre*
 - *Phagnalon rupestre* (L.) DC.

Phyla nodiflora (L.) Greene var. *minor* (Gillies & Hook.) N.O'Leary & Múlgura; *Lippia canescens* Kunth
 - *Phyla canescens* (Kunth) Greene.
Picris hieracioides L.
 - *Picris hieracioides* Sibth. & Sm.
Pimpinella anagodendron Bolle
 - *Pimpinella rupicola* Svent.
Pimpinella dendroselinum Webb
 - *Pimpinella dendrotragium* Webb & Berthel.
Pimpinella junionae Ceballos & Ortuno
 - *Pimpinella junoniae* [Deviating spelling]
Pimpinella rupicola Svent.
 - *Pimpinella anagodendron* Bolle
Pittosporum coriaceum Aiton
 - *Pittosporum coriaceum* Dryand. ex Aiton
Plantago coronopus L.
 - *Plantago aschersonii* Bolle
Platycladus orientalis (L.) Franco
 - *Thuja orientalis* L.
Plerandra elegantissima (H.J.Veitch ex Mast.) Lowry, G.M.Plunkett & Frodin
 - *Schefflera elegantissima* (Veitch ex Mast.) Lowry & Frodin
Poa annua L. subsp. *annua*
 - *Ochlopoa annua* (L.) H.Scholz subsp. *annua*
Poa annua L. subsp. *raniglumis* (S.E. Fröhner) Chrtek
 - *Ochlopoa annua* (L.) H.Scholz subsp. *raniglumis* (S.E.Fröhner) H.Scholz & Valdés
Poa annua L.
 - *Ochlopoa annua* (L.) H.Scholz
Poa infirma Kunth
 - *Ochlopoa infirma* Humb., Bonpl. & Kunth
Polycarpa corymbosa (L.) Lam.
 - *Polycarpa filifolia* Christ
Polycarpon alsinifolium (Biv.) Arcang.
 - *Polycarpon alsinifolium* (Biv.) DC.
 - *Polycarpon tetraphyllum* (L.) L. subsp. *alsinifolium* (Biv.) Arcang.
Polycarpon tetraphyllum (L.) L. subsp. *diphyllum* (Cav.) O. Bolòs & Font Quer
 - *Polycarpon diphyllum* Cav.
Polygonum aviculare L. subsp. *aviculare*
 - *Polygonum aviculare* L.
Polygonum rurivagum Jord. et Boreau
 - *Polygonum aviculare* L. subsp. *rurivagatum* (Jord. ex Boreau) Lindm.
Polypogon fugax Nees ex Steud.
 - *Agrostis fugax* (Nees ex Steud.) G.H. Loos
Polypogon maritimus Willd.
 - *Agrostis polypogon* G.H. Loos
Pontederia crassipes Mart.
 - *Eichhornia crassipes* (Mart.) Solms

Portulaca papillatostellulata (Danin & H.G.Baker)
 Danin
 - *Portulaca papillato-stellulata*
Prunus dulcis (Mill.) D.A.Webb
 - *Prunus amygdalus* Batsch
Prunus lusitanica L. subsp. *hixa* (Willd.) Franco
 - *Prunus hixa* Brouss ex Willd.
Pseuderanthemum maculatum (G.Lodd.) I.M.Turner
 - *Pseuderanthemum carruthersii* (Seem.) Guillaumin
Psidium cattleyanum Sabine
 - *Psidium cattleianum* Afzel ex Sabine
 - *Psidium littorale* Raddi
Pterocephalus dumetorum (Brouss. ex Willd.) Coul.
 - *Pterocephalus dumetorus* [Deviating spelling]
Pulicaria arabica (L.) Cass. subsp. *hispanica* (Boiss.) Murb.
 - *Pulicaria paludosa* Link.
Pulicaria burchardii Hutch. subsp. *burchardii*
 - *Pulicaria burchardii* Hutch.
Pulicaria paludosa Link.
 - *Pulicaria arabica* (L.) Cass. subsp. *hispanica* (Boiss.) Murb.
Pulicaria undulata (L.) C.A.Mey. subsp. *undulata*
 - *Pulicaria undulata* (L.) C.A.Mey.
Ranunculus baudotii Godr.
 - *Ranunculus peltatus* subsp. *baudotii* (Godr.) Meikle ex C.D.K.Cook
Ranunculus ficaria L.
 - *Ficaria verna* Huds.
Ranunculus parviflorus Loefl.
 - *Ranunculus parviflorus* L.
Raphanus raphanistrum L. subsp. *raphanistrum*
 - *Raphanus raphanistrum* L.
Raphanus raphanistrum L. subsp. *sativus* (L.) Domin
 - *Raphanus sativus* L.
Reichardia intermedia (Sch.Bip) Samp.
 - *Reichardia intermedia* (Jan ex DC.) Cout.
Reseda lancerotae Webb ex Del.
 - *Reseda crystallina* Webb & Berthel.
Retama monosperma (L.) Boiss.
 - *Retama rhodorhizoides* Webb & Berthel.
Retama raetam (Forssk.) Webb & Berthel.
 - *Retama retam* [Deviating spelling]
Rhaphiolepis indica (L.) Lindl.
 - *Rhaphiolepis umbellata* (Thunb.) Makino
Rhodalsine geniculata (Poir.) F.N.Williams
 - *Minuartia geniculata* (Poir.) Thell.
 - *Moehringia geniculata* (Poir.) Thell
Rhodalsine platyphylla (J.Gay ex Christ) McNeil
 - *Minuartia platyphylla* (J.Gay ex Christ) McNeil
 - *Rhodalsine geniculata* (Poir.) F.N.Williams

Rhodalsine webbii McNeill & Bramwell
 - *Minuartia webbii* McNeill & Bramwell
 - *Rhodalsine geniculata* (Poir.) F.N.Williams
Roldana petasitis (Sims) H.Rob. & Brettell
 - *Senecio petasitis* DC:
Rubia agostinhoi Dans. & P.Silva
 - *Rubia occidens* Capelo, M.Seq. & H.Schaeff.
Rubia fruticosa Aiton subsp. *melanocarpa*
 (Bornm.) Bramwell
 - *Rubia fruticosa* Aiton
Rubia fruticosa Aiton subsp. *periclymenum*
 (schenk) Sundig
 - *Rubia fruticosa* Aiton
Rubia peregrina L. subsp. *longifolia* (Poir.) O. Bolós
 - *Rubia pergrina* L.
Ruellia bourgaei Hemsl.
 - *Ruellia dipteracanthus* (Nees) Hemsl.
Rumex acetosella L. subsp. *angiocarpus* (Murb.)
 Murb.
 - *Rumex angiocarpus* Murb.
Rumex acetosella L. subsp. *pyrenaicus* (Pourr. Ex
 Lapeyr.) Akeroyd
 - *Rumex pyrenaicus* Pourr. ex Lapeyr.
Rumex crispus L. subsp. *crispus*
 - *Rumex crispus* var. *crispus*
Rumex induratus Boiss. Reut.
 - *Rumex scutatus* (Boiss. & Reut.) Nyman subsp.
induratus (Boiss. & Reut.) Nyman
Rumex obtusifolius L. subsp. *obtusifolius*
 - *Rumex obtusifolius* L.
Rumex pulcher L. subsp. *pulcher*
 - *Rumex pulcher* L.
Rumex spinosus L.
 - *Emex spinosa* (L.) Campd.
Sabulina mediterranea (Ledeb. ex Link) Rchb.
 - *Minuartia mediterranea* (Ledeb. ex Link)
 K.Malý
Salicornia perennis Mill.
 - *Sarcocornia perennis* (Mill.) A.J.Scott
Salix fragilis L.
 - *Salix fragilis* Forssk.
 - *Salix x fragilis* L.
Salix pedicellata (C.Sm. ex Link) A.K.Skvortsov
 subsp. *canariensis* (C.Sm. ex Link)
 A.K.Skvortsov
 - *Salix canariensis* C.Sm. ex Link
Salix pedicellata (C.Sm. ex Link) A.K.Skvortsov
 - *Salix canariensis* C.Sm. ex Link
Salsola divaricata Masson ex Link
 - *Canarosalsola divaricata* Masson ex Link
Salsola kali L.
 - *Kali turgida* (Dumort.) Gutermann
Salvia aegyptiaca L.
 - *Pleudia aegyptiaca* (L.) M.Will, N.Schmalz &
 Class.-Bockh.

Salvia africana L.
 - *Salvia africana-caerulea* L.
 - *Salvia aurea* L.
Salvia herbanica A.Santos & M.Fernandez
 - *Pleudia herbanica* (A.Santos & M.Fernández)
 M.Will, N.Schmalz & Class.-Bockh.
Salvia rosmarinus Schleid.
 - *Rosmarinus officinalis* L.
 - *Salvia rosmarinus* Spenn.
Salvinia molesta D.S. Mitch
 - *Salvinia adnata* Desv.
Sambucus palmensis Link
 - *Sambucus nigra* L. subsp. *palmensis* (Link)
 Bolli
Sanguisorba megacarpa (Lowe) Munoz Garm. &
 C.Navarro
 - *Poterium megacarpa* Lowe
Sanguisorba menendezii Svent.
 - *Dendriopoterium menendezii* Svent.
Sanguisorba minor Scop.
 - *Poterium sanguisorba* subsp. *sanguisorba* L.
Scadoxus puniceus (L.) Friis & Nordal
 - *Haemanthus puniceus* L.
Scandix brachycarpa Guss.
 - *Scandix pecten-veneris* L. subsp. *brachycarpa*
 (Guss.) Thell.
Schefflera actinophylla (Endl.) Harms
 - *Brassaia actinophylla* Endl.
Schenkia spicata (L.) G.Mans.
 - *Centaurium spicatum* (L.) Fritsch
Schoenoplectiella supina (L.) Lye
 - *Schoenoplectus supinus* (L.) Palla
Scilla haemorrhoidalis Webb & Berthel.
 - *Autonoe haemorrhoidalis* (webb et Berthel.)
 Speta
 - *Scilla dasyantha* Webb & Berthel.
Scleranthus annuus L. subsp. *annuus*
 - *Scleranthus annuus* L.
Scleranthus annuus L. subsp. *polycarpos* (L.)
 Bonnier & Layens
 - *Scleranthus polycarpos* L.
Scleranthus polycarpos L.
 - *Scleranthus annuus* L. subsp. *polycarpos* (L.)
 Bonnier & Layens
Scolymus hispanicus L. subsp. *hispanicus*
 - *Scolymus hispanicus* L.
Scorzonera laciniata L.
 - *Podospermum laciniatum* (L.) DC.
 - *Scorzonera hispanica* subsp. *coronopifolia*
 (Desf.) Rouy
Sedum lancerottense R.P. Murray
 - *Sedum nudum* Aiton subsp. *lancerottense*
 (R.P.Murray) A.Hansen & Sunding
Selaginella denticulata (L.) Spring
 - *Selaginella kraussiana* (Kunze) A. Braun

- Selenicereus triangularis* (L.) D.R.Hunt
 - *Hylocereus triangularis* (L.) Britton & Rose
- Selenicereus undatus* (Haw.) D.R.Hunt
 - *Hylocereus undatus* (Haw.) Britton & Rose
- Senecio leucanthemifolius* Poir. var.
 leucanthemifolius
 - *Senecio leucanthemifolius* Poir.
- Senna didymobotrya* (Fresen.) H.S.Irwin &
 Barneby
 - *Cassia didymobotrya*
- Senna spectabilis* (DC.) H.S.Irwin & Barneby
 - *Cassia spectabilis*
- Serapias parviflora* Parl. subsp. *mascaensis*
 (H.Kretzschmar, G.Kretzschmar & Kreutz)
 Kreutz
 - *Serapias mascaensis* H.Kretzschmar,
 G.Kretzschmar & Kreutz
 - *Serapias parviflora* Parl.
- Sesleria albicans* Kit.
 - *Sesleria caerulea* Opiz
- Setaria geminata* (Forssk.) Veldkamp
 - *Paspalidium geminatum* (Forssk.) Stapf
- Setaria megaphylla* (Steud.) T. Durant & Schinz
 - *Setaria chevalieri* Stapf.
- Setaria pumila* (Poir.) Roem. & Schult.
 - *Setaria helvolia* (L.f.) Roem. & Schult.
- Setaria verticillata* (L.) P.Beauv.
 - *Setaria adhaerens* (Forssk.) Chiov.
- Sicyos edulis* Jacq.
 - *Sechium edule* subsp. *edule* Sw.
 - *Sechium edule* (Jacq.) Sw.
- Sideritis cretica* L. subsp. *cretica*
 - *Sideritis cretica* L.
- Sideritis cretica* L. subsp. *spicata* (Pit.) Negrin &
 P.Perez
 - *Sideritis spicata* (Pit.) Marrero Rodr.
- Sideritis gomeraea* de Noé ex Bolle
 - *Sideritis gomerae* Bolle
- Sideritis lotsyi* (Pit.) Ceballos & Ortuño subsp.
 lotsyi
 - *Sideritis mascaensis* (Svent.) Marrero Rodr.
- Sideritis mascaensis* (Svent.) Marrero Rodr.
 - *Sideritis lotsyi* (Pit.) Ceballos & Ortuño subsp.
 mascaensis Svent.
 - *Sideritis lotsyi* (Pit.) Ceballos & Ortuño var.
 mascaensis Svent.
- Sideritis oroteneriffae* Négrin & P.Pérez var. *arayae*
 Négrin & P.Pérez
 - *Sideritis oroteneriffae* Négrin & P.Pérez
- Sideritis oroteneriffae* Négrin & P.Pérez var.
 oroteneriffae
 - *Sideritis oroteneriffae* Négrin & P.Pérez
- Sideritis soluta* Clos subsp. *soluta*
 - *Sideritis soluta* Clos
- Silene bourgaei* Webb ex Christ
 - *Silene bourgaei*
- Silene diversifolia* Otth
 - *Silene oblongifolia* Otth.
 - *Silene rubella* subsp. *segetalis* (Dufour)
 Nyman
- Silene latifolia* Poir.
 - *Silene macrocarpa* (Boiss. et Reut) E.H.L.
 Krause
 - *Silene vulgaris* subsp. *macrocarpa* Turrill
 - *Silene vulgaris* subsp. *vulgaris*
- Silene nocteolens* Webb & Berthel.
 - *Silene nocteolons* [Deviating spelling]
- Silene rubella* L.
 - *Silene oblongifolia* Otth.
- Silene vulgaris* (Moench) Garcke subsp.
 angustifolia Hayek
 - *Silene vulgaris* subsp. *macrocarpa* Turrill
 - *Silene vulgaris* subsp. *vulgaris*
- Silene vulgaris* (Moench) Garcke subsp. *commutata*
 (Guss.) Hayek
 - *Silene commutata* Guss.
 - *Silene nutans* L.
- Silene vulgaris* (Moench) Garcke subsp. *vulgaris*
 - *Silene vulgaris* (Moench) Garcke
- Solandra grandiflora* Sw.
 - *Solandra nitida* Zuccagni
- Solanum alatum* Moench
 - *Ambiguous synonym* Catalogue of Life
 - *Homotypic synonym* World Flora Online
- Solanum hoehnei* C.V.Morton
 - *Solanum alatum* Dunal
- Solanum lycopersicum* L.
 - *Lycopersicon esculentum* Mill.
- Solanum nava* Webb & Berthel.
 - *Normania nava* (Webb & Berthel.) Franc.-Ort.
 & Lester
- Solanum nigrum* L.
 - *Solanum decipiens* Opiz
- Solanum villosum* Mill. subsp. *miniatum* (Bernh. ex
 Willd.) Edmonds
 - *Solanum alatum* Moench
- Solanum villosum* Mill. subsp. *villosum*
 - *Solanum villosum* (L.) Willd.
- Sonchus asper* (L.) Hill subsp. *asper*
 - *Sonchs asper* (L.) Hill
- Sonchus asper* (L.) Hill subsp. *glaucescens* (Jord.)
 Ball ex Ball
 - *Sonchus glaucescens* Jord.
- Sonchus bupleuroides* (Font Quer) N.Kilian &
 Greuter
 - *Sventenia bupleuroides* Font Quer
- Sonchus esperanzae* N.Kilian & Greuter
 - *Lactucosonchus beltraniae* (U. Reifenberger &
 A. Reifenberger) Bramwell

- Sonchus gomeraensis* Boulos
 - *Sonchus gomerensis* [Deviating spelling]
- Sonchus pendulus* (Sch.Bip.) Sennikov subsp.
 flaccidus (Svent.) N.Kilian & Greuter
 - *Chrysoprenanthes pendula* (Sch. Bip.)
 Bramwell subsp. *flaccida* (Svent.) Bramwell
- Sonchus pendulus* (Sch.Bip.) Sennikov subsp.
 pendulus
 - *Chrysoprenanthes pendula* (Sch. Bip.)
 Bramwell
- Sonchus pendulus* (Sch.Bip.) Sennikov
 - *Chrysoprenanthes pendula* (Sch. Bip.)
 Bramwell
 - *Prenanthes pendula* Sch.Bip.
- Sonchus platylepis* Webb
 - *Babcockia platylepis* (Webb) Boulos
- Sonchus webbii* Sch.Bip.
 - *Lactucosonchus webbii* (Sch. Bip.) Svent.
- Spergularia bocconeui* (Scheele) Asch. & Graebn.
 - *Spergularia bourgeaui* Lebel
- Spergularia bourgaei* Lebel
 - *Spergularia bocconeui* (Scheele) Graebn.
- Spergularia flaccida* (Madden) I.M.Turner
 - *Spergula fallax* (Lowe) E.H.L.Krause
- Spergularia marina* (L.) Besser
 - *Spergularia salina* J.Presl & C.Presl
- Spirobassia hirsuta* (L.) Freitag & G. Kadereit
 - *Bassia crassifolia* (Pall.) Soldano
- Spirodela punctata* (G.Mey.) C.H.Thompson
 - *Landoltia punctata* (G. Mey.) Les & D. J. Crawford
- Stachys germanica* L. subsp. *cordigera* Briq.
 - *Stachys germanica* L.
- Stellaria apetala* Ucria
 - *Stellaria apetala* Bernardino
 - *Stellaria media* (L.) Vill.
 - *Stellaria pallida* (Dumort.) Crép.
- Stenocereus dumortieri* (Scheidew.) Buxb.
 - *Isolatocereus dumortieri* (Scheidw.) Backeb.
- Stenocereus pruinosus* (Otto ex Pfeiff.) Buxb.
 - *Neogriseocereus pruinosus* (Otto ex Pfeiff.) Guiggi
- Stephanotis floribunda* Jacques
 - *Marsdenia floribunda* (Brongn.) Schltr.
 - *Stephanotis floribunda* Brongn.
- Stipellula capensis* (Thunb.) Röser & Hamasha
 - *Stipa capensis* Thunb.
- Suaeda vera* Forssk. ex J.F.Gmel.
 - *Suaeda fruticosa* Forssk. ex J.F. Gmel.
- Suaeda vermiculata* Forssk. ex J.F.Gmel.
 - *Suaeda mollis* (Desf.) Delile
- Syagrus weddelliana* (H.Wendl.) Becc.
 - *Lytocaryum weddellianum* (H.Wendl.) Toledo
- Symphyotrichum subulatum* (Michx.) G.L.Nesom
 subsp. *squamatum* (Spreng.) S.D.Sundb.
 - *Aster squamatus* (Spreng.) Hieron.
 - *Symphyotrichum squamatum* (Spreng.) G.L.Nesom
- Symphyotrichum subulatum* (Michx.) G.L.Nesom
 - *Aster subulatus* (Michx.) Hort. ex Michx.
 - *Symphyotrichum squamatum* (Spreng.) G.L.Nesom
- Tagetes erecta* L.
 - *Tagetes patula* L.
- Tara spinosa* (Molina) Britton & Rose
 - *Caesalpinia spinosa* (Molina) Kuntze
- Taraxacum campylodes* G.E.Haglund
 - *Taraxacum vulgare* (Lam.) Schrank (unplaced in POWO)
- Taraxacum canarensis* Soest
 - *Taraxacum canariense* Soest
- Taraxacum officinale* F.H.Wigg
 - *Taraxacum campylodes* G.E.Haglund
 - *Taraxacum vulgare* Schrank.
- Tecomaria capensis* (Thunb.) Spach
 - *Tecoma capensis* (Thunb.) Lindl.
- Teline canariensis* (L.) Webb & Berthel.
 - *Genista canariensis* L.
- Teline microphylla* P.E.Gibbs & Dingwall
 - *Cytisus congestus* (Webb & Berthel.) Ball
 - *Genista microphylla* DC.
 - *Teline s. subsp. microphylla*
- Teline nervosa* (Esteve) Hansen & Sund.
 - *Rivasgodaya nervosa* Esteve
- Teline osyrioides* (Svent.) P.E.Gibbs & Ding subsp.
 osyrioides
 - *Cytisus osyrioides* P.E.Gibbs & Ding subsp.
 osyrioides
- Teline osyrioides* (Svent.) P.E.Gibbs & Ding
 - *Cytisus osyrioides* Gibbs & Dingwall
 - *Teline osyrioides* Gibbs & Dingwall [Deviating spelling]
- Teline pallida* (Poir.) G. Kunkel subsp. *gomerae*
 - *Genista linifolia* subsp. *pallida* (Poir.) Hanelt
- Teline pallida* (Poir.) G. Kunkel subsp. *pallida*
 - *Genista linifolia* subsp. *pallida* (Poir.) Hanelt
- Teline pallida* (Poir.) G. Kunkel subsp. *silensis*
 - *Genista linifolia* subsp. *pallida* (Poir.) Hanelt
- Teline pallida* (Poir.) G. Kunkel
 - *Genista linifolia* subsp. *pallida* (Poir.) Hanelt
- Teline rosmarinifolia* Webb & Berthel. subsp.
 eurifolia
 - *Genista linifolia* L. subsp. *eurifolia*
- Teline rosmarinifolia* Webb & Berthel. subsp.
 rosmarinifolia Arco
 - *Cytisus rosmarinifolius* (Webb & Berthel.) Masf.
 - *Genista rosmarinifolia* Webb & Berthel. subsp.
 rosmarinifolia

- Teline rosmarinifolia* Webb & Berthel.
 - *Cytisus rosmarinifolius* (Webb & Berthel.)
 Masf.
 - *Genista linifolia* L.
 - *Genista rosmarinifolia*
- Teline splendens* (Webb & Berthel.) del Arco
 - *Genista splendens* Webb & Berthel.
 - *Teline linifolia* subsp. *pallida* (Poir.) P.E.Gibbs
 & Dingwall
- Teline stenopetala* (Webb & Berthel.) Webb &
 Berthel.
 - *Genista stenopetala* Webb & Berthel.
- Tephrocactus articulatus* (Pfeiff.) Backeb.
 - *Opuntia articulata* (Pfeiff.) D.R. Hunt
- Thaumatophyllum bipinnatifidum* (Schott ex Endl.)
 Sakur., Calazans & Mayo
 - *Philodendron bipinnatifidum* Schott ex Endl.
- Thaumatophyllum xanadu* (Croat, J.Boos & Mayo)
 Sakur., Calazans & Mayo
 - *Philodendron xanadu* Croat, Mayo & J.Boos
- Thelypteris dentata* (Forssk.) E.P.St.John
 - *Christella dentata* (Forssk.) Brownsey &
 Jermy
 - *Cyclosorus dentata* (Forssk.) Ching
- Thesium canariensis* (Stearn) J.C.Manning &
 F.Forest
 - *Kunkeliella canariensis* Stearn
- Thesium psilotocladium* Svent.
 - *Kunkeliella psilotoclada* (Svent.) Stearn
- Thesium retamoides* (A.Santos) J.C.Manning &
 F.Forest
 - *Kunkeliella retamoides* A.Santos
- Thesium subsucculentum* (Kämmer) J.C.Manning &
 F.Forest
 - *Kunkeliella subsucculenta* Kämmer
- Tolpis barbata* (L.) Gaertn. subsp. *barbata*
 - *Tolpis barbata* (L.) Gaertn.
- Tolpis umbellata* Bertol.
 - *Tolpis barbata* (L.) Gaertn. subsp. *umbellata*
 (Bertol.) Maire
- Torilis arvensis* (Schult.) Thell. subsp. *neglecta*
 (Schult.) Thell.
 - *Torilis neglecta* Schult.
- Torilis elongata* (Hoffmanns. & Link) Samp.
 - *Torilis arvensis* (Huds.) Link subsp. *elongata*
 (Hoffmanns. & Link) Cannon
- Torilis pseudonodosa* Bianca
 - *Torilis webbii* Jury
- Torilis webbii* Bianca
 - *Torilis pseudonodosa* Bianca
- Trichocereus macrogonus* (Salm-Dyck) Riccob.
 - *Echinopsis macrogona* (Salm-Dyck) Friedrich
 & G.D.Rowley
 - *Trichocereus peruvianus* Britton & Rose
- Trichomanes speciosum* Willd.
 - *Vandenboschia speciosa* (Willd.) G.Kunkel
- Trifolium obscurum* Savi
 - *Trifolium isodon* Murb.
- Trifolium occidentale* Coombe
 - *Trifolium repens* subsp. *prostratum* Nyman
- Trifolium oxalooides* Bunge ex Nyman
 - *Trifolium subterraneum* L. subsp. *oxalooides*
 Nyman
- Trifolium subterraneum* L.
 - *Trifolium oxalooides* Bunge ex Nyman
 - *Trifolium subterraneum* L. subsp. *oxalooides*
 Nyman
- Trisetaria lapalmae* H.Scholz
 - *Trisetaria loeflingiana* (L.) Paunero
- Trithrinax brasiliensis* Mart. var. *acanthocoma*
 (Drude) Mattos
 - *Trithrinax acanthocoma* Drude
- Triticum aestivum* L. subsp. *aestivum*
 - *Triticum aestivum* L.
- Triticum turgidum* L. subsp. *durum* (Desf.) Husn.
 - *Triticum aestivum* subsp. *durum* (Desf.) Thell.
 - *Triticum durum* Desf.
- Tritium aestivum* L. subsp. *hadropyrum* (Flaksb.)
 Tzvelev
 - *Triticum aestivum* L.
- Ulex europaeus* L. subsp. *europaeus*
 - *Ulex europaeus* L.
- Umbilicus horizontalis* (Guss.) DC.
 - *Umbilicus gaditanus* Boiss
- Urochloa mutica* (Forssk.) T.Q. Nguyen
 - *Brachiaria mutica* (Forssk.) Stapf
- Urochloa plantaginea* (Link) R.D.Webster
 - *Brachiaria plantaginea* (Link) Hitchc.
- Urochloa subquadripila* (Trin.) R.D.Webster
 - *Brachiaria subquadripila* (Trin.) Hitchc.
- Vachellia farnesiana* (L.) Wight & Arn.
 - *Acacia farnesiana* (L.) Willd.
- Vachellia karroo* (Hayne) Banfi & Galasso
 - *Acacia karroo* Hayne
- Valeriana calcitrapae* L.
 - *Centranthus calcitrapa* (L.) Dufr.
 - *Centranthus calcitrapae* (L.) Dufr.
- Valeriana carinata* (Loisel.) Christenh. & Byng
 - *Valerianella carinata* Loisel.
- Valeriana coronata* (L.) Mill.
 - *Valerianella coronata* (L.) DC.
- Valeriana dentata* (L.) All.
 - *Valerianella dentata* (L.) Pollich.
- Valeriana discoidea* (L.) Willd.
 - *Valerianella discoidea* (L.) Loisel.
- Valeriana eriocarpa* (Desv.) Christenh. & Byng
 - *Valerianella eriocarpa* Desv.
- Valeriana locusta* L.
 - *Valerianella locusta* (L.) Laterr.

- Valeriana rubra* L.
 - *Centranthus ruber* (L.) DC
- Valerianella abyssinica* Fresen.
 - *Valerianella microcarpa* Loisel.
- Valerianella muricata* (Steven ex M.Bieb.)
 W.H.Baxter
 - *Valerianella eriocarpa* Desv.
- Veronica x andersonii* Lindl. & Paxton
 - *Hebe* × *andersonii* (Lindl. & Paxton) Cockayne
- Viburnum rugosum* Pers.
 - *Viburnum rigidum* Vent.
 - *Viburnum tinus* L. subsp. *rigidum* (Vent.)
 P.Silva
- Vicia lens* (L.) Coss. & Germ.
 - *Lens culinaris* Medik.
- Vicia lutea* L. subsp. *lutea*
 - *Vicia lutea* L.
- Vicia sativa* L. subsp. *cordata* (Wulfen ex T. Hoppe)
 Asch. & Graebn.
 - *Vicia cordata* Wulfen ex Hoppe
- Vicia sativa* L. subsp. *sativa*
 - *Vicia sativa* L.
- Vicia tenuifolia* Roth subsp. *dalmatica* (A.Kern.)
 Greuter
 - *Vicia dalmatica* A. Kern.
- Vicia villosa* Roth subsp. *ambigua* (Guss.)
 Kerguelen
 - *Vicia pseudocracca* Bertol.
 - *Vicia villosa* Roth subsp. *pseudocracca*
 (Bertol.) P. W. Ball
- Viola odorata* L.
 - *Viola odora* Neck.
 - *Viola plantaginea* Webb ex Christ
- Viola plantaginea* Webb ex Christ
 - *Viola odorata* L.
- Visnaga daucoides* Gaertn.
 - *Ammi visnaga* (L.) Lam
- Wahlenbergia lobelioides* (L.f.) Link. subsp.
 lobelioides
 - *Wahlenbergia lobelioides* (L.f.) Link.
- Wigandia urens* (Ruiz & Pav.) Kunth
 - *Wigandia caracasana* Kunth
 - *Wigandia kunthii* Choisy
- Xanthium strumarium* L. subsp. *strumarium*
 - *Xanthium italicum* Moretti
 - *Xanthium orientale* L. subsp. *italicum*
 (Moretti) Greuter
- Xanthium strumarium* L.
 - *Xanthium orientale* L.
- Zoysia matrella* (L.) Merr.
 - *Zoysia pacifica* (Goudsward) M.Hotta &
 Kuroki
- Zygophyllum creticum* (L.) Christenh. & Byng
 - *Fagonia cretica* L.
- Zygophyllum fontanesii* Webb & Berthel.
 - *Tetraena fontanesii* (Webb & Berthel.) Beier &
 Thulin
- Zygophyllum gaetulum* Emb. & Maire subsp.
 gaetulum
 - *Tetraena gaetula* (Emb. & Maire) Beier &
 Thulin
- Zygophyllum gaetulum* Emb. & Maire subsp.
 waterlotii (Maire) Dobignard, Jacquemoud &
 D.Jord.
 - *Tetraena gaetula* (Emb. & Maire) Beier &
 Thulin subsp. *waterlotii* (Maire) Beier & Thulin
 - *Zygophyllum waterlotii* Maire
- Zygophyllum gaetulum* Emb. & Maire
 - *Tetraena gaetula* (Emb. & Maire) Beier &
 Thulin