

Table S4. Statistics of identified simple sequence repeats in the chloroplast genome of

SSR type	Ratio (%)	Repeat unit	Location
Mono (29)	32.2	A (13), T (16)	LSC (23), IRB (2), SSC (2), IRA (2)
Di (3)	3.3	AT (3)	LSC (3)
		AAC (2), TTA (4), ATG (3), TTC (3), TCT (2), GCA (1), AAT (3), GTA (1), ATA (1), ATT (4), TTG (3), GGA (1), TAT (1), TAA (1), ATC (1), TGC (1), TGA (1), GAA (1), AGA (2), CTG (1), CAA (1), GCT (1), AGA (1), CTT (1), CAG (1), TCA (1)	LSC (23), IRB (6), SSC (8), IRA (6)
Tetra (3)	3.3	TCTA (1), TTTC (1), AACA (1)	LSC (2), SSC (1)
Penta (2)	3.3	TAAAA (1), TATTT (1)	LSC (2)
		(T)10c(A)10 (1), (A)14...(TAAA)3 (1), (TAT)3...(ATA)3...(AAG)3 (1), (T)10...(A)11 (1), (T)11...(TAA)3 (1), (TGC)3...(TTA)3 (1), (T)10...(CTT)3 (1), (TCT)3...(CTT)3 (1), (AAG)3...(AGA)3 (1), (GAA)3...(A)10 (1)	LSC (6), IRB (2), IRA (2)
C (10)	11.1		
Total (90)	100	44	LSC (59), IRB (10), SSC (11), IRA (10)

Dracocephalum heterophyllum (Lamiaceae).