

Erratum

Erratum: Al-Fandi, M.; et al. Novel Selective Detection Method of Tumor Angiogenesis Factors Using Living Nano-Robots. *Sensors* 2017, 17, 1580

Mohamed Al-Fandi ^{1,3,*} , Nida Alshraiedeh ², Rami Oweis ¹, Hala Alshdaifat ³, Omamah Al-Mahaseneh ³ , Khadijah Al-Tall ³ and Rawan Alawneh ³

¹ Nanotechnology Institute, Jordan University of Science and Technology, P.O. Box 3030, Irbid 22110, Jordan; oweis@just.edu.jo

² Faculty of Pharmacy, Jordan University of Science and Technology, P.O. Box 3030, Irbid 22110, Jordan; nhalshraiedeh@just.edu.jo

³ Micro and Nano Systems Lab., Jordan University of Science and Technology, P.O. Box 3030, Irbid 22110, Jordan; halla.shdefaty@yahoo.com (H.A.); engomamah@yahoo.com (O.A.-M.); Altall@yahoo.com (K.A.-T.); rawan-jo@hotmail.com (R.A.)

* Correspondence: mohamed_alfandi@just.edu.jo; Tel.: +962-799-199-324

Received: 25 October 2017; Accepted: 25 October 2017; Published: 30 October 2017

The authors wish to correct the spelling of the third author's name from Rami Owies to Rami Oweis in their paper published in *Sensors* [1], doi:10.3390/s17071580, <http://www.mdpi.com/1424-8220/17/7/1580>. The manuscript will be updated and the original will remain online on the article webpage, with a reference to this Erratum.

Reference

1. Al-Fandi, M.; Alshraiedeh, N.; Oweis, R.; Alshdaifat, H.; Al-Mahaseneh, O.; Al-Tall, K.; Alawneh, R. Novel Selective Detection Method of Tumor Angiogenesis Factors Using Living Nano-Robots. *Sensors* **2017**, *17*, 1580. [[CrossRef](#)] [[PubMed](#)]



© 2017 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).