

Supporting Information

Design, synthesis, and biological evaluation of novel N-arylpiperazines containing a 4,5 dihydrothiazole ring.

Giorgia Andreozzi¹, Maria Rosaria Ambrosio², Elisa Magli¹, Giovanni Maneli⁴, Beatrice Severino¹, Angela Corvino¹, Rosa Sparaco¹, Elisa Perissutti¹, Francesco Frecentese¹, Vincenzo Santagada¹, Anna Lesniak⁵, Magdalena Bujalska-Zadrozny⁵, Giuseppe Caliando¹, Pietro Formisano^{2,4} and Ferdinando Fiorino^{1*}

¹Dipartimento di Farmacia Università di Napoli Federico II Via D. Montesano, 49, 80131, Naples, Italy

²URT "Genomic of Diabetes", Institute for Experimental Endocrinology and Oncology "G. Salvatore", National Research Council (IEOS-CNR), Via Pansini 5, 80131 Naples, Italy

³Dipartimento di Sanità Pubblica Università di Napoli Federico II Via Pansini, 5, 80131, Naples, Italy



⁴Department of Translational Medicine, University of Naples "Federico II", Via Pansini 5, 80131 Naples, Italy.

⁵Department of Pharmacotherapy and Pharmaceutical Care, Centre for Preclinical Research and Technology, Faculty of Pharmacy, Medical University of Warsaw, 1 Banacha Str., 02-097 Warsaw, Poland



*Correspondence: Corresponding author. Tel.: +39-81 679825; fax 39-81-678649; e-mail address: fefiorin@unina.it

Contents: ^1H and ^{13}C NMR spectra for 2a-2c, 3a-3c



Compound 2a





Compound 2b





Compound 2c



Compound 3a



Compound 3b



Compound 3c

